

July 9, 2008

U.S. Nuclear Regulatory Commission
11555 Rockville Pike
Rockville, MD 20852-2738

Attn: Document Control Desk

Subject: Submittal of Final Draft Certificate of Compliance for the NAC MAGNASTOR System

Docket No. 72-1031 (TAC No. L24115)

- Reference:
1. Resubmittal of NAC MAGNASTOR System Application for Approval, NAC International, August 6, 2007
 2. NAC MAGNASTOR System Application – Safety Analysis Report, Revision 2, NAC International, June 16, 2008
 3. Submittal of Supplement to the NAC MAGNASTOR System Safety Analysis Report, Revision 2, NAC International, June 24, 2008

Enclosed herein please find the final draft Certificate of Compliance, including Appendix A – Technical Specifications and Design Features, and Appendix B – Approved Contents, for the MAGNASTOR System.

NAC International (NAC) has prepared this draft Certificate of Compliance, including the appendices, for the MAGNASTOR System to assist the Nuclear Regulatory Commission in the certification process for Reference 1. Please note that a minor editorial change has been made to the Appendix A text on page A3-6 from that previously provided in the submittals (References 2 and 3).

Your continued effort toward timely certification of the MAGNASTOR System will support anticipated utility needs for this system. Any additional information that may be needed to complete this certification will be promptly provided.

If you have any comments or questions, please contact me on my direct line at (678) 328-1274.

Sincerely,

Anthony L. Patko
Director, Licensing
Engineering

Enclosure

ED20080086



NMSSD 1

NMSS

**CERTIFICATE OF COMPLIANCE
FOR SPENT FUEL STORAGE CASKS**

U.S. Nuclear Regulatory Commission is issuing this Certificate of Compliance pursuant to Title 10 of the Code of Federal Regulations, Part 72, "Licensing Requirements for Independent Storage of Spent Nuclear Fuel and High-Level Radioactive Waste" (10 CFR Part 72). This certificate is issued in accordance with 10 CFR 72.238, certifying that the storage design and contents described below meet the applicable safety standards set forth in 10 CFR Part 72, Subpart L, and on the basis of the Final Safety Analysis Report (FSAR) of the cask design. This certificate is conditional upon fulfilling the requirements of 10 CFR Part 72, as applicable, and the conditions specified below.

Certificate No.	Effective Date	Expiration Date	Docket No.	Amendment No.	Amendment Effective Date	Package Identification No.
1031	TBD	TBD	72-1031	0	TBD	USA/72-1031

Issued To: (Name/Address)

NAC International Inc.
3930 East Jones Bridge Road
Norcross, GA 30092

Safety Analysis Report Title

NAC International Inc., Final Safety Analysis Report for the MAGNASTOR System, Docket No. 72-1031

APPROVED SPENT FUEL STORAGE CASK

Model No.: MAGNASTOR

Description

The MAGNASTOR system is certified as described in the Safety Analysis Report (SAR) and in NRC's Safety Evaluation Report (SER) accompanying the Certificate of Compliance (CoC).

The MAGNASTOR system (the cask) consists of the following components: (1) transportable storage canister (TSC), which contains the spent fuel; (2) concrete cask, which contains the TSC during storage; and (3) a transfer cask, which contains the TSC during loading, transfer and unloading operations. The cask may store up to 37 pressurized water reactor (PWR) fuel assemblies or 87 boiling water reactor (BWR) fuel assemblies. Authorized PWR and BWR contents are specified in Appendix B to this Certificate.

The TSC is the confinement system for the stored fuel. The TSC assembly consists of a right circular cylindrical shell with a welded bottom plate, a fuel basket, a closure lid, a closure ring, and two sets of redundant penetration port covers. The cylindrical shell plus the bottom plate, closure lid and ring, and redundant welded port covers constitute the confinement boundary. The electroless nickel-coated carbon steel fuel basket is a developed-cell circular cylinder configuration with either 37 (PWR) or 87 (BWR) fuel assembly locations. The fuel assembly locations (cells) in the PWR and BWR baskets include neutron absorber panels on up to four sides for criticality control. Each neutron absorber panel is covered by a stainless steel sheet to protect the material during fuel loading and unloading, and to maintain it in position. There are two TSC lengths to accommodate different PWR and BWR fuel assembly lengths.

The concrete cask is the storage overpack for the TSC and provides structural support, shielding, protection from environmental conditions, and natural convection cooling of the TSC during long-term storage. The concrete cask is a reinforced concrete (Type II Portland cement) structure with a carbon steel inner liner. The liner inner diameter incorporates standoffs to minimize impact loads on the TSC and to maintain convective heat flow paths under accident conditions. The concrete cask has an annular air passage to allow a passive convection air flow around the TSC. The air inlets and outlets are offset in elevation from the TSC to minimize radiation streaming. The spent fuel decay heat is transferred from the fuel assemblies to the TSC shell using pressurized helium circulated by convection through the fuel

Description (continued)

basket, conduction and radiation. Heat flows by convection from the TSC shell to the circulating air and by radiation from the TSC shell to the concrete cask liner. The heated air is exhausted, by convective flow, through the concrete cask air outlets. The top of the concrete cask is closed by a carbon steel and concrete lid bolted in place.

The transfer cask provides shielding during TSC movements between work stations, the concrete cask, or the transport cask. It is a multiwall (steel/lead/NS-4-FR/steel) design with retractable (hydraulically operated) bottom shield doors that are used during loading and unloading operations. To minimize contamination of the TSC exterior and the transfer cask interior, clean water is circulated in the gap between the transfer cask and the TSC during loading operations.

CONDITIONS**1. OPERATING PROCEDURES**

Written operating procedures shall be prepared for cask handling, loading, movement, surveillance, and maintenance. The user's site-specific written operating procedures shall be consistent with the technical basis described in Chapter 9 of the SAR.

2. ACCEPTANCE TESTS AND MAINTENANCE PROGRAM

Written cask acceptance tests and a maintenance program shall be prepared consistent with the technical basis described in Chapter 10 of the SAR.

3. QUALITY ASSURANCE

Activities in the areas of design, purchase, fabrication, assembly, inspection, testing, operation, maintenance, repair, modification of structures, systems and components, and decommissioning that are important to safety shall be conducted in accordance with a Commission-approved quality assurance program that satisfies the applicable requirements of 10 CFR Part 72, Subpart G, and which is established, maintained, and executed with regard to the cask system.

4. HEAVY LOADS REQUIREMENTS

Each lift of a MAGNASTOR TSC, transfer cask, or concrete cask must be made in accordance with the heavy loads requirements and procedures of the licensed facility at which the lift is made. A plant-specific safety review (under 10 CFR 50.59 or 10 CFR 72.48 requirements, if applicable) is required to show operational compliance with existing plant-specific heavy loads requirements.

5. APPROVED CONTENTS

Contents of the MAGNASTOR system must meet the specifications given in Appendix B to this certificate.

**CERTIFICATE OF COMPLIANCE
FOR SPENT FUEL STORAGE CASKS
Supplemental Sheet**

Certificate No. 1031

Amendment No. 0

Page 3 of 3

6. DESIGN FEATURES

Features or characteristics for the site, cask, or ancillary equipment must be in accordance with Appendix A to this certificate.

7. CHANGES TO THE CERTIFICATE OF COMPLIANCE

The holder of this certificate who desires to make changes to the certificate, which includes Appendix A (Technical Specifications and Design Features) and Appendix B (Approved Contents), shall submit an application for amendment of the certificate.

8. AUTHORIZATION

The MAGNASTOR system, which is authorized by this certificate, is hereby approved for general use by holders of 10 CFR Part 50 licenses for nuclear reactors at reactor sites under the general license issued pursuant to 10 CFR 72.210, subject to the conditions specified by 10 CFR 72.212, and the attached Appendix A and Appendix B.

FOR THE NUCLEAR REGULATORY COMMISSION

Eric J. Benner, Chief
Licensing Branch
Division of Spent Fuel Storage and Transportation
Office of Nuclear Material Safety
and Safeguards

Attachments:

1. Appendix A
2. Appendix B

Dated: _____

APPENDIX A

TECHNICAL SPECIFICATIONS AND DESIGN FEATURES FOR THE MAGNASTOR SYSTEM

AMENDMENT 0

Appendix A
Table of Contents

1.0	USE AND APPLICATION.....	A1-1
1.1	Definitions	A1-1
1.2	Logical Connectors	A1-6
1.3	Completion Times	A1-8
1.4	Frequency.....	A1-12
2.0	[Reserved]	A2-1
3.0	LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY	A3-1
3.0	SURVEILLANCE REQUIREMENT (SR) APPLICABILITY	A3-2
3.1	MAGNASTOR SYSTEM Integrity	A3-3
3.1.1	Transportable Storage Canister (TSC)	A3-3
3.1.2	CONCRETE CASK Heat Removal System	A3-8
3.2	MAGNASTOR SYSTEM Criticality Control for PWR Fuel	A3-9
3.2.1	Dissolved Boron Concentration	A3-9
3.3	MAGNASTOR SYSTEM Radiation Protection	A3-11
3.3.1	CONCRETE CASK Maximum Surface Dose Rate	A3-11
4.0	DESIGN FEATURES	A4-1
4.1	Design Features Significant to Safety	A4-1
4.1.1	Criticality Control	A4-1
4.1.2	Fuel Cladding Integrity	A4-1
4.1.3	Transfer Cask Shielding	A4-1
4.2	Codes and Standards	A4-2
4.2.1	Alternatives to Codes, Standards, and Criteria	A4-2
4.2.2	Construction/Fabrication Alternatives to Codes, Standards, and Criteria	A4-2
4.3	Site-Specific Parameters and Analyses	A4-3
4.3.1	Design Basis Specific Parameters and Analyses	A4-3
4.4	TSC Handling and Transfer Facility	A4-4
5.0	ADMINISTRATIVE CONTROLS AND PROGRAMS	A5-1
5.1	Radioactive Effluent Control Program	A5-1
5.2	TSC Loading, Unloading, and Preparation Program	A5-1
5.3	Transport Evaluation Program	A5-2
5.4	ISFSI Operations Program	A5-2
5.5	Radiation Protection Program	A5-3
5.6	Special Requirements for the First System Placed in Service	A5-3

List of Figures

Figure A3-1 CONCRETE CASK Surface Dose Rate Measurement..... A3-13

List of Tables

Table A3-1 Helium Mass per Unit Volume for MAGNASTOR TSCs..... A3-7

Table A4-1 Load Combinations and Service Condition Definitions for the TSC Handling
and Transfer Facility Structure..... A4-5

1.0 USE AND APPLICATION

1.1 Definitions

NOTE

The defined terms of this section appear in capitalized type and are applicable throughout these Technical Specifications and Bases.

<u>Term</u>	<u>Definition</u>
ACTIONS	ACTIONS shall be that part of a Specification that prescribes Required Actions to be taken under designated Conditions within specified Completion Times.
ASSEMBLY AVERAGE FUEL ENRICHMENT	Value calculated by averaging the ^{235}U wt % enrichment over the entire fuel region (UO_2) of an individual fuel assembly, including axial blankets, if present.
ASSEMBLY DEFECT	Any change in the physical as-built condition of the assembly, with the exception of normal in-reactor changes such as elongation from irradiation growth or assembly bow. Example of assembly defects include: (a) missing rods, (b) broken or missing grids or grid straps (spacer), and (c) missing or broken grid springs, etc. An assembly with a defect is damaged only if it cannot meet its fuel-specific and system-related functions.
BREACHED SPENT FUEL ROD	Spent fuel with cladding defects that permit the release of gas from the interior of the fuel rod. A fuel rod breach may be a minor defect (i.e., hairline crack or pinhole), allowing the rod to be classified as undamaged, or be a gross breach requiring a damaged fuel classification.
BURNUP	<p>Assembly Average Burnup:</p> <p>Value calculated by averaging the burnup over the entire fuel region (UO_2) of an individual fuel assembly.</p> <p>Peak Average Rod Burnup:</p> <p>Value calculated by averaging the burnup in a rod over the length of the rod, then using the highest burnup calculated for any rod as the peak average rod burnup.</p> <p>Nonfuel Assembly Hardware Burnup:</p> <p>Equivalent accumulated irradiation exposure for activation evaluation.</p>
CONCRETE CASK	The CONCRETE CASK is the vertical storage module that receives, holds and protects the sealed TSC for storage at the ISFSI. The CONCRETE CASK passively provides the radiation shielding, structural protection, and heat dissipation capabilities for the safe storage of spent fuel in a TSC.

(continued)

DAMAGED FUEL	<p>Spent nuclear fuel (SNF) that cannot fulfill its fuel-specific or system-related function. Spent fuel is classified as damaged under the following conditions.</p> <ol style="list-style-type: none">1. There is visible deformation of the rods in the SNF assembly. Note: This is not referring to the uniform bowing that occurs in the reactor; this refers to bowing that significantly opens up the lattice spacing.2. Individual fuel rods are missing from the assembly and the missing rods are not replaced by a solid dummy rod that displaces a volume equal to, or greater than, the original fuel rod.3. The SNF assembly has missing, displaced or damaged structural components such that either:<ol style="list-style-type: none">3.1. Radiological and/or criticality safety is adversely affected (e.g., significantly changed rod pitch); or3.2. The assembly cannot be handled by normal means (i.e., crane and grapple).
	<p>Assemblies with the following structural defects meet MAGNASTOR system-related functional requirements and are, therefore, classified as undamaged.</p> <ol style="list-style-type: none">3.3. Assemblies with missing or damaged grids, grid straps and/or grid springs resulting in an unsupported fuel rod length not to exceed 60 inches. Assemblies containing fuel rods with damaged or missing grids, grid straps, and/or grid springs producing an unsupported length greater than 60 inches are classified as damaged.4. Any SNF assembly that contains fuel rods for which reactor operating records (or other records or tests) cannot support the conclusion that they do not contain gross breaches. Note: Breached fuel rods with minor cladding defects (i.e., pinhole leaks or hairline cracks that will not permit significant release of particulate matter from the spent fuel rod) meet MAGNASTOR system-related functional requirements and are, therefore, classified as undamaged.5. The SNF assembly is no longer in the form of an intact fuel bundle (e.g., consists of or contains debris such as loose fuel pellets or rod segments).

(continued)

GROSSLY BREACHED SPENT FUEL ROD	A breach in the spent fuel cladding that is larger than a pinhole or hairline crack. A gross cladding breach may be established by visual examination with the capability to determine if the fuel pellet can be seen through the cladding, or through a review of reactor operating records indicating the presence of heavy metal isotopes.
INDEPENDENT SPENT FUEL STORAGE INSTALLATION (ISFSI)	The facility within the perimeter fence licensed for storage of spent fuel within MAGNASTOR SYSTEMS (see also 10 CFR 72.3).
INITIAL PEAK PLANAR-AVERAGE ENRICHMENT	The INITIAL PEAK PLANAR-AVERAGE ENRICHMENT is the maximum planar-average enrichment at any height along the axis of the fuel assembly. The INITIAL PEAK PLANAR-AVERAGE ENRICHMENT may be higher than the bundle (assembly) average enrichment.
INTACT FUEL (ASSEMBLY or ROD)	Any fuel that can fulfill all fuel-specific and system-related functions and that is not breached.
LOADING OPERATIONS	LOADING OPERATIONS include all licensed activities while an MAGNASTOR SYSTEM is being loaded with fuel assemblies. LOADING OPERATIONS begin when the first assembly is placed in the TSC and end when the loaded MAGNASTOR SYSTEM is placed on or lifted by the transporter.
MAGNASTOR SYSTEM	The MAGNASTOR (Modular Advanced Generation Nuclear All-purpose STORage) SYSTEM includes the components certified for loading and storage of spent fuel assemblies at an ISFSI. The MAGNASTOR SYSTEM consists of a CONCRETE CASK, a TRANSFER CASK, and a TSC.
OPERABLE	A system, component, or device is OPERABLE when it is capable of performing its specified safety functions.
STANDARD FUEL	Irradiated fuel assemblies having the same configuration as when originally fabricated, consisting generally of the end fittings, fuel rods, guide tubes, and integral hardware. For PWR fuel, a flow mixer, an in-core instrument thimble, a burnable poison rod insert, a control element assembly, or a stainless steel rod insert is considered to be a component of STANDARD FUEL. For BWR fuel, the channel is considered to be an integral hardware component of STANDARD FUEL.

(continued)

STORAGE OPERATIONS	STORAGE OPERATIONS include all licensed activities that are performed at the ISFSI, while a MAGNASTOR CONCRETE CASK containing spent fuel is in place at its designated storage location on the storage pad.
TRANSFER CASK	TRANSFER CASK is a shielded lifting device designed to hold the TSC during LOADING OPERATIONS, TRANSFER OPERATIONS, and UNLOADING OPERATIONS.
TRANSFER OPERATIONS	TRANSFER OPERATIONS include all licensed activities involved in using a MAGNASTOR TRANSFER CASK to move a loaded and sealed TSC from a CONCRETE CASK to another CONCRETE CASK.
TRANSPORT OPERATIONS	TRANSPORT OPERATIONS include all licensed activities performed on a loaded MAGNASTOR CONCRETE CASK when it is being moved to and from its designated location on the ISFSI. TRANSPORT OPERATIONS begin when the loaded CONCRETE CASK is placed on or lifted by a transporter and end when the CONCRETE CASK is set down in its storage position on the ISFSI pad.
TRANSPORTABLE STORAGE CANISTER (TSC)	The TRANSPORTABLE STORAGE CANISTER (TSC) is the container consisting of a basket in a weldment composed of a cylindrical shell welded to a baseplate, a closure lid, a closure ring, and redundant port covers at the vent and the drain ports. The TSC provides the confinement boundary for the radioactive material contained in the TSC cavity.
TSC TRANSFER FACILITY	The TSC TRANSFER FACILITY includes: 1) a transfer location for the lifting and transfer of a TRANSFER CASK and placement of a TSC into or out of a CONCRETE CASK; and 2) either a stationary lift device or a mobile lifting device used to lift the TRANSFER CASK and TSC, but not licensed as part of the 10 CFR 50 facility..

(continued)

UNDAMAGED FUEL	<p>Spent nuclear fuel that can meet all fuel specific and system-related functions. UNDAMAGED FUEL is spent nuclear fuel that is not DAMAGED FUEL, as defined herein, and does not contain assembly structural defects that adversely affect radiological and/or criticality safety. As such, UNDAMAGED FUEL may contain:</p> <ul style="list-style-type: none">a) BREACHED SPENT FUEL RODS (i.e., rods with minor defects up to hairline cracks or pinholes) but can not contain grossly breached fuel rods;b) Grid, grid strap, and/or grid spring damage provided that the unsupported length of the fuel rod does not exceed 60 inches.
UNLOADING OPERATIONS	<p>UNLOADING OPERATIONS include the activities required to remove the fuel assemblies from a sealed MAGNASTOR TSC. UNLOADING OPERATIONS begin with the placement of the TSC in a TRANSFER CASK in an unloading facility and end when the last fuel assembly has been removed from the TSC.</p>

1.0 USE AND APPLICATION

1.2 Logical Connectors

PURPOSE The purpose of this section is to explain the meaning of logical connectors.

Logical connectors are used in Technical Specifications (TS) to discriminate between, and yet connect, discrete Conditions, Required Actions, Completion Times, Surveillances, and Frequencies. The only logical connectors that appear in Technical Specifications are "AND" and "OR". The physical arrangement of these connectors constitutes logical conventions with specific meanings.

BACKGROUND Several levels of logic may be used to state Required Actions. These levels are identified by the placement (or nesting) of the logical connectors and by the number assigned to each Required Action. The first level of logic is identified by the first digit of the number assigned to a Required Action and the placement of the logical connector in the first level of nesting (i.e., left justified with the number of the Required Action). The successive levels of logic are identified by additional digits of the Required Action number and by successive indentations of the logical connectors.

When logical connectors are used to state a Condition, Completion Time, Surveillance, or Frequency, only the first level of logic is used, and the logical connector is left justified with the statement of the Condition, Completion Time, Surveillance, or Frequency.

EXAMPLES The following examples illustrate the use of logical connectors.

EXAMPLE 1.2-1**ACTIONS**

CONDITION	REQUIRED ACTION	COMPLETION TIME
A. LCO not met	A.1 Verify . . . <u>AND</u> A.2 Restore . . .	

In this example, the logical connector "AND" is used to indicate that when in Condition A, both Required Actions A.1 and A.2 must be completed.

(continued)

EXAMPLES
(continued)EXAMPLE 1.2-2

ACTIONS

CONDITION	REQUIRED ACTION	COMPLETION TIME
A. LCO not met	A.1 Stop ... <u>OR</u> A.2.1 Verify ... <u>AND</u> A.2.2 A.2.2.1 Reduce ... <u>OR</u> A.2.2.2 Perform ... <u>OR</u> A.3 Remove ...	

This example represents a more complicated use of logical connectors. Required Actions A.1, A.2, and A.3 are alternative choices, only one of which must be performed as indicated by the use of the logical connector "OR" and the left justified placement. Any one of these three Actions may be chosen. If A.2 is chosen, then both A.2.1 and A.2.2 must be performed as indicated by the logical connector "AND". Required Action A.2.2 is met by performing A.2.2.1 or A.2.2.2. The indented position of the logical connector "OR" indicates that A.2.2.1 and A.2.2.2 are alternative choices, only one of which must be performed.

1.0 USE AND APPLICATION

1.3 Completion Times

PURPOSE The purpose of this section is to establish the Completion Time convention and to provide guidance for its use.

BACKGROUND Limiting Conditions for Operation (LCOs) specify the lowest functional capability or performance levels of equipment required for safe operation of the facility. The ACTIONS associated with an LCO state conditions that typically describe the ways in which the requirements of the LCO can fail to be met. Specified with each stated Condition are Required Action(s) and Completion Time(s).

DESCRIPTION The Completion Time is the amount of time allowed for completing a Required Action. It is referenced to the time of discovery of a situation (e.g., equipment or variable not within limits) that requires entering an ACTIONS Condition unless otherwise specified, provided that MAGNASTOR is in a specified condition stated in the Applicability of the LCO. Required Actions must be completed prior to the expiration of the specified Completion Time. An ACTIONS Condition remains in effect and the Required Actions apply until the Condition no longer exists or MAGNASTOR is not within the LCO Applicability.

Once a Condition has been entered, subsequent subsystems, components, or variables expressed in the Condition, discovered to be not within limits, will not result in separate entry into the Condition unless specifically stated. The Required Actions of the Condition continue to apply to each additional failure, with Completion Times based on initial entry into the Condition.

(continued)

EXAMPLES

The following examples illustrate the use of Completion Times with different types of Conditions and changing Conditions.

EXAMPLE 1.3-1

ACTIONS

CONDITION	REQUIRED ACTION	COMPLETION TIME
B. Required Action and associated Completion Time not met	B.1 Perform Action B.1 <u>AND</u> B.2 Perform Action B.2	12 hours 36 hours

Condition B has two Required Actions. Each Required Action has its own Completion Time. Each Completion Time is referenced to the time that Condition B is entered.

The Required Actions of Condition B are to complete action B.1 within 12 hours AND complete action B.2 within 36 hours. A total of 12 hours is allowed for completing action B.1 and a total of 36 hours (not 48 hours) is allowed for completing action B.2 from the time that Condition B was entered. If action B.1 is completed within six hours, the time allowed for completing action B.2 is the next 30 hours because the total time allowed for completing action B.2 is 36 hours.

(continued)

EXAMPLES
(continued)

EXAMPLE 1.3-2

ACTIONS

CONDITION	REQUIRED ACTION	COMPLETION TIME
A. One system not within limit.	A.1 Restore system to within limit.	7 days
B. Required Action and associated Completion Time not met.	B.1 Complete action B.1 <u>AND</u> B.2 Complete action B.2	12 hours 36 hours

When a system is determined not to meet the LCO, Condition A is entered. If the system is not restored within 7 days, Condition B is also entered, and the Completion Time clocks for Required Actions B.1 and B.2 start. If the system is restored after Condition B is entered, Conditions A and B are exited, and therefore, the Required Actions of Condition B may be terminated.

(continued)

EXAMPLES

(continued)

EXAMPLE 1.3-3

ACTIONS

NOTE

Separate Condition entry is allowed for each component.

CONDITION	REQUIRED ACTION	COMPLETION TIME
A. LCO not met	A.1 Restore compliance with LCO.	4 hours
B. Required Action and associated Completion Time not met.	B.1 Complete action B.1 <u>AND</u> B.2 Complete action B.2	6 hours 12 hours

The Note above the ACTIONS table is a method of modifying how the Completion Time is tracked. If this method of modifying how the Completion Time is tracked was applicable only to a specific Condition, the Note would appear in that Condition rather than at the top of the ACTIONS Table.

The Note allows Condition A to be entered separately for each component, and Completion Times to be tracked on a per component basis. When a component is determined to not meet the LCO, Condition A is entered and its Completion Time starts. If subsequent components are determined to not meet the LCO, Condition A is entered for each component and separate Completion Times are tracked for each component.

IMMEDIATE COMPLETION TIME

When "Immediately" is used as a Completion Time, the Required Action should be pursued without delay and in a controlled manner.

1.0 USE AND APPLICATION

1.4 Frequency

PURPOSE The purpose of this section is to define the proper use and application of Frequency requirements.

DESCRIPTION Each Surveillance Requirement (SR) has a specified Frequency in which the Surveillance must be met in order to meet the associated Limiting Condition for Operation (LCO). An understanding of the correct application of the specified Frequency is necessary for compliance with the SR.

Each "specified Frequency" is referred to throughout this section and each of the Specifications of Section 3.0, Surveillance Requirement (SR) Applicability. The "specified Frequency" consists of requirements of the Frequency column of each SR.

Situations where a Surveillance could be required (i.e., its Frequency could expire), but where it is not possible or not desired that it be performed until sometime after the associated LCO is within its Applicability, represent potential SR 3.0.4 conflicts. To avoid these conflicts, the SR (i.e., the Surveillance or the Frequency) is stated such that it is only "required" when it can be and should be performed. With an SR satisfied, SR 3.0.4 imposes no restriction.

The use of "met" or "performed" in these instances conveys specific meanings. Surveillance is "met" only after the acceptance criteria are satisfied. Known failure of the requirements of Surveillance, even without Surveillance specifically being "performed", constitutes a Surveillance not "met".

(continued)

EXAMPLES

The following examples illustrate the various ways that Frequencies are specified.

EXAMPLE 1.4-1**SURVEILLANCE REQUIREMENTS**

SURVEILLANCE	FREQUENCY
Verify pressure within limit	12 hours

Example 1.4-1 contains the type of SR most often encountered in the Technical Specifications (TS). The Frequency specifies an interval (12 hours) during which the associated Surveillance must be performed at least one time. Performance of the Surveillance initiates the subsequent interval. Although the Frequency is stated as 12 hours, an extension of the time interval to 1.25 times the interval specified in the Frequency is allowed by SR 3.0.2 for operational flexibility. The measurement of this interval continues at all times, even when the SR is not required to be met per SR 3.0.1 (such as when the equipment or variables are outside specified limits, or the facility is outside the Applicability of the LCO). If the interval specified by SR 3.0.2 is exceeded while the facility is in a condition specified in the Applicability of the LCO, the LCO is not met in accordance with SR 3.0.1.

If the interval as specified by SR 3.0.2 is exceeded while the facility is not in a condition specified in the Applicability of the LCO for which performance of the SR is required, the Surveillance must be performed within the Frequency requirements of SR 3.0.2, prior to entry into the specified condition. Failure to do so would result in a violation of SR 3.0.4.

(continued)

EXAMPLES

(continued)

EXAMPLE 1.4-2

SURVEILLANCE REQUIREMENTS

SURVEILLANCE	FREQUENCY
Verify flow is within limit	Once within 12 hours prior to starting activity <u>AND</u> 24 hours thereafter

Example 1.4-2 has two Frequencies. The first is a one-time performance Frequency, and the second is of the type shown in Example 1.4-1. The logical connector "AND" indicates that both Frequency requirements must be met. Each time the example activity is to be performed, the Surveillance must be performed within 12 hours prior to starting the activity.

The use of "once" indicates a single performance will satisfy the specified Frequency (assuming no other Frequencies are connected by "AND"). This type of Frequency does not qualify for the 25% extension allowed by SR 3.0.2.

"Thereafter" indicates future performances must be established per SR 3.0.2, but only after a specified condition is first met (i.e., the "once" performance in this example). If the specified activity is canceled or not performed, the measurement of both intervals stops. New intervals start upon preparing to restart the specified activity.

2.0

2.0

[Reserved]

3.0 LIMITING CONDITION FOR OPERATION (LCO) APPLICABILITY

LCO 3.0.1	LCOs shall be met during specified conditions in the Applicability, except as provided in LCO 3.0.2.
LCO 3.0.2	<p>Upon failure to meet an LCO, the Required Actions of the associated Conditions shall be met, except as provided in LCO 3.0.5.</p> <p>If the LCO is met or is no longer applicable prior to expiration of the specified Completion Time(s), completion of the Required Action(s) is not required, unless otherwise stated</p>
LCO 3.0.3	Not applicable to MAGNASTOR.
LCO 3.0.4	<p>When an LCO is not met, entry into a specified condition in the Applicability shall not be made except when the associated ACTIONS to be entered permit continued operation in the specified condition in the Applicability for an unlimited period of time. This Specification shall not prevent changes in specified conditions in the Applicability that are required to comply with ACTIONS or that are related to the unloading of MAGNASTOR.</p> <p>Exceptions to this Condition are stated in the individual Specifications. These exceptions allow entry into specified conditions in the Applicability where the associated ACTIONS to be entered allow operation in the specified conditions in the Applicability only for a limited period of time.</p>
LCO 3.0.5	This exception to LCO 3.0.2 is not applicable for the MAGNASTOR SYSTEM to return to service under administrative control to perform the testing.

3.0 SURVEILLANCE REQUIREMENT (SR) APPLICABILITY

- SR 3.0.1 SRs shall be met during the specified conditions in the Applicability for individual LCOs, unless otherwise stated in the SR. Failure to meet Surveillance, whether such failure is experienced during the performance of the Surveillance or between performances of the Surveillance, shall be a failure to meet the LCO. Failure to perform Surveillance within the specified Frequency shall be a failure to meet the LCO, except as provided in SR 3.0.3. Surveillances do not have to be performed on equipment or variables outside specified limits.
-
- SR 3.0.2 The specified Frequency for each SR is met if the Surveillance is performed within 1.25 times the interval specified in the Frequency, as measured from the previous performance or as measured from the time a specified condition of the Frequency is met.

For Frequencies specified as "once," the above interval extension does not apply. If a Completion Time requires periodic performance on a "once per..." basis, the above Frequency extension applies to each performance after the initial performance.

Exceptions to this Specification are stated in the individual Specifications.
-
- SR 3.0.3 If it is discovered that Surveillance was not performed within its specified Frequency, then compliance with the requirement to declare the LCO not met may be delayed from the time of discovery up to 24 hours or up to the limit of the specified Frequency, whichever is less. This delay period is permitted to allow performance of the Surveillance.

If the Surveillance is not performed within the delay period, the LCO must immediately be declared not met, and the applicable Condition(s) must be entered. When the Surveillance is performed within the delay period and the Surveillance is not met, the LCO must immediately be declared not met, and the applicable Condition(s) must be entered.
-
- SR 3.0.4 Entry into a specified Condition in the Applicability of an LCO shall not be made, unless the LCO's Surveillances have been met within their specified Frequency. This provision shall not prevent entry into specified conditions in the Applicability that are required to comply with Actions or that are related to the unloading of MAGNASTOR.
-

3.1 MAGNASTOR SYSTEM Integrity

3.1.1 Transportable Storage Canister (TSC)

LCO 3.1.1 The TSC shall be dry and helium filled. The following vacuum drying times shall be met as appropriate.

1. The time duration from the beginning of canister draining through completion of vacuum dryness test and backfill with helium shall not exceed the following:

PWR Drying with 8 Hours TSC Transfer

Heat Load (kW)	Vacuum Time Limit (hours)	Helium Backfill (hours)	TSC Transfer Time (hours)
≤20	No limit	0	8
25	50	0	8
30	19	7	8
35.5	15	7	8

PWR Drying with Maximum TSC Transfer

Heat Load (kW)	Vacuum Time Limit (hours)	Helium Backfill (hours)	TSC Transfer Time (hours)
≤25	No limit	24	48
30	32	24	22
35.5	24	24	22

BWR Drying with 8 Hours TSC Transfer

Heat Load (kW)	Vacuum Time Limit (hours)	Helium Backfill (hours)	TSC Transfer Time (hours)
≤15	No limit	0	8
20	No limit	0	8
25	No limit	0	8
29	34	6	8
30	31	6	8
33	26	6	8

(continued)

BWR Drying with Maximum TSC Transfer

Heat Load (kW)	Vacuum Time Limit (hours)	Helium Backfill (hours)	TSC Transfer Time (hours)
≤25	No limit	24	65
29	No limit	24	32
30	44	24	32
33	33	24	32

2. The time duration from the end of cooling, either by 24 hours in the pool or by the annulus circulating water system, through completion of vacuum dryness test and backfill with helium shall not exceed the following:

	Heat Load	Time Limit (hours)
PWR	35.5	11
BWR	33	16

APPLICABILITY: Prior to TRANSPORT OPERATIONS

(continued)

ACTIONS

NOTE

Separate Condition entry is allowed for each TSC.

CONDITION	REQUIRED ACTION	COMPLETION TIME
A. TSC cavity vacuum drying pressure limit not met.	<p>A.1 Perform an engineering evaluation to determine the quantity of moisture remaining in the TSC.</p> <p><u>AND</u></p> <p>A.2 Develop and initiate corrective actions necessary to return the TSC to an analyzed condition.</p>	7 days 30 days
B. TSC helium backfill density limit not met.	<p>B.1 Perform an engineering evaluation to determine the effect of helium density differential.</p> <p><u>AND</u></p> <p>B.2 Develop and initiate corrective actions necessary to return the TSC to an analyzed condition.</p>	72 hours 14 days
C. Required Actions and associated Completion Times not met.	C.1 Remove all fuel assemblies from the TSC.	30 days

(continued)

SURVEILLANCE REQUIREMENTS

SURVEILLANCE	FREQUENCY
SR 3.1.1.1 Verify TSC cavity vacuum drying pressure is less than or equal to 10 torr for greater than or equal to 10 minutes with the vacuum pump turned off and isolated.	Once, prior to TRANSPORT OPERATIONS.
SR 3.1.1.2 Following vacuum drying and evacuation to < 3 torr, backfill the cavity with high purity helium until a mass M_{helium} corresponding to the free volume of the TSC measured during draining (V_{TSC}), multiplied by the helium density (L_{helium}) required for the design basis heat load and specified in Table A3-1, is reached.	Once, prior to TRANSPORT OPERATIONS.

Table A3-1 Helium Mass per Unit Volume for MAGNASTOR TSCs

Fuel Type	Helium Density (g/liter)
PWR	0.694 – 0.802
BWR	0.704 – 0.814

3.1 MAGNASTOR SYSTEM Integrity

3.1.2 CONCRETE CASK Heat Removal System

LCO 3.1.2 The CONCRETE CASK Heat Removal System shall be OPERABLE.

APPLICABILITY: During STORAGE OPERATIONS

ACTIONS

NOTE

Separate Condition entry is allowed for each MAGNASTOR SYSTEM.

CONDITION	REQUIRED ACTION	COMPLETION TIME
A. CONCRETE CASK Heat Removal System inoperable.	<p>A.1 Ensure adequate heat removal to prevent exceeding short-term temperature limits.</p> <p><u>AND</u></p> <p>A.2 Restore CONCRETE CASK Heat Removal System to OPERABLE status.</p>	<p>Immediately</p> <p>30 days</p>

SURVEILLANCE REQUIREMENTS

SURVEILLANCE	FREQUENCY
<p>SR 3.1.2.1 Verify that the difference between the average CONCRETE CASK air outlet temperature and ISFSI ambient temperature indicates that the CONCRETE CASK Heat Removal System is operable in accordance with the FSAR thermal evaluation.</p> <p><u>OR</u></p> <p>Visually verify all CONCRETE CASK air inlet and outlet screens are free of blockage.</p>	24 hours

3.2 MAGNASTOR SYSTEM Criticality Control for PWR Fuel

3.2.1 Dissolved Boron Concentration

LCO 3.2.1

The dissolved boron concentration in the water in the TSC cavity shall be greater than, or equal to, the concentration specified in Appendix B, Table B2-3. A minimum concentration of 1,500 ppm is required for all PWR fuel types. Higher concentrations are required, depending on the fuel type and enrichment.

APPLICABILITY: During LOADING OPERATIONS and UNLOADING OPERATIONS with water and at least one fuel assembly in the TSC.

ACTIONS

NOTE

Separate Condition entry is allowed for each TSC.

CONDITION	REQUIRED ACTION	COMPLETION TIME
A. Dissolved boron concentration not met.	A.1 Suspend LOADING OPERATIONS or UNLOADING OPERATIONS <u>AND</u> A.2 Suspend positive reactivity additions. <u>AND</u> A.3 Initiate action to restore boron concentration to within limits.	Immediately

(continued)

SURVEILLANCE REQUIREMENTS

SURVEILLANCE	FREQUENCY
SR 3.2.1.1 Verify the dissolved boron concentration is met using two independent measurements.	Once within 4 hours prior to commencing LOADING OPERATIONS or UNLOADING OPERATIONS . AND Every 24 hours thereafter while the TSC is in the spent fuel pool or while water is in the TSC.

3.3 MAGNASTOR SYSTEM Radiation Protection

3.3.1 CONCRETE CASK Maximum Surface Dose Rate

LCO 3.3.1 The maximum surface dose rates for the CONCRETE CASK, Reference Figure A3-1, shall not exceed the following limits:

- a. PWR and BWR – 95 mrem/hour gamma and 5 mrem/hour neutron on the vertical concrete surfaces; and
- b. PWR and BWR – 450 mrem/hour (neutron + gamma) on the top.

APPLICABILITY: Prior to start of STORAGE OPERATIONS

ACTIONS

-----NOTE-----

Separate Condition entry is allowed for each MAGNASTOR® SYSTEM.


CONDITION	REQUIRED ACTION	COMPLETION TIME
A. CONCRETE CASK maximum surface dose rate limits not met	<p>A.1 Administratively verify correct fuel loading</p> <p><u>AND</u></p> <p>A.2 Perform analysis to verify compliance with the ISFSI radiation protection requirements of 10 CFR 20 and 10 CFR 72</p>	<p>24 hours</p> <p>7 days</p>
B. Required Action and associated Completion Time not met	B.1 Perform (and document) an engineering assessment and take appropriate corrective action to ensure the dose limits of 10 CFR 20 and 10 CFR 72 are not exceeded	60 days

(continued)

SURVEILLANCE REQUIREMENTS

SURVEILLANCE	FREQUENCY
SR 3.3.1.1 Verify maximum surface dose rates of CONCRETE CASK loaded with a TSC containing fuel assemblies are within limits. Dose rates shall be measured at the locations shown in Figure A3-1.	Prior to start of STORAGE OPERATIONS of each loaded CONCRETE CASK placed on the ISFSI pad

Figure A3-1 CONCRETE CASK Surface Dose Rate Measurement



4.0 DESIGN FEATURES

4.1 Design Features Significant to Safety

4.1.1 Criticality Control

- a) Minimum ^{10}B loading in the neutron absorber material:

Neutron Absorber Type	Required Minimum Effective Areal Density ($^{10}\text{B g/cm}^2$)		% Credit Used in Criticality Analyses	Required Minimum Actual Areal Density ($^{10}\text{B g/cm}^2$)	
	PWR Fuel	BWR Fuel		PWR Fuel	BWR Fuel
Borated Aluminum Alloy	0.036	0.027	90	0.04	0.03
Borated MMC	0.036	0.027	90	0.04	0.03
Boral	0.036	0.027	75	0.048	0.036

- b) Acceptance and qualification testing of neutron absorber material shall be in accordance with Sections 10.1.6.4.5, 10.1.6.4.6 and 10.1.6.4.7. These sections of the FSAR are hereby incorporated into the MAGNASTOR CoC.
- c) Soluble boron concentration in the PWR fuel pool and water in the TSC shall be in accordance with LCO 3.2.1, with a minimum water temperature 5-10°F higher than the minimum needed to ensure solubility.
- d) Minimum fuel tube orthogonal (x, y) pitch

PWR basket — 9.249 inches

BWR basket — 6.166 inches

4.1.2 Fuel Cladding Integrity

The licensee shall ensure that fuel oxidation and the resultant consequences are precluded during canister loading and unloading operations.

4.1.3 Transfer Cask Shielding

The nominal configuration transfer cask radial bulk shielding (i.e., shielding integral to the transfer cask; excludes supplemental shielding) must provide a minimum radiation shield equivalent to 2 inches of steel and 3.25 inches of lead gamma shielding and 2.25 inches of NS-4-FR (with 0.6 wt % B_4C and 6.0 wt % H) neutron shielding. Material and dimensions of the individual shield layers may vary provided maximum calculated radial dose rates of 1100 mrem/hr (PWR system) and 1600 mrem/hr (BWR system) are maintained on the vertical surface.

(continued)

4.2 Codes and Standards

The American Society of Mechanical Engineers Boiler and Pressure Vessel Code (ASME Code), 2001 Edition with Addenda through 2003, Section III, Subsection NB, is the governing Code for the design, material procurement, fabrication, and testing of the TSC.

The ASME Code, 2001 Edition with Addenda through 2003, Section III, Subsection NG, is the governing Code for the design, material procurement, fabrication and testing of the spent fuel baskets.

The American Concrete Institute Specifications ACI-349 and ACI-318 govern the CONCRETE CASK design and construction, respectively.

The American National Standards Institute ANSI N14.6 (1993) and NUREG-0612 govern the TRANSFER CASK design, operation, fabrication, testing, inspection, and maintenance.

4.2.1 Alternatives to Codes, Standards, and Criteria

Table 2.1-2 of the FSAR lists approved alternatives to the ASME Code for the design, procurement, fabrication, inspection and testing of MAGNASTOR SYSTEM TSCs and spent fuel baskets.

4.2.2 Construction/Fabrication Alternatives to Codes, Standards, and Criteria

Proposed alternatives to ASME Code, Section III, 2001 Edition with Addenda through 2003, including alternatives authorized in Table 2.1-2 of the FSAR, may be used when authorized by the Director of the Office of Nuclear Material Safety and Safeguards or designee. The request for such alternatives should demonstrate that:

1. The proposed alternatives would provide an acceptable level of quality and safety, or
2. Compliance with the specified requirements of ASME Code, Section III, Subsections NB and NG, 2001 Edition with Addenda through 2003, would result in hardship or unusual difficulty without a compensating increase in the level of quality and safety.

Requests for alternatives shall be submitted in accordance with 10 CFR 72.4.

(continued)

4.3 Site-Specific Parameters and Analyses

This section presents site-specific parameters and analytical bases that must be verified by the MAGNASTOR SYSTEM user. The parameters and bases presented in Section 4.3.1 are those applied in the design bases analysis.

4.3.1 Design Basis Specific Parameters and Analyses

The design basis site-specific parameters and analyses that require verification by the MAGNASTOR SYSTEM user are:

- a. A temperature of 76°F is the maximum average yearly temperature. The three-day average ambient temperature shall be $\leq 106^{\circ}\text{F}$.
- b. The allowed temperature extremes, averaged over a three-day period, shall be $\geq -40^{\circ}\text{F}$ and $\leq 133^{\circ}\text{F}$.
- c. The analyzed flood condition of 15 fps water velocity and a depth of 50 ft of water (full submergence of the loaded cask) are not exceeded.
- d. The potential for fire and explosion shall be addressed, based on site-specific considerations. This includes the condition that the fuel tank of the cask handling equipment used to move the loaded CONCRETE CASK onto or from the ISFSI site contains no more than 50 gallons of fuel.
- e. In cases where engineered features (i.e., berms, shield walls) are used to ensure that requirements of 10 CFR 72.104(a) are met, such features are to be considered important to safety and must be evaluated to determine the applicable Quality Assurance Category on a site-specific basis.
- f. The TRANSFER CASK shall not be operated and used when surrounding air temperature is $< 0^{\circ}\text{F}$.
- g. The CONCRETE CASK shall not be lifted by the lifting lugs with surrounding air temperatures $< 0^{\circ}\text{F}$.
- h. Loaded CONCRETE CASK lifting height limit ≤ 24 inches.

(continued)

4.4

TSC Handling and Transfer Facility

The TSC provides a leaktight confinement boundary and is evaluated for normal and off-normal handling loads. A handling and transfer facility is not required for TSC and TRANSFER CASK handling and transfer operations within a 10 CFR 50 licensed facility.

Movements of the TRANSFER CASK and TSC outside of a 10 CFR 50 licensed facility are not permitted unless a TSC TRANSFER FACILITY is designed, operated, fabricated, tested, inspected, and maintained in accordance with the following requirements. These requirements do not apply to handling heavy loads under a 10 CFR 50 license.

The permanent or stationary weldment structure of the TSC TRANSFER FACILITY shall be designed to comply with the stress limits of ASME Code, Section III, Subsection NF, Class 3 for linear structures. All compression loaded members shall satisfy the buckling criteria of ASME Code, Section III, Subsection NF.

The reinforced concrete structure of the facility shall be designed in accordance with ACI-349 and the factored load combinations set forth in ACI-318 for the loads defined in Table B4-1 shall apply. TRANSFER CASK and TSC lifting devices installed in the handling facility shall be designed, fabricated, operated, tested, inspected, and maintained in accordance with NUREG-0612, Section 5.1.

If mobile load lifting and handling equipment is used at the facility, that equipment shall meet the guidelines of NUREG-0612, Section 5.1, with the following conditions:

- a. The mobile lifting device (i.e., crane) shall have a minimum safety factor of two over the allowable load table for the lifting device in accordance with the guidance of NUREG-0612, Section 5.1.6 (1)(a), and shall be capable of stopping and holding the load during a design earthquake event;
- b. The mobile lifting device shall contain ≤ 50 gallons of flammable liquid during operation inside the ISFSI;
- c. Mobile cranes are not required to meet the guidance of NUREG-0612, Section 5.1.6(2) for new cranes;
- d. The mobile lifting device shall conform to the requirements of ASME B30.5, "Mobile and Locomotive Cranes";
- e. Movement of the TSC or CONCRETE CASK in a horizontal orientation is not permitted.

Table A4-1 Load Combinations and Service Condition Definitions for the TSC Handling and Transfer Facility Structure

Load Combination	ASME Section III Service Condition for Definition of Allowable Stress	Note
D* D + S	Level A	All primary load bearing members must satisfy Level A stress limits
D + M + W ¹ D + F D + E D + Y	Level D	Factor of safety against overturning shall be ≥ 1.1 , if applicable.

- D = Crane hook dead load
- D* = Apparent crane hook dead load
- S = Snow and ice load for the facility site
- M = Tornado missile load of the facility site¹
- W = Tornado wind load for the facility site¹
- F = Flood load for the facility site
- E = Seismic load for the facility site
- Y = Tsunami load for the facility site

1. Tornado missile load may be reduced or eliminated based on a Probabilistic Risk Assessment for the facility site.

5.0 ADMINISTRATIVE CONTROLS AND PROGRAMS

The following programs shall be established, implemented and maintained.

5.1 Radioactive Effluent Control Program

- 5.1.1 A program shall be established and maintained to implement the requirements of 10 CFR 72.44 (d) or 10 CFR 72.126, as appropriate.
- 5.1.2 A program shall be established to monitor ISFSI effluents if established surface contamination limits exceed the values specified in Regulatory Guide 1.86 (June 1974).

5.2 TSC Loading, Unloading, and Preparation Program

A program shall be established and maintained to implement the FSAR, Chapter 9 requirements for loading fuel and components into the TSC, unloading fuel and components from the TSC, and preparing the TSC and CONCRETE CASK for storage. The requirements of the program for loading and preparing the TSC shall be completed prior to removing the TSC from the 10 CFR 50 structure. The program shall provide for evaluation and control of the following FSAR requirements during the applicable operation:

- a. Verify that no TRANSFER CASK handling or CONCRETE CASK handling using the lifting lugs occurs when the ambient temperature is < 0°F.
- b. The water temperature of a water-filled, or partially filled, loaded TSC shall be shown by analysis and/or measurement to be less than boiling at all times.
- c. Verify that the drying time, cavity vacuum pressure, and component and gas temperatures ensure that the fuel cladding temperature limit of 400°C is not exceeded during TSC preparation activities, and that the TSC is adequately dry. For fuel with burnup > 45 GWd/MTU, limit cooling cycles to ≤10 for temperature changes greater than 65°C.
- d. Verify that the helium backfill purity and mass assure adequate heat transfer and preclude fuel cladding corrosion.
- e. The integrity of the inner port cover welds to the closure lid at the vent port and at the drain port shall be verified in accordance with the procedures in Section 9.1.1.
- f. Verify that the time to complete the transfer of the TSC from the TRANSFER CASK to the CONCRETE CASK and from a CONCRETE CASK to another CONCRETE CASK assures that the fuel cladding temperature limit of 400°C is not exceeded.

(continued)

-
- g. The surface dose rates of the CONCRETE CASK are adequate to allow proper storage and to assure consistency with the offsite dose analysis.
 - h. The equipment used to move the loaded CONCRETE CASK onto or from the ISFSI site contains no more than 50 gallons of flammable liquid.

This program will control limits, surveillances, compensatory measures and appropriate completion times to assure the integrity of the fuel cladding at all times in preparation for and during LOADING OPERATIONS, UNLOADING OPERATIONS, TRANSPORT OPERATIONS, TRANSFER OPERATIONS and STORAGE OPERATIONS, as applicable.

5.3 Transport Evaluation Program

A program that provides a means for evaluating transport route conditions shall be developed to ensure that the design basis impact g-load drop limits are met. For lifting of the loaded TRANSFER CASK or CONCRETE CASK using devices that are integral to a structure governed by 10 CFR 50 regulations, 10 CFR 50 requirements apply. This program evaluates the site-specific transport route conditions and controls, including the transport route road surface conditions; road and route hazards; security during transport; ambient temperature; and equipment operability and lift heights. The program shall also consider drop event impact g-loading and route subsurface conditions, as necessary.

5.4 ISFSI Operations Program

A program shall be established to implement FSAR requirements for ISFSI operations.

At a minimum, the program shall include the following criteria to be verified and controlled:

- a. Minimum CONCRETE CASK center-to-center spacing.
- b. ISFSI pad parameters (i.e., thickness, concrete strength, soil modulus, reinforcement, etc.) are consistent with the FSAR analyses.
- c. Maximum CONCRETE CASK lift heights ensure that the g-load limits analyzed in the FSAR are not exceeded.

(continued)

5.5 Radiation Protection Program

- 5.5.1 Each cask user shall ensure that the 10 CFR 50 radiation protection program appropriately addresses dry storage cask loading and unloading, and ISFSI operations, including transport of the loaded CONCRETE CASK outside of facilities governed by 10 CFR 50. The radiation protection program shall include appropriate controls and monitoring for direct radiation and surface contamination, ensuring compliance with applicable regulations, and implementing actions to maintain personnel occupational exposures ALARA. The actions and criteria to be included in the program are provided as follows.
- 5.5.2 Each user shall perform a written evaluation of the TRANSFER CASK and associated operations, 30 days prior to first use, to verify that it meets public, occupational, and ALARA requirements (including shielding design and dose characteristics) in 10 CFR Part 20, and that it is consistent with the program elements of each user's radiation protection program. The evaluation should consider both normal operations and unanticipated occurrences, such as handling equipment malfunctions, during use of the transfer cask.
- 5.5.3 As part of the evaluation pursuant to 10 CFR 72.212(b)(2)(i)(C), the licensee shall perform an analysis to confirm that the dose limits of 10 CFR 72.104(a) will be satisfied under actual site conditions and ISFSI configuration, considering the number of casks to be deployed and the cask contents.
- 5.5.4 Establish limits on the surface contamination of the CONCRETE CASK, TSC and TRANSFER CASK, and procedures for the verification of meeting the established limits prior to removal of the components from the 10 CFR 50 structure.

5.6 Special Requirements for the First System Placed in Service

The heat transfer characteristics and thermal performance of the MAGNASTOR SYSTEM will be validated by recorded mass flow measurements in the air flow cooling passages of the first system placed in service with a heat load equal to or greater than 30 kW. A letter report summarizing the results of the measurements with respect to analyses of the actual canister content will be submitted to the NRC in accordance with 10 CFR 72.4 within 60 days of placing the loaded cask on the ISFSI pad. The report will include a comparison of the calculated mass flow of the MAGNASTOR SYSTEM at the loaded heat load to the measured mass flow. A report is not required to be submitted for the MAGNASTOR SYSTEMs that are subsequently loaded, provided that the performance of the first system placed in service with a heat load of ≥ 30 kW is demonstrated by the comparison of the calculated and measured mass flow rates.

APPENDIX B

**APPROVED CONTENTS
FOR THE MAGNASTOR SYSTEM**

AMENDMENT 0

Appendix B Table of Contents

1.0	FUEL SPECIFICATIONS AND LOADING CONDITIONS	B1-1
2.0	FUEL TO BE STORED IN THE MAGNASTOR SYSTEM	B2-2

List of Figures

Figure B2-1	Schematic of PWR Fuel Preferential Loading Pattern	B2-8
Figure B2-2	82-Assembly BWR Basket Pattern.....	B2-12
Figure B2-3	BWR Partial Length Fuel Rod Location Sketches	B2-13

List of Tables

Table B2-1	PWR Fuel Assembly Limits	B2-2
Table B2-2	PWR Fuel Assembly Characteristics.....	B2-4
Table B2-3	Bounding PWR Fuel Assembly Loading Criteria	B2-5
Table B2-4	Additional Fuel Assembly Cool Time Required to Load PWR Nonfuel Hardware	B2-6
Table B2-5	Allowed BPRA Burnup and Cool Time Combinations.....	B2-7
Table B2-6	Allowed Thimble Plug Burnup and Cool Time Combinations.....	B2-7
Table B2-7	PWR Fuel Preferential Loading Pattern Definition.....	B2-7
Table B2-8	BWR Fuel Assembly Limits	B2-9
Table B2-9	BWR Fuel Assembly Characteristics.....	B2-10
Table B2-10	BWR Fuel Assembly Loading Criteria	B2-11
Table B2-11	PWR Loading Table – Low Assembly Average Burnup Enrichment Limits	B2-14
Table B2-12	BWR Loading Table – Low Assembly Average Burnup Enrichment Limits	B2-14
Table B2-13	Loading Table for PWR Fuel – 959 W/Assembly.....	B2-15
Table B2-14	Loading Table for PWR Fuel – 911 W/Assembly.....	B2-20
Table B2-15	Loading Table for PWR Fuel – 1,200 W/Assembly.....	B2-28
Table B2-16	Loading Table for PWR Fuel – 1,140 W/Assembly.....	B2-33
Table B2-17	Loading Table for PWR Fuel – 922 W/Assembly.....	B2-41
Table B2-18	Loading Table for PWR Fuel – 876 W/Assembly.....	B2-46
Table B2-19	Loading Table for PWR Fuel – 800 W/Assembly.....	B2-54
Table B2-20	Loading Table for PWR Fuel – 760 W/Assembly.....	B2-59
Table B2-21	Loading Table for BWR Fuel – 379 W/Assembly.....	B2-67
Table B2-22	Loading Table for BWR Fuel – 360 W/Assembly.....	B2-72

1.0

FUEL SPECIFICATIONS AND LOADING CONDITIONS

MAGNASTOR is designed to provide passive dry storage of canistered PWR and BWR fuel. The system requires few operating controls. The principal controls and limits for MAGNASTOR are satisfied by the selection of fuel for storage that meets the Approved Contents presented in this section and in the tables for MAGNASTOR design basis spent fuels.

If any Fuel Specification or Loading Condition of this section is violated, the following actions shall be completed:

- The affected fuel assemblies shall be placed in a safe condition.
- Within 24 hours, notify the NRC Operations Center.
- Within 60 days, submit a special report that describes the cause of the violation and actions taken to restore or demonstrate compliance and prevent reoccurrence.

2.0

FUEL TO BE STORED IN THE MAGNASTOR SYSTEM

UNDAMAGED FUEL ASSEMBLIES meeting the limits specified in Tables B2-1 through B2-22 may be stored in the MAGNASTOR SYSTEM.

Table B2-1 PWR Fuel Assembly Limits

I. PWR Fuel	
A. Allowable Contents	
1. Uranium PWR UNDAMAGED FUEL ASSEMBLIES listed in Tables B2-2 and B2-3 and meeting the following specifications:	
a. Cladding Type:	Zirconium-based alloy.
b. Enrichment, Post-irradiation Cooling Time and Average Assembly Burnup:	Generic maximum enrichment limits are shown in Table B2-2. Fuel type specific maximum enrichments at various minimum soluble boron levels are defined in Table B2-3. For variable enrichment fuel assemblies, maximum enrichments represent peak rod enrichments. Combined minimum enrichment, maximum assembly average burnup and minimum cool time limits are shown in Tables B2-13 through B2-20. For assembly average burnup levels below those shown in Tables B2-13 through B2-20, an assembly minimum cool time is specified in Table B2-11, provided that the minimum initial assembly average enrichment limits are applied.
c. Decay Heat Per Assembly (Preferential Loading):	≤ 1,200 watts
d. Nominal Fresh Fuel Assembly Length (in.):	≤ 178.3
e. Nominal Fresh Fuel Assembly Width (in.):	≤ 8.54
f. Fuel Assembly Weight (lbs.):	≤ 1,680, including nonfuel-bearing components
B. Quantity per TSC: Up to 37 PWR UNDAMAGED FUEL ASSEMBLIES. Fuel storage locations not containing a fuel assembly shall have an empty fuel cell insert installed.	
C. PWR UNDAMAGED FUEL ASSEMBLIES may contain a flow mixer (thimble plug), instrument thimble, a burnable poison rod assembly, or a control element assembly consistent with Table B2-2. Nonfuel hardware may be located within the active fuel elevation of either the guide tubes or the instrument tube. Nonfuel hardware must not be located in the active fuel elevation of the guide tubes and the instrument tube simultaneously. Assembly lattices not containing the nominal number of fuel rods specified in Table B2-3 must contain solid filler rods that displace a volume equal to, or greater than, that of the fuel rod that the filler rod replaces. Assemblies may have stainless steel rods inserted to displace guide tube "dashpot" water. Loading activated nonfuel hardware requires extended fuel assembly cool times, and Table B2-4 presents the additional fuel assembly cool times required. Minimum BPRA and thimble plug cool times as a function of burnup (exposure) are shown in Tables B2-5 and B2-6. Alternatively, the ⁶⁰ Co curie limits in Tables B2-5 and B2-6 may be used to establish site-specific nonfuel hardware constraints.	

Table B2-1 PWR Fuel Assembly Limits (continued)

- D. Spacers may be used in a TSC to axially position fuel assemblies to facilitate handling.
- E. Unenriched fuel assemblies are not authorized for loading. Unenriched axial blankets are permitted.
- F. Fuel may be loaded uniformly at a maximum heat load of 959 watts/assembly. Alternatively, a preferential loading pattern may be applied as described in Table B2-7 and Figure B2-1.
- G. CEAs are restricted to the center 9 basket locations. Minimum CEA cool time is 10 years with a maximum equivalent exposure of 180,000 MWd/MTU.

Table B2-2 PWR Fuel Assembly Characteristics

Characteristic	14x14	14x14	15x15	15x15	16x16	17x17
Max Initial Enrichment (wt % ^{235}U)	5.0	5.0	5.0	5.0	5.0	5.0
Min Initial Enrichment (wt % ^{235}U)	1.3	1.3	1.3	1.3	1.3	1.3
Number of Fuel Rods	176	179	204	208	236	264
Max Assembly Average Burnup (MWd/MTU)	60,000	60,000	60,000	60,000	60,000	60,000
Peak Average Rod Burnup (MWd/MTU)	62,500	62,500	62,500	62,500	62,500	62,500
Min Cool Time (years)	4	4	4	4	4	4
Max Weight (lb) per Storage Location	1,680	1,680	1,680	1,680	1,680	1,680
Max Decay Heat (Watts) per Preferential Storage Location	1,200	1,200	1,200	1,200	1,200	1,200

- All reported enrichment values are nominal preirradiation fabrication values.
- Maximum initial enrichment is based on a minimum soluble boron concentration in the spent fuel pool water. Required soluble boron content is fuel type and enrichment specific. Minimum soluble boron content varies between 1,500 and 2,500 ppm. Maximum initial enrichment represents the peak fuel rod enrichment for variably-enriched fuel assemblies.
- Maximum uniform heat load is 959 watts per storage location.

Table B2-3 Bounding PWR Fuel Assembly Loading Criteria

Assembly Type	No. of Fuel Rods	No. of Guide Tubes ¹	Max Load (MTU)	Max. Initial Enrichment (wt% ^{235}U) ²					Geometry ³				
				Min Soluble Boron	Min Soluble Boron	Min Soluble Boron	Min Soluble Boron	Min Soluble Boron	Max Pitch (inch)	Min Clad OD (inch)	Min Clad Thick. (inch)	Max Pellet OD (inch)	Max Active Length (inch)
BW15H1	208	17	0.4858	3.70%	4.10%	4.40%	4.70%	5.00%	0.568	0.43	0.0265	0.3686	144.0
BW15H2	208	17	0.4988	3.70%	4.00%	4.30%	4.60%	4.90%	0.568	0.43	0.025	0.3735	144.0
BW15H3	208	17	0.5006	3.70%	4.00%	4.30%	4.60%	4.90%	0.568	0.428	0.023	0.3742	144.0
BW15H4	208	17	0.4690	3.80%	4.20%	4.50%	4.80%	5.00%	0.568	0.414	0.022	0.3622	144.0
BW17H1	264	25	0.4799	3.70%	4.00%	4.30%	4.60%	4.90%	0.502	0.377	0.022	0.3252	144.0
CE14H1	176	5	0.4167	4.50%	4.80%	5.00%	5.00%	5.00%	0.58	0.44	0.026	0.3805	137.0
CE16H1	236	5	0.4463	4.40%	4.80%	5.00%	5.00%	5.00%	0.5063	0.382	0.025	0.325	150.0
WE14H1	179	17	0.4188	4.70%	5.00%	5.00%	5.00%	5.00%	0.556	0.40	0.0162	0.3674	145.2
WE15H1	204	21	0.4720	3.80%	4.20%	4.50%	4.80%	5.00%	0.563	0.422	0.0242	0.3669	144.0
WE15H2	204	21	0.4469	4.00%	4.40%	4.70%	5.00%	5.00%	0.563	0.417	0.0265	0.357	144.0
WE17H1	264	25	0.4740	3.70%	4.10%	4.40%	4.70%	5.00%	0.496	0.372	0.0205	0.3232	144.0
WE17H2	264	25	0.4327	4.00%	4.30%	4.70%	5.00%	5.00%	0.496	0.36	0.0225	0.3088	144.0

¹ Combined number of guide and instrument tubes.

² Specified soluble boron concentrations are independent of whether an assembly contains a nonfuel insert.

³ Assembly characteristics represent cold, unirradiated, nominal configurations.

Table B2-4 Additional Fuel Assembly Cool Time Required to Load PWR Nonfuel Hardware

Core (Assembly)	Cool Time (years)		
	BPRA	TP	CEA
CE 14×14	--	--	0.1
WE 14×14	0.5	0.1	0.5
WE 15×15	0.5	0.1	0.7
B&W 15×15	0.1	0.1	0.1
CE 16×16	--	--	0.1
WE 17×17	0.5	0.1	0.7
B&W 17×17	0.1	0.1	0.1

Note: Additional fuel assembly cooling time to be added to the minimum fuel assembly cool time based on assembly initial enrichment and assembly average burnup listed in Table B2-13 through B2-20.

Table B2-5 Allowed BPRA Burnup and Cool Time Combinations

Maximum Burnup (GWd/MTU)	Minimum Cool Time (yrs)				
	WE 14x14	WE 15x15	B&W 15x15	WE 17x17	B&W 17x17
10	0.5	0.5	0.5	0.5	0.5
15	0.5	0.5	0.5	0.5	0.5
20	0.5	1.0	2.0	2.0	0.5
25	1.0	2.5	3.5	3.5	1.0
30	2.5	4.0	5.0	5.0	2.5
32.5	3.0	4.5	6.0	6.0	3.0
35	3.5	5.0	6.0	6.0	3.5
37.5	4.0	6.0	7.0	7.0	4.0
40	4.5	6.0	7.0	7.0	4.5
45	5.0	7.0	8.0	8.0	6.0
50	6.0	8.0	9.0	9.0	7.0
55	7.0	8.0	10.0	9.0	7.0
60	7.0	9.0	10.0	10.0	8.0
65	8.0	10.0	12.0	12.0	8.0
70	8.0	10.0	12.0	12.0	9.0
Max ⁶⁰ Co Activity (Ci)	718	733	19	637	26

Note: Specified minimum cool times for BPRAs are independent of the required minimum cool times for the fuel assembly containing the BPRA.

Table B2-6 Allowed Thimble Plug Burnup and Cool Time Combinations

Maximum Burnup (GWd/MTU)	Minimum Cool Time (yrs)				
	WE 14x14	WE 15x15	B&W 15x15	WE 17x17	B&W 17x17
45	2.0	3.5	7.0	5.0	6.0
90	6.0	7.0	10.0	9.0	10.0
135	7.0	9.0	12.0	10.0	12.0
180	8.0	9.0	14.0	12.0	12.0
⁶⁰ Co Activity (Ci)	63.5	64.1	56.9	64.0	63.6

Note: Specified minimum cool times for thimble plugs are independent of the required minimum cool times for the fuel assembly containing the thimble plug.

Table B2-7 PWR Fuel Preferential Loading Pattern Definition

Zone Description (see Figure B2-1)	Designator	Maximum Heat Load (W/assy)	# Assemblies
Inner Zone	A	922	9
Middle Zone	B	1,200	12
Outer Zone	C	800	16

Figure B2-1 Schematic of PWR Fuel Preferential Loading Pattern




Table B2-8 BWR Fuel Assembly Limits

I. BWR FUEL

A. Allowable Contents

1. Uranium BWR UNDAMAGED FUEL ASSEMBLIES listed in Tables B2-9 and B2-10 and meeting the following specifications:

<ol style="list-style-type: none"> a. Cladding Type: b. Enrichment: Post-irradiation Cooling Time and Assembly Average Burnup c. Decay Heat per Assembly: d. Nominal Fresh Fuel Design Assembly Length (in.): e. Nominal Fresh Fuel Design Assembly Width (in.): f. Fuel Assembly Weight (lb): 	<p>Zirconium-based alloy.</p> <p>Generic maximum INITIAL PEAK PLANAR-AVERAGE ENRICHMENTS are shown in Table B2-9. Fuel type specific enrichment limits for the 87-assembly and 82-assembly BWR fuel basket configurations are defined in Table B2-10. Combined minimum enrichment, maximum assembly average burnup and minimum cool time limits are shown in Table B2-21 and Table B2-22. For assembly average burnup levels below those shown in Table B2-21 and Table B2-22, an assembly minimum cool time is specified in Table B2-12, provided that the minimum initial assembly average enrichment limits are applied.</p> <p>≤ 379 watts</p> <p>≤ 176.2</p> <p>≤ 5.52</p> <p>≤ 704, including channels</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------
- B. Quantity per TSC: Up to 87 BWR UNDAMAGED FUEL ASSEMBLIES. With the exception of the designated nonfuel locations in the 82-assembly basket configuration, fuel storage locations not containing a fuel assembly shall have an empty fuel cell insert installed. Prior to use of the 82-assembly configuration, the center cell weldment and upper weldments with blocking strap must be in place to physically block the designated nonfuel locations.
- C. BWR fuel assemblies may be unchanneled, or channeled with zirconium-based alloy channels.
- D. BWR fuel assemblies with stainless steel channels are not authorized.
- E. Assembly lattices not containing the assembly type-specific nominal number of fuel rods (see Table B2-10) must contain solid filler rods that displace a volume equal to, or greater than, that of the fuel rod that the filler rod replaces.
- F. Spacers may be used in a TSC to axially position BWR fuel assemblies to facilitate handling.
- G. Unenriched fuel assemblies are not authorized for loading. Unenriched axial blankets are permitted.
- H. Allowable fuel assembly locations for the 82-assembly fuel basket configuration are shown in Figure B2-2.

Table B2-9 BWR Fuel Assembly Characteristics

Characteristic	Fuel Class			
	7x7	8x8	9x9	10x10
Max Initial Enrichment (wt % ^{235}U)	4.5	4.5	4.5	4.5
Number of Fuel Rods	48/49	59/60/61/ 62/63/64	72/74 ^{a)} /7 6/ 79/80	91 ^{a)} /92 ^{a)} / 96 ^{a)} /100
Max Assembly Average Burnup (MWd/MTU)	60,000	60,000	60,000	60,000
Peak Average Rod Burnup (MWd/MTU)	62,500	62,500	62,500	62,500
Min Cool Time (years)	4	4	4	4
Min Average Enrichment (wt % ^{235}U)	1.3	1.3	1.3	1.3
Max Weight (lb) per Storage Location	704	704	704	704
Max Decay Heat (Watts) per Storage Location	379	379	379	379

- Each BWR fuel assembly may include a zirconium-based alloy channel.
- Assembly weight includes the weight of the channel.
- Maximum initial enrichment is the peak planar-average enrichment.
- Water rods may occupy more than one fuel lattice location. Fuel assembly to contain nominal number of water rods for the specific assembly design.
- All enrichment values are nominal preirradiation fabrication values.
- Spacers may be used to axially position fuel assemblies to facilitate handling.

^a Assemblies may contain partial-length fuel rods.

Table B2-10 BWR Fuel Assembly Loading Criteria

Assembly Type	Number of Fuel Rods	Number of Partial Length Rods ¹	Max Loading (MTU)	87-Assy	82-Assy	Max Pitch (inch)	Geometry ^{3,4}			
				Max Enrichment (wt% ^{235}U)	Max Enrichment (wt% ^{235}U)		Min Clad OD (inch)	Min Clad Thick. (inch)	Max Pellet OD (inch)	Max Active Length (inch)
B7_48A	48	N/A	0.1981	4.00%	4.50%	0.7380	0.5700	0.03600	0.4900	144.0
B7_49A	49	N/A	0.2034	3.80%	4.50%	0.7380	0.5630	0.03200	0.4880	146.0
B7_49B	49	N/A	0.2115	3.80%	4.50%	0.7380	0.5630	0.03200	0.4910	150.0
B8_59A	59	N/A	0.1828	3.90%	4.50%	0.6400	0.4930	0.03400	0.4160	150.0
B8_60A	60	N/A	0.1815	3.80%	4.50%	0.6417	0.4840	0.03150	0.4110	150.0
B8_60B	60	N/A	0.1841	3.80%	4.50%	0.6400	0.4830	0.03000	0.4140	150.0
B8_61B	61	N/A	0.1872	3.80%	4.50%	0.6400	0.4830	0.03000	0.4140	150.0
B8_62A	62	N/A	0.1921	3.80%	4.50%	0.6417	0.4830	0.02900	0.4160	150.0
B8_63A	63	N/A	0.1985	3.80%	4.50%	0.6420	0.4840	0.02725	0.4195	150.0
B8_64A	64	N/A	0.2017	3.80%	4.50%	0.6420	0.4840	0.02725	0.4195	150.0
B8_64B ⁵	64	N/A	0.1755	3.60%	4.30%	0.6090	0.4576	0.02900	0.3913	150.0
B9_72A	72	N/A	0.1803	3.80%	4.50%	0.5720	0.4330	0.02600	0.3740	150.0
B9_74A	74 ²	8	0.1873	3.70%	4.30%	0.5720	0.4240	0.02390	0.3760	150.0
B9_76A	76	N/A	0.1914	3.50%	4.20%	0.5720	0.4170	0.02090	0.3750	150.0
B9_79A	79	N/A	0.2000	3.70%	4.40%	0.5720	0.4240	0.02390	0.3760	150.0
B9_80A	80	N/A	0.1821	3.80%	4.50%	0.5720	0.4230	0.02950	0.3565	150.0
B10_91A	91 ²	8	0.1906	3.70%	4.50%	0.5100	0.3957	0.02385	0.3420	150.0
B10_92A	92 ²	14	0.1966	3.80%	4.50%	0.5100	0.4040	0.02600	0.3455	150.0
B10_96A ⁵	96 ²	12	0.1787	3.70%	4.30%	0.4880	0.3780	0.02430	0.3224	150.0
B10_100A ⁵	100	N/A	0.1861	3.60%	4.40%	0.4880	0.3780	0.02430	0.3224	150.0

¹ Location of the partial length rods is illustrated in Figure B2-3.


² Assemblies may contain partial-length fuel rods.

³ Assembly characteristics represent cold, unirradiated, nominal configurations.

⁴ Maximum channel thickness allowed is 120 mils (nominal).

⁵ Composed of four subchannel clusters.

Figure B2-2 82-Assembly BWR Basket Pattern




○ = Fuel Assembly Locations

■ = Vent/Drain Port Locations

✗ = Designated Nonfuel Locations


Figure B2-3 BWR Partial Length Fuel Rod Location Sketches



○ = Fuel Rod Location

× = Partial Rod Location


B9_74A 8 Partial Length Rods



○ = Fuel Rod Location

× = Partial Rod Location


B10_91A 8 Partial Length Rods



○ = Fuel Rod Location

× = Partial Rod Location

B10_92A 14 Partial Length Rods



○ = Fuel Rod Location

× = Partial Rod Location

B10_96A 12 Partial Length Rods

Table B2-11 PWR Loading Table – Low Assembly Average Burnup Enrichment Limits

Max. Assembly Avg. Burnup (MWd/MTU)	Min. Assembly Avg. Initial Enrichment (wt% ^{235}U)	Minimum Cool Time (yrs)			
		959 W	800 W	922 W	1,200 W
Heat Load per Assy	--	959 W	800 W	922 W	1,200 W
10,000	1.3	4.0	4.0	4.0	4.0
15,000	1.5	4.0	4.0	4.0	4.0
20,000	1.7	4.0	4.0	4.0	4.0
25,000	1.9	4.0	4.3	4.0	4.0
30,000	2.1	4.4	5.2	4.5	4.0

Table B2-12 BWR Loading Table – Low Assembly Average Burnup Enrichment Limits

Max. Assembly Avg. Burnup (MWd/MTU)	Min. Assembly Avg. Initial Enrichment (wt% ^{235}U)	Minimum Cool Time (yrs)
10,000	1.3	4.0
15,000	1.5	4.0
20,000	1.7	4.0
25,000	1.9	4.0
30,000	2.1	4.3

Table B2-13 Loading Table for PWR Fuel – 959 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	30 < Assembly Average Burnup \leq 32.5 GWd/MTU						
	Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	4.1	4.1	4.6	4.7	4.4	4.7	4.7
2.3 \leq E < 2.5	4.0	4.1	4.5	4.7	4.4	4.6	4.6
2.5 \leq E < 2.7	4.0	4.0	4.5	4.6	4.3	4.6	4.6
2.7 \leq E < 2.9	4.0	4.0	4.5	4.5	4.3	4.5	4.5
2.9 \leq E < 3.1	4.0	4.0	4.4	4.5	4.2	4.5	4.5
3.1 \leq E < 3.3	4.0	4.0	4.4	4.5	4.2	4.5	4.5
3.3 \leq E < 3.5	4.0	4.0	4.3	4.4	4.2	4.4	4.4
3.5 \leq E < 3.7	4.0	4.0	4.3	4.4	4.1	4.4	4.4
3.7 \leq E < 3.9	4.0	4.0	4.3	4.4	4.1	4.4	4.4
3.9 \leq E < 4.1	4.0	4.0	4.2	4.3	4.0	4.3	4.3
4.1 \leq E < 4.3	4.0	4.0	4.2	4.3	4.0	4.3	4.3
4.3 \leq E < 4.5	4.0	4.0	4.2	4.3	4.0	4.3	4.3
4.5 \leq E < 4.7	4.0	4.0	4.1	4.2	4.0	4.2	4.2
4.7 \leq E < 4.9	4.0	4.0	4.1	4.2	4.0	4.2	4.2
E \geq 4.9	4.0	4.0	4.1	4.2	4.0	4.2	4.2
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	32.5 < Assembly Average Burnup \leq 35 GWd/MTU						
	Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	4.3	4.4	5.0	5.1	4.7	5.0	5.0
2.5 \leq E < 2.7	4.3	4.4	4.9	5.0	4.7	5.0	5.0
2.7 \leq E < 2.9	4.2	4.3	4.8	5.0	4.6	4.9	4.9
2.9 \leq E < 3.1	4.2	4.3	4.8	4.9	4.6	4.9	4.9
3.1 \leq E < 3.3	4.1	4.2	4.7	4.9	4.5	4.8	4.8
3.3 \leq E < 3.5	4.1	4.2	4.7	4.8	4.5	4.8	4.8
3.5 \leq E < 3.7	4.1	4.1	4.6	4.8	4.4	4.7	4.7
3.7 \leq E < 3.9	4.0	4.1	4.6	4.7	4.4	4.7	4.7
3.9 \leq E < 4.1	4.0	4.1	4.6	4.7	4.4	4.7	4.7
4.1 \leq E < 4.3	4.0	4.0	4.5	4.7	4.3	4.6	4.6
4.3 \leq E < 4.5	4.0	4.0	4.5	4.6	4.3	4.6	4.6
4.5 \leq E < 4.7	4.0	4.0	4.5	4.6	4.3	4.6	4.6
4.7 \leq E < 4.9	4.0	4.0	4.4	4.6	4.3	4.5	4.5
E \geq 4.9	4.0	4.0	4.4	4.5	4.2	4.5	4.5

Table B2-13 Loading Table for PWR Fuel – 959 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	35 < Assembly Average Burnup \leq 37.5 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	4.7	4.8	5.5	5.7	5.2	5.6	5.6
2.5 \leq E $<$ 2.7	4.6	4.7	5.4	5.6	5.1	5.5	5.5
2.7 \leq E $<$ 2.9	4.6	4.7	5.3	5.5	5.0	5.4	5.4
2.9 \leq E $<$ 3.1	4.5	4.6	5.3	5.4	5.0	5.4	5.4
3.1 \leq E $<$ 3.3	4.5	4.5	5.2	5.4	4.9	5.3	5.3
3.3 \leq E $<$ 3.5	4.4	4.5	5.1	5.3	4.9	5.2	5.2
3.5 \leq E $<$ 3.7	4.4	4.5	5.0	5.2	4.8	5.2	5.2
3.7 \leq E $<$ 3.9	4.3	4.4	5.0	5.2	4.8	5.1	5.1
3.9 \leq E $<$ 4.1	4.3	4.4	5.0	5.1	4.7	5.1	5.1
4.1 \leq E $<$ 4.3	4.3	4.4	4.9	5.1	4.7	5.0	5.0
4.3 \leq E $<$ 4.5	4.2	4.3	4.9	5.0	4.7	5.0	5.0
4.5 \leq E $<$ 4.7	4.2	4.3	4.9	5.0	4.6	5.0	5.0
4.7 \leq E $<$ 4.9	4.2	4.3	4.8	5.0	4.6	4.9	4.9
E \geq 4.9	4.1	4.2	4.8	4.9	4.5	4.9	4.9
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	37.5 < Assembly Average Burnup \leq 40 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	5.0	5.2	5.9	6.1	5.6	6.0	6.0
2.7 \leq E $<$ 2.9	5.0	5.1	5.9	6.0	5.5	5.9	5.9
2.9 \leq E $<$ 3.1	4.9	5.0	5.8	6.0	5.5	5.9	5.9
3.1 \leq E $<$ 3.3	4.9	4.9	5.7	5.9	5.4	5.8	5.8
3.3 \leq E $<$ 3.5	4.8	4.9	5.7	5.8	5.3	5.7	5.7
3.5 \leq E $<$ 3.7	4.7	4.8	5.6	5.8	5.2	5.7	5.7
3.7 \leq E $<$ 3.9	4.7	4.8	5.5	5.7	5.2	5.6	5.6
3.9 \leq E $<$ 4.1	4.6	4.8	5.5	5.7	5.1	5.6	5.6
4.1 \leq E $<$ 4.3	4.6	4.7	5.4	5.6	5.1	5.5	5.5
4.3 \leq E $<$ 4.5	4.5	4.7	5.4	5.6	5.0	5.5	5.5
4.5 \leq E $<$ 4.7	4.5	4.6	5.3	5.5	5.0	5.4	5.4
4.7 \leq E $<$ 4.9	4.5	4.6	5.3	5.5	5.0	5.4	5.4
E \geq 4.9	4.5	4.5	5.2	5.4	4.9	5.4	5.4

Table B2-13 Loading Table for PWR Fuel – 959 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	40 < Assembly Average Burnup \leq 41 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
	-	-	-	-	-	-	-
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	5.3	5.4	6.2	6.4	5.8	6.3	6.3
2.7 \leq E < 2.9	5.2	5.3	6.1	6.3	5.7	6.2	6.2
2.9 \leq E < 3.1	5.1	5.2	6.0	6.2	5.7	6.1	6.1
3.1 \leq E < 3.3	5.0	5.1	5.9	6.1	5.6	6.0	6.0
3.3 \leq E < 3.5	4.9	5.1	5.9	6.0	5.5	5.9	5.9
3.5 \leq E < 3.7	4.9	5.0	5.8	6.0	5.5	5.9	5.9
3.7 \leq E < 3.9	4.8	4.9	5.7	5.9	5.4	5.8	5.8
3.9 \leq E < 4.1	4.8	4.9	5.7	5.9	5.3	5.8	5.8
4.1 \leq E < 4.3	4.7	4.9	5.6	5.8	5.3	5.7	5.7
4.3 \leq E < 4.5	4.7	4.8	5.6	5.8	5.2	5.7	5.7
4.5 \leq E < 4.7	4.7	4.8	5.5	5.7	5.2	5.6	5.6
4.7 \leq E < 4.9	4.6	4.7	5.5	5.7	5.1	5.6	5.6
E \geq 4.9	4.6	4.7	5.5	5.6	5.1	5.6	5.6
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	41 < Assembly Average Burnup \leq 42 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
	-	-	-	-	-	-	-
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	5.5	5.6	6.5	6.7	6.0	6.6	6.6
2.7 \leq E < 2.9	5.4	5.5	6.4	6.6	5.9	6.5	6.5
2.9 \leq E < 3.1	5.3	5.4	6.3	6.5	5.9	6.4	6.4
3.1 \leq E < 3.3	5.2	5.3	6.2	6.4	5.8	6.3	6.3
3.3 \leq E < 3.5	5.1	5.3	6.1	6.3	5.7	6.2	6.2
3.5 \leq E < 3.7	5.0	5.2	6.0	6.2	5.7	6.1	6.1
3.7 \leq E < 3.9	5.0	5.1	5.9	6.2	5.6	6.0	6.0
3.9 \leq E < 4.1	4.9	5.1	5.9	6.1	5.5	6.0	6.0
4.1 \leq E < 4.3	4.9	5.0	5.8	6.0	5.5	5.9	5.9
4.3 \leq E < 4.5	4.9	5.0	5.8	6.0	5.4	5.9	5.9
4.5 \leq E < 4.7	4.8	4.9	5.7	5.9	5.4	5.8	5.8
4.7 \leq E < 4.9	4.8	4.9	5.7	5.9	5.3	5.8	5.8
E \geq 4.9	4.7	4.9	5.7	5.9	5.3	5.8	5.8

Table B2-13 Loading Table for PWR Fuel – 959 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	42 < Assembly Average Burnup \leq 43 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	5.7	5.8	6.8	7.0	6.3	6.9	6.9
2.7 \leq E $<$ 2.9	5.6	5.7	6.7	6.9	6.2	6.8	6.8
2.9 \leq E $<$ 3.1	5.5	5.6	6.6	6.8	6.0	6.7	6.7
3.1 \leq E $<$ 3.3	5.4	5.6	6.5	6.7	6.0	6.6	6.6
3.3 \leq E $<$ 3.5	5.3	5.5	6.4	6.6	5.9	6.5	6.5
3.5 \leq E $<$ 3.7	5.3	5.4	6.3	6.5	5.9	6.4	6.4
3.7 \leq E $<$ 3.9	5.2	5.3	6.2	6.5	5.8	6.3	6.3
3.9 \leq E $<$ 4.1	5.1	5.3	6.1	6.4	5.7	6.2	6.2
4.1 \leq E $<$ 4.3	5.0	5.2	6.0	6.3	5.7	6.2	6.1
4.3 \leq E $<$ 4.5	5.0	5.2	6.0	6.2	5.6	6.1	6.1
4.5 \leq E $<$ 4.7	5.0	5.1	5.9	6.2	5.6	6.0	6.0
4.7 \leq E $<$ 4.9	4.9	5.0	5.9	6.1	5.5	6.0	6.0
E \geq 4.9	4.9	5.0	5.8	6.0	5.5	6.0	5.9
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	43 < Assembly Average Burnup \leq 44 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	5.9	6.0	7.1	7.4	6.6	7.2	7.2
2.7 \leq E $<$ 2.9	5.8	5.9	7.0	7.3	6.5	7.0	7.0
2.9 \leq E $<$ 3.1	5.7	5.8	6.9	7.1	6.4	6.9	6.9
3.1 \leq E $<$ 3.3	5.6	5.8	6.8	7.0	6.2	6.8	6.8
3.3 \leq E $<$ 3.5	5.5	5.7	6.7	6.9	6.1	6.8	6.7
3.5 \leq E $<$ 3.7	5.5	5.6	6.6	6.8	6.0	6.7	6.7
3.7 \leq E $<$ 3.9	5.4	5.6	6.5	6.8	6.0	6.6	6.6
3.9 \leq E $<$ 4.1	5.3	5.5	6.4	6.7	5.9	6.5	6.5
4.1 \leq E $<$ 4.3	5.3	5.4	6.3	6.6	5.9	6.4	6.4
4.3 \leq E $<$ 4.5	5.2	5.4	6.2	6.5	5.8	6.4	6.4
4.5 \leq E $<$ 4.7	5.1	5.3	6.2	6.5	5.8	6.3	6.3
4.7 \leq E $<$ 4.9	5.1	5.3	6.1	6.4	5.7	6.2	6.2
E \geq 4.9	5.0	5.2	6.0	6.3	5.7	6.2	6.2

Table B2-13 Loading Table for PWR Fuel – 959 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	44 < Assembly Average Burnup \leq 45 GWd/MTU						
	Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	6.0	6.2	7.3	7.7	6.7	7.4	7.4
2.9 \leq E < 3.1	5.9	6.0	7.2	7.6	6.6	7.3	7.3
3.1 \leq E < 3.3	5.8	6.0	7.0	7.4	6.5	7.2	7.1
3.3 \leq E < 3.5	5.7	5.9	6.9	7.3	6.4	7.0	7.0
3.5 \leq E < 3.7	5.7	5.8	6.8	7.2	6.3	6.9	6.9
3.7 \leq E < 3.9	5.6	5.8	6.8	7.0	6.2	6.9	6.9
3.9 \leq E < 4.1	5.5	5.7	6.7	7.0	6.2	6.8	6.8
4.1 \leq E < 4.3	5.5	5.6	6.6	6.9	6.1	6.7	6.7
4.3 \leq E < 4.5	5.4	5.6	6.5	6.8	6.0	6.7	6.6
4.5 \leq E < 4.7	5.3	5.5	6.5	6.7	6.0	6.6	6.6
4.7 \leq E < 4.9	5.3	5.5	6.4	6.7	5.9	6.5	6.5
E \geq 4.9	5.2	5.4	6.3	6.6	5.9	6.5	6.5

Note: For fuel assembly average burnup greater than 45 GWd/MTU, cool time tables have been revised to account for a 5% margin in heat load.

Table B2-14 Loading Table for PWR Fuel – 911 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	45 < Assembly Average Burnup \leq 46 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
	-	-	-	-	-	-	-
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	6.7	6.9	8.5	9.0	7.7	8.6	8.6
2.9 \leq E < 3.1	6.6	6.8	8.3	8.8	7.5	8.4	8.4
3.1 \leq E < 3.3	6.5	6.7	8.1	8.6	7.4	8.2	8.2
3.3 \leq E < 3.5	6.4	6.6	8.0	8.5	7.3	8.1	8.1
3.5 \leq E < 3.7	6.3	6.5	7.8	8.3	7.1	8.0	7.9
3.7 \leq E < 3.9	6.2	6.4	7.7	8.2	7.0	7.8	7.8
3.9 \leq E < 4.1	6.1	6.3	7.6	8.0	6.9	7.7	7.7
4.1 \leq E < 4.3	6.0	6.2	7.5	7.9	6.9	7.7	7.6
4.3 \leq E < 4.5	6.0	6.2	7.4	7.8	6.8	7.6	7.6
4.5 \leq E < 4.7	5.9	6.1	7.3	7.8	6.7	7.5	7.5
4.7 \leq E < 4.9	5.9	6.0	7.2	7.7	6.7	7.4	7.4
E \geq 4.9	5.8	6.0	7.2	7.6	6.6	7.3	7.3

Table B2-14 Loading Table for PWR Fuel – 911 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	46 < Assembly Average Burnup \leq 47 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
	-	-	-	-	-	-	-
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	7.0	7.3	9.0	9.6	8.0	9.1	9.1
2.9 \leq E $<$ 3.1	6.9	7.1	8.8	9.4	7.9	8.9	8.9
3.1 \leq E $<$ 3.3	6.8	7.0	8.6	9.2	7.8	8.7	8.7
3.3 \leq E $<$ 3.5	6.7	6.9	8.4	9.0	7.6	8.6	8.6
3.5 \leq E $<$ 3.7	6.6	6.8	8.3	8.8	7.5	8.4	8.4
3.7 \leq E $<$ 3.9	6.5	6.7	8.1	8.7	7.4	8.3	8.3
3.9 \leq E $<$ 4.1	6.4	6.6	8.0	8.5	7.3	8.1	8.1
4.1 \leq E $<$ 4.3	6.3	6.5	7.9	8.4	7.2	8.0	8.0
4.3 \leq E $<$ 4.5	6.2	6.5	7.8	8.3	7.1	7.9	7.9
4.5 \leq E $<$ 4.7	6.1	6.4	7.7	8.2	7.0	7.9	7.8
4.7 \leq E $<$ 4.9	6.0	6.3	7.6	8.1	6.9	7.8	7.8
E \geq 4.9	6.0	6.2	7.6	8.0	6.9	7.7	7.7
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	47 < Assembly Average Burnup \leq 48 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
	-	-	-	-	-	-	-
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	7.4	7.7	9.6	10.3	8.6	9.7	9.7
2.9 \leq E $<$ 3.1	7.2	7.6	9.4	10.0	8.4	9.5	9.5
3.1 \leq E $<$ 3.3	7.1	7.4	9.1	9.8	8.2	9.3	9.3
3.3 \leq E $<$ 3.5	7.0	7.2	8.9	9.6	8.0	9.1	9.0
3.5 \leq E $<$ 3.7	6.9	7.1	8.8	9.4	7.9	8.9	8.9
3.7 \leq E $<$ 3.9	6.7	7.0	8.6	9.2	7.8	8.8	8.7
3.9 \leq E $<$ 4.1	6.7	6.9	8.5	9.0	7.6	8.6	8.6
4.1 \leq E $<$ 4.3	6.6	6.8	8.4	8.9	7.6	8.5	8.5
4.3 \leq E $<$ 4.5	6.5	6.7	8.2	8.8	7.4	8.4	8.4
4.5 \leq E $<$ 4.7	6.4	6.7	8.1	8.7	7.4	8.3	8.3
4.7 \leq E $<$ 4.9	6.3	6.6	8.0	8.6	7.3	8.2	8.2
E \geq 4.9	6.2	6.5	7.9	8.5	7.2	8.1	8.1

Table B2-14 Loading Table for PWR Fuel – 911 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	48 < Assembly Average Burnup \leq 49 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	7.8	8.1	10.2	11.1	9.0	10.4	10.4
2.9 \leq E $<$ 3.1	7.6	7.9	10.0	10.8	8.8	10.1	10.1
3.1 \leq E $<$ 3.3	7.5	7.8	9.7	10.5	8.6	9.9	9.8
3.3 \leq E $<$ 3.5	7.3	7.6	9.5	10.2	8.5	9.7	9.6
3.5 \leq E $<$ 3.7	7.2	7.5	9.3	10.0	8.3	9.5	9.4
3.7 \leq E $<$ 3.9	7.0	7.4	9.1	9.8	8.2	9.3	9.3
3.9 \leq E $<$ 4.1	6.9	7.2	9.0	9.6	8.0	9.1	9.1
4.1 \leq E $<$ 4.3	6.8	7.1	8.8	9.5	7.9	9.0	9.0
4.3 \leq E $<$ 4.5	6.8	7.0	8.7	9.3	7.8	8.9	8.9
4.5 \leq E $<$ 4.7	6.7	6.9	8.6	9.2	7.7	8.8	8.7
4.7 \leq E $<$ 4.9	6.6	6.9	8.5	9.1	7.6	8.7	8.6
E \geq 4.9	6.5	6.8	8.4	9.0	7.6	8.6	8.5
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	49 < Assembly Average Burnup \leq 50 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	8.0	8.3	10.7	11.6	9.4	10.9	10.9
3.1 \leq E $<$ 3.3	7.8	8.1	10.4	11.3	9.1	10.6	10.6
3.3 \leq E $<$ 3.5	7.7	7.9	10.1	11.0	9.0	10.3	10.3
3.5 \leq E $<$ 3.7	7.5	7.8	9.9	10.8	8.8	10.0	10.0
3.7 \leq E $<$ 3.9	7.4	7.6	9.7	10.5	8.6	9.9	9.9
3.9 \leq E $<$ 4.1	7.3	7.5	9.5	10.3	8.5	9.7	9.7
4.1 \leq E $<$ 4.3	7.1	7.4	9.4	10.1	8.3	9.6	9.5
4.3 \leq E $<$ 4.5	7.0	7.3	9.2	9.9	8.2	9.4	9.4
4.5 \leq E $<$ 4.7	6.9	7.2	9.1	9.8	8.1	9.3	9.2
4.7 \leq E $<$ 4.9	6.9	7.1	9.0	9.6	8.0	9.1	9.1
E \geq 4.9	6.8	7.0	8.9	9.5	7.9	9.0	9.0

Table B2-14 Loading Table for PWR Fuel – 911 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	50 < Assembly Average Burnup \leq 51 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	8.3	8.7	11.5	12.3	10.0	11.6	11.6
3.1 \leq E $<$ 3.3	8.0	8.5	11.2	12.0	9.8	11.3	11.3
3.3 \leq E $<$ 3.5	7.9	8.3	10.9	11.7	9.5	11.1	11.1
3.5 \leq E $<$ 3.7	7.8	8.1	10.6	11.5	9.3	10.8	10.8
3.7 \leq E $<$ 3.9	7.6	8.0	10.4	11.3	9.1	10.6	10.6
3.9 \leq E $<$ 4.1	7.5	7.9	10.1	11.1	9.0	10.4	10.4
4.1 \leq E $<$ 4.3	7.4	7.8	10.0	10.9	8.8	10.2	10.1
4.3 \leq E $<$ 4.5	7.3	7.6	9.8	10.6	8.7	10.0	10.0
4.5 \leq E $<$ 4.7	7.1	7.5	9.7	10.5	8.6	9.8	9.8
4.7 \leq E $<$ 4.9	7.0	7.4	9.5	10.3	8.5	9.7	9.7
E \geq 4.9	7.0	7.3	9.4	10.1	8.3	9.6	9.6
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	51 < Assembly Average Burnup \leq 52 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	8.8	9.3	12.2	13.0	10.7	12.4	12.4
3.1 \leq E $<$ 3.3	8.5	9.0	11.9	12.6	10.4	12.1	12.0
3.3 \leq E $<$ 3.5	8.3	8.8	11.6	12.3	10.1	11.8	11.8
3.5 \leq E $<$ 3.7	8.1	8.6	11.4	11.9	9.9	11.6	11.5
3.7 \leq E $<$ 3.9	8.0	8.5	11.1	11.7	9.7	11.3	11.3
3.9 \leq E $<$ 4.1	7.9	8.3	10.9	11.5	9.5	11.1	11.1
4.1 \leq E $<$ 4.3	7.7	8.1	10.7	11.3	9.3	10.9	10.9
4.3 \leq E $<$ 4.5	7.6	8.0	10.5	11.1	9.2	10.7	10.7
4.5 \leq E $<$ 4.7	7.5	7.9	10.3	11.0	9.0	10.5	10.5
4.7 \leq E $<$ 4.9	7.4	7.8	10.1	10.8	8.9	10.3	10.3
E \geq 4.9	7.3	7.7	10.0	10.6	8.8	10.2	10.2

Table B2-14 Loading Table for PWR Fuel – 911 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	52 < Assembly Average Burnup \leq 53 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	9.3	9.8	12.8	13.8	11.4	13.3	13.3
3.1 \leq E $<$ 3.3	9.0	9.6	12.4	13.5	11.2	13.0	13.0
3.3 \leq E $<$ 3.5	8.8	9.3	12.1	13.2	10.9	12.6	12.6
3.5 \leq E $<$ 3.7	8.6	9.1	11.8	12.8	10.6	12.3	12.3
3.7 \leq E $<$ 3.9	8.4	9.0	11.5	12.6	10.3	12.0	12.0
3.9 \leq E $<$ 4.1	8.2	8.8	11.3	12.3	10.1	11.8	11.8
4.1 \leq E $<$ 4.3	8.1	8.6	11.1	12.0	9.9	11.6	11.6
4.3 \leq E $<$ 4.5	8.0	8.5	10.9	11.8	9.7	11.4	11.4
4.5 \leq E $<$ 4.7	7.9	8.3	10.7	11.7	9.6	11.2	11.2
4.7 \leq E $<$ 4.9	7.8	8.2	10.6	11.5	9.4	11.1	11.0
E \geq 4.9	7.7	8.1	10.4	11.3	9.3	10.9	10.9
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	53 < Assembly Average Burnup \leq 54 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	9.8	10.5	13.6	14.9	12.2	14.2	14.2
3.1 \leq E $<$ 3.3	9.6	10.2	13.3	14.4	11.8	13.8	13.8
3.3 \leq E $<$ 3.5	9.3	9.9	12.9	14.0	11.6	13.5	13.5
3.5 \leq E $<$ 3.7	9.1	9.7	12.6	13.7	11.3	13.2	13.2
3.7 \leq E $<$ 3.9	8.9	9.5	12.3	13.4	11.0	12.9	12.9
3.9 \leq E $<$ 4.1	8.7	9.3	12.0	13.2	10.8	12.6	12.6
4.1 \leq E $<$ 4.3	8.6	9.1	11.8	12.9	10.6	12.4	12.4
4.3 \leq E $<$ 4.5	8.4	8.9	11.6	12.6	10.4	12.1	12.1
4.5 \leq E $<$ 4.7	8.3	8.8	11.4	12.4	10.1	11.9	11.9
4.7 \leq E $<$ 4.9	8.1	8.7	11.3	12.2	10.0	11.8	11.7
E \geq 4.9	8.0	8.8	11.1	12.0	9.9	11.6	11.6

Table B2-14 Loading Table for PWR Fuel – 911 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	54 < Assembly Average Burnup \leq 55 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	10.1	10.9	14.1	15.4	12.7	14.8	14.8
3.3 \leq E < 3.5	9.9	10.6	13.8	15.0	12.3	14.4	14.4
3.5 \leq E < 3.7	9.6	10.3	13.5	14.7	12.0	14.0	14.0
3.7 \leq E < 3.9	9.4	10.1	13.1	14.3	11.8	13.8	13.8
3.9 \leq E < 4.1	9.2	9.8	12.9	14.0	11.5	13.5	13.5
4.1 \leq E < 4.3	9.0	9.7	12.6	13.8	11.3	13.3	13.2
4.3 \leq E < 4.5	8.9	9.5	12.3	13.5	11.1	13.0	13.0
4.5 \leq E < 4.7	8.7	9.3	12.1	13.3	10.9	12.8	12.7
4.7 \leq E < 4.9	8.6	9.1	11.9	13.1	10.7	12.6	12.5
E \geq 4.9	8.5	9.0	11.7	12.9	10.5	12.3	12.3
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	55 < Assembly Average Burnup \leq 56 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	10.9	11.6	15.1	16.5	13.1	15.8	15.8
3.3 \leq E < 3.5	10.5	11.3	14.7	16.0	12.8	15.4	15.4
3.5 \leq E < 3.7	10.2	11.0	14.3	15.7	12.4	15.1	15.0
3.7 \leq E < 3.9	9.9	10.8	14.0	15.3	12.1	14.7	14.7
3.9 \leq E < 4.1	9.7	10.5	13.7	15.0	11.9	14.4	14.4
4.1 \leq E < 4.3	9.5	10.2	13.4	14.7	11.7	14.1	14.1
4.3 \leq E < 4.5	9.3	10.0	13.2	14.5	11.4	13.8	13.8
4.5 \leq E < 4.7	9.2	9.9	12.9	14.2	11.2	13.6	13.6
4.7 \leq E < 4.9	9.0	9.7	12.7	13.9	11.1	13.4	13.4
E \geq 4.9	8.9	9.5	12.5	13.8	10.9	13.2	13.2

Table B2-14 Loading Table for PWR Fuel – 911 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	56 < Assembly Average Burnup \leq 57 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	11.5	12.3	16.0	17.4	14.0	16.8	16.8
3.3 \leq E $<$ 3.5	11.2	12.0	15.6	17.1	13.6	16.4	16.4
3.5 \leq E $<$ 3.7	10.9	11.7	15.3	16.7	13.3	16.0	16.0
3.7 \leq E $<$ 3.9	10.6	11.4	14.9	16.3	13.0	15.7	15.6
3.9 \leq E $<$ 4.1	10.3	11.2	14.6	16.0	12.6	15.4	15.3
4.1 \leq E $<$ 4.3	10.1	10.9	14.2	15.7	12.4	15.1	15.1
4.3 \leq E $<$ 4.5	9.9	10.7	14.0	15.4	12.1	14.8	14.8
4.5 \leq E $<$ 4.7	9.7	10.5	13.8	15.2	11.9	14.5	14.5
4.7 \leq E $<$ 4.9	9.5	10.3	13.6	14.9	11.7	14.2	14.2
E \geq 4.9	9.4	10.1	13.4	14.7	11.5	14.0	14.0
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	57 < Assembly Average Burnup \leq 58 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	12.2	13.2	17.0	18.5	14.9	17.8	17.7
3.3 \leq E $<$ 3.5	11.9	12.8	16.7	18.1	14.5	17.4	17.4
3.5 \leq E $<$ 3.7	11.6	12.4	16.2	17.7	14.1	17.0	17.0
3.7 \leq E $<$ 3.9	11.3	12.1	15.9	17.3	13.8	16.7	16.6
3.9 \leq E $<$ 4.1	11.0	11.9	15.6	17.0	13.5	16.3	16.3
4.1 \leq E $<$ 4.3	10.7	11.6	15.3	16.7	13.2	16.0	16.0
4.3 \leq E $<$ 4.5	10.5	11.4	15.0	16.4	12.9	15.7	15.7
4.5 \leq E $<$ 4.7	10.3	11.2	14.7	16.1	12.7	15.5	15.4
4.7 \leq E $<$ 4.9	10.0	10.9	14.4	15.8	12.4	15.2	15.2
E \geq 4.9	9.9	10.8	14.2	15.6	12.2	15.0	14.9

Table B2-14 Loading Table for PWR Fuel – 911 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	58 < Assembly Average Burnup \leq 59 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	13.0	14.0	18.0	19.5	15.8	18.8	18.8
3.3 \leq E $<$ 3.5	12.6	13.6	17.6	19.1	15.4	18.4	18.4
3.5 \leq E $<$ 3.7	12.2	13.3	17.2	18.7	15.0	18.0	18.0
3.7 \leq E $<$ 3.9	11.9	12.9	16.9	18.3	14.6	17.7	17.7
3.9 \leq E $<$ 4.1	11.6	12.6	16.5	18.0	14.3	17.4	17.3
4.1 \leq E $<$ 4.3	11.4	12.3	16.2	17.7	14.0	17.0	17.0
4.3 \leq E $<$ 4.5	11.1	12.0	15.9	17.4	13.7	16.7	16.7
4.5 \leq E $<$ 4.7	10.9	11.8	15.6	17.1	13.5	16.4	16.4
4.7 \leq E $<$ 4.9	10.7	11.6	15.4	16.8	13.2	16.1	16.1
E \geq 4.9	10.5	11.4	15.1	16.6	13.0	15.9	15.9
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	59 < Assembly Average Burnup \leq 60 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	-	-	-	-	-	-	-
3.3 \leq E $<$ 3.5	13.4	14.4	18.6	20.1	16.3	19.0	19.0
3.5 \leq E $<$ 3.7	13.0	14.1	18.2	19.7	15.9	18.6	18.5
3.7 \leq E $<$ 3.9	12.7	13.7	17.8	19.4	15.5	18.2	18.1
3.9 \leq E $<$ 4.1	12.3	13.4	17.5	19.0	15.2	17.9	17.8
4.1 \leq E $<$ 4.3	12.0	13.1	17.1	18.7	14.9	17.5	17.5
4.3 \leq E $<$ 4.5	11.8	12.8	16.8	18.4	14.6	17.2	17.2
4.5 \leq E $<$ 4.7	11.6	12.6	16.5	18.0	14.3	16.9	16.9
4.7 \leq E $<$ 4.9	11.3	12.3	16.2	17.8	14.0	16.6	16.6
E \geq 4.9	11.2	12.1	16.0	17.6	13.8	16.4	16.3

Table B2-15 Loading Table for PWR Fuel – 1,200 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	30 < Assembly Average Burnup \leq 32.5 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	4.0	4.0	4.0	4.0	4.0	4.0	4.0
2.3 \leq E < 2.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0
2.5 \leq E < 2.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0
2.7 \leq E < 2.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
2.9 \leq E < 3.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.1 \leq E < 3.3	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.3 \leq E < 3.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.5 \leq E < 3.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.7 \leq E < 3.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.9 \leq E < 4.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.1 \leq E < 4.3	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.3 \leq E < 4.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.5 \leq E < 4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.7 \leq E < 4.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
E \geq 4.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	32.5 < Assembly Average Burnup \leq 35 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	4.0	4.0	4.0	4.1	4.0	4.1	4.1
2.5 \leq E < 2.7	4.0	4.0	4.0	4.1	4.0	4.0	4.0
2.7 \leq E < 2.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
2.9 \leq E < 3.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.1 \leq E < 3.3	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.3 \leq E < 3.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.5 \leq E < 3.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.7 \leq E < 3.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
3.9 \leq E < 4.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.1 \leq E < 4.3	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.3 \leq E < 4.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.5 \leq E < 4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.7 \leq E < 4.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
E \geq 4.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0

Table B2-15 Loading Table for PWR Fuel – 1,200 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	35 < Assembly Average Burnup \leq 37.5 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	4.0	4.0	4.3	4.4	4.2	4.4	4.4
2.5 \leq E < 2.7	4.0	4.0	4.3	4.4	4.1	4.4	4.4
2.7 \leq E < 2.9	4.0	4.0	4.2	4.3	4.1	4.3	4.3
2.9 \leq E < 3.1	4.0	4.0	4.2	4.3	4.0	4.3	4.3
3.1 \leq E < 3.3	4.0	4.0	4.1	4.2	4.0	4.2	4.2
3.3 \leq E < 3.5	4.0	4.0	4.1	4.2	4.0	4.2	4.2
3.5 \leq E < 3.7	4.0	4.0	4.0	4.2	4.0	4.2	4.2
3.7 \leq E < 3.9	4.0	4.0	4.0	4.1	4.0	4.1	4.1
3.9 \leq E < 4.1	4.0	4.0	4.0	4.1	4.0	4.1	4.1
4.1 \leq E < 4.3	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.3 \leq E < 4.5	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.5 \leq E < 4.7	4.0	4.0	4.0	4.0	4.0	4.0	4.0
4.7 \leq E < 4.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
E \geq 4.9	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	37.5 < Assembly Average Burnup \leq 40 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	4.0	4.1	4.6	4.8	4.4	4.7	4.7
2.7 \leq E < 2.9	4.0	4.0	4.6	4.7	4.4	4.7	4.7
2.9 \leq E < 3.1	4.0	4.0	4.5	4.6	4.3	4.6	4.6
3.1 \leq E < 3.3	4.0	4.0	4.5	4.6	4.3	4.5	4.5
3.3 \leq E < 3.5	4.0	4.0	4.4	4.5	4.2	4.5	4.5
3.5 \leq E < 3.7	4.0	4.0	4.4	4.5	4.2	4.5	4.4
3.7 \leq E < 3.9	4.0	4.0	4.3	4.4	4.1	4.4	4.4
3.9 \leq E < 4.1	4.0	4.0	4.3	4.4	4.1	4.4	4.4
4.1 \leq E < 4.3	4.0	4.0	4.2	4.3	4.1	4.3	4.3
4.3 \leq E < 4.5	4.0	4.0	4.2	4.3	4.0	4.3	4.3
4.5 \leq E < 4.7	4.0	4.0	4.2	4.3	4.0	4.3	4.3
4.7 \leq E < 4.9	4.0	4.0	4.1	4.3	4.0	4.3	4.3
E \geq 4.9	4.0	4.0	4.1	4.2	4.0	4.2	4.2

Table B2-15 Loading Table for PWR Fuel – 1,200 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	40 < Assembly Average Burnup \leq 41 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	4.2	4.2	4.8	4.9	4.5	4.9	4.9
2.7 \leq E < 2.9	4.1	4.2	4.7	4.8	4.5	4.8	4.8
2.9 \leq E < 3.1	4.0	4.1	4.7	4.8	4.4	4.8	4.7
3.1 \leq E < 3.3	4.0	4.1	4.6	4.7	4.4	4.7	4.7
3.3 \leq E < 3.5	4.0	4.0	4.5	4.7	4.4	4.6	4.6
3.5 \leq E < 3.7	4.0	4.0	4.5	4.6	4.3	4.6	4.6
3.7 \leq E < 3.9	4.0	4.0	4.4	4.5	4.2	4.5	4.5
3.9 \leq E < 4.1	4.0	4.0	4.4	4.5	4.2	4.5	4.5
4.1 \leq E < 4.3	4.0	4.0	4.4	4.5	4.2	4.5	4.5
4.3 \leq E < 4.5	4.0	4.0	4.3	4.4	4.1	4.4	4.4
4.5 \leq E < 4.7	4.0	4.0	4.3	4.4	4.1	4.4	4.4
4.7 \leq E < 4.9	4.0	4.0	4.3	4.4	4.1	4.4	4.4
E \geq 4.9	4.0	4.0	4.2	4.3	4.0	4.4	4.3
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	41 < Assembly Average Burnup \leq 42 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	4.3	4.4	4.9	5.1	4.7	5.0	5.0
2.7 \leq E < 2.9	4.2	4.3	4.9	5.0	4.6	5.0	5.0
2.9 \leq E < 3.1	4.2	4.2	4.8	4.9	4.6	4.9	4.9
3.1 \leq E < 3.3	4.1	4.2	4.7	4.9	4.5	4.8	4.8
3.3 \leq E < 3.5	4.0	4.1	4.7	4.8	4.5	4.8	4.8
3.5 \leq E < 3.7	4.0	4.1	4.6	4.8	4.4	4.7	4.7
3.7 \leq E < 3.9	4.0	4.1	4.6	4.7	4.4	4.7	4.7
3.9 \leq E < 4.1	4.0	4.0	4.5	4.6	4.3	4.6	4.6
4.1 \leq E < 4.3	4.0	4.0	4.5	4.6	4.3	4.6	4.6
4.3 \leq E < 4.5	4.0	4.0	4.4	4.6	4.3	4.5	4.5
4.5 \leq E < 4.7	4.0	4.0	4.4	4.5	4.2	4.5	4.5
4.7 \leq E < 4.9	4.0	4.0	4.4	4.5	4.2	4.5	4.5
E \geq 4.9	4.0	4.0	4.3	4.5	4.2	4.5	4.5

Table B2-15 Loading Table for PWR Fuel – 1,200 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	42 < Assembly Average Burnup \leq 43 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	4.4	4.5	5.1	5.3	4.9	5.2	5.2
2.7 \leq E $<$ 2.9	4.4	4.4	5.0	5.2	4.8	5.1	5.1
2.9 \leq E $<$ 3.1	4.3	4.4	5.0	5.1	4.7	5.0	5.0
3.1 \leq E $<$ 3.3	4.2	4.3	4.9	5.0	4.7	5.0	5.0
3.3 \leq E $<$ 3.5	4.2	4.3	4.8	5.0	4.6	4.9	4.9
3.5 \leq E $<$ 3.7	4.1	4.2	4.8	4.9	4.5	4.9	4.9
3.7 \leq E $<$ 3.9	4.1	4.2	4.7	4.9	4.5	4.8	4.8
3.9 \leq E $<$ 4.1	4.0	4.1	4.7	4.8	4.4	4.8	4.8
4.1 \leq E $<$ 4.3	4.0	4.1	4.6	4.8	4.4	4.7	4.7
4.3 \leq E $<$ 4.5	4.0	4.0	4.6	4.7	4.4	4.7	4.7
4.5 \leq E $<$ 4.7	4.0	4.0	4.5	4.7	4.3	4.7	4.6
4.7 \leq E $<$ 4.9	4.0	4.0	4.5	4.6	4.3	4.6	4.6
E \geq 4.9	4.0	4.0	4.4	4.6	4.3	4.6	4.5
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	43 < Assembly Average Burnup \leq 44 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	4.5	4.6	5.3	5.5	5.0	5.4	5.4
2.7 \leq E $<$ 2.9	4.5	4.6	5.2	5.4	4.9	5.3	5.3
2.9 \leq E $<$ 3.1	4.4	4.5	5.1	5.3	4.9	5.2	5.2
3.1 \leq E $<$ 3.3	4.4	4.4	5.0	5.2	4.8	5.2	5.2
3.3 \leq E $<$ 3.5	4.3	4.4	5.0	5.1	4.7	5.1	5.1
3.5 \leq E $<$ 3.7	4.2	4.3	4.9	5.1	4.7	5.0	5.0
3.7 \leq E $<$ 3.9	4.2	4.3	4.9	5.0	4.6	5.0	5.0
3.9 \leq E $<$ 4.1	4.1	4.3	4.8	5.0	4.6	4.9	4.9
4.1 \leq E $<$ 4.3	4.1	4.2	4.8	4.9	4.5	4.9	4.9
4.3 \leq E $<$ 4.5	4.1	4.2	4.7	4.9	4.5	4.8	4.8
4.5 \leq E $<$ 4.7	4.0	4.2	4.7	4.8	4.5	4.8	4.8
4.7 \leq E $<$ 4.9	4.0	4.1	4.6	4.8	4.4	4.8	4.7
E \geq 4.9	4.0	4.1	4.6	4.8	4.4	4.7	4.7

Table B2-15 Loading Table for PWR Fuel – 1,200 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	44 < Assembly Average Burnup \leq 45 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	4.6	4.7	5.4	5.6	5.1	5.5	5.5
2.9 \leq E < 3.1	4.5	4.6	5.3	5.5	5.0	5.4	5.4
3.1 \leq E < 3.3	4.5	4.6	5.2	5.4	4.9	5.4	5.4
3.3 \leq E < 3.5	4.4	4.5	5.2	5.4	4.9	5.3	5.3
3.5 \leq E < 3.7	4.4	4.5	5.1	5.3	4.8	5.2	5.2
3.7 \leq E < 3.9	4.3	4.4	5.0	5.2	4.8	5.1	5.1
3.9 \leq E < 4.1	4.3	4.4	5.0	5.1	4.7	5.1	5.1
4.1 \leq E < 4.3	4.2	4.3	4.9	5.1	4.7	5.0	5.0
4.3 \leq E < 4.5	4.2	4.3	4.9	5.0	4.6	5.0	5.0
4.5 \leq E < 4.7	4.1	4.2	4.8	5.0	4.6	4.9	4.9
4.7 \leq E < 4.9	4.1	4.2	4.8	4.9	4.5	4.9	4.9
E \geq 4.9	4.0	4.2	4.7	4.9	4.5	4.9	4.8

Note: For fuel assembly average burnup greater than 45 GWd/MTU, cool time tables have been revised to account for a 5% margin in heat load.

Table B2-16 Loading Table for PWR Fuel – 1,140 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	45 < Assembly Average Burnup \leq 46 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	5.0	5.2	6.0	6.2	5.6	6.0	6.0
2.9 \leq E < 3.1	5.0	5.1	5.9	6.0	5.5	6.0	6.0
3.1 \leq E < 3.3	4.9	5.0	5.8	6.0	5.5	5.9	5.9
3.3 \leq E < 3.5	4.8	4.9	5.7	5.9	5.4	5.8	5.8
3.5 \leq E < 3.7	4.8	4.9	5.6	5.8	5.3	5.7	5.7
3.7 \leq E < 3.9	4.7	4.8	5.6	5.8	5.2	5.7	5.7
3.9 \leq E < 4.1	4.6	4.8	5.5	5.7	5.1	5.6	5.6
4.1 \leq E < 4.3	4.6	4.7	5.4	5.6	5.1	5.5	5.6
4.3 \leq E < 4.5	4.5	4.6	5.4	5.6	5.0	5.5	5.5
4.5 \leq E < 4.7	4.5	4.6	5.3	5.5	5.0	5.4	5.4
4.7 \leq E < 4.9	4.4	4.6	5.3	5.5	4.9	5.4	5.4
E \geq 4.9	4.4	4.5	5.2	5.4	4.9	5.4	5.3

Table B2-16 Loading Table for PWR Fuel – 1,140 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	46 < Assembly Average Burnup \leq 47 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	5.2	5.4	6.2	6.5	5.8	6.3	6.3
2.9 \leq E $<$ 3.1	5.1	5.3	6.1	6.4	5.7	6.2	6.2
3.1 \leq E $<$ 3.3	5.0	5.2	6.0	6.2	5.6	6.1	6.1
3.3 \leq E $<$ 3.5	5.0	5.1	5.9	6.1	5.6	6.0	6.0
3.5 \leq E $<$ 3.7	4.9	5.0	5.8	6.0	5.5	5.9	5.9
3.7 \leq E $<$ 3.9	4.8	5.0	5.8	6.0	5.4	5.9	5.9
3.9 \leq E $<$ 4.1	4.8	4.9	5.7	5.9	5.3	5.8	5.8
4.1 \leq E $<$ 4.3	4.7	4.8	5.6	5.8	5.3	5.8	5.7
4.3 \leq E $<$ 4.5	4.7	4.8	5.6	5.8	5.2	5.7	5.7
4.5 \leq E $<$ 4.7	4.6	4.7	5.5	5.7	5.2	5.6	5.6
4.7 \leq E $<$ 4.9	4.6	4.7	5.5	5.7	5.1	5.6	5.6
E \geq 4.9	4.5	4.7	5.4	5.6	5.0	5.5	5.5
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	47 < Assembly Average Burnup \leq 48 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	5.4	5.6	6.5	6.8	6.0	6.6	6.6
2.9 \leq E $<$ 3.1	5.3	5.5	6.4	6.6	5.9	6.5	6.5
3.1 \leq E $<$ 3.3	5.2	5.4	6.2	6.5	5.8	6.4	6.4
3.3 \leq E $<$ 3.5	5.1	5.3	6.1	6.4	5.8	6.2	6.2
3.5 \leq E $<$ 3.7	5.0	5.2	6.0	6.3	5.7	6.2	6.1
3.7 \leq E $<$ 3.9	5.0	5.1	5.9	6.2	5.6	6.0	6.0
3.9 \leq E $<$ 4.1	4.9	5.0	5.9	6.1	5.5	6.0	6.0
4.1 \leq E $<$ 4.3	4.9	5.0	5.8	6.0	5.5	5.9	5.9
4.3 \leq E $<$ 4.5	4.8	4.9	5.8	6.0	5.4	5.9	5.9
4.5 \leq E $<$ 4.7	4.8	4.9	5.7	5.9	5.3	5.8	5.8
4.7 \leq E $<$ 4.9	4.7	4.9	5.7	5.8	5.3	5.8	5.8
E \geq 4.9	4.7	4.8	5.6	5.8	5.2	5.7	5.7

Table B2-16 Loading Table for PWR Fuel – 1,140 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ²³⁵ U (E)	48 < Assembly Average Burnup ≤ 49 GWd/MTU						
	Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 ≤ E < 2.3	-	-	-	-	-	-	-
2.3 ≤ E < 2.5	-	-	-	-	-	-	-
2.5 ≤ E < 2.7	-	-	-	-	-	-	-
2.7 ≤ E < 2.9	5.6	5.8	6.8	7.0	6.3	6.9	6.9
2.9 ≤ E < 3.1	5.5	5.7	6.7	6.9	6.1	6.8	6.7
3.1 ≤ E < 3.3	5.4	5.6	6.5	6.8	6.0	6.6	6.6
3.3 ≤ E < 3.5	5.3	5.5	6.4	6.7	5.9	6.5	6.5
3.5 ≤ E < 3.7	5.2	5.4	6.3	6.6	5.9	6.4	6.4
3.7 ≤ E < 3.9	5.2	5.3	6.2	6.5	5.8	6.3	6.3
3.9 ≤ E < 4.1	5.1	5.2	6.1	6.4	5.7	6.2	6.2
4.1 ≤ E < 4.3	5.0	5.2	6.0	6.3	5.7	6.1	6.1
4.3 ≤ E < 4.5	5.0	5.1	5.9	6.2	5.6	6.0	6.0
4.5 ≤ E < 4.7	4.9	5.0	5.9	6.1	5.5	6.0	6.0
4.7 ≤ E < 4.9	4.8	5.0	5.8	6.0	5.5	5.9	5.9
E ≥ 4.9	4.8	4.9	5.8	6.0	5.4	5.9	5.9
Minimum Initial Assembly Avg. Enrichment wt % ²³⁵ U (E)	49 < Assembly Average Burnup ≤ 50 GWd/MTU						
	Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 ≤ E < 2.3	-	-	-	-	-	-	-
2.3 ≤ E < 2.5	-	-	-	-	-	-	-
2.5 ≤ E < 2.7	-	-	-	-	-	-	-
2.7 ≤ E < 2.9	-	-	-	-	-	-	-
2.9 ≤ E < 3.1	5.7	5.8	6.9	7.3	6.4	7.0	7.0
3.1 ≤ E < 3.3	5.6	5.7	6.8	7.1	6.3	6.9	6.9
3.3 ≤ E < 3.5	5.5	5.6	6.7	7.0	6.2	6.8	6.8
3.5 ≤ E < 3.7	5.4	5.5	6.6	6.9	6.0	6.7	6.7
3.7 ≤ E < 3.9	5.4	5.5	6.5	6.8	6.0	6.6	6.6
3.9 ≤ E < 4.1	5.3	5.4	6.4	6.7	5.9	6.5	6.5
4.1 ≤ E < 4.3	5.2	5.3	6.3	6.6	5.8	6.4	6.4
4.3 ≤ E < 4.5	5.1	5.2	6.2	6.5	5.8	6.3	6.3
4.5 ≤ E < 4.7	5.0	5.2	6.1	6.4	5.7	6.2	6.2
4.7 ≤ E < 4.9	5.0	5.1	6.0	6.3	5.7	6.2	6.2
E ≥ 4.9	4.9	5.0	6.0	6.2	5.6	6.1	6.1

Table B2-16 Loading Table for PWR Fuel – 1,140 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	50 < Assembly Average Burnup \leq 51 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	5.8	6.0	7.3	7.6	6.7	7.4	7.4
3.1 \leq E $<$ 3.3	5.8	5.9	7.1	7.5	6.6	7.2	7.2
3.3 \leq E $<$ 3.5	5.7	5.8	7.0	7.3	6.4	7.1	7.0
3.5 \leq E $<$ 3.7	5.6	5.7	6.8	7.2	6.3	6.9	6.9
3.7 \leq E $<$ 3.9	5.5	5.7	6.7	7.0	6.2	6.9	6.8
3.9 \leq E $<$ 4.1	5.4	5.6	6.6	6.9	6.1	6.8	6.8
4.1 \leq E $<$ 4.3	5.3	5.5	6.5	6.8	6.0	6.7	6.7
4.3 \leq E $<$ 4.5	5.2	5.4	6.4	6.8	6.0	6.6	6.6
4.5 \leq E $<$ 4.7	5.2	5.4	6.4	6.7	5.9	6.5	6.5
4.7 \leq E $<$ 4.9	5.1	5.3	6.3	6.6	5.8	6.4	6.4
E \geq 4.9	5.0	5.2	6.2	6.5	5.8	6.4	6.3
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	51 < Assembly Average Burnup \leq 52 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	6.0	6.3	7.6	7.9	6.9	7.7	7.7
3.1 \leq E $<$ 3.3	5.9	6.1	7.5	7.7	6.8	7.6	7.6
3.3 \leq E $<$ 3.5	5.8	6.0	7.3	7.6	6.7	7.4	7.4
3.5 \leq E $<$ 3.7	5.8	5.9	7.1	7.4	6.6	7.3	7.3
3.7 \leq E $<$ 3.9	5.7	5.9	7.0	7.3	6.5	7.1	7.1
3.9 \leq E $<$ 4.1	5.6	5.8	6.9	7.1	6.4	7.0	7.0
4.1 \leq E $<$ 4.3	5.5	5.7	6.8	7.0	6.3	6.9	6.9
4.3 \leq E $<$ 4.5	5.4	5.6	6.7	6.9	6.2	6.8	6.8
4.5 \leq E $<$ 4.7	5.4	5.6	6.6	6.8	6.1	6.8	6.8
4.7 \leq E $<$ 4.9	5.3	5.5	6.5	6.8	6.0	6.7	6.7
E \geq 4.9	5.2	5.4	6.5	6.7	6.0	6.6	6.6

Table B2-16 Loading Table for PWR Fuel – 1,140 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	52 < Assembly Average Burnup \leq 53 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	6.3	6.5	7.9	8.3	7.3	8.1	8.1
3.1 \leq E $<$ 3.3	6.2	6.4	7.7	8.1	7.1	7.9	7.9
3.3 \leq E $<$ 3.5	6.0	6.3	7.5	7.9	7.0	7.8	7.8
3.5 \leq E $<$ 3.7	5.9	6.1	7.4	7.8	6.9	7.6	7.6
3.7 \leq E $<$ 3.9	5.8	6.1	7.2	7.6	6.7	7.5	7.5
3.9 \leq E $<$ 4.1	5.8	6.0	7.1	7.5	6.6	7.4	7.3
4.1 \leq E $<$ 4.3	5.7	5.9	7.0	7.4	6.5	7.2	7.2
4.3 \leq E $<$ 4.5	5.6	5.8	6.9	7.2	6.4	7.1	7.1
4.5 \leq E $<$ 4.7	5.5	5.7	6.8	7.1	6.4	7.0	7.0
4.7 \leq E $<$ 4.9	5.5	5.7	6.7	7.0	6.3	6.9	6.9
E \geq 4.9	5.4	5.6	6.6	6.9	6.2	6.9	6.9
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	53 < Assembly Average Burnup \leq 54 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	6.6	6.8	8.3	8.8	7.6	8.6	8.6
3.1 \leq E $<$ 3.3	6.4	6.7	8.0	8.6	7.5	8.3	8.3
3.3 \leq E $<$ 3.5	6.3	6.5	7.9	8.3	7.3	8.2	8.1
3.5 \leq E $<$ 3.7	6.1	6.4	7.7	8.1	7.1	8.0	8.0
3.7 \leq E $<$ 3.9	6.0	6.3	7.6	8.0	7.0	7.9	7.8
3.9 \leq E $<$ 4.1	5.9	6.2	7.4	7.8	6.9	7.7	7.7
4.1 \leq E $<$ 4.3	5.9	6.1	7.3	7.7	6.8	7.6	7.6
4.3 \leq E $<$ 4.5	5.8	6.0	7.2	7.6	6.7	7.5	7.5
4.5 \leq E $<$ 4.7	5.7	5.9	7.0	7.5	6.6	7.4	7.3
4.7 \leq E $<$ 4.9	5.7	5.9	7.0	7.4	6.5	7.2	7.2
E \geq 4.9	5.6	5.9	6.9	7.3	6.4	7.1	7.1

Table B2-16 Loading Table for PWR Fuel – 1,140 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	54 < Assembly Average Burnup \leq 55 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	6.7	6.9	8.5	9.0	7.8	8.8	8.8
3.3 \leq E $<$ 3.5	6.6	6.8	8.3	8.8	7.6	8.6	8.6
3.5 \leq E $<$ 3.7	6.4	6.7	8.1	8.6	7.5	8.4	8.4
3.7 \leq E $<$ 3.9	6.3	6.6	7.9	8.4	7.3	8.2	8.2
3.9 \leq E $<$ 4.1	6.2	6.5	7.8	8.2	7.2	8.0	8.0
4.1 \leq E $<$ 4.3	6.1	6.3	7.6	8.1	7.0	7.9	7.9
4.3 \leq E $<$ 4.5	6.0	6.2	7.5	7.9	7.0	7.8	7.8
4.5 \leq E $<$ 4.7	5.9	6.1	7.4	7.8	6.9	7.7	7.7
4.7 \leq E $<$ 4.9	5.9	6.0	7.3	7.7	6.8	7.6	7.6
E \geq 4.9	5.8	6.0	7.2	7.6	6.7	7.5	7.5

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	55 < Assembly Average Burnup \leq 56 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	6.9	7.3	8.9	9.6	8.0	9.3	9.3
3.3 \leq E $<$ 3.5	6.8	7.1	8.7	9.3	7.8	9.0	9.0
3.5 \leq E $<$ 3.7	6.7	6.9	8.5	9.1	7.7	8.8	8.9
3.7 \leq E $<$ 3.9	6.6	6.8	8.3	8.9	7.5	8.7	8.7
3.9 \leq E $<$ 4.1	6.4	6.7	8.1	8.7	7.4	8.5	8.5
4.1 \leq E $<$ 4.3	6.3	6.6	8.0	8.5	7.2	8.3	8.3
4.3 \leq E $<$ 4.5	6.2	6.5	7.9	8.4	7.1	8.2	8.1
4.5 \leq E $<$ 4.7	6.1	6.4	7.7	8.2	7.0	8.0	8.0
4.7 \leq E $<$ 4.9	6.0	6.3	7.6	8.1	6.9	7.9	7.9
E \geq 4.9	6.0	6.2	7.5	8.0	6.8	7.8	7.8

Table B2-16 Loading Table for PWR Fuel – 1,140 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	56 < Assembly Average Burnup \leq 57 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	7.3	7.6	9.4	10.1	8.4	9.8	9.8
3.3 \leq E < 3.5	7.1	7.4	9.2	9.9	8.2	9.6	9.6
3.5 \leq E < 3.7	6.9	7.3	9.0	9.6	8.0	9.4	9.3
3.7 \leq E < 3.9	6.8	7.1	8.8	9.4	7.9	9.1	9.1
3.9 \leq E < 4.1	6.7	7.0	8.6	9.2	7.7	8.9	8.9
4.1 \leq E < 4.3	6.6	6.9	8.4	9.0	7.6	8.8	8.8
4.3 \leq E < 4.5	6.5	6.8	8.2	8.8	7.5	8.6	8.6
4.5 \leq E < 4.7	6.4	6.7	8.1	8.7	7.3	8.5	8.4
4.7 \leq E < 4.9	6.3	6.6	8.0	8.5	7.2	8.3	8.3
E \geq 4.9	6.2	6.5	7.8	8.4	7.1	8.2	8.2
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	57 < Assembly Average Burnup \leq 58 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	7.6	8.0	10.0	10.8	8.9	10.5	10.4
3.3 \leq E < 3.5	7.4	7.8	9.7	10.5	8.7	10.2	10.1
3.5 \leq E < 3.7	7.2	7.6	9.5	10.2	8.4	9.9	9.9
3.7 \leq E < 3.9	7.1	7.5	9.3	9.9	8.2	9.7	9.6
3.9 \leq E < 4.1	6.9	7.3	9.0	9.7	8.1	9.5	9.4
4.1 \leq E < 4.3	6.8	7.1	8.8	9.5	7.9	9.2	9.2
4.3 \leq E < 4.5	6.7	7.0	8.7	9.3	7.8	9.0	9.0
4.5 \leq E < 4.7	6.6	6.9	8.5	9.1	7.7	8.9	8.9
4.7 \leq E < 4.9	6.5	6.8	8.4	8.9	7.5	8.7	8.7
E \geq 4.9	6.4	6.7	8.2	8.8	7.4	8.6	8.6

Table B2-16 Loading Table for PWR Fuel – 1,140 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	58 < Assembly Average Burnup \leq 59 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	7.9	8.4	10.7	11.5	9.4	11.1	11.1
3.3 \leq E $<$ 3.5	7.8	8.2	10.3	11.2	9.1	10.8	10.8
3.5 \leq E $<$ 3.7	7.6	8.0	10.0	10.9	8.9	10.5	10.5
3.7 \leq E $<$ 3.9	7.4	7.8	9.8	10.6	8.7	10.2	10.2
3.9 \leq E $<$ 4.1	7.2	7.6	9.5	10.3	8.5	10.0	9.9
4.1 \leq E $<$ 4.3	7.1	7.5	9.3	10.0	8.3	9.8	9.7
4.3 \leq E $<$ 4.5	7.0	7.3	9.1	9.8	8.1	9.6	9.5
4.5 \leq E $<$ 4.7	6.9	7.2	8.9	9.6	8.0	9.4	9.4
4.7 \leq E $<$ 4.9	6.8	7.1	8.8	9.5	7.9	9.2	9.2
E \geq 4.9	6.7	7.0	8.7	9.3	7.8	9.0	9.0
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	59 < Assembly Average Burnup \leq 60 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	-	-	-	-	-	-	-
3.3 \leq E $<$ 3.5	8.1	8.6	11.0	11.8	9.6	11.2	11.2
3.5 \leq E $<$ 3.7	7.9	8.4	10.7	11.5	9.4	10.9	10.8
3.7 \leq E $<$ 3.9	7.7	8.2	10.3	11.2	9.1	10.6	10.5
3.9 \leq E $<$ 4.1	7.6	8.0	10.1	11.0	8.9	10.3	10.3
4.1 \leq E $<$ 4.3	7.4	7.8	9.8	10.7	8.7	10.0	10.0
4.3 \leq E $<$ 4.5	7.3	7.7	9.6	10.4	8.5	9.8	9.8
4.5 \leq E $<$ 4.7	7.1	7.6	9.4	10.2	8.4	9.7	9.6
4.7 \leq E $<$ 4.9	7.0	7.4	9.2	10.0	8.2	9.5	9.4
E \geq 4.9	6.9	7.3	9.1	9.8	8.1	9.3	9.3

Table B2-17 Loading Table for PWR Fuel – 922 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	30 < Assembly Average Burnup \leq 32.5 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
	2.1 \leq E $<$ 2.3	4.2	4.3	4.8	4.9	4.6	4.9
2.3 \leq E $<$ 2.5	4.2	4.2	4.7	4.8	4.5	4.8	4.8
2.5 \leq E $<$ 2.7	4.1	4.2	4.7	4.8	4.5	4.8	4.8
2.7 \leq E $<$ 2.9	4.1	4.1	4.6	4.7	4.4	4.7	4.7
2.9 \leq E $<$ 3.1	4.0	4.1	4.6	4.7	4.4	4.7	4.7
3.1 \leq E $<$ 3.3	4.0	4.0	4.5	4.6	4.3	4.6	4.6
3.3 \leq E $<$ 3.5	4.0	4.0	4.5	4.6	4.3	4.6	4.6
3.5 \leq E $<$ 3.7	4.0	4.0	4.5	4.5	4.3	4.5	4.5
3.7 \leq E $<$ 3.9	4.0	4.0	4.4	4.5	4.2	4.5	4.5
3.9 \leq E $<$ 4.1	4.0	4.0	4.4	4.5	4.2	4.5	4.5
4.1 \leq E $<$ 4.3	4.0	4.0	4.4	4.5	4.2	4.4	4.4
4.3 \leq E $<$ 4.5	4.0	4.0	4.3	4.4	4.2	4.4	4.4
4.5 \leq E $<$ 4.7	4.0	4.0	4.3	4.4	4.1	4.4	4.4
4.7 \leq E $<$ 4.9	4.0	4.0	4.3	4.4	4.1	4.4	4.4
E \geq 4.9	4.0	4.0	4.3	4.4	4.1	4.4	4.4
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	32.5 < Assembly Average Burnup \leq 35 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
	2.1 \leq E $<$ 2.3	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	4.5	4.6	5.2	5.3	4.9	5.3	5.3
2.5 \leq E $<$ 2.7	4.4	4.5	5.1	5.3	4.9	5.2	5.2
2.7 \leq E $<$ 2.9	4.4	4.5	5.0	5.2	4.8	5.1	5.1
2.9 \leq E $<$ 3.1	4.4	4.4	5.0	5.1	4.8	5.1	5.1
3.1 \leq E $<$ 3.3	4.3	4.4	4.9	5.0	4.7	5.0	5.0
3.3 \leq E $<$ 3.5	4.3	4.3	4.9	5.0	4.7	5.0	5.0
3.5 \leq E $<$ 3.7	4.2	4.3	4.8	5.0	4.6	4.9	4.9
3.7 \leq E $<$ 3.9	4.2	4.3	4.8	4.9	4.6	4.9	4.9
3.9 \leq E $<$ 4.1	4.1	4.2	4.8	4.9	4.5	4.9	4.9
4.1 \leq E $<$ 4.3	4.1	4.2	4.7	4.9	4.5	4.8	4.8
4.3 \leq E $<$ 4.5	4.1	4.2	4.7	4.8	4.5	4.8	4.8
4.5 \leq E $<$ 4.7	4.0	4.1	4.7	4.8	4.5	4.8	4.8
4.7 \leq E $<$ 4.9	4.0	4.1	4.6	4.8	4.4	4.7	4.7
E \geq 4.9	4.0	4.1	4.6	4.7	4.4	4.7	4.7

Table B2-17 Loading Table for PWR Fuel – 922 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	35 < Assembly Average Burnup \leq 37.5 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	4.9	5.0	5.7	5.9	5.4	5.8	5.8
2.5 \leq E $<$ 2.7	4.8	4.9	5.7	5.8	5.3	5.7	5.7
2.7 \leq E $<$ 2.9	4.8	4.9	5.6	5.8	5.3	5.7	5.7
2.9 \leq E $<$ 3.1	4.7	4.8	5.5	5.7	5.2	5.6	5.6
3.1 \leq E $<$ 3.3	4.6	4.7	5.4	5.6	5.1	5.5	5.5
3.3 \leq E $<$ 3.5	4.6	4.7	5.4	5.6	5.0	5.5	5.5
3.5 \leq E $<$ 3.7	4.5	4.6	5.3	5.5	5.0	5.4	5.4
3.7 \leq E $<$ 3.9	4.5	4.6	5.3	5.4	5.0	5.4	5.4
3.9 \leq E $<$ 4.1	4.5	4.6	5.2	5.4	4.9	5.3	5.3
4.1 \leq E $<$ 4.3	4.4	4.5	5.2	5.4	4.9	5.3	5.3
4.3 \leq E $<$ 4.5	4.4	4.5	5.1	5.3	4.9	5.2	5.2
4.5 \leq E $<$ 4.7	4.4	4.5	5.1	5.3	4.8	5.2	5.2
4.7 \leq E $<$ 4.9	4.3	4.4	5.0	5.2	4.8	5.2	5.2
E \geq 4.9	4.3	4.4	5.0	5.2	4.8	5.1	5.1
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	37.5 < Assembly Average Burnup \leq 40 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	5.3	5.4	6.2	6.5	5.9	6.3	6.3
2.7 \leq E $<$ 2.9	5.2	5.3	6.1	6.4	5.8	6.2	6.2
2.9 \leq E $<$ 3.1	5.1	5.3	6.0	6.3	5.7	6.1	6.1
3.1 \leq E $<$ 3.3	5.0	5.2	6.0	6.2	5.6	6.0	6.0
3.3 \leq E $<$ 3.5	5.0	5.1	5.9	6.1	5.6	6.0	6.0
3.5 \leq E $<$ 3.7	4.9	5.0	5.9	6.0	5.5	5.9	5.9
3.7 \leq E $<$ 3.9	4.9	5.0	5.8	6.0	5.5	5.9	5.9
3.9 \leq E $<$ 4.1	4.8	5.0	5.7	5.9	5.4	5.8	5.8
4.1 \leq E $<$ 4.3	4.8	4.9	5.7	5.9	5.4	5.8	5.8
4.3 \leq E $<$ 4.5	4.8	4.9	5.7	5.8	5.3	5.8	5.7
4.5 \leq E $<$ 4.7	4.7	4.8	5.6	5.8	5.3	5.7	5.7
4.7 \leq E $<$ 4.9	4.7	4.8	5.6	5.8	5.2	5.7	5.7
E \geq 4.9	4.6	4.8	5.5	5.7	5.2	5.6	5.6

Table B2-17 Loading Table for PWR Fuel – 922 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	40 < Assembly Average Burnup \leq 41 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	5.5	5.6	6.6	6.8	6.0	6.6	6.6
2.7 \leq E $<$ 2.9	5.4	5.6	6.4	6.7	6.0	6.5	6.5
2.9 \leq E $<$ 3.1	5.3	5.5	6.3	6.6	5.9	6.4	6.4
3.1 \leq E $<$ 3.3	5.3	5.4	6.2	6.5	5.8	6.3	6.3
3.3 \leq E $<$ 3.5	5.2	5.3	6.1	6.4	5.8	6.3	6.2
3.5 \leq E $<$ 3.7	5.1	5.3	6.1	6.3	5.7	6.2	6.2
3.7 \leq E $<$ 3.9	5.0	5.2	6.0	6.2	5.7	6.1	6.1
3.9 \leq E $<$ 4.1	5.0	5.1	5.9	6.2	5.6	6.0	6.0
4.1 \leq E $<$ 4.3	5.0	5.1	5.9	6.1	5.6	6.0	6.0
4.3 \leq E $<$ 4.5	4.9	5.0	5.9	6.0	5.5	5.9	5.9
4.5 \leq E $<$ 4.7	4.9	5.0	5.8	6.0	5.5	5.9	5.9
4.7 \leq E $<$ 4.9	4.8	5.0	5.8	6.0	5.4	5.9	5.9
E \geq 4.9	4.8	4.9	5.7	5.9	5.4	5.8	5.8
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	41 < Assembly Average Burnup \leq 42 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	5.7	5.9	6.9	7.1	6.4	6.9	6.9
2.7 \leq E $<$ 2.9	5.6	5.8	6.7	7.0	6.2	6.8	6.8
2.9 \leq E $<$ 3.1	5.6	5.7	6.6	6.9	6.1	6.7	6.7
3.1 \leq E $<$ 3.3	5.5	5.6	6.5	6.8	6.0	6.6	6.6
3.3 \leq E $<$ 3.5	5.4	5.5	6.4	6.7	6.0	6.6	6.5
3.5 \leq E $<$ 3.7	5.3	5.5	6.4	6.6	5.9	6.5	6.5
3.7 \leq E $<$ 3.9	5.3	5.4	6.3	6.6	5.9	6.4	6.4
3.9 \leq E $<$ 4.1	5.2	5.4	6.2	6.5	5.8	6.3	6.3
4.1 \leq E $<$ 4.3	5.1	5.3	6.1	6.4	5.8	6.3	6.2
4.3 \leq E $<$ 4.5	5.1	5.2	6.0	6.3	5.7	6.2	6.2
4.5 \leq E $<$ 4.7	5.0	5.2	6.0	6.3	5.7	6.1	6.1
4.7 \leq E $<$ 4.9	5.0	5.1	6.0	6.2	5.6	6.1	6.1
E \geq 4.9	4.9	5.1	5.9	6.2	5.6	6.0	6.0

Table B2-17 Loading Table for PWR Fuel – 922 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	42 < Assembly Average Burnup \leq 43 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	5.9	6.1	7.2	7.5	6.7	7.3	7.3
2.7 \leq E $<$ 2.9	5.8	6.0	7.0	7.4	6.5	7.1	7.1
2.9 \leq E $<$ 3.1	5.8	5.9	6.9	7.3	6.4	7.0	7.0
3.1 \leq E $<$ 3.3	5.7	5.8	6.8	7.1	6.3	6.9	6.9
3.3 \leq E $<$ 3.5	5.6	5.8	6.7	7.0	6.2	6.8	6.8
3.5 \leq E $<$ 3.7	5.5	5.7	6.7	6.9	6.1	6.8	6.7
3.7 \leq E $<$ 3.9	5.5	5.6	6.6	6.8	6.1	6.7	6.7
3.9 \leq E $<$ 4.1	5.4	5.6	6.5	6.8	6.0	6.6	6.6
4.1 \leq E $<$ 4.3	5.3	5.5	6.4	6.7	6.0	6.5	6.5
4.3 \leq E $<$ 4.5	5.3	5.5	6.4	6.6	5.9	6.5	6.5
4.5 \leq E $<$ 4.7	5.2	5.4	6.3	6.6	5.9	6.4	6.4
4.7 \leq E $<$ 4.9	5.2	5.3	6.2	6.5	5.8	6.4	6.4
E \geq 4.9	5.1	5.3	6.2	6.5	5.8	6.3	6.3
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	43 < Assembly Average Burnup \leq 44 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	6.2	6.4	7.6	8.0	6.9	7.7	7.7
2.7 \leq E $<$ 2.9	6.0	6.2	7.4	7.8	6.8	7.5	7.5
2.9 \leq E $<$ 3.1	6.0	6.1	7.3	7.7	6.7	7.4	7.4
3.1 \leq E $<$ 3.3	5.9	6.0	7.2	7.5	6.6	7.3	7.3
3.3 \leq E $<$ 3.5	5.8	6.0	7.0	7.4	6.5	7.1	7.1
3.5 \leq E $<$ 3.7	5.8	5.9	6.9	7.3	6.4	7.0	7.0
3.7 \leq E $<$ 3.9	5.7	5.8	6.9	7.2	6.3	7.0	7.0
3.9 \leq E $<$ 4.1	5.6	5.8	6.8	7.1	6.3	6.9	6.9
4.1 \leq E $<$ 4.3	5.5	5.7	6.7	7.0	6.2	6.8	6.8
4.3 \leq E $<$ 4.5	5.5	5.7	6.7	6.9	6.1	6.8	6.8
4.5 \leq E $<$ 4.7	5.4	5.6	6.6	6.9	6.0	6.7	6.7
4.7 \leq E $<$ 4.9	5.4	5.6	6.5	6.8	6.0	6.6	6.6
E \geq 4.9	5.3	5.5	6.5	6.8	6.0	6.6	6.6

Table B2-17 Loading Table for PWR Fuel – 922 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	44 < Assembly Average Burnup \leq 45 GWd/MTU						
	Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	6.3	6.6	7.8	8.3	7.1	7.9	7.9
2.9 \leq E < 3.1	6.2	6.4	7.7	8.1	7.0	7.8	7.8
3.1 \leq E < 3.3	6.1	6.3	7.6	7.9	6.9	7.7	7.7
3.3 \leq E < 3.5	6.0	6.2	7.4	7.8	6.8	7.5	7.5
3.5 \leq E < 3.7	5.9	6.1	7.3	7.7	6.7	7.4	7.4
3.7 \leq E < 3.9	5.9	6.0	7.2	7.6	6.6	7.3	7.3
3.9 \leq E < 4.1	5.8	6.0	7.1	7.5	6.6	7.2	7.2
4.1 \leq E < 4.3	5.7	5.9	7.0	7.4	6.5	7.1	7.1
4.3 \leq E < 4.5	5.7	5.9	6.9	7.3	6.4	7.0	7.0
4.5 \leq E < 4.7	5.6	5.8	6.9	7.2	6.3	7.0	7.0
4.7 \leq E < 4.9	5.6	5.8	6.8	7.1	6.3	6.9	6.9
E \geq 4.9	5.5	5.7	6.7	7.0	6.2	6.9	6.9

Note: For fuel assembly average burnup greater than 45 GWd/MTU, cool time tables have been revised to account for a 5% margin in heat load.

Table B2-18 Loading Table for PWR Fuel – 876 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	45 < Assembly Average Burnup \leq 46 GWd/MTU						
	Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	7.1	7.4	9.2	9.8	8.2	9.3	9.3
2.9 \leq E < 3.1	7.0	7.3	9.0	9.6	8.0	9.1	9.0
3.1 \leq E < 3.3	6.9	7.1	8.8	9.4	7.9	8.9	8.9
3.3 \leq E < 3.5	6.8	7.0	8.6	9.1	7.8	8.7	8.7
3.5 \leq E < 3.7	6.7	6.9	8.5	9.0	7.6	8.6	8.6
3.7 \leq E < 3.9	6.6	6.8	8.3	8.9	7.5	8.5	8.4
3.9 \leq E < 4.1	6.5	6.7	8.2	8.7	7.4	8.3	8.3
4.1 \leq E < 4.3	6.4	6.6	8.1	8.6	7.3	8.2	8.2
4.3 \leq E < 4.5	6.3	6.6	8.0	8.5	7.2	8.1	8.1
4.5 \leq E < 4.7	6.2	6.5	7.9	8.4	7.2	8.0	8.0
4.7 \leq E < 4.9	6.2	6.4	7.8	8.3	7.1	8.0	7.9
E \geq 4.9	6.1	6.4	7.7	8.2	7.0	7.9	7.9

Table B2-18 Loading Table for PWR Fuel – 876 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	46 < Assembly Average Burnup \leq 47 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	7.5	7.8	9.8	10.5	8.7	9.9	9.9
2.9 \leq E $<$ 3.1	7.4	7.7	9.6	10.3	8.5	9.7	9.7
3.1 \leq E $<$ 3.3	7.2	7.5	9.3	10.0	8.3	9.5	9.5
3.3 \leq E $<$ 3.5	7.1	7.4	9.1	9.8	8.1	9.3	9.3
3.5 \leq E $<$ 3.7	7.0	7.2	9.0	9.6	8.0	9.1	9.1
3.7 \leq E $<$ 3.9	6.9	7.1	8.8	9.4	7.9	9.0	8.9
3.9 \leq E $<$ 4.1	6.8	7.0	8.7	9.3	7.8	8.8	8.8
4.1 \leq E $<$ 4.3	6.7	6.9	8.6	9.1	7.7	8.7	8.7
4.3 \leq E $<$ 4.5	6.6	6.9	8.4	9.0	7.6	8.6	8.6
4.5 \leq E $<$ 4.7	6.5	6.8	8.3	8.9	7.5	8.5	8.5
4.7 \leq E $<$ 4.9	6.5	6.7	8.2	8.8	7.5	8.4	8.4
E \geq 4.9	6.4	6.7	8.1	8.7	7.4	8.3	8.3
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	47 < Assembly Average Burnup \leq 48 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	7.9	8.3	10.5	11.3	9.2	10.7	10.6
2.9 \leq E $<$ 3.1	7.7	8.1	10.2	11.1	9.0	10.4	10.3
3.1 \leq E $<$ 3.3	7.6	7.9	10.0	10.8	8.8	10.1	10.1
3.3 \leq E $<$ 3.5	7.4	7.8	9.7	10.5	8.7	9.9	9.9
3.5 \leq E $<$ 3.7	7.3	7.6	9.6	10.3	8.5	9.7	9.7
3.7 \leq E $<$ 3.9	7.2	7.5	9.4	10.1	8.4	9.5	9.5
3.9 \leq E $<$ 4.1	7.0	7.4	9.2	9.9	8.2	9.4	9.4
4.1 \leq E $<$ 4.3	7.0	7.3	9.0	9.7	8.1	9.2	9.2
4.3 \leq E $<$ 4.5	6.9	7.2	8.9	9.6	8.0	9.1	9.1
4.5 \leq E $<$ 4.7	6.8	7.1	8.8	9.5	7.9	9.0	9.0
4.7 \leq E $<$ 4.9	6.7	7.0	8.7	9.4	7.8	8.9	8.9
E \geq 4.9	6.7	6.9	8.6	9.2	7.7	8.8	8.8

Table B2-18 Loading Table for PWR Fuel – 876 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	48 < Assembly Average Burnup \leq 49 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	8.4	8.8	11.3	12.1	9.9	11.4	11.4
2.9 \leq E $<$ 3.1	8.2	8.6	11.0	11.8	9.6	11.1	11.1
3.1 \leq E $<$ 3.3	8.0	8.4	10.7	11.6	9.4	10.9	10.8
3.3 \leq E $<$ 3.5	7.8	8.2	10.4	11.3	9.2	10.6	10.6
3.5 \leq E $<$ 3.7	7.7	8.0	10.2	11.1	9.0	10.4	10.4
3.7 \leq E $<$ 3.9	7.6	7.9	10.0	10.8	8.8	10.2	10.1
3.9 \leq E $<$ 4.1	7.4	7.8	9.8	10.6	8.7	10.0	9.9
4.1 \leq E $<$ 4.3	7.3	7.7	9.7	10.4	8.6	9.8	9.8
4.3 \leq E $<$ 4.5	7.2	7.6	9.5	10.3	8.4	9.7	9.7
4.5 \leq E $<$ 4.7	7.1	7.5	9.4	10.1	8.3	9.6	9.5
4.7 \leq E $<$ 4.9	7.0	7.4	9.2	10.0	8.2	9.4	9.4
E \geq 4.9	6.9	7.3	9.1	9.8	8.1	9.3	9.3
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	49 < Assembly Average Burnup \leq 50 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	8.7	8.9	11.8	12.7	10.2	11.9	11.9
3.1 \leq E $<$ 3.3	8.4	8.7	11.5	12.4	10.0	11.7	11.6
3.3 \leq E $<$ 3.5	8.2	8.5	11.2	12.1	9.8	11.4	11.4
3.5 \leq E $<$ 3.7	8.1	8.4	11.0	11.8	9.6	11.2	11.1
3.7 \leq E $<$ 3.9	7.9	8.2	10.7	11.6	9.4	10.9	10.9
3.9 \leq E $<$ 4.1	7.8	8.0	10.5	11.4	9.2	10.7	10.7
4.1 \leq E $<$ 4.3	7.7	7.9	10.3	11.2	9.0	10.5	10.5
4.3 \leq E $<$ 4.5	7.6	7.8	10.1	11.0	8.9	10.4	10.3
4.5 \leq E $<$ 4.7	7.5	7.7	9.9	10.9	8.8	10.2	10.1
4.7 \leq E $<$ 4.9	7.4	7.6	9.8	10.7	8.7	10.0	10.0
E \geq 4.9	7.3	7.6	9.7	10.5	8.6	9.9	9.9

Table B2-18 Loading Table for PWR Fuel – 876 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	50 < Assembly Average Burnup \leq 51 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	8.9	9.5	12.6	13.7	11.0	12.8	12.8
3.1 \leq E $<$ 3.3	8.7	9.3	12.2	13.3	10.7	12.5	12.4
3.3 \leq E $<$ 3.5	8.5	9.0	11.9	13.0	10.5	12.1	12.1
3.5 \leq E $<$ 3.7	8.4	8.8	11.7	12.7	10.2	11.9	11.9
3.7 \leq E $<$ 3.9	8.2	8.7	11.5	12.4	10.0	11.7	11.6
3.9 \leq E $<$ 4.1	8.0	8.5	11.2	12.2	9.8	11.5	11.4
4.1 \leq E $<$ 4.3	7.9	8.4	11.0	11.9	9.6	11.3	11.2
4.3 \leq E $<$ 4.5	7.8	8.2	10.9	11.8	9.5	11.1	11.0
4.5 \leq E $<$ 4.7	7.7	8.1	10.7	11.6	9.3	10.9	10.9
4.7 \leq E $<$ 4.9	7.6	8.0	10.5	11.4	9.2	10.8	10.7
E \geq 4.9	7.5	7.9	10.4	11.3	9.1	10.6	10.6
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	51 < Assembly Average Burnup \leq 52 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	9.5	10.1	13.5	14.3	11.7	13.7	13.7
3.1 \leq E $<$ 3.3	9.2	9.8	13.2	13.9	11.5	13.4	13.4
3.3 \leq E $<$ 3.5	9.0	9.6	12.8	13.6	11.2	13.1	13.0
3.5 \leq E $<$ 3.7	8.8	9.4	12.5	13.3	10.9	12.8	12.7
3.7 \leq E $<$ 3.9	8.7	9.2	12.2	13.0	10.7	12.5	12.4
3.9 \leq E $<$ 4.1	8.5	9.0	12.0	12.8	10.4	12.2	12.2
4.1 \leq E $<$ 4.3	8.3	8.9	11.8	12.5	10.2	12.0	11.9
4.3 \leq E $<$ 4.5	8.2	8.7	11.6	12.3	10.0	11.8	11.8
4.5 \leq E $<$ 4.7	8.1	8.6	11.4	12.1	9.9	11.6	11.6
4.7 \leq E $<$ 4.9	8.0	8.5	11.2	11.9	9.8	11.5	11.5
E \geq 4.9	7.9	8.3	11.1	11.8	9.6	11.3	11.3

Table B2-18 Loading Table for PWR Fuel – 876 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	52 < Assembly Average Burnup \leq 53 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	10.1	10.9	14.0	15.3	12.6	14.7	14.7
3.1 \leq E $<$ 3.3	9.8	10.5	13.7	14.9	12.2	14.3	14.3
3.3 \leq E $<$ 3.5	9.6	10.2	13.4	14.6	11.9	14.0	13.9
3.5 \leq E $<$ 3.7	9.3	10.0	13.1	14.2	11.6	13.7	13.6
3.7 \leq E $<$ 3.9	9.1	9.9	12.8	13.9	11.4	13.4	13.3
3.9 \leq E $<$ 4.1	8.9	9.6	12.5	13.7	11.2	13.1	13.1
4.1 \leq E $<$ 4.3	8.8	9.4	12.2	13.4	11.0	12.9	12.8
4.3 \leq E $<$ 4.5	8.7	9.2	12.0	13.2	10.8	12.6	12.6
4.5 \leq E $<$ 4.7	8.5	9.0	11.8	13.0	10.6	12.4	12.4
4.7 \leq E $<$ 4.9	8.4	8.9	11.7	12.8	10.4	12.2	12.2
E \geq 4.9	8.3	8.8	11.5	12.6	10.2	12.0	12.0
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	53 < Assembly Average Burnup \leq 54 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	10.8	11.6	15.1	16.4	13.5	15.7	15.6
3.1 \leq E $<$ 3.3	10.5	11.3	14.6	15.9	13.1	15.3	15.3
3.3 \leq E $<$ 3.5	10.1	11.0	14.2	15.6	12.7	14.9	14.9
3.5 \leq E $<$ 3.7	9.9	10.7	13.9	15.2	12.4	14.6	14.6
3.7 \leq E $<$ 3.9	9.7	10.4	13.6	14.9	12.1	14.3	14.2
3.9 \leq E $<$ 4.1	9.5	10.2	13.4	14.6	11.9	14.0	14.0
4.1 \leq E $<$ 4.3	9.3	9.9	13.1	14.3	11.7	13.7	13.7
4.3 \leq E $<$ 4.5	9.1	9.8	12.9	14.0	11.5	13.5	13.5
4.5 \leq E $<$ 4.7	9.0	9.6	12.6	13.8	11.3	13.3	13.3
4.7 \leq E $<$ 4.9	8.8	9.5	12.4	13.6	11.1	13.1	13.1
E \geq 4.9	8.7	9.6	12.2	13.4	10.9	12.9	12.9

Table B2-18 Loading Table for PWR Fuel – 876 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	54 < Assembly Average Burnup \leq 55 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	11.2	12.0	15.6	17.0	13.9	16.3	16.3
3.3 \leq E $<$ 3.5	10.9	11.7	15.2	16.6	13.6	15.9	15.9
3.5 \leq E $<$ 3.7	10.6	11.4	14.9	16.2	13.3	15.6	15.6
3.7 \leq E $<$ 3.9	10.3	11.2	14.5	15.9	13.0	15.3	15.3
3.9 \leq E $<$ 4.1	10.0	10.9	14.2	15.6	12.7	15.0	14.9
4.1 \leq E $<$ 4.3	9.9	10.7	13.9	15.3	12.4	14.7	14.6
4.3 \leq E $<$ 4.5	9.7	10.5	13.7	15.1	12.2	14.4	14.4
4.5 \leq E $<$ 4.7	9.5	10.2	13.5	14.8	12.0	14.1	14.1
4.7 \leq E $<$ 4.9	9.3	10.0	13.3	14.6	11.8	13.9	13.9
E \geq 4.9	9.2	9.9	13.1	14.3	11.6	13.8	13.7
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	55 < Assembly Average Burnup \leq 56 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	11.9	12.8	16.6	18.1	14.5	17.4	17.3
3.3 \leq E $<$ 3.5	11.5	12.5	16.2	17.6	14.1	17.0	16.9
3.5 \leq E $<$ 3.7	11.3	12.1	15.8	17.3	13.7	16.6	16.6
3.7 \leq E $<$ 3.9	11.0	11.8	15.5	17.0	13.4	16.3	16.2
3.9 \leq E $<$ 4.1	10.7	11.6	15.2	16.6	13.2	15.9	15.9
4.1 \leq E $<$ 4.3	10.5	11.3	14.9	16.3	12.9	15.7	15.6
4.3 \leq E $<$ 4.5	10.2	11.1	14.6	16.0	12.6	15.4	15.3
4.5 \leq E $<$ 4.7	10.0	10.9	14.3	15.8	12.4	15.2	15.1
4.7 \leq E $<$ 4.9	9.9	10.7	14.1	15.6	12.2	14.9	14.9
E \geq 4.9	9.7	10.5	13.9	15.3	12.0	14.7	14.6

Table B2-18 Loading Table for PWR Fuel – 876 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	56 < Assembly Average Burnup \leq 57 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	12.6	13.6	17.6	19.1	15.5	18.4	18.4
3.3 \leq E $<$ 3.5	12.3	13.3	17.2	18.7	15.0	18.0	18.0
3.5 \leq E $<$ 3.7	11.9	13.0	16.8	18.4	14.6	17.7	17.6
3.7 \leq E $<$ 3.9	11.7	12.6	16.5	18.0	14.3	17.3	17.3
3.9 \leq E $<$ 4.1	11.4	12.3	16.1	17.7	14.0	17.0	17.0
4.1 \leq E $<$ 4.3	11.2	12.0	15.8	17.4	13.7	16.7	16.7
4.3 \leq E $<$ 4.5	10.9	11.8	15.5	17.1	13.5	16.4	16.4
4.5 \leq E $<$ 4.7	10.7	11.6	15.3	16.8	13.2	16.1	16.1
4.7 \leq E $<$ 4.9	10.5	11.4	15.1	16.6	13.0	15.8	15.8
E \geq 4.9	10.3	11.2	14.8	16.3	12.8	15.7	15.6
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	57 < Assembly Average Burnup \leq 58 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	13.5	14.5	18.7	20.1	16.4	19.5	19.4
3.3 \leq E $<$ 3.5	13.1	14.1	18.3	19.8	15.9	19.1	19.0
3.5 \leq E $<$ 3.7	12.7	13.8	17.9	19.4	15.6	18.7	18.7
3.7 \leq E $<$ 3.9	12.4	13.4	17.5	19.0	15.3	18.4	18.3
3.9 \leq E $<$ 4.1	12.1	13.1	17.2	18.7	14.9	18.0	18.0
4.1 \leq E $<$ 4.3	11.8	12.9	16.9	18.4	14.6	17.7	17.7
4.3 \leq E $<$ 4.5	11.6	12.6	16.5	18.1	14.3	17.4	17.4
4.5 \leq E $<$ 4.7	11.4	12.3	16.3	17.8	14.0	17.2	17.1
4.7 \leq E $<$ 4.9	11.1	12.1	16.0	17.5	13.8	16.9	16.8
E \geq 4.9	11.0	11.9	15.8	17.3	13.6	16.7	16.6

Table B2-18 Loading Table for PWR Fuel – 876 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	58 < Assembly Average Burnup \leq 59 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	14.3	15.4	19.7	21.2	17.4	20.5	20.5
3.3 \leq E $<$ 3.5	13.9	15.0	19.3	20.8	16.9	20.1	20.1
3.5 \leq E $<$ 3.7	13.5	14.7	18.9	20.4	16.6	19.8	19.7
3.7 \leq E $<$ 3.9	13.2	14.3	18.5	20.1	16.1	19.4	19.4
3.9 \leq E $<$ 4.1	12.9	14.0	18.2	19.7	15.8	19.1	19.0
4.1 \leq E $<$ 4.3	12.6	13.7	17.8	19.4	15.5	18.8	18.7
4.3 \leq E $<$ 4.5	12.2	13.4	17.6	19.1	15.2	18.4	18.4
4.5 \leq E $<$ 4.7	12.0	13.1	17.3	18.9	14.9	18.2	18.1
4.7 \leq E $<$ 4.9	11.8	12.9	17.0	18.6	14.7	17.9	17.8
E \geq 4.9	11.6	12.7	16.8	18.4	14.5	17.6	17.6
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	59 < Assembly Average Burnup \leq 60 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	-	-	-	-	-	-	-
3.3 \leq E $<$ 3.5	14.7	15.9	20.2	21.9	17.9	20.7	20.6
3.5 \leq E $<$ 3.7	14.3	15.6	19.9	21.5	17.5	20.3	20.2
3.7 \leq E $<$ 3.9	13.9	15.2	19.5	21.1	17.1	19.9	19.9
3.9 \leq E $<$ 4.1	13.6	14.9	19.2	20.8	16.8	19.6	19.5
4.1 \leq E $<$ 4.3	13.3	14.5	18.8	20.5	16.4	19.3	19.2
4.3 \leq E $<$ 4.5	13.1	14.2	18.5	20.2	16.1	18.9	18.9
4.5 \leq E $<$ 4.7	12.8	13.9	18.2	19.9	15.8	18.7	18.6
4.7 \leq E $<$ 4.9	12.5	13.7	18.0	19.6	15.6	18.4	18.3
E \geq 4.9	12.3	13.5	17.7	19.4	15.4	18.2	18.1

Table B2-19 Loading Table for PWR Fuel – 800 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	30 < Assembly Average Burnup \leq 32.5 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E < 2.3	4.8	4.9	5.6	5.7	5.2	5.6	5.6
2.3 \leq E < 2.5	4.7	4.8	5.5	5.7	5.2	5.6	5.6
2.5 \leq E < 2.7	4.7	4.8	5.4	5.6	5.1	5.5	5.5
2.7 \leq E < 2.9	4.6	4.7	5.4	5.5	5.0	5.5	5.5
2.9 \leq E < 3.1	4.6	4.7	5.3	5.5	5.0	5.4	5.4
3.1 \leq E < 3.3	4.5	4.6	5.3	5.4	5.0	5.3	5.3
3.3 \leq E < 3.5	4.5	4.6	5.2	5.4	4.9	5.3	5.3
3.5 \leq E < 3.7	4.5	4.5	5.1	5.3	4.9	5.2	5.2
3.7 \leq E < 3.9	4.4	4.5	5.1	5.3	4.8	5.2	5.2
3.9 \leq E < 4.1	4.4	4.5	5.0	5.2	4.8	5.2	5.1
4.1 \leq E < 4.3	4.4	4.4	5.0	5.2	4.8	5.1	5.1
4.3 \leq E < 4.5	4.3	4.4	5.0	5.1	4.8	5.1	5.1
4.5 \leq E < 4.7	4.3	4.4	5.0	5.1	4.7	5.0	5.0
4.7 \leq E < 4.9	4.3	4.4	4.9	5.1	4.7	5.0	5.0
E \geq 4.9	4.3	4.3	4.9	5.0	4.7	5.0	5.0
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	32.5 < Assembly Average Burnup \leq 35 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	5.2	5.3	6.0	6.3	5.7	6.1	6.1
2.5 \leq E < 2.7	5.1	5.2	6.0	6.2	5.7	6.0	6.0
2.7 \leq E < 2.9	5.0	5.2	5.9	6.1	5.6	6.0	6.0
2.9 \leq E < 3.1	5.0	5.1	5.9	6.0	5.5	5.9	5.9
3.1 \leq E < 3.3	4.9	5.0	5.8	6.0	5.5	5.9	5.9
3.3 \leq E < 3.5	4.9	5.0	5.8	5.9	5.4	5.8	5.8
3.5 \leq E < 3.7	4.9	4.9	5.7	5.9	5.4	5.8	5.8
3.7 \leq E < 3.9	4.8	4.9	5.7	5.8	5.3	5.8	5.8
3.9 \leq E < 4.1	4.8	4.9	5.6	5.8	5.3	5.7	5.7
4.1 \leq E < 4.3	4.7	4.8	5.6	5.8	5.2	5.7	5.7
4.3 \leq E < 4.5	4.7	4.8	5.5	5.7	5.2	5.6	5.6
4.5 \leq E < 4.7	4.7	4.8	5.5	5.7	5.2	5.6	5.6
4.7 \leq E < 4.9	4.6	4.7	5.5	5.7	5.1	5.6	5.6
E \geq 4.9	4.6	4.7	5.4	5.6	5.1	5.5	5.5

Table B2-19 Loading Table for PWR Fuel – 800 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	35 < Assembly Average Burnup \leq 37.5 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	5.8	5.9	6.9	7.1	6.4	6.9	6.9
2.5 \leq E < 2.7	5.7	5.8	6.8	7.0	6.3	6.8	6.8
2.7 \leq E < 2.9	5.6	5.7	6.7	6.9	6.2	6.7	6.7
2.9 \leq E < 3.1	5.5	5.7	6.6	6.8	6.1	6.7	6.7
3.1 \leq E < 3.3	5.5	5.6	6.5	6.8	6.0	6.6	6.6
3.3 \leq E < 3.5	5.4	5.5	6.4	6.7	6.0	6.5	6.5
3.5 \leq E < 3.7	5.3	5.5	6.3	6.6	5.9	6.5	6.4
3.7 \leq E < 3.9	5.3	5.4	6.3	6.5	5.9	6.4	6.4
3.9 \leq E < 4.1	5.2	5.4	6.2	6.5	5.8	6.3	6.3
4.1 \leq E < 4.3	5.2	5.3	6.1	6.4	5.8	6.3	6.3
4.3 \leq E < 4.5	5.1	5.3	6.1	6.4	5.7	6.2	6.2
4.5 \leq E < 4.7	5.1	5.2	6.0	6.3	5.7	6.2	6.2
4.7 \leq E < 4.9	5.0	5.2	6.0	6.3	5.7	6.1	6.1
E \geq 4.9	5.0	5.1	6.0	6.2	5.6	6.1	6.1
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	37.5 < Assembly Average Burnup \leq 40 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	6.3	6.5	7.7	8.1	7.0	7.8	7.8
2.7 \leq E < 2.9	6.2	6.4	7.6	8.0	6.9	7.7	7.7
2.9 \leq E < 3.1	6.1	6.3	7.5	7.8	6.9	7.6	7.6
3.1 \leq E < 3.3	6.0	6.2	7.4	7.7	6.8	7.4	7.4
3.3 \leq E < 3.5	5.9	6.1	7.2	7.6	6.7	7.3	7.3
3.5 \leq E < 3.7	5.9	6.0	7.1	7.5	6.6	7.3	7.2
3.7 \leq E < 3.9	5.8	6.0	7.1	7.4	6.5	7.2	7.1
3.9 \leq E < 4.1	5.8	5.9	7.0	7.4	6.5	7.1	7.1
4.1 \leq E < 4.3	5.7	5.9	6.9	7.3	6.4	7.0	7.0
4.3 \leq E < 4.5	5.7	5.8	6.9	7.2	6.4	7.0	7.0
4.5 \leq E < 4.7	5.6	5.8	6.8	7.1	6.3	6.9	6.9
4.7 \leq E < 4.9	5.6	5.7	6.8	7.1	6.3	6.9	6.9
E \geq 4.9	5.5	5.7	6.7	7.0	6.2	6.8	6.8

Table B2-19 Loading Table for PWR Fuel – 800 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	40 < Assembly Average Burnup \leq 41 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	6.6	6.8	8.2	8.7	7.4	8.3	8.3
2.7 \leq E < 2.9	6.5	6.7	8.0	8.5	7.3	8.1	8.1
2.9 \leq E < 3.1	6.4	6.6	7.9	8.3	7.2	8.0	8.0
3.1 \leq E < 3.3	6.3	6.5	7.8	8.2	7.1	7.9	7.9
3.3 \leq E < 3.5	6.2	6.4	7.7	8.0	7.0	7.8	7.8
3.5 \leq E < 3.7	6.1	6.3	7.6	8.0	6.9	7.7	7.7
3.7 \leq E < 3.9	6.0	6.2	7.5	7.9	6.8	7.6	7.6
3.9 \leq E < 4.1	6.0	6.1	7.4	7.8	6.8	7.5	7.5
4.1 \leq E < 4.3	5.9	6.1	7.3	7.7	6.7	7.4	7.4
4.3 \leq E < 4.5	5.9	6.0	7.2	7.6	6.7	7.4	7.3
4.5 \leq E < 4.7	5.8	6.0	7.1	7.6	6.6	7.3	7.3
4.7 \leq E < 4.9	5.8	5.9	7.1	7.5	6.6	7.2	7.2
E \geq 4.9	5.7	5.9	7.0	7.4	6.5	7.2	7.2
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	41 < Assembly Average Burnup \leq 42 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	6.9	7.1	8.7	9.3	7.8	8.8	8.8
2.7 \leq E < 2.9	6.8	7.0	8.6	9.0	7.7	8.6	8.6
2.9 \leq E < 3.1	6.7	6.9	8.4	8.9	7.6	8.5	8.5
3.1 \leq E < 3.3	6.6	6.8	8.2	8.7	7.5	8.3	8.3
3.3 \leq E < 3.5	6.5	6.7	8.1	8.6	7.3	8.2	8.2
3.5 \leq E < 3.7	6.4	6.6	8.0	8.5	7.2	8.1	8.1
3.7 \leq E < 3.9	6.3	6.5	7.9	8.3	7.1	8.0	8.0
3.9 \leq E < 4.1	6.2	6.5	7.8	8.2	7.1	7.9	7.9
4.1 \leq E < 4.3	6.1	6.4	7.7	8.1	7.0	7.8	7.8
4.3 \leq E < 4.5	6.1	6.3	7.6	8.0	6.9	7.8	7.7
4.5 \leq E < 4.7	6.0	6.3	7.6	8.0	6.9	7.7	7.7
4.7 \leq E < 4.9	6.0	6.2	7.5	7.9	6.8	7.6	7.6
E \geq 4.9	5.9	6.1	7.4	7.8	6.8	7.6	7.6

Table B2-19 Loading Table for PWR Fuel – 800 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	42 < Assembly Average Burnup \leq 43 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	7.3	7.5	9.3	9.9	8.3	9.4	9.4
2.7 \leq E $<$ 2.9	7.1	7.4	9.1	9.7	8.1	9.2	9.2
2.9 \leq E $<$ 3.1	7.0	7.2	8.9	9.5	8.0	9.0	9.0
3.1 \leq E $<$ 3.3	6.9	7.1	8.8	9.3	7.9	8.9	8.8
3.3 \leq E $<$ 3.5	6.8	7.0	8.6	9.2	7.8	8.7	8.7
3.5 \leq E $<$ 3.7	6.7	6.9	8.5	9.0	7.7	8.6	8.6
3.7 \leq E $<$ 3.9	6.6	6.8	8.4	8.9	7.6	8.5	8.5
3.9 \leq E $<$ 4.1	6.5	6.8	8.2	8.8	7.5	8.4	8.4
4.1 \leq E $<$ 4.3	6.5	6.7	8.1	8.7	7.4	8.3	8.3
4.3 \leq E $<$ 4.5	6.4	6.6	8.0	8.6	7.3	8.2	8.2
4.5 \leq E $<$ 4.7	6.3	6.6	8.0	8.5	7.2	8.1	8.1
4.7 \leq E $<$ 4.9	6.2	6.5	7.9	8.4	7.2	8.0	8.0
E \geq 4.9	6.2	6.4	7.8	8.3	7.1	8.0	8.0
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	43 < Assembly Average Burnup \leq 44 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	7.7	8.0	10.0	10.8	8.8	10.0	10.1
2.7 \leq E $<$ 2.9	7.5	7.8	9.7	10.5	8.7	9.9	9.8
2.9 \leq E $<$ 3.1	7.4	7.7	9.5	10.2	8.5	9.7	9.6
3.1 \leq E $<$ 3.3	7.2	7.5	9.3	10.0	8.3	9.5	9.4
3.3 \leq E $<$ 3.5	7.1	7.4	9.2	9.8	8.2	9.3	9.3
3.5 \leq E $<$ 3.7	7.1	7.3	9.0	9.7	8.0	9.1	9.1
3.7 \leq E $<$ 3.9	6.9	7.2	8.9	9.5	8.0	9.0	9.0
3.9 \leq E $<$ 4.1	6.8	7.1	8.8	9.4	7.9	8.9	8.9
4.1 \leq E $<$ 4.3	6.7	7.0	8.7	9.2	7.8	8.8	8.8
4.3 \leq E $<$ 4.5	6.7	6.9	8.5	9.1	7.7	8.7	8.7
4.5 \leq E $<$ 4.7	6.6	6.9	8.5	9.0	7.6	8.6	8.6
4.7 \leq E $<$ 4.9	6.6	6.8	8.4	8.9	7.6	8.5	8.5
E \geq 4.9	6.5	6.8	8.3	8.9	7.5	8.5	8.4

Table B2-19 Loading Table for PWR Fuel – 800 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	44 < Assembly Average Burnup \leq 45 GWd/MTU Minimum Cooling Time (years)						
	14x14 176	14x14 179	15x15 204	15x15 208	16x16 236	17x17 264 WE	17x17 264 B&W
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	7.9	8.2	10.5	11.4	9.2	10.6	10.6
2.9 \leq E < 3.1	7.8	8.1	10.2	11.1	9.0	10.4	10.4
3.1 \leq E < 3.3	7.6	7.9	10.0	10.8	8.8	10.1	10.1
3.3 \leq E < 3.5	7.5	7.8	9.8	10.6	8.7	9.9	9.9
3.5 \leq E < 3.7	7.3	7.7	9.6	10.4	8.6	9.8	9.8
3.7 \leq E < 3.9	7.2	7.6	9.5	10.2	8.4	9.6	9.6
3.9 \leq E < 4.1	7.1	7.5	9.3	10.0	8.3	9.5	9.5
4.1 \leq E < 4.3	7.0	7.4	9.2	9.9	8.2	9.4	9.3
4.3 \leq E < 4.5	7.0	7.3	9.1	9.8	8.1	9.2	9.2
4.5 \leq E < 4.7	6.9	7.2	9.0	9.7	8.0	9.1	9.1
4.7 \leq E < 4.9	6.8	7.1	8.9	9.6	7.9	9.0	9.0
E \geq 4.9	6.8	7.0	8.8	9.5	7.9	9.0	8.9

Note: For fuel assembly average burnup greater than 45 GWd/MTU, cool time tables have been revised to account for a 5% margin in heat load.

Table B2-20 Loading Table for PWR Fuel – 760 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	45 < Assembly Average Burnup \leq 46 GWd/MTU						
	Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	9.2	9.8	12.8	13.9	11.2	13.0	13.0
2.9 \leq E < 3.1	9.0	9.6	12.5	13.6	10.9	12.7	12.7
3.1 \leq E < 3.3	8.9	9.4	12.1	13.3	10.6	12.4	12.4
3.3 \leq E < 3.5	8.7	9.1	11.9	13.0	10.4	12.1	12.1
3.5 \leq E < 3.7	8.6	9.0	11.8	12.8	10.2	11.9	11.9
3.7 \leq E < 3.9	8.4	8.8	11.6	12.5	10.0	11.8	11.7
3.9 \leq E < 4.1	8.3	8.7	11.4	12.3	9.9	11.6	11.5
4.1 \leq E < 4.3	8.1	8.6	11.2	12.2	9.7	11.4	11.4
4.3 \leq E < 4.5	8.0	8.5	11.1	12.0	9.6	11.3	11.3
4.5 \leq E < 4.7	7.9	8.4	10.9	11.9	9.5	11.2	11.1
4.7 \leq E < 4.9	7.9	8.3	10.8	11.7	9.4	11.0	11.0
E \geq 4.9	7.8	8.2	10.7	11.6	9.3	10.9	10.9

Table B2-20 Loading Table for PWR Fuel – 760 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	46 < Assembly Average Burnup \leq 47 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	9.9	10.6	13.8	15.0	12.0	13.9	13.9
2.9 \leq E < 3.1	9.7	10.3	13.5	14.7	11.7	13.7	13.7
3.1 \leq E < 3.3	9.4	10.0	13.2	14.4	11.4	13.4	13.4
3.3 \leq E < 3.5	9.2	9.8	12.9	14.0	11.2	13.1	13.1
3.5 \leq E < 3.7	9.0	9.6	12.7	13.8	11.0	12.9	12.8
3.7 \leq E < 3.9	8.9	9.4	12.4	13.6	10.8	12.6	12.6
3.9 \leq E < 4.1	8.8	9.3	12.2	13.4	10.6	12.5	12.4
4.1 \leq E < 4.3	8.6	9.1	12.0	13.2	10.4	12.2	12.2
4.3 \leq E < 4.5	8.5	9.0	11.8	13.0	10.3	12.1	12.0
4.5 \leq E < 4.7	8.4	8.9	11.7	12.8	10.1	11.9	11.9
4.7 \leq E < 4.9	8.3	8.8	11.6	12.7	10.0	11.8	11.8
E \geq 4.9	8.2	8.7	11.5	12.5	9.9	11.7	11.7
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	47 < Assembly Average Burnup \leq 48 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	10.6	11.4	14.9	16.1	12.9	15.1	15.1
2.9 \leq E < 3.1	10.4	11.1	14.5	15.8	12.5	14.7	14.7
3.1 \leq E < 3.3	10.0	10.8	14.1	15.5	12.2	14.4	14.4
3.3 \leq E < 3.5	9.9	10.5	13.9	15.2	12.0	14.1	14.0
3.5 \leq E < 3.7	9.6	10.3	13.6	14.9	11.8	13.8	13.8
3.7 \leq E < 3.9	9.5	10.1	13.4	14.6	11.6	13.6	13.6
3.9 \leq E < 4.1	9.3	9.9	13.2	14.4	11.4	13.4	13.4
4.1 \leq E < 4.3	9.1	9.8	13.0	14.1	11.2	13.2	13.2
4.3 \leq E < 4.5	9.0	9.6	12.8	14.0	11.1	13.0	13.0
4.5 \leq E < 4.7	8.9	9.5	12.6	13.8	10.9	12.9	12.8
4.7 \leq E < 4.9	8.8	9.3	12.4	13.6	10.8	12.7	12.7
E \geq 4.9	8.7	9.2	12.3	13.5	10.7	12.5	12.5

Table B2-20 Loading Table for PWR Fuel – 760 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	48 < Assembly Average Burnup \leq 49 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	11.4	12.2	16.0	17.3	13.9	16.2	16.2
2.9 \leq E $<$ 3.1	11.1	11.8	15.6	17.0	13.5	15.8	15.8
3.1 \leq E $<$ 3.3	10.8	11.6	15.3	16.6	13.2	15.5	15.5
3.3 \leq E $<$ 3.5	10.6	11.3	14.9	16.3	12.9	15.2	15.2
3.5 \leq E $<$ 3.7	10.3	11.1	14.7	16.0	12.7	14.9	14.9
3.7 \leq E $<$ 3.9	10.1	10.9	14.4	15.7	12.4	14.6	14.6
3.9 \leq E $<$ 4.1	9.9	10.7	14.1	15.5	12.1	14.4	14.4
4.1 \leq E $<$ 4.3	9.7	10.4	13.9	15.2	12.0	14.1	14.1
4.3 \leq E $<$ 4.5	9.6	10.2	13.7	15.0	11.8	13.9	13.9
4.5 \leq E $<$ 4.7	9.5	10.1	13.5	14.9	11.7	13.8	13.8
4.7 \leq E $<$ 4.9	9.3	9.9	13.4	14.6	11.5	13.6	13.6
E \geq 4.9	9.2	9.8	13.2	14.5	11.4	13.5	13.5
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	49 < Assembly Average Burnup \leq 50 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	11.9	12.4	16.8	18.2	14.5	17.0	17.0
3.1 \leq E $<$ 3.3	11.6	12.1	16.4	17.8	14.1	16.6	16.6
3.3 \leq E $<$ 3.5	11.3	11.8	16.0	17.5	13.8	16.3	16.2
3.5 \leq E $<$ 3.7	11.1	11.6	15.7	17.2	13.6	16.0	16.0
3.7 \leq E $<$ 3.9	10.8	11.4	15.5	16.9	13.3	15.7	15.7
3.9 \leq E $<$ 4.1	10.6	11.2	15.2	16.6	13.1	15.5	15.5
4.1 \leq E $<$ 4.3	10.4	11.0	14.9	16.3	12.9	15.3	15.2
4.3 \leq E $<$ 4.5	10.2	10.8	14.7	16.1	12.7	15.0	15.0
4.5 \leq E $<$ 4.7	10.1	10.6	14.5	15.9	12.5	14.9	14.8
4.7 \leq E $<$ 4.9	9.9	10.5	14.3	15.7	12.3	14.6	14.6
E \geq 4.9	9.8	10.3	14.1	15.5	12.2	14.5	14.5

Table B2-20 Loading Table for PWR Fuel – 760 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	50 < Assembly Average Burnup \leq 51 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	12.4	13.4	17.8	19.3	15.6	18.1	18.1
3.1 \leq E $<$ 3.3	12.1	13.1	17.5	19.0	15.2	17.8	17.8
3.3 \leq E $<$ 3.5	11.8	12.7	17.2	18.7	14.9	17.4	17.4
3.5 \leq E $<$ 3.7	11.5	12.4	16.8	18.3	14.5	17.2	17.1
3.7 \leq E $<$ 3.9	11.3	12.1	16.5	18.0	14.3	16.9	16.8
3.9 \leq E $<$ 4.1	11.1	11.9	16.2	17.7	14.0	16.6	16.5
4.1 \leq E $<$ 4.3	10.9	11.7	16.0	17.5	13.8	16.3	16.3
4.3 \leq E $<$ 4.5	10.7	11.5	15.8	17.3	13.6	16.1	16.0
4.5 \leq E $<$ 4.7	10.5	11.4	15.5	17.1	13.4	15.8	15.9
4.7 \leq E $<$ 4.9	10.4	11.2	15.3	16.8	13.2	15.7	15.7
E \geq 4.9	10.2	11.1	15.2	16.7	13.1	15.5	15.5
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	51 < Assembly Average Burnup \leq 52 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	13.3	14.3	19.0	20.1	16.7	19.4	19.3
3.1 \leq E $<$ 3.3	12.9	14.0	18.6	19.7	16.3	19.0	18.9
3.3 \leq E $<$ 3.5	12.6	13.6	18.2	19.4	15.9	18.6	18.6
3.5 \leq E $<$ 3.7	12.3	13.3	17.9	19.1	15.6	18.3	18.3
3.7 \leq E $<$ 3.9	12.0	13.1	17.6	18.8	15.3	18.0	17.9
3.9 \leq E $<$ 4.1	11.8	12.8	17.4	18.5	15.0	17.7	17.7
4.1 \leq E $<$ 4.3	11.6	12.5	17.1	18.2	14.8	17.5	17.4
4.3 \leq E $<$ 4.5	11.4	12.3	16.8	18.0	14.5	17.3	17.2
4.5 \leq E $<$ 4.7	11.2	12.1	16.6	17.7	14.4	17.0	17.0
4.7 \leq E $<$ 4.9	11.1	11.9	16.4	17.5	14.1	16.8	16.8
E \geq 4.9	10.9	11.8	16.2	17.4	13.9	16.6	16.5

Table B2-20 Loading Table for PWR Fuel – 760 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	52 < Assembly Average Burnup \leq 53 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	14.2	15.3	19.7	21.3	17.8	20.5	20.5
3.1 \leq E $<$ 3.3	13.8	15.0	19.3	20.9	17.4	20.1	20.1
3.3 \leq E $<$ 3.5	13.5	14.6	18.9	20.6	17.1	19.8	19.7
3.5 \leq E $<$ 3.7	13.1	14.3	18.6	20.3	16.7	19.5	19.4
3.7 \leq E $<$ 3.9	12.9	14.2	18.3	19.9	16.4	19.2	19.1
3.9 \leq E $<$ 4.1	12.6	13.7	18.0	19.6	16.0	18.9	18.8
4.1 \leq E $<$ 4.3	12.3	13.5	17.7	19.4	15.8	18.6	18.5
4.3 \leq E $<$ 4.5	12.1	13.2	17.5	19.1	15.6	18.4	18.3
4.5 \leq E $<$ 4.7	11.9	13.0	17.3	18.8	15.3	18.2	18.1
4.7 \leq E $<$ 4.9	11.8	12.8	17.0	18.7	15.2	17.9	17.8
E \geq 4.9	11.6	12.6	16.9	18.5	14.9	17.7	17.7
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	53 < Assembly Average Burnup \leq 54 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	15.2	16.4	20.9	22.5	18.9	21.7	21.6
3.1 \leq E $<$ 3.3	14.8	16.0	20.4	22.1	18.5	21.3	21.3
3.3 \leq E $<$ 3.5	14.4	15.6	20.0	21.8	18.1	21.0	20.9
3.5 \leq E $<$ 3.7	14.0	15.2	19.7	21.4	17.7	20.6	20.6
3.7 \leq E $<$ 3.9	13.7	14.9	19.4	21.1	17.4	20.3	20.3
3.9 \leq E $<$ 4.1	13.4	14.6	19.1	20.8	17.2	20.1	20.0
4.1 \leq E $<$ 4.3	13.2	14.4	18.9	20.5	16.9	19.8	19.7
4.3 \leq E $<$ 4.5	12.9	14.1	18.6	20.3	16.6	19.5	19.5
4.5 \leq E $<$ 4.7	12.7	13.9	18.3	20.1	16.4	19.3	19.2
4.7 \leq E $<$ 4.9	12.5	13.6	18.1	19.8	16.1	19.0	19.0
E \geq 4.9	12.4	13.9	17.9	19.6	15.9	18.8	18.8

Table B2-20 Loading Table for PWR Fuel – 760 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	54 < Assembly Average Burnup \leq 55 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	15.7	17.1	21.6	23.2	19.6	22.5	22.4
3.3 \leq E < 3.5	15.4	17.7	21.2	22.9	19.2	22.1	22.1
3.5 \leq E < 3.7	15.0	16.3	20.9	22.6	18.9	21.8	21.8
3.7 \leq E < 3.9	14.6	16.0	20.6	22.2	18.5	21.5	21.5
3.9 \leq E < 4.1	14.4	15.7	20.2	21.9	18.3	21.2	21.2
4.1 \leq E < 4.3	14.1	15.4	19.9	21.7	18.0	20.9	20.9
4.3 \leq E < 4.5	13.8	15.1	19.7	21.4	17.7	20.7	20.6
4.5 \leq E < 4.7	13.6	14.9	19.4	21.2	17.5	20.5	20.4
4.7 \leq E < 4.9	13.4	14.6	19.2	21.0	17.2	20.2	20.1
E \geq 4.9	13.2	14.4	19.0	20.7	17.0	19.9	19.9
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	55 < Assembly Average Burnup \leq 56 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	16.8	18.1	22.7	24.4	20.2	23.6	23.6
3.3 \leq E < 3.5	16.3	17.7	22.4	24.1	19.8	23.3	23.3
3.5 \leq E < 3.7	15.9	17.3	21.9	23.7	19.5	23.0	22.9
3.7 \leq E < 3.9	15.6	17.0	21.7	23.4	19.2	22.6	22.6
3.9 \leq E < 4.1	15.3	16.7	21.4	23.1	18.8	22.4	22.3
4.1 \leq E < 4.3	15.0	16.4	21.0	22.9	18.5	22.1	22.0
4.3 \leq E < 4.5	14.8	16.1	20.8	22.6	18.3	21.8	21.8
4.5 \leq E < 4.7	14.5	15.8	20.5	22.4	17.9	21.6	21.5
4.7 \leq E < 4.9	14.3	15.6	20.3	22.2	17.8	21.3	21.3
E \geq 4.9	14.0	15.4	20.0	21.9	17.6	21.1	21.1

Table B2-20 Loading Table for PWR Fuel – 760 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	56 < Assembly Average Burnup \leq 57 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	17.7	19.2	23.8	25.6	21.3	24.7	24.7
3.3 \leq E $<$ 3.5	17.3	18.8	23.4	25.2	20.9	24.4	24.4
3.5 \leq E $<$ 3.7	16.9	18.4	23.1	24.9	20.5	24.0	24.0
3.7 \leq E $<$ 3.9	16.6	18.1	22.7	24.6	20.2	23.7	23.7
3.9 \leq E $<$ 4.1	16.2	17.7	22.4	24.3	19.9	23.5	23.5
4.1 \leq E $<$ 4.3	15.9	17.4	22.2	24.0	19.6	23.2	23.2
4.3 \leq E $<$ 4.5	15.7	17.1	21.9	23.8	19.3	23.0	22.9
4.5 \leq E $<$ 4.7	15.4	16.8	21.6	23.5	19.1	22.7	22.6
4.7 \leq E $<$ 4.9	15.2	16.6	21.4	23.3	18.8	22.5	22.4
E \geq 4.9	15.0	16.4	21.2	23.0	18.6	22.2	22.2
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	57 < Assembly Average Burnup \leq 58 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	18.8	20.2	24.9	26.7	22.3	25.8	25.8
3.3 \leq E $<$ 3.5	18.3	19.9	24.6	26.3	22.0	25.5	25.5
3.5 \leq E $<$ 3.7	17.9	19.5	24.2	26.0	21.6	25.2	25.2
3.7 \leq E $<$ 3.9	17.6	19.1	23.9	25.7	21.3	24.9	24.8
3.9 \leq E $<$ 4.1	17.3	18.8	23.6	25.4	20.9	24.6	24.6
4.1 \leq E $<$ 4.3	16.9	18.4	23.3	25.1	20.6	24.4	24.3
4.3 \leq E $<$ 4.5	16.6	18.1	23.0	24.9	20.4	24.1	24.0
4.5 \leq E $<$ 4.7	16.3	17.9	22.8	24.6	20.0	23.8	23.8
4.7 \leq E $<$ 4.9	16.1	17.6	22.5	24.4	19.9	23.6	23.6
E \geq 4.9	15.8	17.4	22.3	24.2	19.7	23.4	23.3

Table B2-20 Loading Table for PWR Fuel – 760 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	58 < Assembly Average Burnup \leq 59 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	19.8	21.3	25.9	27.7	23.4	26.9	26.9
3.3 \leq E < 3.5	19.3	20.9	25.6	27.4	23.0	26.7	26.6
3.5 \leq E < 3.7	18.9	20.5	25.3	27.1	22.7	26.3	26.2
3.7 \leq E < 3.9	18.6	20.2	24.9	26.8	22.3	26.0	25.9
3.9 \leq E < 4.1	18.2	19.8	24.6	26.5	22.0	25.7	25.7
4.1 \leq E < 4.3	17.9	19.5	24.3	26.2	21.7	25.5	25.4
4.3 \leq E < 4.5	17.6	19.2	24.1	26.0	21.4	25.2	25.2
4.5 \leq E < 4.7	17.3	18.9	23.9	25.8	21.2	25.0	24.9
4.7 \leq E < 4.9	17.1	18.7	23.6	25.5	20.9	24.7	24.7
E \geq 4.9	16.8	18.4	23.4	25.3	20.7	24.5	24.4
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	59 < Assembly Average Burnup \leq 60 GWd/MTU Minimum Cooling Time (years)						
	CE 14x14	WE 14x14	WE 15x15	B&W 15x15	CE 16x16	WE 17x17	B&W 17x17
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	-	-	-	-	-	-	-
3.3 \leq E < 3.5	20.3	22.0	26.7	28.4	24.1	27.2	27.1
3.5 \leq E < 3.7	20.0	21.5	26.4	28.1	23.7	26.8	26.7
3.7 \leq E < 3.9	19.6	21.2	26.0	27.8	23.4	26.5	26.5
3.9 \leq E < 4.1	19.3	20.8	25.7	27.6	23.1	26.2	26.2
4.1 \leq E < 4.3	18.9	20.5	25.4	27.3	22.7	26.0	25.9
4.3 \leq E < 4.5	18.6	20.2	25.2	27.1	22.5	25.7	25.6
4.5 \leq E < 4.7	18.3	20.0	24.9	26.8	22.2	25.5	25.4
4.7 \leq E < 4.9	18.0	19.7	24.7	26.6	22.0	25.2	25.2
E \geq 4.9	17.7	19.5	24.4	26.4	21.7	25.0	24.9

Table B2-21 Loading Table for BWR Fuel – 379 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	30 < Assembly Average Burnup \leq 32.5 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	4.3	4.6	4.0	4.5	4.0	4.5	4.4
2.3 \leq E < 2.5	4.2	4.6	4.0	4.5	4.0	4.4	4.4
2.5 \leq E < 2.7	4.2	4.5	4.0	4.4	4.0	4.4	4.3
2.7 \leq E < 2.9	4.1	4.5	4.0	4.4	4.0	4.3	4.3
2.9 \leq E < 3.1	4.1	4.4	4.0	4.3	4.0	4.3	4.2
3.1 \leq E < 3.3	4.0	4.4	4.0	4.3	4.0	4.2	4.2
3.3 \leq E < 3.5	4.0	4.3	4.0	4.2	4.0	4.2	4.1
3.5 \leq E < 3.7	4.0	4.3	4.0	4.2	4.0	4.2	4.1
3.7 \leq E < 3.9	4.0	4.3	4.0	4.2	4.0	4.1	4.0
3.9 \leq E < 4.1	4.0	4.2	4.0	4.1	4.0	4.1	4.0
4.1 \leq E < 4.3	4.0	4.2	4.0	4.1	4.0	4.1	4.0
4.3 \leq E < 4.5	4.0	4.2	4.0	4.1	4.0	4.0	4.0
4.5 \leq E < 4.7	4.0	4.1	4.0	4.0	4.0	4.0	4.0
4.7 \leq E < 4.9	4.0	4.1	4.0	4.0	4.0	4.0	4.0
E \geq 4.9	4.0	4.1	4.0	4.0	4.0	4.0	4.0
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	32.5 < Assembly Average Burnup \leq 35 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	4.7	5.0	4.3	4.9	4.0	4.9	4.8
2.5 \leq E < 2.7	4.6	4.9	4.3	4.8	4.0	4.8	4.7
2.7 \leq E < 2.9	4.5	4.9	4.2	4.8	4.0	4.7	4.6
2.9 \leq E < 3.1	4.5	4.8	4.2	4.7	4.0	4.7	4.6
3.1 \leq E < 3.3	4.4	4.8	4.1	4.7	4.0	4.6	4.5
3.3 \leq E < 3.5	4.4	4.7	4.0	4.6	4.0	4.6	4.5
3.5 \leq E < 3.7	4.3	4.7	4.0	4.6	4.0	4.5	4.5
3.7 \leq E < 3.9	4.3	4.6	4.0	4.5	4.0	4.5	4.4
3.9 \leq E < 4.1	4.2	4.6	4.0	4.5	4.0	4.5	4.4
4.1 \leq E < 4.3	4.2	4.5	4.0	4.5	4.0	4.4	4.3
4.3 \leq E < 4.5	4.2	4.5	4.0	4.4	4.0	4.4	4.3
4.5 \leq E < 4.7	4.1	4.5	4.0	4.4	4.0	4.4	4.3
4.7 \leq E < 4.9	4.1	4.5	4.0	4.4	4.0	4.3	4.2
E \geq 4.9	4.1	4.4	4.0	4.3	4.0	4.3	4.2

Table B2-21 Loading Table for BWR Fuel – 379 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	35 < Assembly Average Burnup \leq 37.5 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	5.2	5.6	4.7	5.4	4.4	5.4	5.2
2.5 \leq E < 2.7	5.1	5.5	4.7	5.3	4.3	5.3	5.2
2.7 \leq E < 2.9	5.0	5.4	4.6	5.3	4.3	5.2	5.1
2.9 \leq E < 3.1	4.9	5.4	4.5	5.2	4.2	5.1	5.0
3.1 \leq E < 3.3	4.9	5.3	4.5	5.1	4.1	5.1	4.9
3.3 \leq E < 3.5	4.8	5.2	4.4	5.0	4.1	5.0	4.9
3.5 \leq E < 3.7	4.8	5.1	4.4	5.0	4.0	4.9	4.8
3.7 \leq E < 3.9	4.7	5.1	4.3	4.9	4.0	4.9	4.8
3.9 \leq E < 4.1	4.6	5.0	4.3	4.9	4.0	4.9	4.7
4.1 \leq E < 4.3	4.6	5.0	4.3	4.9	4.0	4.8	4.7
4.3 \leq E < 4.5	4.6	4.9	4.2	4.8	4.0	4.8	4.7
4.5 \leq E < 4.7	4.5	4.9	4.2	4.8	4.0	4.7	4.6
4.7 \leq E < 4.9	4.5	4.9	4.1	4.7	4.0	4.7	4.6
E \geq 4.9	4.5	4.9	4.1	4.7	4.0	4.7	4.6
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	37.5 < Assembly Average Burnup \leq 40 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	5.7	6.1	5.2	5.9	4.7	5.9	5.7
2.7 \leq E < 2.9	5.6	6.0	5.1	5.8	4.6	5.8	5.7
2.9 \leq E < 3.1	5.5	5.9	5.0	5.8	4.6	5.7	5.6
3.1 \leq E < 3.3	5.5	5.9	4.9	5.7	4.5	5.6	5.5
3.3 \leq E < 3.5	5.4	5.8	4.9	5.6	4.4	5.6	5.4
3.5 \leq E < 3.7	5.3	5.7	4.8	5.6	4.4	5.5	5.4
3.7 \leq E < 3.9	5.2	5.7	4.7	5.5	4.3	5.4	5.3
3.9 \leq E < 4.1	5.2	5.6	4.7	5.4	4.3	5.4	5.2
4.1 \leq E < 4.3	5.1	5.6	4.6	5.4	4.3	5.3	5.2
4.3 \leq E < 4.5	5.0	5.5	4.6	5.3	4.2	5.3	5.1
4.5 \leq E < 4.7	5.0	5.5	4.5	5.3	4.2	5.2	5.0
4.7 \leq E < 4.9	5.0	5.4	4.5	5.2	4.1	5.2	5.0
E \geq 4.9	4.9	5.4	4.5	5.2	4.1	5.1	5.0

Table B2-21 Loading Table for BWR Fuel – 379 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	40 < Assembly Average Burnup \leq 41 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	6.0	6.5	5.4	6.2	4.9	6.1	6.0
2.7 \leq E $<$ 2.9	5.9	6.4	5.3	6.1	4.8	6.0	5.9
2.9 \leq E $<$ 3.1	5.8	6.2	5.2	6.0	4.7	5.9	5.8
3.1 \leq E $<$ 3.3	5.7	6.1	5.1	5.9	4.7	5.9	5.7
3.3 \leq E $<$ 3.5	5.6	6.0	5.0	5.9	4.6	5.8	5.6
3.5 \leq E $<$ 3.7	5.5	6.0	5.0	5.8	4.5	5.7	5.6
3.7 \leq E $<$ 3.9	5.5	5.9	4.9	5.7	4.5	5.7	5.5
3.9 \leq E $<$ 4.1	5.4	5.9	4.9	5.7	4.4	5.6	5.5
4.1 \leq E $<$ 4.3	5.3	5.8	4.8	5.6	4.4	5.5	5.4
4.3 \leq E $<$ 4.5	5.3	5.8	4.8	5.6	4.4	5.5	5.3
4.5 \leq E $<$ 4.7	5.2	5.7	4.7	5.5	4.3	5.4	5.3
4.7 \leq E $<$ 4.9	5.2	5.7	4.7	5.5	4.3	5.4	5.2
E \geq 4.9	5.1	5.6	4.6	5.4	4.2	5.4	5.2
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	41 < Assembly Average Burnup \leq 42 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	6.3	6.8	5.6	6.5	5.1	6.4	6.2
2.7 \leq E $<$ 2.9	6.2	6.7	5.5	6.4	5.0	6.3	6.1
2.9 \leq E $<$ 3.1	6.0	6.6	5.5	6.3	4.9	6.2	6.0
3.1 \leq E $<$ 3.3	6.0	6.5	5.4	6.2	4.8	6.1	5.9
3.3 \leq E $<$ 3.5	5.9	6.4	5.3	6.1	4.8	6.0	5.9
3.5 \leq E $<$ 3.7	5.8	6.3	5.2	6.0	4.7	5.9	5.8
3.7 \leq E $<$ 3.9	5.7	6.2	5.1	5.9	4.6	5.9	5.7
3.9 \leq E $<$ 4.1	5.6	6.1	5.0	5.9	4.6	5.8	5.7
4.1 \leq E $<$ 4.3	5.6	6.0	5.0	5.8	4.5	5.8	5.6
4.3 \leq E $<$ 4.5	5.5	6.0	4.9	5.8	4.5	5.7	5.6
4.5 \leq E $<$ 4.7	5.5	5.9	4.9	5.7	4.5	5.7	5.5
4.7 \leq E $<$ 4.9	5.4	5.9	4.9	5.7	4.4	5.6	5.5
E \geq 4.9	5.4	5.8	4.8	5.6	4.4	5.6	5.4

Table B2-21 Loading Table for BWR Fuel – 379 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	42 < Assembly Average Burnup \leq 43 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	6.6	7.1	5.9	6.8	5.3	6.8	6.6
2.7 \leq E $<$ 2.9	6.5	7.0	5.8	6.7	5.2	6.6	6.4
2.9 \leq E $<$ 3.1	6.4	6.9	5.7	6.6	5.1	6.5	6.3
3.1 \leq E $<$ 3.3	6.3	6.8	5.6	6.5	5.0	6.4	6.2
3.3 \leq E $<$ 3.5	6.1	6.7	5.5	6.4	4.9	6.3	6.1
3.5 \leq E $<$ 3.7	6.0	6.6	5.4	6.3	4.9	6.2	6.0
3.7 \leq E $<$ 3.9	6.0	6.5	5.4	6.2	4.8	6.1	5.9
3.9 \leq E $<$ 4.1	5.9	6.4	5.3	6.1	4.8	6.0	5.9
4.1 \leq E $<$ 4.3	5.8	6.3	5.2	6.0	4.7	6.0	5.8
4.3 \leq E $<$ 4.5	5.8	6.3	5.1	6.0	4.6	5.9	5.8
4.5 \leq E $<$ 4.7	5.7	6.2	5.1	6.0	4.6	5.9	5.7
4.7 \leq E $<$ 4.9	5.7	6.1	5.0	5.9	4.6	5.9	5.7
E \geq 4.9	5.6	6.1	5.0	5.9	4.5	5.8	5.6
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	43 < Assembly Average Burnup \leq 44 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	7.0	7.6	6.1	7.2	5.5	7.1	6.9
2.7 \leq E $<$ 2.9	6.8	7.4	6.0	7.0	5.4	6.9	6.7
2.9 \leq E $<$ 3.1	6.7	7.3	5.9	6.9	5.3	6.8	6.6
3.1 \leq E $<$ 3.3	6.6	7.1	5.8	6.8	5.2	6.7	6.5
3.3 \leq E $<$ 3.5	6.5	7.0	5.7	6.7	5.1	6.6	6.4
3.5 \leq E $<$ 3.7	6.4	6.9	5.7	6.6	5.0	6.5	6.3
3.7 \leq E $<$ 3.9	6.3	6.8	5.6	6.5	5.0	6.5	6.2
3.9 \leq E $<$ 4.1	6.2	6.7	5.5	6.4	4.9	6.4	6.1
4.1 \leq E $<$ 4.3	6.1	6.7	5.5	6.4	4.9	6.3	6.0
4.3 \leq E $<$ 4.5	6.0	6.6	5.4	6.3	4.8	6.2	6.0
4.5 \leq E $<$ 4.7	5.9	6.5	5.3	6.2	4.8	6.1	5.9
4.7 \leq E $<$ 4.9	5.9	6.5	5.3	6.2	4.7	6.1	5.9
E \geq 4.9	5.8	6.4	5.2	6.1	4.7	6.0	5.9

Table B2-21 Loading Table for BWR Fuel – 379 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	44 < Assembly Average Burnup \leq 45 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
	-	-	-	-	-	-	-
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	7.2	7.9	6.3	7.5	5.6	7.4	7.1
2.9 \leq E $<$ 3.1	7.0	7.7	6.2	7.3	5.5	7.2	6.9
3.1 \leq E $<$ 3.3	6.9	7.6	6.1	7.1	5.4	7.0	6.8
3.3 \leq E $<$ 3.5	6.8	7.4	6.0	7.0	5.4	6.9	6.7
3.5 \leq E $<$ 3.7	6.7	7.3	5.9	6.9	5.3	6.9	6.6
3.7 \leq E $<$ 3.9	6.6	7.2	5.8	6.8	5.2	6.8	6.5
3.9 \leq E $<$ 4.1	6.5	7.1	5.8	6.8	5.1	6.7	6.4
4.1 \leq E $<$ 4.3	6.4	7.0	5.7	6.7	5.0	6.6	6.3
4.3 \leq E $<$ 4.5	6.3	6.9	5.6	6.6	5.0	6.5	6.3
4.5 \leq E $<$ 4.7	6.3	6.8	5.6	6.5	4.9	6.4	6.2
4.7 \leq E $<$ 4.9	6.2	6.8	5.5	6.5	4.9	6.4	6.1
E \geq 4.9	6.1	6.7	5.4	6.4	4.8	6.3	6.1

Note: For fuel assembly average burnup greater than 45 GWd/MTU, cool time tables have been revised to account for a 5% margin in heat load.

Table B2-22 Loading Table for BWR Fuel – 360 W/Assembly

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	45 < Assembly Average Burnup \leq 46 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	8.5	9.3	7.3	8.8	6.3	8.6	8.2
2.9 \leq E < 3.1	8.3	9.0	7.1	8.6	6.2	8.4	8.0
3.1 \leq E < 3.3	8.1	8.9	7.0	8.4	6.0	8.2	7.9
3.3 \leq E < 3.5	8.0	8.8	6.8	8.2	6.0	8.0	7.7
3.5 \leq E < 3.7	7.9	8.6	6.7	8.0	5.9	7.9	7.6
3.7 \leq E < 3.9	7.7	8.4	6.7	7.9	5.8	7.8	7.5
3.9 \leq E < 4.1	7.6	8.3	6.6	7.8	5.8	7.7	7.4
4.1 \leq E < 4.3	7.5	8.2	6.5	7.7	5.7	7.6	7.3
4.3 \leq E < 4.5	7.4	8.1	6.4	7.6	5.6	7.5	7.2
4.5 \leq E < 4.7	7.3	8.0	6.3	7.6	5.6	7.4	7.1
4.7 \leq E < 4.9	7.2	7.9	6.2	7.5	5.5	7.4	7.0
E \geq 4.9	7.1	7.8	6.1	7.4	5.4	7.3	7.0

Table B2-22 Loading Table for BWR Fuel – 360 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	46 < Assembly Average Burnup \leq 47 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	9.1	10.0	7.7	9.3	6.7	9.2	8.7
2.9 \leq E $<$ 3.1	8.9	9.8	7.5	9.1	6.5	8.9	8.5
3.1 \leq E $<$ 3.3	8.7	9.5	7.4	8.9	6.4	8.8	8.3
3.3 \leq E $<$ 3.5	8.5	9.3	7.2	8.7	6.2	8.6	8.2
3.5 \leq E $<$ 3.7	8.3	9.1	7.0	8.6	6.1	8.4	8.0
3.7 \leq E $<$ 3.9	8.2	9.0	7.0	8.4	6.0	8.3	7.9
3.9 \leq E $<$ 4.1	8.0	8.8	6.9	8.3	6.0	8.1	7.8
4.1 \leq E $<$ 4.3	7.9	8.7	6.8	8.2	5.9	8.0	7.7
4.3 \leq E $<$ 4.5	7.8	8.6	6.7	8.1	5.8	7.9	7.6
4.5 \leq E $<$ 4.7	7.7	8.5	6.6	8.0	5.8	7.9	7.5
4.7 \leq E $<$ 4.9	7.6	8.4	6.5	7.9	5.7	7.8	7.4
E \geq 4.9	7.5	8.3	6.5	7.8	5.7	7.7	7.4
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	47 < Assembly Average Burnup \leq 48 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	9.8	10.7	8.2	9.9	6.9	9.8	9.3
2.9 \leq E $<$ 3.1	9.6	10.5	8.0	9.7	6.8	9.5	9.1
3.1 \leq E $<$ 3.3	9.3	10.2	7.8	9.5	6.7	9.3	8.9
3.3 \leq E $<$ 3.5	9.1	9.9	7.7	9.3	6.6	9.2	8.7
3.5 \leq E $<$ 3.7	8.9	9.7	7.5	9.1	6.5	9.0	8.5
3.7 \leq E $<$ 3.9	8.7	9.6	7.4	8.9	6.3	8.8	8.4
3.9 \leq E $<$ 4.1	8.6	9.4	7.2	8.8	6.2	8.7	8.2
4.1 \leq E $<$ 4.3	8.4	9.3	7.1	8.7	6.1	8.6	8.1
4.3 \leq E $<$ 4.5	8.3	9.1	7.0	8.6	6.0	8.4	8.0
4.5 \leq E $<$ 4.7	8.1	9.0	6.9	8.5	6.0	8.3	7.9
4.7 \leq E $<$ 4.9	8.0	8.9	6.9	8.3	5.9	8.2	7.8
E \geq 4.9	7.9	8.8	6.8	8.2	5.9	8.1	7.8

Table B2-22 Loading Table for BWR Fuel – 360 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	48 < Assembly Average Burnup \leq 49 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	10.5	11.6	8.7	10.8	7.3	10.6	9.9
2.9 \leq E < 3.1	10.2	11.3	8.5	10.4	7.1	10.2	9.7
3.1 \leq E < 3.3	10.0	11.0	8.3	10.1	7.0	9.9	9.4
3.3 \leq E < 3.5	9.7	10.7	8.1	9.9	6.9	9.8	9.2
3.5 \leq E < 3.7	9.5	10.5	7.9	9.7	6.8	9.6	9.0
3.7 \leq E < 3.9	9.3	10.3	7.8	9.5	6.7	9.4	8.9
3.9 \leq E < 4.1	9.1	10.1	7.7	9.4	6.5	9.2	8.7
4.1 \leq E < 4.3	9.0	9.9	7.5	9.2	6.4	9.0	8.6
4.3 \leq E < 4.5	8.8	9.7	7.4	9.1	6.3	8.9	8.5
4.5 \leq E < 4.7	8.7	9.6	7.3	8.9	6.3	8.8	8.4
4.7 \leq E < 4.9	8.6	9.5	7.2	8.9	6.2	8.7	8.3
E \geq 4.9	8.5	9.3	7.1	8.8	6.1	8.6	8.2
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	49 < Assembly Average Burnup \leq 50 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	11.0	12.0	9.0	11.2	7.6	11.0	10.3
3.1 \leq E < 3.3	10.7	11.7	8.8	10.9	7.4	10.7	10.1
3.3 \leq E < 3.5	10.4	11.5	8.6	10.7	7.2	10.4	9.8
3.5 \leq E < 3.7	10.2	11.3	8.4	10.4	7.0	10.2	9.7
3.7 \leq E < 3.9	10.0	11.0	8.2	10.2	7.0	10.0	9.5
3.9 \leq E < 4.1	9.7	10.8	8.0	10.0	6.8	9.8	9.3
4.1 \leq E < 4.3	9.6	10.6	7.9	9.8	6.7	9.7	9.1
4.3 \leq E < 4.5	9.4	10.4	7.8	9.7	6.7	9.5	9.0
4.5 \leq E < 4.7	9.3	10.2	7.7	9.5	6.6	9.4	8.9
4.7 \leq E < 4.9	9.1	10.1	7.6	9.4	6.5	9.2	8.7
E \geq 4.9	9.0	10.0	7.5	9.3	6.4	9.1	8.6

Table B2-22 Loading Table for BWR Fuel – 360 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	50 < Assembly Average Burnup \leq 51 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	11.8	12.9	9.6	12.0	8.0	11.8	11.1
3.1 \leq E < 3.3	11.5	12.6	9.4	11.7	7.8	11.5	10.9
3.3 \leq E < 3.5	11.2	12.3	9.1	11.5	7.6	11.2	10.6
3.5 \leq E < 3.7	10.9	11.9	8.9	11.1	7.5	11.0	10.3
3.7 \leq E < 3.9	10.7	11.8	8.7	10.9	7.3	10.7	10.0
3.9 \leq E < 4.1	10.4	11.6	8.6	10.7	7.2	10.5	9.9
4.1 \leq E < 4.3	10.3	11.3	8.4	10.5	7.0	10.3	9.7
4.3 \leq E < 4.5	10.0	11.2	8.3	10.4	7.0	10.1	9.6
4.5 \leq E < 4.7	9.9	11.0	8.1	10.1	6.8	9.9	9.4
4.7 \leq E < 4.9	9.8	10.9	8.0	10.0	6.8	9.8	9.3
E \geq 4.9	9.6	10.7	7.9	9.9	6.7	9.7	9.1
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	51 < Assembly Average Burnup \leq 52 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	12.7	13.9	10.3	12.9	8.4	12.6	11.9
3.1 \leq E < 3.3	12.3	13.4	10.0	12.5	8.2	12.3	11.6
3.3 \leq E < 3.5	11.9	13.2	9.8	12.1	8.0	11.9	11.3
3.5 \leq E < 3.7	11.7	12.9	9.5	11.9	7.9	11.7	11.0
3.7 \leq E < 3.9	11.5	12.6	9.3	11.7	7.7	11.4	10.8
3.9 \leq E < 4.1	11.2	12.4	9.1	11.5	7.6	11.3	10.5
4.1 \leq E < 4.3	11.0	12.1	8.9	11.3	7.4	11.0	10.3
4.3 \leq E < 4.5	10.8	11.8	8.8	11.1	7.3	10.9	10.2
4.5 \leq E < 4.7	10.6	11.7	8.7	10.9	7.2	10.7	10.0
4.7 \leq E < 4.9	10.5	11.6	8.5	10.7	7.1	10.5	9.9
E \geq 4.9	10.2	11.4	8.4	10.6	7.0	10.4	9.8

Table B2-22 | Loading Table for BWR Fuel – 360 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	52 < Assembly Average Burnup \leq 53 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	13.6	14.8	11.0	13.7	8.9	13.4	12.7
3.1 \leq E $<$ 3.3	13.2	14.5	10.7	13.3	8.7	13.1	12.4
3.3 \leq E $<$ 3.5	12.8	14.1	10.4	13.0	8.5	12.8	12.0
3.5 \leq E $<$ 3.7	12.6	13.8	10.1	12.7	8.3	12.5	11.8
3.7 \leq E $<$ 3.9	12.2	13.5	9.8	12.4	8.1	12.2	11.5
3.9 \leq E $<$ 4.1	11.9	13.2	9.7	12.2	7.9	12.0	11.3
4.1 \leq E $<$ 4.3	11.7	13.0	9.5	12.0	7.8	11.8	11.1
4.3 \leq E $<$ 4.5	11.6	12.7	9.3	11.8	7.7	11.5	10.9
4.5 \leq E $<$ 4.7	11.4	12.5	9.2	11.6	7.6	11.4	10.7
4.7 \leq E $<$ 4.9	11.2	12.4	9.0	11.5	7.5	11.3	10.5
E \geq 4.9	11.0	12.1	8.9	11.3	7.4	11.1	10.4
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	53 < Assembly Average Burnup \leq 54 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	14.5	15.8	11.8	14.6	9.5	14.4	13.6
3.1 \leq E $<$ 3.3	14.1	15.4	11.4	14.3	9.2	14.0	13.2
3.3 \leq E $<$ 3.5	13.8	15.1	11.1	13.9	8.9	13.6	12.8
3.5 \leq E $<$ 3.7	13.4	14.7	10.9	13.6	8.7	13.4	12.6
3.7 \leq E $<$ 3.9	13.1	14.4	10.6	13.3	8.6	13.1	12.2
3.9 \leq E $<$ 4.1	12.9	14.1	10.4	13.1	8.4	12.8	12.0
4.1 \leq E $<$ 4.3	12.6	13.9	10.1	12.8	8.2	12.5	11.8
4.3 \leq E $<$ 4.5	12.4	13.6	9.9	12.6	8.1	12.3	11.6
4.5 \leq E $<$ 4.7	12.1	13.4	9.7	12.3	7.9	12.1	11.4
4.7 \leq E $<$ 4.9	11.9	13.2	9.6	12.2	7.9	11.9	11.2
E \geq 4.9	11.7	13.1	9.4	12.0	7.8	11.7	11.1

Table B2-22 Loading Table for BWR Fuel – 360 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	54 < Assembly Average Burnup \leq 55 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	15.0	16.4	12.1	15.2	9.8	14.9	14.1
3.3 \leq E $<$ 3.5	14.7	16.0	11.9	14.9	9.5	14.6	13.7
3.5 \leq E $<$ 3.7	14.3	15.7	11.5	14.5	9.3	14.2	13.4
3.7 \leq E $<$ 3.9	13.9	15.4	11.3	14.2	9.0	13.9	13.1
3.9 \leq E $<$ 4.1	13.6	15.1	11.1	13.9	8.9	13.6	12.8
4.1 \leq E $<$ 4.3	13.3	14.7	10.8	13.6	8.7	13.4	12.5
4.3 \leq E $<$ 4.5	13.1	14.5	10.5	13.4	8.5	13.1	12.3
4.5 \leq E $<$ 4.7	12.9	14.3	10.4	13.2	8.4	13.0	12.1
4.7 \leq E $<$ 4.9	12.8	14.1	10.2	13.0	8.3	12.8	11.9
E \geq 4.9	12.5	13.9	10.0	12.8	8.1	12.5	11.7
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	55 < Assembly Average Burnup \leq 56 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	15.8	17.5	13.1	16.2	10.4	15.9	15.0
3.3 \leq E $<$ 3.5	15.5	17.1	12.7	15.8	10.1	15.5	14.6
3.5 \leq E $<$ 3.7	15.1	16.7	12.3	15.5	9.9	15.2	14.3
3.7 \leq E $<$ 3.9	14.7	16.3	12.0	15.1	9.7	14.8	13.9
3.9 \leq E $<$ 4.1	14.4	16.0	11.8	14.9	9.4	14.6	13.6
4.1 \leq E $<$ 4.3	14.0	15.7	11.5	14.5	9.2	14.3	13.4
4.3 \leq E $<$ 4.5	13.8	15.4	11.3	14.3	9.0	14.0	13.1
4.5 \leq E $<$ 4.7	13.7	15.2	11.1	14.1	8.8	13.8	12.9
4.7 \leq E $<$ 4.9	13.4	15.0	10.9	13.9	8.7	13.7	12.8
E \geq 4.9	13.3	14.8	10.7	13.7	8.6	13.4	12.5

Table B2-22 Loading Table for BWR Fuel – 360 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	56 < Assembly Average Burnup \leq 57 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	16.8	18.4	13.8	17.2	11.1	16.9	16.0
3.3 \leq E < 3.5	16.5	18.1	13.5	16.8	10.9	16.4	15.5
3.5 \leq E < 3.7	16.0	17.7	13.1	16.4	10.5	16.2	15.2
3.7 \leq E < 3.9	15.7	17.3	12.9	16.1	10.2	15.7	14.8
3.9 \leq E < 4.1	15.4	17.1	12.5	15.8	10.0	15.4	14.5
4.1 \leq E < 4.3	15.1	16.8	12.2	15.4	9.8	15.2	14.3
4.3 \leq E < 4.5	14.8	16.4	12.0	15.2	9.6	14.8	14.0
4.5 \leq E < 4.7	14.6	16.2	11.8	15.0	9.4	14.7	13.8
4.7 \leq E < 4.9	14.3	15.9	11.6	14.7	9.2	14.4	13.5
E \geq 4.9	14.0	15.7	11.4	14.5	9.0	14.3	13.4
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	57 < Assembly Average Burnup \leq 58 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E < 2.3	-	-	-	-	-	-	-
2.3 \leq E < 2.5	-	-	-	-	-	-	-
2.5 \leq E < 2.7	-	-	-	-	-	-	-
2.7 \leq E < 2.9	-	-	-	-	-	-	-
2.9 \leq E < 3.1	-	-	-	-	-	-	-
3.1 \leq E < 3.3	17.8	19.5	14.8	18.2	11.8	17.8	16.8
3.3 \leq E < 3.5	17.3	19.1	14.4	17.7	11.5	17.5	16.5
3.5 \leq E < 3.7	17.0	18.7	14.0	17.4	11.2	17.1	16.1
3.7 \leq E < 3.9	16.6	18.3	13.6	17.0	10.9	16.8	15.7
3.9 \leq E < 4.1	16.3	17.9	13.3	16.7	10.6	16.4	15.4
4.1 \leq E < 4.3	15.9	17.7	13.1	16.3	10.3	16.1	15.1
4.3 \leq E < 4.5	15.7	17.4	12.8	16.1	10.1	15.8	14.8
4.5 \leq E < 4.7	15.5	17.1	12.5	15.9	9.9	15.5	14.6
4.7 \leq E < 4.9	15.2	16.9	12.3	15.6	9.8	15.3	14.4
E \geq 4.9	15.0	16.7	12.1	15.4	9.6	15.1	14.2

Table B2-22 Loading Table for BWR Fuel – 360 W/Assembly (continued)

Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	58 < Assembly Average Burnup \leq 59 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	18.7	20.4	15.7	19.2	12.6	18.9	17.8
3.3 \leq E $<$ 3.5	18.4	20.0	15.2	18.8	12.2	18.4	17.4
3.5 \leq E $<$ 3.7	18.0	19.7	14.9	18.4	11.9	18.1	17.1
3.7 \leq E $<$ 3.9	17.6	19.3	14.5	18.1	11.6	17.7	16.7
3.9 \leq E $<$ 4.1	17.2	18.9	14.1	17.7	11.2	17.3	16.3
4.1 \leq E $<$ 4.3	16.9	18.7	13.8	17.4	11.0	17.1	16.1
4.3 \leq E $<$ 4.5	16.6	18.4	13.6	17.1	10.8	16.8	15.7
4.5 \leq E $<$ 4.7	16.4	18.0	13.3	16.9	10.6	16.5	15.5
4.7 \leq E $<$ 4.9	16.1	17.8	13.1	16.6	10.3	16.2	15.3
E \geq 4.9	15.9	17.6	12.9	16.3	10.2	15.9	15.1
Minimum Initial Assembly Avg. Enrichment wt % ^{235}U (E)	59 < Assembly Average Burnup \leq 60 GWd/MTU Minimum Cooling Time (years)						
	BWR/2-3 7x7	BWR/4-6 7x7	BWR/2-3 8x8	BWR/4-6 8x8	BWR/2-3 9x9	BWR/4-6 9x9	BWR/4-6 10x10
2.1 \leq E $<$ 2.3	-	-	-	-	-	-	-
2.3 \leq E $<$ 2.5	-	-	-	-	-	-	-
2.5 \leq E $<$ 2.7	-	-	-	-	-	-	-
2.7 \leq E $<$ 2.9	-	-	-	-	-	-	-
2.9 \leq E $<$ 3.1	-	-	-	-	-	-	-
3.1 \leq E $<$ 3.3	-	-	-	-	-	-	-
3.3 \leq E $<$ 3.5	19.3	21.0	16.0	19.7	12.9	19.5	18.4
3.5 \leq E $<$ 3.7	18.9	20.7	15.6	19.3	12.7	19.1	17.9
3.7 \leq E $<$ 3.9	18.6	20.3	15.2	19.0	12.3	18.7	17.7
3.9 \leq E $<$ 4.1	18.2	19.9	14.9	18.7	11.9	18.3	17.3
4.1 \leq E $<$ 4.3	17.9	19.7	14.5	18.3	11.6	17.9	17.0
4.3 \leq E $<$ 4.5	17.6	19.4	14.2	18.1	11.4	17.7	16.6
4.5 \leq E $<$ 4.7	17.3	19.1	14.0	17.7	11.2	17.5	16.4
4.7 \leq E $<$ 4.9	17.1	18.8	13.8	17.6	11.0	17.2	16.1
E \geq 4.9	16.9	18.6	13.6	17.3	10.8	16.9	15.9