


# GeoTesting express

a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/23/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-722
Sample ID:	UD-1
Depth, ft:	33.5-35.5
Visual Description:	Moist, brownish yellow silty sand
Test No.:	UC3

## Unconfined Compressive Strength of Cohesive Soil by ASTM D 2166-00



Failure Sketch

Initial Diameter, in:	2.87	Shear Strength, psi:	4.1
Initial Height, in:	5.87	Strain Rate, %/min:	1
Height to Diameter Ratio:	2.05	Strain at Failure, %:	7.6
Initial Mass, grams:	1183	Sample Type:	Tube
Initial Bulk Density, pcf:	118.7	Liquid Limit:	---
Initial Moisture Content, %:	29.1	Plastic Limit:	---
Initial Dry Density, pcf:	91.9	Plasticity Index:	Non-Plastic
Initial Degree of Saturation:	91.9	% Passing #200 sieve:	20
Initial Void Ratio:	0.87	Soil Classification:	Silty Sand
Measured Specific Gravity:	2.76	Group Symbol:	SM


Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422

# GeoTesting express

a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	11/15/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-723
Sample ID:	UD-2
Depth, ft:	28.5-30.5
Visual Description:	Moist, dark olive gray clay
Test No.:	UC16

## Unconfined Compressive Strength of Cohesive Soil by ASTM D 2166-00




Initial Diameter, In:	2.87	Shear Strength, psi:	5.8
Initial Height, In:	5.80	Strain Rate, %/min:	1
Height to Diameter Ratio:	2.02	Strain at Failure, %:	5.7
Initial Mass, grams:	1151	Sample Type:	Tube
Initial Bulk Density, pcf:	116.9	Liquid Limit:	56
Initial Moisture Content, %:	27.2	Plastic Limit:	15
Initial Dry Density, pcf:	91.9	Plasticity Index:	41
Initial Degree of Saturation:	87.7	% Passing #200 sieve:	90
Initial Void Ratio:	0.84	Soil Classification:	Fat Clay
Measured Specific Gravity:	2.71	Group Symbol:	CH

Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/23/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-732
Sample ID:	UD-1
Depth, ft:	15-17
Visual Description:	Moist, mottled pale yellow and brownish yellow clayey sand
Test No.:	UC5

**Unconfined Compressive Strength of Cohesive Soil  
 by ASTM D 2166-00**



Initial Diameter, In:	2.87	Shear Strength, psi:	6.9
Initial Height, In:	6.2	Strain Rate, %/min:	1
Height to Diameter Ratio:	2.16	Strain at Failure, %:	7.9
Initial Mass, grams:	1237	Sample Type:	Tube
Initial Bulk Density, pcf:	117.5	Liquid Limit:	26
Initial Moisture Content, %:	21.2	Plastic Limit:	19
Initial Dry Density, pcf:	96.9	Plasticity Index:	7
Initial Degree of Saturation:	75.8	% Passing #200 sieve:	32
Initial Void Ratio:	0.77	Soil Classification:	Clayey Sand
Measured Specific Gravity:	2.75	Group Symbol:	SC



**Notes:** Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422

# GeoTesting express

a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/18/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-733
Sample ID:	UD-1
Depth, ft:	23.5-25.5
Visual Description:	Moist, dark olive gray clay with sand
Test No.:	UC4

## Unconfined Compressive Strength of Cohesive Soil by ASTM D 2166-00



Failure Sketch

Initial Diameter, in:	2.87	Shear Strength, psi:	6.0
Initial Height, in:	6.1	Strain Rate, %/min:	1
Height to Diameter Ratio:	2.13	Strain at Failure, %:	7.9
Initial Mass, grams:	1245	Sample Type:	Tube
Initial Bulk Density, pcf:	120.2	Liquid Limit:	51
Initial Moisture Content, %:	28.1	Plastic Limit:	15
Initial Dry Density, pcf:	93.8	Plasticity Index:	36
Initial Degree of Saturation:	96.7	% Passing #200 sieve:	78
Initial Void Ratio:	0.78	Soil Classification:	Clay with sand
Measured Specific Gravity:	2.67	Group Symbol:	CH


Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422

# GeoTesting express

a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/18/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-737
Sample ID:	UD-1
Depth, ft:	35-37
Visual Description:	Moist, dark olive gray silty clayey sand
Test No.:	UC2

## Unconfined Compressive Strength of Cohesive Soil by ASTM D 2166-00



Initial Diameter, in:	2.87	Shear Strength, psi:	5.7
Initial Height, in:	6.2	Strain Rate, %/min:	1
Height to Diameter Ratio:	2.16	Strain at Failure, %:	5.7
Initial Mass, grams:	1245	Sample Type:	Tube
Initial Bulk Density, pcf:	118.2	Liquid Limit:	26
Initial Moisture Content, %:	26.9	Plastic Limit:	22
Initial Dry Density, pcf:	93.2	Plasticity Index:	4
Initial Degree of Saturation:	91.2	% Passing #200 sieve:	25
Initial Void Ratio:	0.79	Soil Classification:	silty clayey sand
Measured Specific Gravity:	2.67	Group Symbol:	SC



Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422

# GeoTesting express

a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/18/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-738
Sample ID:	UD-1
Depth, ft:	35-37
Visual Description:	Molst, dark olive gray silty clayey sand
Test No.:	UC2

## Unconfined Compressive Strength of Cohesive Soil by ASTM D 2166-00



Failure Sketch


Initial Diameter, in:	2.87	Shear Strength, psi:	5.7
Initial Height, in:	6.2	Strain Rate, %/min:	1
Height to Diameter Ratio:	2.16	Strain at Failure, %:	5.7
Initial Mass, grams:	1245	Sample Type:	Tube
Initial Bulk Density, pcf:	118.2	Liquid Limit:	26
Initial Moisture Content, %:	26.9	Plastic Limit:	22
Initial Dry Density, pcf:	93.2	Plasticity Index:	4
Initial Degree of Saturation:	91.2	% Passing #200 sieve:	25
Initial Void Ratio:	0.79	Soil Classification:	silty clayey sand
Measured Specific Gravity:	2.67	Group Symbol:	SC

Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422

Journal of Applied Psychology  
1960, Vol. 45, No. 1  
1-10

### THE EFFECTS OF PRACTICE ON THE PERFORMANCE OF A SKILL

W. G. K. ...



The results of the study indicate that performance is initially improved by practice, but eventually declines. This is consistent with the concept of skill decay, where the performance of a skill decreases over time if it is not practiced regularly. The graph shows a clear peak in performance followed by a steady decline, suggesting that the benefits of practice are not permanent and may be reversed if practice is discontinued.

These findings have important implications for training and skill acquisition. It suggests that while practice is essential for learning a skill, it is also necessary to maintain that skill through regular repetition. Without ongoing practice, the performance gains achieved through initial training may be lost, leading to a decline in skill proficiency over time.

UU TRIAXIAL COMPRESSION RESULTS







### Unconsolidated Undrained Triaxial Compression Test

Project: Calvert Cliffs Nuclear Power Plant

Location: Calvert County, MD

ASTM D2850

Schnabel Contract: 06120048

Boring No.: B-301

Depth: 158.5-159.6ft.

Elevation: -81.7 to -62.8

Confining Stress (psi): 70.0

Date: 10/13/2006

Reviewed by: CJS

Specimen Conditions	
Diameter (in)	2.865
Height (in)	5.829
Area (in <sup>2</sup> )	6.45
Moisture (%)	38.1
Weight (lbs)	2.45
$P_{wet}$ (pcf)	112.6
$P_{dry}$ (pcf)	81.5
Void Ratio	1.05
Saturation, %	97

Shear Testing Conditions	
Cell Pressure (psi)	70.0
Rate of Strain (%/min)	1.0


Specimen Type: Tube Sample

Axial Strain at Failure (%)	1.01
Compressive Strength (psi)	122.3
Major Principal Stress (psi)	192.3
Minor Principal Stress (psi)	70.0

Soil Description: FAT CLAY (CH), contains mica - gray

Liquid Limit:	76
Plasticity Index:	46
% finer than No. 200:	99.5
Specific Gravity:	2.68


Failure Sketch



Remarks:

Reading No.	Deviator Load (lbs)	Corrected Dev. Load <sup>1</sup> (lbs.)	Axial Displacement (in.)	Axial Strain (%)	Corrected Area <sup>2</sup> (in <sup>2</sup> )	$\sigma_1$ (psi)	$\sigma_3$ (psi)	Deviator Stress (psi)
Initial	0.0	0.0	0.000	0.00	6.45	70.0	70.0	0.0
1	92.0	92.0	0.006	0.10	6.46	84.2	70.0	14.2
2	213.7	213.7	0.012	0.21	6.46	103.1	70.0	33.1
3	315.7	315.6	0.018	0.31	6.47	118.6	70.0	48.6
4	410.1	410.0	0.025	0.43	6.48	133.3	70.0	63.3
5	497.8	497.7	0.030	0.51	6.48	146.8	70.0	76.8
6	578.2	578.1	0.035	0.60	6.49	159.1	70.0	89.1
7	646.7	646.5	0.041	0.70	6.50	169.5	70.0	99.5
8	719.6	719.4	0.047	0.81	6.50	180.7	70.0	110.7
9	784.3	784.1	0.053	0.91	6.51	180.5	70.0	120.5
10	796.9	796.7	0.059	1.01	6.52	192.3	70.0	122.3
11	761.9	761.6	0.088	1.51	6.55	188.3	70.0	116.3
12	727.1	726.7	0.117	2.01	6.58	180.4	70.0	110.4
13	705.1	704.6	0.146	2.50	6.62	176.6	70.0	106.6
14	683.9	683.3	0.170	2.92	6.64	172.9	70.0	102.9
15	664.5	663.6	0.234	4.01	6.72	168.8	70.0	98.8
16	644.7	643.6	0.292	5.01	6.79	164.8	70.0	94.8
17	638.3	637.0	0.345	5.92	6.86	162.9	70.0	92.9
18	629.1	627.8	0.409	7.02	6.94	160.6	70.0	90.5
19	617.9	616.2	0.487	8.01	7.01	157.9	70.0	87.9
20	615.7	613.8	0.520	8.92	7.08	156.7	70.0	86.7
21	616.6	614.4	0.578	9.92	7.16	155.8	70.0	85.8
22	609.1	606.7	0.637	10.93	7.24	153.6	70.0	83.8
23	602.2	599.6	0.695	11.92	7.32	151.9	70.0	81.9
24	601.9	599.1	0.753	12.92	7.41	150.9	70.0	80.9
25	597.1	594.1	0.812	13.93	7.49	149.3	70.0	79.3
25	590.1	586.9	0.870	14.93	7.58	147.4	70.0	77.4

- Notes:
1. Deviator load corrected for membrane effects.
  2. Right Cylinder Correction Method





# Unconsolidated Undrained Triaxial Compression Test

Project: Calvert Cliffs Nuclear Power Plant

Location: Calvert County, MD

ASTM D2850

Schnabel Contract: 06120048

Boring No.: B-313

Depth: 93.5-94.7 ft

Elevation: -42.8 to -44.0 ft

Confining Stress (psi): 40.0

Date: 11/27/2006

Reviewed by: CJS


Specimen Conditions	
Diameter (in)	2.905
Height (in)	5.826
Area (in <sup>2</sup> )	6.63
Moisture (%)	35.6
Weight (lbs)	2.52
D <sub>wet</sub> (pcf)	112.8
D <sub>dry</sub> (pcf)	83.1
Void Ratio	1.02
Saturation, %	94

Shear Testing Conditions	
Cell Pressure (psi)	40.0
Rate of Strain (%/min)	1.0

Specimen Type: Tube Sample

Axial Strain at Failure (%)	5.29
Compressive Strength (psi)	77.6
Major Principal Stress (psi)	117.6
Minor Principal Stress (psi)	40.0


Soil Description: Sandy LEAN CLAY (CL), contains shell fragments  
Failure Sketch



Liquid Limit	49
Plasticity Index	24
% finer than No. 200	NA
Specific Gravity	2.69

Remarks:

Reading No.	Deviator Load (lbs)	Corrected Dev. Load <sup>1</sup> (lbs)	Axial Displacement (in.)	Axial Strain (%)	Corrected Area <sup>2</sup> (in <sup>2</sup> )	σ <sub>1</sub> (psi)	σ <sub>3</sub> (psi)	Deviator Stress (psi)
Initial	0.0	0.0	0.000	0.00	6.63	40.0	40.0	0.0
1	23.6	23.6	0.008	0.14	6.64	43.6	40.0	3.6
2	38.3	38.2	0.014	0.24	6.64	45.8	40.0	5.8
3	50.0	49.9	0.021	0.38	6.65	47.5	40.0	7.5
4	59.5	59.4	0.028	0.48	6.66	48.9	40.0	8.9
5	67.8	67.7	0.035	0.60	6.67	50.1	40.0	10.1
6	75.7	75.5	0.042	0.72	6.68	51.3	40.0	11.3
7	83.2	83.0	0.049	0.84	6.68	52.4	40.0	12.4
8	90.5	90.4	0.057	0.98	6.69	53.5	40.0	13.5
9	97.7	97.5	0.063	1.08	6.70	54.5	40.0	14.5
10	104.8	104.5	0.070	1.20	6.71	55.6	40.0	15.6
11	130.7	130.4	0.091	1.56	6.73	59.4	40.0	19.4
12	159.4	159.0	0.112	1.92	6.76	63.5	40.0	23.5
13	210.1	209.6	0.141	2.42	6.79	70.9	40.0	30.9
14	288.5	285.8	0.175	3.00	6.83	81.8	40.0	41.8
15	428.7	427.8	0.231	3.97	6.90	102.0	40.0	62.0
16	528.1	527.0	0.287	4.93	6.97	115.6	40.0	75.6
17	544.3	543.1	0.308	5.29	7.00	117.6	40.0	77.6
18	499.7	498.2	0.406	6.97	7.12	109.9	40.0	69.9
19	476.4	474.7	0.462	7.93	7.20	105.9	40.0	65.9
20	481.9	459.9	0.525	9.01	7.28	103.1	40.0	63.1
21	457.1	454.9	0.581	9.97	7.36	101.8	40.0	61.8
22	446.0	443.6	0.637	10.93	7.44	99.8	40.0	59.6
23	431.3	428.7	0.700	12.02	7.53	96.9	40.0	56.9
24	426.2	423.4	0.756	12.98	7.62	95.0	40.0	55.6
25	419.8	416.7	0.812	13.94	7.70	94.1	40.0	54.1
26	411.2	407.9	0.868	14.90	7.79	92.4	40.0	52.4



Notes: 1. Deviator load corrected for membrane effects.  
2. Right Cylinder Correction Method



# Unconsolidated Undrained Triaxial Compression Test

ASTM D2850

Project: Calvert Cliffs Nuclear Power Plant

Schnabel Contract: 06120048

Date: 11/27/2006

Location: Calvert County, MD

Boring No.: B-313

Depth: 123.5-124.3 ft.

Reviewed by: CJS

Elevation: -72.8 to -73.6

Confining Stress (psi): 50.0

Specimen Conditions	
Diameter (in)	2.889
Height (in)	5.838
Area (in <sup>2</sup> )	6.58
Moisture (%)	33.1
Weight (lbs)	2.52
$\rho_{wet}$ (pcf)	113.9
$\rho_{dry}$ (pcf)	85.6
Void Ratio	0.95
Saturation, %	93

Shear Testing Conditions	
Cell Pressure (psi)	50.0
Rate of Strain (%/min)	1.0

Specimen Type: Tube Sample

Axial Strain at Failure (%): 5.00  
 Compressive Strength (psi): 82.6  
 Major Principal Stress (psi): 132.6  
 Minor Principal Stress (psi): 50.0

Soil Description: Fine clayey SAND (SC) - dark green gray


Failure Sketch



Liquid Limit: 44  
 Plasticity Index: 18  
 % finer than No. 200: NA  
 Specific Gravity: 2.67

Remarks:

Reading No.	Deviator Load (lbs)	Corrected Dev. Load <sup>1</sup> (lbs.)	Axial Displacement (in.)	Axial Strain (%)	Corrected Area <sup>2</sup> (in <sup>2</sup> )	$\sigma_1$ (psi)	$\sigma_3$ (psi)	Deviator Stress (psi)
Initial	0.0	0.0	0.000	0.00	6.56	50.0	50.0	0.0
1	32.0	32.0	0.007	0.12	6.57	54.9	50.0	4.9
2	53.7	53.7	0.012	0.21	6.57	58.2	50.0	8.2
3	67.5	67.4	0.018	0.31	6.58	60.2	50.0	10.2
4	81.7	81.6	0.024	0.41	6.59	62.4	50.0	12.4
5	91.5	91.4	0.030	0.51	6.59	63.9	50.0	13.9
6	99.5	99.4	0.035	0.60	6.60	65.1	50.0	15.1
7	106.8	106.6	0.041	0.70	6.61	66.1	50.0	16.1
8	113.1	112.9	0.047	0.81	6.61	67.1	50.0	17.1
9	119.9	119.7	0.053	0.91	6.62	68.1	50.0	18.1
10	125.5	125.3	0.059	1.01	6.63	68.9	50.0	18.9
11	148.2	147.9	0.082	1.40	6.65	72.2	50.0	22.2
12	187.2	186.8	0.117	2.00	6.69	77.9	50.0	27.9
13	237.3	236.8	0.146	2.50	6.73	85.2	50.0	35.2
14	308.6	307.9	0.175	3.00	6.76	95.5	50.0	45.5
15	489.1	488.2	0.234	4.01	6.83	121.5	50.0	71.5
16	571.2	570.1	0.292	5.00	6.90	132.6	50.0	82.6
17	547.9	546.6	0.351	6.01	6.98	128.3	50.0	78.3
18	519.7	518.2	0.409	7.01	7.05	123.5	50.0	73.5
19	512.4	510.7	0.467	8.00	7.13	121.6	50.0	71.6
20	503.9	501.9	0.526	9.01	7.21	119.6	50.0	69.6
21	505.0	502.8	0.584	10.00	7.29	119.0	50.0	69.0
22	512.2	509.8	0.642	11.00	7.37	119.2	50.0	69.2
23	514.2	511.6	0.701	12.01	7.45	118.6	50.0	68.6
24	513.4	510.6	0.759	13.00	7.54	117.7	50.0	67.7
25	501.0	497.9	0.818	14.01	7.63	115.3	50.0	65.3
26	494.9	491.6	0.876	15.00	7.72	113.7	50.0	63.7




Notes:  
 1. Deviator load corrected for membrane effects.  
 2. Right Cylinder Correction Method

# GeoTesting express

a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/5/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-315
Sample ID:	S-8
Depth, ft:	23.5-24.9
Visual Description:	Moist, dark olive gray clayey sand
Test No.:	UU1

## Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils by ASTM D 2850-03a



Initial Diameter, in:	2.87	Confining Stress, psi:	20
Initial Height, in:	6.01	Undrained Shear Strength, psi:	17.0
Height to Diameter Ratio:	2.09	Maximum Deviator Stress, psi:	33.9
Initial Mass, grams:	1285	Strain Rate, %/min:	1
Initial Bulk Density, pcf:	125.9	Strain at Failure, %:	11.5
Initial Moisture Content, %:	24.4		
Initial Dry Density, pcf:	101.2		
Initial Degree of Saturation:	138.2		
Initial Void Ratio:	0.68		
Measured Specific Gravity:	2.73		
Sample Type:	Tube		
Liquid Limit:	41		
Plastic Limit:	11		
Plasticity Index:	30		
% Passing #200 sieve:	35		
Soil Classification:	Clayey Sand		
Group Symbol:	SC		



Failure Sketch

Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422



# Unconsolidated Undrained Triaxial Compression Test

ASTM D2850

Project: *Calvert Cliffs Nuclear Power Plant*

Schnabel Contract: 06120048

Date: 10/26/2006

Boring No.: B-316

Depth: 43.5-45.5 ft.

Reviewed by: CJS

Elevation: 64.6 to 62.6

Confining Stress (psi): 30.0

Location: *Calvert County, MD*

Specimen Conditions	
Diameter (in.)	2.880
Height (in.)	5.839
Area (in <sup>2</sup> )	6.52
Moisture (%)	32.1
Weight (lbs)	2.82
$P_{wet}$ (pcf)	118.9
$P_{dry}$ (pcf)	90.0
Void Ratio	0.93
Saturation, %	96

Shear Testing Conditions	
Cell Pressure (psi)	30.0
Rate of Strain (%/min)	1.0


Specimen Type: *Tube Sample*

Axial Strain at Failure (%)	9.98
Compressive Strength (psi)	19.8
Major Principal Stress (psi)	49.8
Minor Principal Stress (psi)	30.0

Soil Description: *LEAN CLAY with sand (CL) - gray*

Liquid Limit:	44
Plasticity Index:	28
% finer than No. 200:	71.0
Specific Gravity:	2.79


Failure Sketch



Remarks:

Reading No.	Deviator Load (lbs)	Corrected Dev. Load <sup>1</sup> (lbs.)	Axial Displacement (in.)	Axial Strain (%)	Corrected Area <sup>2</sup> (in <sup>2</sup> )	$\sigma_1$ (psi)	$\sigma_3$ (psi)	Deviator Stress (psi)
Initial	0.0	0.0	0.000	0.00	6.52	30.0	30.0	0.0
1	8.1	8.1	0.006	0.10	6.52	31.2	30.0	1.2
2	16.6	16.6	0.011	0.19	6.53	32.5	30.0	2.5
3	20.1	20.0	0.017	0.29	6.53	33.1	30.0	3.1
4	23.0	22.9	0.023	0.39	6.54	33.5	30.0	3.5
5	25.3	25.2	0.029	0.50	6.55	33.8	30.0	3.8
6	27.8	27.5	0.035	0.60	6.56	34.2	30.0	4.2
7	30.0	29.8	0.041	0.70	6.56	34.5	30.0	4.5
8	32.5	32.3	0.046	0.79	6.57	34.9	30.0	4.9
9	34.2	34.0	0.052	0.89	6.57	35.2	30.0	5.2
10	36.5	36.3	0.058	0.99	6.58	35.5	30.0	5.5
11	47.8	47.3	0.087	1.49	6.61	37.1	30.0	7.1
12	60.4	60.0	0.116	1.99	6.65	39.0	30.0	9.0
13	74.5	74.0	0.146	2.50	6.68	41.1	30.0	11.1
14	87.3	86.6	0.175	3.00	6.72	42.9	30.0	12.9
15	106.3	105.4	0.233	3.99	6.79	45.5	30.0	15.5
16	117.6	116.5	0.292	5.00	6.86	47.0	30.0	17.0
17	130.2	128.9	0.350	5.99	6.93	48.6	30.0	18.6
18	137.8	136.3	0.408	6.99	7.01	49.5	30.0	19.5
19	136.8	135.1	0.467	8.00	7.08	49.1	30.0	19.1
20	139.1	137.1	0.525	8.99	7.16	49.2	30.0	19.2
21	145.2	143.0	0.583	9.98	7.24	49.8	30.0	19.8
22	148.1	145.7	0.642	10.99	7.32	49.9	30.0	19.9
23	149.2	146.6	0.700	11.99	7.40	49.8	30.0	19.8
24	153.9	151.1	0.759	13.00	7.49	50.2	30.0	20.2
25	157.4	154.4	0.817	13.99	7.58	50.4	30.0	20.4
26	157.2	153.9	0.875	14.99	7.66	50.1	30.0	20.1

Notes: 1. Deviator load corrected for membrane effects.  
2. Right Cylinder Correction Method




# GeoTesting express


a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/12/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-319
Sample ID:	S-10
Depth, ft:	33.5-35.5
Visual Description:	Moist, dark gray clay with sand
Test No.:	UU3

## Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils by ASTM D 2850-03a



Initial Diameter, in:	2.87	Confining Stress, psi:	25
Initial Height, in:	5.88	Undrained Shear Strength, psi:	10.1
Height to Diameter Ratio:	2.05	Maximum Deviator Stress, psi:	20.3
Initial Mass, grams:	1238	Strain Rate, %/min:	1
Initial Bulk Density, pcf:	124.0	Strain at Failure, %:	5.3
Initial Moisture Content, %:	25.0		
Initial Dry Density, pcf:	99.2		
Initial Degree of Saturation:	98.1		
Initial Void Ratio:	0.68		
Measured Specific Gravity:	2.67		
Sample Type:	Tube		
Liquid Limit:	49		
Plastic Limit:	12		
Plasticity Index:	37		
% Passing #200 sieve:	72		
Soil Classification:	Lean Clay		
Group Symbol:	CL		





Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422

# GeoTesting express


a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/12/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-319
Sample ID:	S-12
Depth, ft:	43.5-45.2
Visual Description:	Moist, dark gray clay
Test No.:	UU4

## Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils by ASTM D 2850-03a



Initial Diameter, in:	2.87	Confining Stress, psi:	30
Initial Height, in:	5.9	Undrained Shear Strength, psi:	12.0
Height to Diameter Ratio:	2.06	Maximum Deviator Stress, psi:	24.0
Initial Mass, grams:	1212	Strain Rate, %/min:	1
Initial Bulk Density, pcf:	121.0	Strain at Failure, %:	4.3
Initial Moisture Content, %:	32.2		
Initial Dry Density, pcf:	91.5		
Initial Degree of Saturation:	102.0		
Initial Void Ratio:	0.86		
Measured Specific Gravity:	2.73		
Sample Type:	Tube		
Liquid Limit:	58		
Plastic Limit:	13		
Plasticity Index:	45		
% Passing #200 sieve:	87		
Soil Classification:	Fat Clay		
Group Symbol:	CH		



Failure Sketch

Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422




# GeoTesting express

a subsidiary of Geocomp Corporation

Client:	Schnabel Engineering, Inc.
Project Name:	Subsurface Investigation Calvert Cliffs Nuclear PP
Project Location:	Calvert County, MD
GTX #:	6880
Test Date:	9/20/2006
Tested By:	md
Checked By:	jdt
Boring ID:	B-320
Sample ID:	S-13
Depth, ft:	48.5-50.0
Visual Description:	Moist, dark olive gray clay with sand
Test No.:	UU18

## Unconsolidated-Undrained Triaxial Compression Test on Cohesive Soils by ASTM D 2850-03a



Initial Diameter, in:	2.87	Confining Stress, psi:	30
Initial Height, in:	6.05	Undrained Shear Strength, psi:	12.7
Height to Diameter Ratio:	2.11	Maximum Deviator Stress, psi:	25.4
Initial Mass, grams:	1171	Strain Rate, %/min:	1
Initial Bulk Density, pcf:	114.0	Strain at Failure, %:	6.3
Initial Moisture Content, %:	30.8		
Initial Dry Density, pcf:	87.1		
Initial Degree of Saturation:	87.7		
Initial Void Ratio:	0.96		
Measured Specific Gravity:	2.74		
Sample Type:	Tube		
Liquid Limit:	59		
Plastic Limit:	19		
Plasticity Index:	40		
% Passing #200 sieve:	82		
Soil Classification:	Fat Clay with sand		
Group Symbol:	CH		



Notes: Moisture content obtained before shear from sample trimmings  
 Moisture Content determined by ASTM D 2216  
 Specific Gravity determined by ASTM D 854  
 Percent passing #200 sieve determined by ASTM D 422



# Unconsolidated Undrained Triaxial Compression Test

ASTM D2850

Project: Calvert Cliffs Nuclear Power Plant

Schnabel Contract: 06120048

Date: 10/26/2006

Boring No.: B-321

Depth: 23.5-25.5ft.

Reviewed by: CJS

Elevation: 47.2 to 45.2

Confining Stress (psi): 15.0

Location: Calvert County, MD

Specimen Conditions	
Diameter (in)	2.882
Height (in)	5.842
Area (in <sup>2</sup> )	6.53
Moisture (%)	29.2
Weight (lbs)	2.57
P <sub>wet</sub> (pcf)	116.7
P <sub>dry</sub> (pcf)	90.3
Void Ratio	0.93
Saturation %	88

Shear Testing Conditions	
Cell Pressure (psi):	15.0
Rate of Strain (%/min):	1.0


Specimen Type: Tube Sample

Axial Strain at Failure (%)	5.99
Compressive Strength (psi)	64.0
Major Principal Stress (psi)	79.0
Minor Principal Stress (psi)	15.0

Soil Description: LEAN CLAY (CL) - gray

Liquid Limit:	45
Plasticity Index:	27
% finer than No. 200:	99.7
Specific Gravity:	2.79


Failure Sketch



Remarks:

Reading No.	Deviator Load (lbs)	Corrected Dev. Load <sup>1</sup> (lbs.)	Axial Displacement (in.)	Axial Strain (%)	Corrected Area <sup>2</sup> (in <sup>2</sup> )	σ <sub>1</sub> (psi)	σ <sub>3</sub> (psi)	Deviator Stress (psi)
Initial	0.0	0.0	0.000	0.00	6.53	15.0	15.0	0.0
1	19.8	19.8	0.006	0.10	6.53	18.0	15.0	3.0
2	34.3	34.3	0.012	0.21	6.54	20.2	15.0	5.2
3	50.5	50.4	0.017	0.29	6.55	22.7	15.0	7.7
4	66.3	66.2	0.023	0.39	6.55	25.1	15.0	10.1
5	78.5	78.5	0.029	0.50	6.56	27.0	15.0	12.0
6	90.8	90.7	0.035	0.60	6.57	28.8	15.0	13.8
7	102.6	102.6	0.041	0.70	6.57	30.6	15.0	15.6
8	113.6	113.4	0.047	0.80	6.58	32.2	15.0	17.2
9	123.9	123.7	0.052	0.89	6.59	33.8	15.0	18.8
10	132.0	131.8	0.068	0.99	6.59	35.0	15.0	20.0
11	172.8	172.5	0.087	1.49	6.63	41.0	15.0	26.0
12	201.3	200.9	0.117	2.00	6.66	45.2	15.0	30.2
13	220.4	219.9	0.146	2.50	6.69	47.8	15.0	32.8
14	242.5	241.8	0.175	3.00	6.73	50.9	15.0	35.9
15	299.2	298.3	0.233	3.99	6.80	58.9	15.0	43.9
16	384.0	382.9	0.292	5.00	6.87	70.7	15.0	55.7
17	445.6	444.3	0.350	5.99	6.94	79.0	15.0	64.0
18	406.9	405.4	0.408	6.98	7.02	72.8	15.0	57.8
19	364.4	362.7	0.467	7.99	7.09	66.1	15.0	51.1
20	330.4	328.4	0.525	8.99	7.17	60.8	15.0	45.8
21	300.3	298.1	0.584	10.00	7.25	56.1	15.0	41.1
22	275.9	273.5	0.642	10.99	7.33	52.3	15.0	37.3
23	260.5	257.9	0.700	11.98	7.42	49.8	15.0	34.8
24	246.4	243.6	0.759	12.99	7.50	47.5	15.0	32.5
25	233.9	230.9	0.817	13.99	7.59	45.4	15.0	30.4
26	224.4	221.1	0.875	14.98	7.68	43.8	15.0	28.8

- Notes:
1. Deviator load corrected for membrane effects.
  2. Right Cylinder Correction Method





## Unconsolidated Undrained Triaxial Compression Test

Project: *Calvert Cliffs Nuclear Power Plant*

Location: *Clavert County, MD*

## ASTM D2850

Schnabel Contract: *06120048*

Boring No.: *B-323*

Depth: *83.5-84.8ft.*

Elevation: *24 to 22.7 ft*

Confining Stress (psi): *40.0*

Date: *11/27/2006*

Reviewed by: *CJS*

Specimen Conditions	
Diameter (in)	2.893
Height (in)	5.855
Area (in <sup>2</sup> )	6.57
Moisture (%)	36.2
Weight (lbs)	2.58
$P_{wet}$ (pcf)	115.0
$P_{dry}$ (pcf)	84.4
Void Ratio	1.04
Saturation, %	96

Shear Testing Conditions	
Cell Pressure (psi)	40.0
Rate of Strain (%/min)	1.0


Specimen Type: *Tube Sample*

Axial Strain at Failure (%): *2.99*  
 Compressive Strength (psi): *79.9*  
 Major Principal Stress (psi): *119.9*  
 Minor Principal Stress (psi): *40.0*

Soil Description: *LEAN CLAY (CL), contains shells - gray*


Liquid Limit: *42*  
 Plasticity Index: *22*  
 % finer than No. 200: *72.7*  
 Specific Gravity: *2.76*

Failure Sketch



Remarks:

Reading No.	Deviator Load (lbs)	Corrected Dev. Load <sup>1</sup> (lbs.)	Axial Displacement (in.)	Axial Strain (%)	Corrected Area <sup>2</sup> (in <sup>2</sup> )	$\sigma_1$ (psi)	$\sigma_3$ (psi)	Deviator Stress (psi)
Initial	0.0	0.0	0.000	0.00	6.57	40.0	40.0	0.0
1	30.7	30.7	0.005	0.09	6.58	44.7	40.0	4.7
2	48.5	48.5	0.011	0.19	6.59	47.4	40.0	7.4
3	61.0	60.9	0.017	0.29	6.59	49.2	40.0	9.2
4	73.2	73.1	0.023	0.39	6.60	51.1	40.0	11.1
5	81.8	81.7	0.029	0.50	6.61	52.4	40.0	12.4
6	92.4	92.3	0.035	0.60	6.61	54.0	40.0	14.0
7	102.2	102.1	0.040	0.88	6.62	55.4	40.0	15.4
8	111.4	111.2	0.047	0.80	6.63	56.8	40.0	16.8
9	121.3	121.1	0.052	0.89	6.63	58.3	40.0	18.3
10	131.1	130.9	0.058	0.99	6.64	59.7	40.0	19.7
11	207.4	207.1	0.087	1.49	6.67	71.0	40.0	31.0
12	333.1	332.7	0.116	1.98	6.71	89.6	40.0	49.6
13	472.3	471.8	0.145	2.48	6.74	110.0	40.0	70.0
14	541.9	541.2	0.175	2.99	6.78	119.9	40.0	79.9
15	507.0	506.1	0.233	3.98	6.85	113.9	40.0	73.9
16	425.6	424.5	0.291	4.97	6.92	101.4	40.0	61.4
17	394.7	393.4	0.350	5.98	6.99	96.3	40.0	56.3
18	368.7	367.2	0.408	6.97	7.07	92.0	40.0	52.0
19	359.8	358.1	0.468	7.99	7.14	90.1	40.0	50.1
20	355.7	353.7	0.525	8.97	7.22	89.0	40.0	49.0
21	347.4	345.2	0.583	9.96	7.30	87.3	40.0	47.3
22	342.3	339.9	0.643	10.98	7.38	86.0	40.0	46.0
23	345.7	343.1	0.700	11.95	7.47	86.0	40.0	46.0
24	347.0	344.2	0.758	12.95	7.55	85.6	40.0	45.6
25	344.2	341.2	0.817	13.95	7.64	84.7	40.0	44.7
26	347.3	344.0	0.876	14.95	7.73	84.5	40.0	44.5



Notes: <sup>1</sup> Deviator load corrected for membrane effects.

<sup>2</sup> Light Cylinder Correction Method