

**FINAL DATA REPORT
Revision 0
GEOTECHNICAL EXPLORATION AND TESTING
SUPPLEMENT 1
DOMINION POWER
NORTH ANNA NUCLEAR POWER STATION
NORTH ANNA 3 PROJECT
MINERAL, LOUISA COUNTY, VIRGINIA**

December 10, 2009

VOLUME 1

**APPENDIX B.2
SPT Energy Measurement Reports**

Prepared By:

**MACTEC ENGINEERING AND CONSULTING, INC.
RALEIGH, NORTH CAROLINA**

MACTEC PROJECT No. 6468-09-2473

Prepared For:

**Bechtel Power Corporation
Subcontractor No. 25161-500-HC4-CY00-00001**

North Anna 3 Project

MACTEC Project: 6468-09-2473

SPT Energy Report

Nov 16, 09



Engineering and constructing a better tomorrow

November 16, 2009

For Jon Honeycutt
With Permission

From: Jon Honeycutt, Staff Professional LC

Reviewed By: Steve Kiser, Principal Professional SK

Subject: **Report of SPT Energy – MACTEC CME-550x ATV
Hammer Serial No. MEC-05 Automatic Hammer
WORK INSTRUCTION No. 8 (DCN:NAP-077)
North Anna 3 Project
Louisa County, Virginia
MACTEC Project No. 6468-09-2473**

Jonathan Honeycutt, of MACTEC Engineering and Consulting, Inc. (MACTEC), performed energy measurements on the drill rig at the subject site per the referenced Work Instructions. This memorandum summarizes the field testing activities and presents the results of the energy measurements.

SPT Energy Field Measurements

SPT energy measurements were made on September 2, 2009, during drilling of Boring M-9 at the referenced site. The testing was performed by Jonathan Honeycutt from approximately 8:30 AM to 10:00 AM on September 2 under clear skies with a temperature of about 65 degrees Fahrenheit. The boring was drilled by MACTEC personnel using equipment from the MACTEC Atlanta office. The drilling equipment consisted of a CME-550x model ATV drill rig with an SPT automatic hammer. The drilling tools consisted of AW-J-sized drilling rods and a 2-foot long split-barrel sampler. Mud rotary drilling techniques were used to advance the boring at the time of energy testing. The drill rig operator during sampling was Mr. Ruben Landeros. Energy measurements were recorded during sampling at the depth intervals shown in Table 1.

The energy measurements were performed with a Pile Driving Analyzer (PDA) model PAX (Serial No. 3622L), and calibrated accelerometers (Serial Nos. K983 and K0686) and strain gages (Serial Nos. AW#75/1 and AW#75/2). A steel drill rod, 2 feet long and instrumented with dedicated strain gages, was inserted at the top of the drill rod string immediately below the automatic SPT hammer. The inserted rod was also instrumented with two piezoresistive accelerometers that were bolted to the outside of the rod. The instrumented rod was two feet below the hammer impact point and had a cross-sectional area of approximately 1.22 square inches and an outside diameter of approximately 1.75 inches at the gage location. The drill rods included in the drill rod string were hollow rods in 5 to 10 foot long sections, with an outside and inside diameter of approximately 1.75 and 1.375 inches, respectively. The recommended operation rate of the hammer is not known. Due to the closed hammer system, the hammer lubrication condition and anvil dimensions could not be observed.

18 Pages Total

MACTEC Engineering and Consulting, Inc.

2801 Yorkmont Road, Suite 100 • Charlotte, NC 28208 • Phone: 704.357.8600

www.mactec.com

Page 2 of 55
DCN#NAP299

Calibration Records

The calibration records for all the above are filed in DCN NAP-223.

Calculations for EFV

The work was done in accordance with ASTM D 4633-05. The strain and acceleration signals were converted to force and velocity by the PDA. The maximum energy transmitted to the drill rod string (EFV), as measured at the location of the strain gages and accelerometers, was calculated by the PDA using the equation shown below:

$$EFV = \int F(t) * V(t) * dt$$

Where: EFV = Transferred energy (EFV equation), or Energy of FV

F(t) = Calculated force at time t

V(t) = Calculated velocity at time t

As recommended by ASTM D4633-05, the force-velocity method of energy calculation was used. The equation shown above for calculating EFV, integrated over the complete wave event, measures the total energy content of the event using both force and velocity measurements. The EFV values associated with each blow analyzed are tabulated in the attached PDILOT tables and are also shown graphically in the PDILOT charts.

Calculations for ETR

The ratio of the measured transferred energy (EFV) to the theoretical potential energy of the SPT system (140 lb weight with the specified 30 inch fall) is the ETR. The ETR values (as percent of the theoretical value) are shown in Table 1.

Comparison of ETR to Typical Energy Transfer Ratio Range

Based on a research report published by the Florida Department of Transportation (FDOT) (Report WPI No. 0510859, 1999), the average ETR measured for automatic hammers is 79.6%. The standard deviation was 7.9%; therefore, the range of ETRs within one standard deviation of the average was reported to be 71.7% to 87.5%. This range of ETRs was also consistent with other research that was cited in the FDOT research paper; however, maximum and minimum ETR values of up to 98% and 56%, respectively, were reported in the literature. The ETR values shown in Table 1 are generally within the range of typical values for automatic hammers as reported in the literature.

Discussion

Based on the field testing results, observations from the SPT energy measurements are summarized below:

- The data obtained by the PDA are generally consistent between individual hammer blows and between the sample depths tested. In general, the first and last one (and sometimes two or more) hammer blow records recorded by the PDA produced poor quality data (which is relatively common) and, as such, the record(s) was(were) not

used in the data reduction. This may result in more or less hammer blows evaluated for ETR than what is shown on the boring logs.

- The average energy transferred from the hammer to the drill rods for each individual depth interval using the EFV method ranged from 280 foot-pounds to 298 foot-pounds. These average energy transfers correspond to energy transfer ratios (ETR) of 80.0% to 85.1% of the theoretical energy (350 foot-pounds) of the SPT hammer.
- The average at each depth interval was calculated as the transferred energy for each analyzed blow of the depth intervals divided by the total number of hammer blows analyzed. The overall average energy transfer of the SPT system (for all the depth intervals tested) was 291.2 foot-pounds, with an average ETR of 83.2%.

Attachments: Page 4 Table 1 - Summary of SPT Energy Measurements – 1 Page
Pages 5 – 6 Work Instruction No. 8 DCN:NAP 077 – 2 Pages (without attachments)
Page 7 Record of SPT Energy Measurement – 1 Page
Pages 8 – 17 PDILOT Output – 10 Pages
Page 18 Force-Velocity Plot – 1 Page

TABLE 1
SUMMARY OF SPT ENERGY MEASUREMENTS (ASTM D4633-05)

North Anna 3 Project
 Louisa County, Virginia
 MACTEC Project No. 6468-09-2473

Automatic Hammer Serial Number and Rig Model	Rig Owner	Rig Operator	Boring No. Tested	Date Tested	Drill Rod Size	Sample Depth (feet)	SPT Blow Count (blows per six inches)	No. of Blows Analyzed	Average Measured Energy (Average EFV) (ft-lbs) ^a	Energy Transfer Ratio (%) ^b (Average ETR)
MEC-05 (CME-550x ATV)	MACTEC Atlanta	Ruben Landeros	M-9	9/2/2009	AW-J	15.4 - 16.9	4 - 5 - 4	16	290	82.9%
						17.9 - 19.4	5 - 6 - 6	17	295	84.3%
						22.9 - 24.4	5 - 6 - 6	19	295	84.3%
						27.8 - 29.3	5 - 7 - 7	19	298	85.1%
						32.8 - 34.3	5 - 8 - 8	22	280	80.0%
Average for Rig:							291.2	83.2%		

^aMeasured Energy is energy based on the EFV method, as outlined in ASTM D4633-05, for each blow recorded by the PDA. In some cases, the initial and final one to two blows produced poor quality data, and were not used to calculate the Average Measured Energy. This may result in more or less blows evaluated for ETR than what is shown on the boring logs.

EFV = EMX * 1000 lbs/kip, where EMX equals the maximum transferred energy measured by the PDA (see attached PDA data).

^bEnergy Transfer Ratio is the Measured Energy divided by the theoretical SPT energy of 350 foot-pounds (140 pound hammer falling 2.5 feet).

The average EFV and ETR values may differ slightly and insignificantly from those in the PDILOT tables due to roundoff.

Prepared By: <u>LC</u>	Date: <u>11-16-09</u>	Checked By: <u>SLK</u>	Date: <u>11-16-09</u>
------------------------	-----------------------	------------------------	-----------------------

For Jon Honeysuckle
 With Permission

Work Instruction No. 8
North Anna 3 Project
MACTEC Engineering and Consulting, Inc.
Project Number: 6468-09-2473

Issued To: Jonathan Honeycutt, Steve Kiser Rev. No. 0
Issued By: D. Steven Copley, P.E. DSC 8-31-09 Date: August 31, 2009
Valid From: August 31, 2009 To: August 31, 2010

Task Description: Perform SPT Energy Measurements

Applicable Technical Procedures or Plans, or other reference:

1. Geotechnical Work Plan (complete copy of current revision available at Field Office), Section 4.2 and Attachment 2 – Drilling and Sampling Procedures (attached)
2. Engineering Specification for Subsurface Investigation and Laboratory Testing, No. 25161-500-3PS-CY00-Q0001, Rev. 000, Issued for use August 21, 2009, Section 3.3 Drilling Equipment (attached)
3. ASTM D 4633-05 (attached)

Specific Instructions (note attachments where necessary): Perform energy measurements for each drill rig on site in general accordance with ASTM D 4633-05. Consult with Site Manager as to schedule for performing the measurements. Hammer weights have been checked, and records will be available on site. All rigs are using automatic hammer systems. Confirm that automatic hammer system is being operated within manufacturer's recommendations or in a typical operating fashion as observed from watching one or two SPT measurements prior to measuring energy. Check each drill rig using all hammer/rod combinations that it will be using. Depths for measurements should be coordinated with the Site Manager. See Site Manager for current boring logs of holes drilled, if available, and use these to plan most effective field measurement program. Submit copies of calibration records for equipment to Principal Professional for review prior to beginning work on site.

Confirm with Site Manager that approval of equipment calibration records have been received prior to beginning field testing. If unexpected conditions are encountered that affect measurements, contact Site Manager or Principal Professional immediately.

Report Format: Prepare standard report in accordance with ASTM D 4633-05 requirements.

Specific Quality Assurance Procedures Applicable: 10CFR21; NQAP 16-01 Procedure For Conforming To Federal Regulation 10CFR21; QAP 20-1; QAP 25-1; Section 306 of the Energy Reorganization Act of 1974. Current revisions apply; copies available in Field Office.

Hold Points or Witness Points: None

Records: All records generated shall be considered QA Records.

Reviewed and Approved By (Note: Only one signature required for issuance):

Project Manager: _____ Date: _____

Principal Professional: D. Aaron Copley Date: 8-31-09

Site Manager: _____ Date: _____

No. of Pages: 15

DCN: NAP077

QA Form 24-1 Revised 8/12/2009

2801 YORKMONT ROAD, SUITE 100 □ CHARLOTTE, NC 28208
Telephone: (704) 357-8600 / Facsimile: (704) 357-8638

RECORD OF SPT ENERGY MEASUREMENT

GENERAL INFORMATION		DRILL RIG DATA	
PROJECT:	North Anna 3 Project	MAKE:	CME
LOCATION:	Virginia	MODEL:	550X A+V
PROJECT NO.:	6468-09-2473	SERIAL NO.:	MEC-05
DATE:	9/2/2009	HAMMER TYPE:	AUTO
WEATHER:	65°F Sunny	ROPE CONDITION:	N/A
INSPECTOR:	JWH	ROD SIZE:	AW-J
DRILLING COMPANY:	MACTEC -	NO. OF SHEAVES:	N/A

BORING DATA	
BORING NUMBER:	M-9
DEPTH DRILLED:	Various
TIME DRIVEN:	8:30 AM - 10:00 AM
RIG OPERATOR:	R. BANDERUS
HAMMER OPERATOR:	N/A
PDA PAK SERIAL NO.:	3622L
INSTR. ROD AREA:	1-22 in 2
ACCEL. SERIAL NOS.:	A1- K983 A2- K6686
STRAIN SERIAL NOS.:	75 AW # 1/2

[illegible]

REMARKS: Testing performed in accordance with
ASTM D 4633-05

Reviewed By:

Page 8 of 55 ^{K.F.}

DCN#NAP299


DCN NAP306

PDIPLOT Ver. 2008.2 - Printed: 5-Oct-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M9 (15.4' - 16.9' sample)



NORTH ANNA 3 Project - BORING M9 (15.4' - 16.9' sample)
OP: JNH

Rig Serial No. MEC-05; CME 550 X (R.Landerous)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 21.00 ft
WS: 16,807.9 f/s

SP: 0.492 k/f³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	21.1	8.2	14.7	26	0.8	1.9	0.219	86.2	0.302
3	21.6	9.2	14.3	26	0.8	55.9	0.199	82.6	0.289
4	19.8	10.9	14.0	24	0.8	52.9	0.206	87.6	0.307
5	21.6	9.1	14.3	26	0.8	53.5	0.203	84.8	0.297
6	18.8	9.6	13.3	23	0.8	54.0	0.204	84.1	0.294
7	20.1	8.2	14.1	25	0.8	53.4	0.199	81.6	0.286
8	21.1	9.7	13.7	26	0.9	54.7	0.194	82.0	0.287
9	18.9	8.3	13.1	23	0.8	53.5	0.196	80.2	0.281
10	18.8	7.8	13.2	23	0.8	54.2	0.196	78.3	0.274
11	20.0	7.5	13.9	24	0.8	53.2	0.196	77.3	0.270
12	18.8	9.0	13.9	23	0.8	52.7	0.200	81.8	0.286
13	21.3	9.4	14.2	26	0.8	53.1	0.199	81.1	0.284
14	20.6	8.7	14.2	25	0.8	53.2	0.198	83.2	0.291
15	19.4	8.8	13.7	24	0.8	53.2	0.198	81.7	0.286
16	21.2	7.6	14.3	26	0.8	53.1	0.201	86.3	0.302
17	21.4	7.7	13.8	26	0.9	53.9	0.200	85.6	0.300
Average	20.3	8.7	13.9	25	0.8	50.4	0.200	82.8	0.290

Total number of blows analyzed: 16

Time Summary

Drive 42 seconds


8:49:27 AM - 8:50:09 AM (9/2/2009) BN 1 - 17

PDIPLOT Ver. 2008.2 - Printed: 5-Oct-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M9 (17.9' - 19.4' sample)



NORTH ANNA 3 Project - BORING M9 (17.9' - 19.4' sample)
OP: JNH

Rig Serial No. MEC-425; CME 550 X (R.Landerous)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 23.40 ft
WS: 16,807.9 f/s

SP: 0.492 k/ft³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	20.0	8.1	14.4	24	0.5	1.9	0.198	83.6	0.293
3	18.6	7.7	15.3	23	0.7	53.0	0.190	85.4	0.299
4	16.3	8.5	15.4	20	0.6	53.3	0.189	81.7	0.286
5	17.7	8.0	15.1	22	0.5	53.4	0.198	86.7	0.304
6	17.1	8.0	15.4	21	0.5	53.6	0.194	83.0	0.291
7	16.1	8.2	16.2	20	0.6	53.5	0.190	80.6	0.282
8	17.6	8.1	15.1	21	0.7	54.1	0.184	81.9	0.286
9	18.5	6.9	15.3	23	0.5	54.0	0.191	82.8	0.290
10	17.5	7.5	15.8	21	0.5	53.7	0.187	81.5	0.285
11	17.6	7.3	15.6	22	0.5	52.8	0.190	83.3	0.292
12	16.3	8.1	16.3	20	0.6	53.2	0.184	83.1	0.291
13	18.9	7.2	14.2	23	0.7	53.3	0.191	84.9	0.297
14	18.6	6.9	15.2	23	0.5	52.6	0.195	88.4	0.310
15	16.1	7.5	16.4	20	0.5	53.8	0.190	84.9	0.297
16	18.5	7.1	15.0	23	0.5	53.1	0.193	84.5	0.296
17	18.5	7.5	15.2	23	0.7	53.3	0.189	88.3	0.309
18	18.4	6.3	14.9	22	0.5	53.5	0.188	86.9	0.304
Average	17.8	7.6	15.3	22	0.6	50.4	0.191	84.2	0.295

Total number of blows analyzed: 17

Time Summary

Drive 26 seconds


9:04:01 AM - 9:04:27 AM (9/2/2009) BN 1 - 18

PDIPLOT Ver. 2008.2 - Printed: 5-Oct-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M9 (22.9' - 24.4' sample)



NORTH ANNA 3 Project - BORING M9 (22.9' - 24.4' sample)
OP: JNH

Rig Serial No. MEC-05; CME 550 X (R.Landerous)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 28.40 ft
WS: 16,807.9 f/s

SP: 0.492 k/ft³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	18.8	10.5	14.8	23	0.6	1.9	0.218	86.1	0.301
3	18.6	10.5	15.6	23	0.7	53.7	0.214	87.5	0.306
4	17.7	8.8	14.6	22	0.6	53.8	0.214	86.4	0.302
5	18.1	9.7	15.7	22	0.6	53.5	0.208	86.6	0.303
6	17.7	9.4	14.5	22	0.6	53.4	0.215	84.7	0.296
7	18.9	10.5	15.2	23	0.7	54.0	0.210	83.8	0.293
8	18.5	10.5	15.0	23	0.7	54.0	0.203	82.8	0.290
9	16.3	9.9	15.4	20	0.6	52.6	0.214	85.5	0.299
10	18.2	8.7	14.2	22	0.6	54.0	0.210	84.8	0.297
11	16.8	9.1	14.8	20	0.6	54.3	0.197	77.8	0.272
12	17.8	7.9	15.1	22	0.7	53.2	0.199	83.8	0.293
13	18.3	8.3	13.5	22	0.6	53.9	0.202	82.3	0.288
14	18.2	7.6	14.5	22	0.7	52.9	0.199	84.3	0.295
15	17.6	7.7	15.6	21	0.6	53.9	0.199	83.0	0.291
16	16.4	7.4	14.8	20	0.6	53.0	0.205	84.1	0.294
17	18.1	7.2	14.7	22	0.7	53.1	0.201	85.1	0.298
18	17.9	6.7	13.7	22	0.6	53.4	0.205	84.6	0.296
19	17.6	7.7	15.1	21	0.5	53.0	0.211	86.7	0.303
20	15.9	7.2	15.4	19	0.6	53.8	0.200	83.4	0.292
Average	17.8	8.7	14.9	22	0.6	50.8	0.207	84.4	0.295

Total number of blows analyzed: 19

Time Summary

Drive 31 seconds


9:20:31 AM - 9:21:02 AM (9/2/2009) BN 1 - 20

PDILOT Ver. 2008.2 - Printed: 5-Oct-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M9 (27.8' - 29.3' sample)



NORTH ANNA 3 Project - BORING M9 (27.8' - 29.3' sample)
OP: JNH

Rig Serial No. MEC-05; CME 550 X (R.Landerous)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 34.40 ft
WS: 16,807.9 f/s

SP: 0.492 k/ft³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	18.7	12.4	16.0	23	0.6	1.9	0.224	84.7	0.297
3	20.1	11.5	14.6	24	0.8	53.8	0.222	83.9	0.294
4	19.7	11.6	14.8	24	0.7	53.1	0.218	83.5	0.292
5	17.1	10.5	15.3	21	0.6	54.3	0.209	82.2	0.288
6	19.8	10.5	13.5	24	0.8	53.3	0.217	82.3	0.288
7	16.2	10.5	15.3	20	0.6	53.4	0.213	89.4	0.313
8	19.8	9.9	14.2	24	0.5	52.8	0.223	86.8	0.304
9	19.9	9.3	13.8	24	0.8	53.8	0.218	84.4	0.296
10	17.5	10.1	15.5	21	0.6	52.3	0.221	86.0	0.301
11	19.1	10.7	14.4	23	0.5	54.3	0.218	85.9	0.301
12	18.9	10.5	15.3	23	0.7	53.4	0.215	87.9	0.308
13	19.3	10.1	14.6	24	0.5	53.4	0.217	88.4	0.309
14	16.5	9.6	15.4	20	0.6	53.6	0.212	83.6	0.293
15	16.4	8.9	15.4	20	0.6	53.1	0.213	82.6	0.289
16	19.0	9.6	14.9	23	0.7	54.1	0.210	84.3	0.295
17	16.9	9.7	15.1	21	0.6	53.7	0.212	83.8	0.293
18	16.6	9.1	15.5	20	0.6	52.9	0.213	86.8	0.304
19	19.3	9.3	14.7	24	0.7	53.2	0.213	88.3	0.309
20	17.9	9.4	15.6	22	0.6	52.7	0.214	84.6	0.296
Average	18.4	10.2	14.9	22	0.6	50.7	0.216	85.2	0.298

Total number of blows analyzed: 19

Time Summary

Drive 44 seconds


9:36:26 AM - 9:37:10 AM (9/2/2009) BN 1 - 21

PDIPLOT Ver. 2008.2 - Printed: 5-Oct-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M9 (32.8' - 34.3' sample)



NORTH ANNA 3 Project - BORING M9 (32.8' - 34.3' sample)
OP: JNH

Rig Serial No. MEC-05; CME 550 X (R.Landerous)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 38.30 ft
WS: 16,807.9 f/s

SP: 0.492 k/ft³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	18.0	10.9	14.3	22	0.8	1.9	0.222	79.0	0.276
3	18.3	11.7	14.5	22	0.8	53.0	0.231	79.2	0.277
4	19.9	11.3	14.3	24	1.0	54.0	0.230	79.6	0.278
5	20.5	11.6	13.6	25	0.9	52.2	0.238	82.4	0.289
6	19.9	11.9	13.5	24	0.9	53.2	0.241	82.7	0.289
7	20.0	11.4	15.5	24	0.9	54.0	0.234	80.1	0.280
8	18.3	11.3	14.7	22	0.9	53.1	0.240	80.9	0.283
9	19.8	11.2	15.2	24	0.9	53.6	0.236	81.1	0.284
10	20.3	10.9	14.0	25	1.0	54.2	0.235	78.2	0.274
11	17.8	9.9	14.3	22	0.9	54.0	0.231	77.9	0.273
12	19.9	10.0	14.5	24	1.0	53.0	0.235	80.9	0.283
13	18.2	10.2	14.5	22	0.8	53.7	0.236	78.6	0.275
14	19.4	10.6	13.9	24	0.9	53.0	0.231	79.2	0.277
15	17.9	10.2	13.9	22	0.8	53.5	0.228	79.8	0.279
16	20.0	10.8	14.2	24	1.0	52.6	0.238	81.7	0.286
17	18.4	10.5	14.0	22	0.9	52.9	0.235	83.6	0.293
18	17.7	9.6	13.4	22	0.8	54.3	0.231	78.8	0.276
19	19.5	10.0	13.0	24	1.0	53.2	0.230	80.0	0.280
20	18.7	8.9	12.9	23	0.8	53.6	0.229	78.5	0.275
21	19.4	8.9	12.8	24	1.0	52.9	0.232	79.3	0.278
22	18.4	9.8	13.0	22	0.8	53.4	0.228	79.2	0.277
23	19.5	10.3	13.2	24	0.9	52.3	0.232	82.3	0.288
Average	19.1	10.5	14.0	23	0.9	51.0	0.233	80.1	0.280

Total number of blows analyzed: 22


Time Summary

Drive 36 seconds

9:50:03 AM - 9:50:39 AM (9/2/2009) BN 1 - 23

Project: NORTH ANNA 3
Pile: BORING M9(17.9-19.4) - Description: CME 550X(R.LANDEROUS)
Operator: JNH

BN 13
9/2/2009 9:04:21 AM



LP	0.00 ft	LE	23.40 ft
CSX	18.9 ksi	AR	1.22 in^2
CSI	19.5 ksi	EM	30,000.0 ksi
TSX	7.2 ksi	SP	0.492 k/ft3
EMX	0.3 k-ft	WS	16,807.9 f/s
STK	4.80 ft	WC	16,807.9 f/s
FVP	0.75 []	JC	0.70 []
SFR	3 kips	2L/c	2.78 ms
RX5	8 kips	EA/c	2.2 ksec/ft
RMX	6 kips	FR	5.000 kHz



Engineering and constructing a better tomorrow

November 16, 2009

For Jon Honeycutt
With Permission

From: Jon Honeycutt, Staff Professional J.C.

Reviewed By: Steve Kiser, Principal Professional SK

Subject: **Report of SPT Energy – MACTEC CME-45c Track
Hammer Serial No. MEC-12 Automatic Hammer
WORK INSTRUCTION No. 8 (DCN:NAP-077)**
North Anna 3 Project
Louisa County, Virginia
MACTEC Project No. 6468-09-2473

Jonathan Honeycutt, of MACTEC Engineering and Consulting, Inc. (MACTEC), performed energy measurements on the drill rig at the subject site per the referenced Work Instructions. This memorandum summarizes the field testing activities and presents the results of the energy measurements.

SPT Energy Field Measurements

SPT energy measurements were made on September 2, 2009, during drilling of Boring M-8 at the referenced site. The testing was performed by Jonathan Honeycutt from approximately 11:20 AM to 12:50 PM on September 2 under clear skies with a temperature of about 65 degrees Fahrenheit. The boring was drilled by MACTEC personnel using equipment from the MACTEC Raleigh office. The drilling equipment consisted of a CME 45c model track drill rig with an SPT automatic hammer. The drilling tools consisted of AW-J-sized drilling rods and a 2-foot long split-barrel sampler. Mud rotary drilling techniques were used to advance the boring at the time of energy testing. The drill rig operator during sampling was Mr. Donnie Rhodes. Energy measurements were recorded during sampling at the depth intervals shown in Table 1.

The energy measurements were performed with a Pile Driving Analyzer (PDA) model PAX (Serial No. 3622L), and calibrated accelerometers (Serial Nos. K983 and K0686) and strain gages (Serial Nos. AW#75/1 and AW#75/2). A steel drill rod, 2 feet long and instrumented with dedicated strain gages, was inserted at the top of the drill rod string immediately below the SPT hammer. The inserted rod was also instrumented with two piezoresistive accelerometers that were bolted to the outside of the rod. The instrumented rod was two feet below the hammer impact point and had a cross-sectional area of approximately 1.22 square inches and an outside diameter of approximately 1.75 inches at the gage location. The drill rods included in the drill rod string were hollow rods in 5 to 10 foot long sections, with an outside and inside diameter of approximately 1.75 and 1.375 inches, respectively. The recommended operation rate of the hammer is not known. Due to the closed hammer system, the hammer lubrication condition and anvil dimensions could not be observed.

18 Pages Total

MACTEC Engineering and Consulting, Inc.

2801 Yorkmont Road, Suite 100 • Charlotte, NC 28208 • Phone: 704.357.8600

www.mactec.com

Page 20 of 55
DCN#NAP299

Calibration Records

The calibration records for all the above are filed in DCN NAP-223.

Calculations for EFV

The work was done in accordance with ASTM D 4633-05. The strain and acceleration signals were converted to force and velocity by the PDA. The maximum energy transmitted to the drill rod string (EFV), as measured at the location of the strain gages and accelerometers, was calculated by the PDA using the equation shown below:

$$EFV = \int F(t) * V(t) * dt$$

Where: EFV = Transferred energy (EFV equation), or Energy of FV

F(t) = Calculated force at time t

V(t) = Calculated velocity at time t

As recommended by ASTM D4633-05, the force-velocity method of energy calculation was used. The equation shown above for calculating EFV, integrated over the complete wave event, measures the total energy content of the event using both force and velocity measurements. The EFV values associated with each blow analyzed are tabulated in the attached PDILOT tables and are also shown graphically in the PDILOT charts.

Calculations for ETR

The ratio of the measured transferred energy (EFV) to the theoretical potential energy of the SPT system (140 lb weight with the specified 30 inch fall) is the ETR. The ETR values (as percent of the theoretical value) are shown in Table 1.

Comparison of ETR to Typical Energy Transfer Ratio Range

Based on a research report published by the Florida Department of Transportation (FDOT) (Report WPI No. 0510859, 1999), the average ETR measured for automatic hammers is 79.6%. The standard deviation was 7.9%; therefore, the range of ETRs within one standard deviation of the average was reported to be 71.7% to 87.5%. This range of ETRs was also consistent with other research that was cited in the FDOT research paper; however, maximum and minimum ETR values of up to 98% and 56%, respectively, were reported in the literature. The ETR values shown in Table 1 are generally within the range of typical values for automatic hammers as reported in the literature.

Discussion

Based on the field testing results, observations from the SPT energy measurements are summarized below:

- The data obtained by the PDA are generally consistent between individual hammer blows and between the sample depths tested. In general, the first and last one (and sometimes two or more) hammer blow records recorded by the PDA produced poor quality data (which is relatively common) and, as such, the record(s) was(were) not

used in the data reduction. This may result in more or less hammer blows evaluated for ETR than what is shown on the boring logs.

- The average energy transferred from the hammer to the drill rods for each individual depth interval using the EFV method ranged from 292 foot-pounds to 305 foot-pounds. These average energy transfers correspond to energy transfer ratios (ETR) of 83.4% to 87.1% of the theoretical energy (350 foot-pounds) of the SPT hammer.
- The average at each depth interval was calculated as the transferred energy for each analyzed blow of the depth intervals divided by the total number of hammer blows analyzed. The overall average energy transfer of the SPT system (for all the depth intervals tested) was 297.1 foot-pounds, with an average ETR of 84.9%.

Attachments: Page 4 Table 1 - Summary of SPT Energy Measurements – 1 Page
Pages 5 - 6 Work Instruction No. 8 DCN:NAP 077– 2 Pages (without attachments)
Page 7 Record of SPT Energy Measurement – 1 Page
Pages 8 – 17 PDILOT Output – 10 Pages
Page 18 Force-Velocity Plot – 1 Page

TABLE 1
SUMMARY OF SPT ENERGY MEASUREMENTS (ASTM D4633-05)

North Anna 3 Project
 Louisa County, Virginia
 MACTEC Project No. 6468-09-2473

Automatic Hammer Serial Number and Rig Model	Rig Owner	Rig Operator	Boring No. Tested	Date Tested	Drill Rod Size	Sample Depth (feet)	SPT Blow Count (blows per six inches)	No. of Blows Analyzed	Average Measured Energy (Average EFV) (ft-lbs) ^a	Energy Transfer Ratio (%) ^b (Average ETR)
MEC-12 (CME-45c Track)	MACTEC Raleigh	Donnie Rhodes	M-8	9/2/2009	AW-J	23.7 - 25.2	19 - 17 - 16	52	293	83.7%
						28.7 - 30.2	4 - 6 - 11	21	292	83.4%
						33.7 - 35.2	4 - 7 - 7	18	293	83.7%
						38.7 - 40.2	5 - 8 - 11	24	300	85.7%
						43.7 - 45.2	13 - 14 - 15	41	305	87.1%
Average for Rig:							297.1	84.9%		

^aMeasured Energy is energy based on the EFV method, as outlined in ASTM D4633-05, for each blow recorded by the PDA. In some cases, the initial and final one to two blows produced poor quality data, and were not used to calculate the Average Measured Energy. This may result in more or less blows evaluated for ETR than what is shown on the boring logs.

EFV = EMX * 1000 lbs/kip, where EMX equals the maximum transferred energy measured by the PDA (see attached PDA data).

^bEnergy Transfer Ratio is the Measured Energy divided by the theoretical SPT energy of 350 foot-pounds (140 pound hammer falling 2.5 feet).

The average EFV and ETR values may differ slightly and insignificantly from those in the PDILOT tables due to roundoff.

Prepared By: <u>LC</u>	Date: <u>11-16-09</u>	Checked By: <u>(Signature)</u>	Date: <u>11-16-09</u>
------------------------	-----------------------	--------------------------------	-----------------------

For (Signature)
 With Permission

Work Instruction No. 8
North Anna 3 Project
MACTEC Engineering and Consulting, Inc.
Project Number: 6468-09-2473

Issued To: Jonathan Honeycutt, Steve Kiser Rev. No. 0
Issued By: D. Steven Copley, P.E. DSC 8-31-09 Date: August 31, 2009
Valid From: August 31, 2009 To: August 31, 2010

Task Description: Perform SPT Energy Measurements

Applicable Technical Procedures or Plans, or other reference:

1. Geotechnical Work Plan (complete copy of current revision available at Field Office), Section 4.2 and Attachment 2 – Drilling and Sampling Procedures (attached)
2. Engineering Specification for Subsurface Investigation and Laboratory Testing, No. 25161-500-3PS-CY00-Q0001, Rev. 000, Issued for use August 21, 2009, Section 3.3 Drilling Equipment (attached)
3. ASTM D 4633-05 (attached)

Specific Instructions (note attachments where necessary): Perform energy measurements for each drill rig on site in general accordance with ASTM D 4633-05. Consult with Site Manager as to schedule for performing the measurements. Hammer weights have been checked, and records will be available on site. All rigs are using automatic hammer systems. Confirm that automatic hammer system is being operated within manufacturer's recommendations or in a typical operating fashion as observed from watching one or two SPT measurements prior to measuring energy. Check each drill rig using all hammer/rod combinations that it will be using. Depths for measurements should be coordinated with the Site Manager. See Site Manager for current boring logs of holes drilled, if available, and use these to plan most effective field measurement program. Submit copies of calibration records for equipment to Principal Professional for review prior to beginning work on site.

Confirm with Site Manager that approval of equipment calibration records have been received prior to beginning field testing. If unexpected conditions are encountered that affect measurements, contact Site Manager or Principal Professional immediately.

Report Format: Prepare standard report in accordance with ASTM D 4633-05 requirements.

Specific Quality Assurance Procedures Applicable: 10CFR21; NQAP 16-01 Procedure For Conforming To Federal Regulation 10CFR21; QAP 20-1; QAP 25-1; Section 306 of the Energy Reorganization Act of 1974. Current revisions apply; copies available in Field Office.

Hold Points or Witness Points: None

Records: All records generated shall be considered QA Records.

Reviewed and Approved By (Note: Only one signature required for issuance):

Project Manager: _____ Date: _____


Principal Professional: D. Aaron Copley Date: 8-31-09

Site Manager: _____ Date: _____

No. of Pages: 15

DCN: NAP077

QA Form 24-1 Revised 8/12/2009



GENERAL INFORMATION		DRILL RIG DATA	
PROJECT:	North Anna 3 Project	MAKE:	CME
LOCATION:	Virginia	MODEL:	45C TRACK
PROJECT NO.:	6468-09-2473	SERIAL NO.:	MEC-13.12 SK 11-16-09
DATE:	9/2/2009	HAMMER TYPE:	AUTO
WEATHER:	Sunny 65°F	ROPE CONDITION:	N/A
INSPECTOR:	JNH	ROD SIZE:	AW-J
DRILLING COMPANY:	MACTEC - Raleigh	NO. OF SHEAVES:	N/A

BORING DATA		BORING DATA	
BORING NUMBER:	M-8		
DEPTH DRILLED:	Various		
TIME DRIVEN:	11:20 AM ~ 12:50 PM		
RIG OPERATOR:	D. RHODES		
HAMMER OPERATOR:	N/A		
PDA PAK SERIAL NO.:	3622L		
INSTR. ROD AREA:	1.22 in ²		
ACCEL. SERIAL NOS.:	41-4983 : 42-40686		
STRAIN SERIAL NOS.:	25AW #113		

[illegible]

Reviewed By:


REV. C

PDIPLOT Ver. 2008.1 - Printed: 16-Nov-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M-8 (23.7' - 25.2' sample)



NORTH ANNA 3 Project - BORING M-8 (23.7' - 25.2' sample)
OP: JNH

Rig Serial No. MEC-12; CME-45c Track (D. RHODES)
Test date: 2-Sep-2009

AR: 1.22 in^2
LE: 29.20 ft
WS: 16,807.9 f/s

SP: 0.492 k/f3
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F^2
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	19.2	12.6	14.0	23	0.8	1.9	0.291	94.2	0.330
3	20.8	12.6	14.0	25	0.8	58.1	0.277	82.2	0.288
4	19.0	10.1	12.6	23	0.8	56.8	0.273	83.3	0.291
5	19.6	11.4	14.0	24	0.8	56.7	0.267	81.1	0.284
6	20.0	11.6	14.3	24	0.8	56.3	0.267	80.8	0.283
7	20.3	10.5	13.4	25	0.9	56.2	0.272	82.8	0.290
8	20.0	9.8	13.5	24	0.8	56.3	0.272	83.0	0.290
9	18.8	8.9	12.6	23	0.8	56.3	0.268	81.5	0.285
10	19.6	9.3	13.3	24	0.8	56.3	0.270	80.9	0.283
11	19.6	11.0	14.2	24	0.8	56.2	0.266	82.0	0.287
12	18.7	10.6	13.6	23	0.8	56.4	0.267	80.9	0.283
13	19.9	8.7	13.7	24	0.8	56.4	0.266	81.1	0.284
14	18.2	9.7	13.7	22	0.7	56.4	0.264	82.1	0.287
15	19.9	8.6	13.7	24	0.8	56.3	0.267	79.8	0.279
16	20.0	8.6	14.0	24	0.8	56.4	0.270	81.4	0.285
17	19.8	8.3	14.2	24	0.8	56.3	0.266	86.4	0.302
18	18.4	8.0	12.5	22	0.8	56.5	0.266	82.4	0.289
19	17.5	8.3	12.6	21	0.8	56.3	0.270	81.5	0.285
20	17.9	8.4	12.9	22	0.8	56.4	0.264	82.6	0.289
21	18.9	8.7	13.9	23	0.8	56.3	0.268	80.5	0.282
22	19.7	9.0	13.9	24	0.8	56.4	0.265	85.4	0.299
23	19.9	9.0	14.4	24	0.8	56.5	0.263	83.5	0.292
24	20.1	9.4	14.6	24	0.8	56.4	0.266	81.7	0.286
25	19.4	8.6	13.3	24	0.8	56.4	0.269	82.3	0.288
26	19.4	8.8	14.0	24	0.8	56.5	0.263	80.4	0.281
27	17.7	8.5	12.8	22	0.8	56.1	0.272	81.5	0.285
28	19.9	8.4	14.1	24	0.8	56.5	0.268	82.7	0.289
29	19.8	8.7	14.1	24	0.8	56.2	0.267	83.9	0.294
30	19.9	8.4	14.4	24	0.8	56.5	0.266	84.6	0.296
31	20.0	8.2	14.2	24	0.8	56.4	0.270	83.0	0.291
32	18.3	8.4	13.4	22	0.8	56.5	0.265	83.4	0.292
33	20.2	8.3	14.7	25	0.8	56.3	0.267	86.5	0.303
34	19.2	8.1	13.0	23	0.8	56.4	0.268	83.1	0.291
35	19.5	7.8	13.9	24	0.8	56.3	0.266	87.1	0.305
36	20.3	8.3	14.7	25	0.8	56.4	0.268	85.8	0.300
37	19.9	7.6	13.9	24	0.8	56.4	0.272	84.6	0.296
38	19.9	7.3	14.9	24	0.8	56.3	0.265	86.8	0.304
39	19.1	8.9	14.1	23	0.8	56.4	0.271	84.0	0.294
40	19.0	8.0	13.9	23	0.8	56.5	0.268	82.4	0.289
41	19.4	8.7	14.2	24	0.8	56.2	0.268	85.7	0.300
42	20.3	8.4	14.7	25	0.8	56.5	0.271	87.2	0.305
43	20.1	8.2	14.3	25	0.8	56.4	0.274	85.5	0.299
44	18.0	7.4	13.8	22	0.7	56.4	0.264	85.2	0.298
45	18.9	7.0	13.4	23	0.8	56.3	0.277	85.5	0.299
46	19.3	7.1	14.0	24	0.8	56.4	0.272	84.2	0.295
47	19.0	7.1	13.7	23	0.8	56.2	0.271	84.1	0.294
48	17.6	6.8	13.4	21	0.7	56.3	0.268	83.9	0.294
49	19.1	7.2	14.8	23	0.7	56.2	0.267	86.4	0.302
50	17.9	6.2	12.8	22	0.8	56.4	0.273	86.8	0.304
51	19.0	6.9	13.5	23	0.8	56.6	0.273	86.9	0.304
52	20.0	7.6	14.5	24	0.8	56.4	0.272	88.5	0.310
53	18.2	6.4	13.3	22	0.8	56.6	0.268	86.2	0.302
Average	19.3	8.7	13.8	24	0.8	55.4	0.269	83.8	0.293

Total number of blows analyzed: 52

Time Summary

Drive 1 minute 25 seconds


11:23:35 AM - 11:25:00 AM (9/2/2009) BN 1 - 53

PDIPLOT Ver. 2008.1 - Printed: 16-Nov-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M-8 (28.7' - 30.2' sample)



NORTH ANNA 3 Project - BORING M-8 (28.7' - 30.2' sample)
OP: JNH

Rig Serial No. MEC-12; CME-45c Track (D.Rhodes)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 34.20 ft
WS: 16,807.9 f/s

SP: 0.492 k/ft³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	18.9	16.2	14.3	23	0.8	1.9	0.274	82.9	0.290
3	18.8	14.3	14.1	23	0.8	56.2	0.273	86.0	0.301
4	20.1	13.3	15.7	25	0.7	56.6	0.272	84.8	0.297
5	19.5	14.2	15.7	24	0.7	56.5	0.263	84.2	0.295
6	17.4	12.3	13.9	21	0.7	56.1	0.263	84.4	0.295
7	17.1	11.9	13.8	21	0.7	56.5	0.259	85.3	0.299
8	19.7	13.3	15.2	24	0.7	56.5	0.267	84.3	0.295
9	19.8	12.7	15.4	24	0.7	56.3	0.268	84.1	0.295
10	19.3	12.4	15.1	24	0.7	56.4	0.258	82.4	0.288
11	17.2	11.2	12.9	21	0.8	56.2	0.259	83.4	0.292
12	17.9	10.7	13.8	22	0.7	56.3	0.261	81.0	0.284
13	18.3	10.7	13.7	22	0.7	56.2	0.260	80.8	0.283
14	19.0	8.7	14.7	23	0.7	56.0	0.256	82.2	0.288
15	18.7	9.8	14.8	23	0.7	56.3	0.258	81.2	0.284
16	18.9	9.6	13.9	23	0.8	56.2	0.255	83.3	0.292
17	18.4	9.4	14.3	22	0.7	56.2	0.256	82.5	0.289
18	17.3	9.1	13.9	21	0.7	56.4	0.254	80.9	0.283
19	16.6	9.0	13.4	20	0.7	56.4	0.255	82.8	0.290
20	18.2	9.4	13.6	22	0.8	56.2	0.256	84.4	0.295
21	17.3	7.7	12.8	21	0.7	56.3	0.259	84.8	0.297
22	19.2	7.3	15.6	23	0.7	56.1	0.254	82.9	0.290
Average	18.5	11.1	14.3	23	0.7	53.7	0.261	83.3	0.292

Total number of blows analyzed: 21

Time Summary

Drive 35 seconds


11:47:18 AM - 11:47:53 AM (9/2/2009) BN 1 - 22

PDIPLOT Ver. 2008.1 - Printed: 16-Nov-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M-8 (33.7' - 35.2' sample)



NORTH ANNA 3 Project - BORING M-8 (33.7' - 35.2' sample)
OP: JNH

Rig Serial No. MEC-12; CME-45c Track (D.Rhodes)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 39.20 ft
WS: 16,807.9 f/s

SP: 0.492 k/ft³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	20.2	15.8	15.8	25	0.7	1.9	0.262	84.7	0.296
3	19.8	15.4	14.5	24	0.8	56.2	0.267	83.9	0.294
4	18.1	14.7	13.7	22	0.8	56.4	0.268	85.2	0.298
5	19.0	13.2	13.6	23	0.8	56.1	0.266	83.8	0.293
6	19.2	12.8	14.2	23	0.8	56.2	0.261	82.6	0.289
7	18.9	12.0	13.5	23	0.8	56.7	0.260	83.2	0.291
8	19.7	13.1	15.0	24	0.7	56.6	0.262	84.5	0.296
9	19.6	13.2	15.1	24	0.7	56.2	0.260	83.6	0.293
10	18.4	11.7	13.6	23	0.8	56.2	0.257	83.9	0.294
11	19.0	12.9	14.7	23	0.7	56.1	0.260	83.4	0.292
12	19.2	12.8	14.9	23	0.7	56.3	0.259	83.9	0.294
13	17.3	12.2	12.9	21	0.7	56.3	0.261	83.2	0.291
14	18.5	10.6	14.8	23	0.7	56.3	0.256	85.9	0.301
15	18.3	10.6	13.9	22	0.7	56.0	0.257	83.4	0.292
16	17.4	10.8	13.7	21	0.7	56.4	0.255	83.0	0.291
17	18.5	11.2	15.1	23	0.7	56.3	0.252	83.7	0.293
18	17.9	10.7	14.6	22	0.7	56.0	0.253	82.3	0.288
19	16.4	11.0	12.7	20	0.7	56.5	0.262	84.3	0.295
Average	18.6	12.5	14.2	23	0.7	53.3	0.260	83.8	0.293

Total number of blows analyzed: 18

Time Summary

Drive 4 minutes 56 seconds


11:55:59 AM - 12:00:55 PM (9/2/2009) BN 1 - 20

PDIPLOT Ver. 2008.1 - Printed: 16-Nov-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M-8 (38.7' - 40.2' sample)



NORTH ANNA 3 Project - BORING M-8 (38.7' - 40.2' sample)
OP: JNH

Rig Serial No. MEC-12; CME-45c Track (D. Rhodes)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 44.20 ft
WS: 16,807.9 f/s

SP: 0.492 k/f³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	17.6	14.6	15.9	22	0.6	1.9	0.274	86.6	0.303
3	18.3	14.8	15.3	22	0.5	56.1	0.274	88.2	0.309
4	18.1	14.7	15.2	22	0.5	56.7	0.269	88.4	0.309
5	17.2	13.1	16.7	21	0.6	56.5	0.258	84.7	0.297
6	18.6	14.1	15.0	23	0.7	56.7	0.260	84.6	0.296
7	17.1	11.5	16.0	21	0.5	56.4	0.255	87.2	0.305
8	18.0	13.3	16.1	22	0.6	56.3	0.258	85.7	0.300
9	15.7	11.8	16.7	19	0.5	56.5	0.253	84.4	0.295
10	15.8	11.0	16.7	19	0.5	56.3	0.257	85.5	0.299
11	16.7	10.8	16.7	20	0.6	56.6	0.253	86.5	0.303
12	18.1	10.1	14.8	22	0.7	56.3	0.257	85.5	0.299
13	17.7	10.3	14.9	22	0.7	56.2	0.253	86.5	0.303
14	17.3	10.0	15.4	21	0.5	56.4	0.257	85.7	0.300
15	15.6	9.2	16.9	19	0.5	56.3	0.251	84.9	0.297
16	17.8	9.6	15.7	22	0.6	56.3	0.248	84.7	0.296
17	17.9	10.2	14.2	22	0.5	56.4	0.252	85.4	0.299
18	17.1	9.8	15.5	21	0.5	56.3	0.253	84.5	0.296
19	15.7	9.9	16.2	19	0.5	56.3	0.250	83.9	0.294
20	17.8	7.4	15.7	22	0.6	56.4	0.247	84.9	0.297
21	17.8	7.8	14.9	22	0.7	56.4	0.250	85.9	0.301
22	18.0	6.8	14.3	22	0.5	56.3	0.250	86.7	0.303
23	16.5	5.6	16.5	20	0.5	56.4	0.248	87.7	0.307
24	18.1	4.9	15.5	22	0.6	56.3	0.247	84.1	0.294
25	15.4	5.1	16.6	19	0.5	56.3	0.247	87.2	0.305
Average	17.2	10.3	15.7	21	0.6	54.1	0.255	85.8	0.300

Total number of blows analyzed: 24

Time Summary

Drive 4 minutes 22 seconds


12:10:11 PM - 12:14:33 PM (9/2/2009) BN 1 - 26

PDIPLOT Ver. 2008.1 - Printed: 16-Nov-2009

MACTEC Engineering and Consulting, Inc. - Case Method Results

Test date: 2-Sep-2009

NORTH ANNA 3 Project - BORING M-8 (43.7' - 45.2' sample)



NORTH ANNA 3 Project - BORING M-8 (43.7' - 45.2' sample)
OP: JNH

Rig Serial No. MEC-12; CME-45c Track (D. Rhodes)
Test date: 2-Sep-2009

AR: 1.22 in²
LE: 49.20 ft
WS: 16,807.9 f/s

SP: 0.492 k/ft³
EM: 30,000 ksi
JC: 0.70

CSX: Max Measured Compr. Stress
TSX: Tension Stress Maximum
VMX: Maximum Velocity
FMX: Maximum Force
FVP: Force/Velocity proportionality

BPM: Blows per Minute
EF2: Energy of F²
ETR: Energy Transfer Ratio
EMX: Max Transferred Energy

BL#	CSX ksi	TSX ksi	VMX f/s	FMX kips	FVP []	BPM **	EF2 k-ft	ETR (%)	EMX k-ft
2	19.1	15.5	16.3	23	0.7	1.9	0.254	85.2	0.298
3	18.3	12.9	14.7	22	0.7	56.4	0.268	87.9	0.308
4	19.1	11.7	15.4	23	0.7	56.5	0.261	86.4	0.302
5	17.9	14.1	13.5	22	0.8	56.5	0.260	86.0	0.301
6	19.2	11.5	15.8	23	0.7	56.3	0.261	85.9	0.301
7	18.5	11.1	14.4	23	0.7	56.6	0.262	85.2	0.298
8	17.8	12.6	13.2	22	0.7	56.3	0.261	86.4	0.302
9	18.6	10.9	15.1	23	0.7	56.3	0.259	87.0	0.305
10	17.0	12.6	13.3	21	0.7	56.7	0.258	86.3	0.302
11	19.1	11.9	15.7	23	0.7	56.3	0.258	84.8	0.297
12	19.1	11.9	15.9	23	0.7	56.6	0.259	84.6	0.296
13	18.1	12.3	13.5	22	0.7	56.2	0.261	86.1	0.301
14	19.0	10.2	15.7	23	0.7	56.6	0.261	85.9	0.301
15	18.7	12.2	14.6	23	0.7	56.6	0.256	84.7	0.296
16	17.5	12.0	13.4	21	0.7	56.4	0.261	88.3	0.309
17	17.8	11.0	13.8	22	0.7	56.6	0.264	85.9	0.301
18	18.0	11.9	13.5	22	0.7	56.7	0.264	85.8	0.300
19	19.4	10.2	16.1	24	0.7	56.6	0.264	86.8	0.304
20	18.6	11.7	14.2	23	0.7	56.5	0.266	85.9	0.301
21	18.8	11.8	14.4	23	0.7	56.5	0.263	86.0	0.301
22	19.4	10.3	16.4	24	0.7	56.7	0.265	87.8	0.307
23	19.2	11.6	15.4	23	0.7	56.5	0.261	85.8	0.300
24	18.8	11.4	14.7	23	0.7	56.5	0.260	88.7	0.310
25	18.2	10.5	15.0	22	0.7	56.7	0.262	89.1	0.312
26	19.1	11.0	15.6	23	0.7	56.4	0.262	86.7	0.304
27	19.6	10.6	16.6	24	0.7	56.7	0.265	88.6	0.310
28	19.4	10.9	16.0	24	0.7	56.7	0.258	87.0	0.305
29	19.6	10.5	16.3	24	0.7	56.4	0.265	86.8	0.304
30	18.9	10.3	15.1	23	0.7	56.7	0.269	88.8	0.311
31	19.2	9.1	15.8	23	0.7	56.5	0.261	87.8	0.307
32	19.2	9.0	15.8	23	0.7	56.7	0.262	85.9	0.301
33	19.1	9.1	15.3	23	0.7	56.6	0.263	88.6	0.310
34	19.2	9.6	15.5	23	0.7	56.6	0.264	90.4	0.317
35	19.8	8.8	15.8	24	0.7	56.4	0.260	87.0	0.305
36	18.3	8.5	14.5	22	0.7	56.7	0.261	88.4	0.309
37	19.7	9.4	16.3	24	0.7	56.5	0.265	90.8	0.318
38	19.8	8.1	15.7	24	0.7	56.8	0.263	90.1	0.315
39	20.1	8.7	16.3	25	0.7	56.1	0.262	88.6	0.310
40	19.4	8.9	15.8	24	0.7	56.8	0.263	87.2	0.305
41	18.9	7.4	14.1	23	0.8	56.5	0.259	88.4	0.310
42	18.7	6.9	13.5	23	0.8	56.2	0.265	88.3	0.309
Average	18.9	10.7	15.1	23	0.7	55.2	0.262	87.1	0.305

Total number of blows analyzed: 41

Time Summary

Drive 1 minute 47 seconds

12:24:49 PM - 12:26:36 PM (9/2/2009) BN 1 - 42


Project: NORTH ANNA 3

Pile: BORING M8 (28.7-30.2) - Description: CME 45C TRACK(D. RHODES)

Operator: JNH

BN 11

9/2/2009 11:47:41 AM



LP	0.00 ft	LE	34.20 ft
CSX	17.2 ksi	AR	1.22 in^2
CSI	18.0 ksi	EM	30,000.0 ksi
TSX	11.2 ksi	SP	0.492 k/ft3
EMX	0.3 k-ft	WS	16,807.9 f/s
STK	4.28 ft	WC	16,807.9 f/s
FVP	0.75 []	JC	0.70 []
SFR	0 kips	2L/c	4.07 ms
RX5	4 kips	EA/c	2.2 ksec/ft
RMX	3 kips	FR	5.000 kHz