

## SECTION EIGHT

### ACCEPTANCE TESTS AND MAINTENANCE PROGRAM

#### TABLE OF CONTENTS

8.0	ACCEPTANCE AND MAINTENANCE PROGRAMS .....	8-1
8.1.	FABRICATION ACCEPTANCE TESTS.....	8-1
8.1.1.	Visual Inspection and Measurements .....	8-1
8.1.2.	Weld Examinations.....	8-1
8.1.3.	Structural and Pressure Tests .....	8-2
8.1.4.	Leakage Tests.....	8-2
8.1.5.	Component and Materials Tests.....	8-2
8.1.6.	Tests for Shielding Integrity .....	8-2
8.1.7.	Thermal Acceptance Tests.....	8-2
8.1.8.	Miscellaneous Tests.....	8-2
8.2.	MAINTENANCE PROGRAM .....	8-2
8.2.1.	Structural and Pressure Tests .....	8-3
8.2.2.	Leakage Tests.....	8-3
8.2.3.	Component and Material Tests .....	8-3
8.2.4.	Thermal Tests.....	8-4
8.2.5.	Miscellaneous Tests.....	8-4
8.3.	List of Appendices .....	8-4

## **8.0 ACCEPTANCE AND MAINTENANCE PROGRAMS**

Per the requirements of 10 CFR §71.85(c)<sup>1</sup>, this section discusses the inspections and tests to be performed prior to first use of the Century Versa-Pac (U.S. Patent Pending) package.

### **8.1. FABRICATION ACCEPTANCE TESTS**

All Century Versa-Pac packaging materials of construction shall be examined in accordance with the requirements delineated on the drawings in Appendix 1.3.1, *Packaging General Arrangement Drawings*, per the requirements of 10 CFR §71.85(a).

Source inspections and final release of the package will be performed, verifying the quality characteristics were inspected and that the packaging is acceptable. Any characteristic that is out of specification must be reported. It will then be dispositioned according to procedure. The following tests are performed by the fabricator prior to release of the packaging for use by the User.

#### **8.1.1. Visual Inspection and Measurements**

Prior to the initial use, a visual inspection is performed including the following items at a minimum:

- a. Confirm that the package dimensions are in compliance with the appropriate drawings (This may be accomplished by a review of the Quality Assurance and Fabrication Records).
- b. Insure that the visible seals (Internal and External) are in place.
- c. Insure that all bolts and washers are the correct type and size per the drawing.
- d. Insure that all gaskets are in place and are in compliance with the drawings.
- e. Verify that the nameplates and markings are correct.

#### **8.1.2. Weld Examinations**

As part of the normal course of fabrication, the Century Versa-Pac Shipping Container is subjected to visual inspections of all welds and magnetic particle inspection of those welds shown on the fabrication drawings to insure that the welds of the package are in compliance with the applicable codes and standards required by the drawings and specifications of the Century Versa-Pac. These inspections are recorded on the Fabrication Control Record as part of the Quality Assurance program.

---

<sup>1</sup> Title 10, Code of Federal Regulations, Part 71 (10 CFR 71), *Packaging and Transportation of Radioactive Material*, 1-1-98 Edition.

### **8.1.3. Structural and Pressure Tests**

The Century Versa-Pac Shipping packaging does not contain any tie-down devices that are a structural part of the package. The Century Versa-Pac Shipping Container is handled, loaded, and unloaded using standard handling equipment.

The Century Versa-Pac Shipping package is not a pressure-retaining package and no per unit pressure testing is required prior to use. As identified in Section 2.2.1, Mechanical Properties and Specifications, the drum design is qualified with a hydrostatic pressure, 29 psig (200 kPa), as part of the UN drum qualification testing.

No other Structural or Pressure testing is performed.

### **8.1.4. Leakage Tests**

The Century Versa-Pac Shipping packaging does not contain any seals or containment boundaries that require leak testing. Therefore, this section is not applicable.

### **8.1.5. Component and Materials Tests**

The closed cell polyurethane foam, alumina silica paper, and gasket materials are acceptance in accordance with the drawing requirements. Inspect package containment components for any damage that would prove detrimental to their ability to properly function as required.

### **8.1.6. Tests for Shielding Integrity**

Shielding tests are not applicable to the Century Versa-Pac Shipping Container. The Century Versa-Pac Shipping packaging does not contain any biological shielding.

### **8.1.7. Thermal Acceptance Tests**

The material properties utilized in Chapter 3.0, *Thermal*, are consistently conservative for the Normal Conditions of Transport (NCT) and Hypothetical Accident Condition (HAC) thermal analyses. As such, with the exception of the tests required for specific packaging components, as discussed in Section 8.1.5, *Component and Material Tests*, specific acceptance tests for material thermal properties are not required or performed.

### **8.1.8. Miscellaneous Tests**

No other additional tests are required prior to use of the Century Versa-Pac Shipping Container.

## **8.2. MAINTENANCE PROGRAM**

This section describes the maintenance program used to ensure continued performance of the Century Versa-Pac Shipping packaging. The Century Versa-Pac Shipping packaging is maintained consistent with a 10 CFR 71 subpart H QA program. Packagings that do not conform to the license drawings are removed from service until they are brought back into compliance. Repairs are performed in accordance with approved procedures and consistent with the quality assurance program.

The User shall establish written procedures for the periodic maintenance and inspection of the Century Versa-Pac Shipping Container requiring the following as a minimum:

### **8.2.1. Structural and Pressure Tests**

The Century Versa-Pac Shipping packaging does not contain any lifting/tie-down devices that require load testing. No pressure tests are necessary to ensure continued performance of the Century Versa-Pac Shipping packaging.

### **8.2.2. Leakage Tests**

No leakage tests are necessary to ensure continued performance of the Century Versa-Pac Shipping packaging.

### **8.2.3. Component and Material Tests**

#### **8.2.3.1. Prior to Each Use**

The following items shall be performed as a minimum prior to each package use for shipment:

- a. Visually inspect the outer and inner surfaces as appropriate for rust or other superficial discontinuities. Properly trained personnel should repair any adverse indications as necessary in accordance with the drawing requirements.
- b. Visually inspect all gaskets and pads for wear and/or deterioration and replace as necessary.
- c. Inspect all sealing surfaces for damage that would interfere with the safe use of the package.
- d. During visual inspection the exterior surfaces of the package should be inspected for any corrosion, if found, these areas should be evaluated in accordance with 8.2.3.2d below.

#### **8.2.3.2. Every Five Years**

The Owner of the individual Century Versa-Pac Shipping Container shall perform and maintain a record of the following inspections at a minimum:

- a. All inspections listed in Section 8.2.3.1.
- b. Full visual of all accessible surfaces and welds for the presence of cracks or other unacceptable discontinuities. Any questionable condition of a weld shall be subject to further examination to assure proper compliance. Any weld defects shall be repaired in accordance with the appropriate procedures.
- c. Check flanges and covers for warpage and/or distortion that prevent proper closure.

- d. During the visual inspection of exterior surfaces, if areas are suspected of having corrosion, the inspection should insure that corrosion has not reduced the outer package wall thickness by more than 10% of the nominal thickness over a 6” square area. When visual inspection cannot assure sufficient wall thickness, other methods of inspection should be utilized, such as ultrasonic testing, to assure acceptability.
- e. All repairs shall be performed by sources that are competent and properly trained. Allowable repairs shall include repairs made to welds and base metal. Repairs that require welding shall be made by welders that are qualified in accordance with Section IX of the ASME Boiler and Pressure Vessel Code and/or Section 5 of AWS D1.1. The repair shop shall provide certification of weld procedures and welder qualifications.
- f. Weigh the container to verify that the container is within 10 pounds of the original fabrication weight recorded on the nameplate.
- g. If the package contains payload or is in transit at the test due date, the inspection may be deferred to allow unloading and/or transport of the package, as necessary.

#### **8.2.4. Thermal Tests**

No thermal tests are necessary to ensure continued performance of the Century Versa-Pac packaging.

#### **8.2.5. Miscellaneous Tests**

Localized deformations in the outer drum of the Century Versa-Pac packaging are permitted up to 1-inch provided the shell material is not breached. The packaging may be repaired in accordance with the drawings in Appendix 1.3.1, *Packaging General Arrangement Drawings*.

### **8.3. List of Appendices**

Not applicable to the Century Versa-Pac packaging.