120.758: Inspections not Warranted; Informal Review

- (A) (1) If the Agency determines, with respect to a complaint under 105 CMR 120.757, that an inspection is not warranted because there are no reasonable grounds to believe that a violation exists or has occurred, the Agency shall notify the complainant in writing of such determination. The complainant may obtain review of such determination by submitting a written statement of position with the Department. The Department will provide the licensee or registrant with a copy of such statement by certified mail, excluding, at the request of the complainant, the name of the complainant. The licensee or registrant may submit an opposing written statement of position with the Department. The Department will provide the complainant with a copy of such statement by certified mail.
 - (2) Upon the request of the complainant, the Department may hold an informal conference in which the complainant and the licensee or registrant may, orally present their views. An informal conference may also be held at the request of the licensee or registrant, but disclosure of the identity of the complainant will be made only following receipt of written authorization from the complainant. After considering all written and oral views presented, the Department shall affirm, modify, or reverse the determination of the Agency and furnish the complainant and the licensee or registrant a written notification of the decision and the reason therefor.
- (B) If the Agency determines that an inspection is not warranted because the requirements of 105 CMR 120.757(A) have not been met, the complainant shall be notified in writing of such determination. Such determination shall be without prejudice to the filing of a new complaint meeting the requirements of 105 CMR 120.757(A).

120.760: Emergency Plans

The user should formulate suitable emergency plans as may be indicated to protect his employees and the public against potential hazards due to his specific source(s), and should make known the details and existence of such plans to the Agency and such other public agencies having a concern; including, but not limited to, boards of health, fire departments and police departments.

120.770: TRANSPORTATION OF RADIOACTIVE MATERIAL

120.771: Purpose and Scope

- (A) 105 CMR 120.770 establishes requirements for packaging, preparation for shipment, and transportation of licensed material.
- (B) The packaging and transport of licensed material are also subject to other sections of 105 CMR 120.000 and to the regulations of other agencies (such as the United States Department of Transportation, the United States Postal Service and the United States Nuclear Regulatory Commission) having jurisdiction over means of transport. The requirements of 105 CMR 120.770 are in addition to, and not in substitution for, other requirements
- (C) 105 CMR 120.770 applies to any licensee authorized by specific or general license issued by the Agency to receive, possess, use, or transfer licensed material, if the licensee delivers that material to a carrier for transport, transports the material outside the site of usage as specified in the Agency license, or transports that material on public highways. No provision of 105 CMR 120.770 authorizes possession of licensed material.
- (D) Exemptions from the requirement for license in 105 CMR 120.773 are specified in 105 CMR 120.775. General licenses for which no NRC package approval is required are issued in 105 CMR 120.780 through 120.782. The general license in 105 CMR 120.777 requires that an NRC certificate of compliance or other package approval be issued for the package to be used under this general license. The transport of licensed material or delivery of licensed material to a carrier for transport is subject to the operating control and procedures requirements of 105 CMR 120.784 through 120.790, to the quality assurance requirements of 105 CMR 120.791 through 120.797, and to the general provisions of 105 CMR 120.771 through 120.774, including referenced United States Department of Transportation regulations.

120.771: continued

(E) 105 CMR 120.770 applies to any person required to obtain acertificate of compliance or an approved compliance plan from the NRC pursuant to 10 CFR 76 if the person delivers radioactive material to a common or contract carrier for transport or transports the material outside the confines of the person's plant or other authorized place of use.

120.772: Definitions

The following terms are as defined here for the purpose of 105 CMR 120.770. To ensure compatibility with international transportation standards, all limits in this part are given in terms of dual units: The International System of Units (SI) followed or preceded by U.S. standard or customary units. The U.S. customary units are not exact equivalents but are rounded to a convenient value, providing a functionally equivalent unit. For the purpose of 105 CMR 120.770, either unit may be used.

 \underline{A}_1 means the maximum activity of special form radioactive material permitted in a Type A package. This value is either listed in 105 CMR 120.798: Appendix A, Table A-1, or may be derived in accordance with the procedures prescribed in 105 CMR 120.798: Appendix A.

A₂ means the maximum activity of radioactive material, other than special form material, LSA, and SCO material, permitted in a Type A package. This value is either listed in 105 CMR 120.798: Appendix A, Table A-1, or may be derived in accordance with the procedures prescribed in 105 CMR 120.798: Appendix A.

<u>Carrier</u> means a person engaged in the transportation of passengers or property by land or water as a common, contract, or private carrier, or by civil aircraft.

<u>Certificate Holder</u> means a person who has been issued a certificate of compliance or other package approval by the Commission.

Certificate of Compliance (CoC) means the certificate issued by the Commission under 10 CFR 71 Subpart D which approves the design of a package for the transportation of radioactive material.

<u>Consignment</u> means each shipment of a package or groups of packages or load of radioactive material offered by a shipper for transport.

Contamination means the presence of a radioactive substance on a surface in quantities in excess of 0.4 Bq/cm² (1 x 10^{-5} μ Ci/cm²) for beta and gamma emitters and low toxicity alpha emitters, or 0.04 Bq/cm² (1 x 10^{-6} μ Ci/cm²) for all other alpha emitters.

(1) <u>Fixed Contamination</u> means contamination that cannot be removed from a surface during normal conditions of transport.

(2) Non-fixed Contamination means contamination that can be removed from a surface during normal conditions of transport.

Conveyance means:

- (1) For transport by public highway or rail any transport vehicle or large freight container;
- (2) For transport by water any vessel, or any hold, compartment, or defined deck area of a vessel including any transport vehicle on board the vessel; and
- (3) For transport by any aircraft.

Criticality Safety Index (CSI) means the dimensionless number (rounded up to the next tenth) assigned to and placed on the label of a fissile material package, to designate the degree of control of accumulation of packages, overpacks or freight containers containing fissile material during transportation. Determination of the criticality safety index is described in 105 CMR 120.781 and 120.782, and 10 CFR 71.59. The criticality safety index for an overpack, freight container, consignment or conveyance containing fissile material packages is the arithmetic sum of the criticality safety indices of all the fissile material packages contained within the overpack, freight container, consignment or conveyance.

120.772: continued

<u>Deuterium</u> means, for the purposes of 10 CFR 71.15 and 71.22, deuterium and any deuterium compounds, including heavy water, in which the ratio of deuterium atoms to hydrogen atoms exceeds 1:5000.

DOT means the U.S. Department of Transportation.

Exclusive Use means the sole use by a single consignor of a conveyance for which all initial, intermediate, and final loading and unloading are carried out in accordance with the direction of the consignor or consignee. The consignor and the carrier must ensure that any loading or unloading is performed by personnel having radiological training and resources appropriate for safe handling of the consignment. The consignor must issue specific instructions, in writing, for maintenance of exclusive use shipment controls, and include them with the shipping paper information provided to the carrier by the consignor.

Fissile Material means the radionuclides uranium-233, uranium-235, plutonium-239, and plutonium-241, or any combination of these radionuclides. Fissile material means the fissile nuclides themselves, not material containing fissile nuclides. Unirradiated natural uranium and depleted uranium, and natural uranium or depleted uranium that has been irradiated in thermal reactors only are not included in 105 CMR 120.772: Fissile Material. ¹ Certain exclusions from fissile material controls are provided in 105 CMR 120.775.

<u>Graphite</u> means, for the purposes of 105 CMR 120.775 and 120.781, graphite with a boron equivalent content less than five parts per million and density greater than 1.5 grams per cubic centimeter.

<u>Indian Tribe</u> means an Indian or Alaska Native Tribe, band, nation, pueblo, village, or community that the Secretary of the Interior acknowledges to exist as an Indian Tribe pursuant to the Federally Recognized Indian Tribe List Act of 1994, 25 U.S.C. 479a.

Low Specific Activity (LSA) Material means radioactive material with limited specific activity which is nonfissile or is excepted under 105 CMR 120.775(D), and which satisfies the descriptions and limits set forth in 105 CMR 120.772: Low Specific Activity (LSA) Material(1) through (3). Shielding materials surrounding the LSA material may not be considered in determining the estimated average specific activity of the package contents. The LSA material must be in one of three groups:

- (1) LSA-I.
 - (a) Uranium and thorium ores, concentrates of uranium and thorium ores, and other ores containing naturally occurring radionuclides that are intended to be processed for the use of these radionuclides;
 - (b) Natural uranium, depleted uranium, natural thorium or their compounds or mixtures, provided they are unirradiated and in solid or liquid form;
 - (c) Radioactive material, other than fissile material, for which the A₂ value is unlimited;
 - (d) Other radioactive material in which the activity is distributed throughout and the estimated average specific activity does not exceed 30 times the value for exempt material activity concentration determined in accordance with 105 CMR 120.798: Appendix A.
- (2) <u>LSA-II</u>.
 - (a) Water with tritium concentration up to 0.8 TBq/liter (20.0 Ci/liter); or
 - (b) Other radioactive material in which the activity is distributed throughout and the estimated average specific activity does not exceed 10⁻⁴A₂/g for solids and gases, and 10⁻⁵ A₂/g for liquids.
- (3) <u>LSA-III</u>. Solids (e.g., consolidated wastes, activated materials), excluding powders, that satisfy the requirements of 10 CFR 71.77, in which:

Agency jurisdiction extends only to "special nuclear material in quantities not sufficient to form a critical mass" as defined in 105 CMR 120.005.

120.772: continued

(a) The radioactive material is distributed throughout a solid or a collection of solid objects, or is essentially uniformly distributed in a solid compact binding agent (such as concrete, bitumen, ceramic, etc.);

(b) The radioactive material is relatively insoluble, or it is intrinsically contained in a relatively insoluble material, so that, even under loss of packaging, the loss of radioactive material per package by leaching, when placed in water for seven days, will not exceed 0.1 A₂; and

(c) The estimated average specific activity of the solid, excluding any shielding material, does not exceed $2 \times 10^{-3} A_2/g$.

<u>Low Toxicity Alpha Emitters</u> means natural uranium, depleted uranium, natural thorium; uranium-235, uranium-238, thorium-232, thorium-228 or thorium-230 when contained in ores or physical or chemical concentrates; or alpha emitters with a half-life of less than ten days.

Maximun Normal Operating Pressure means the maximum gauge pressure that would develop in the containment system in a period of one year under the heat condition specified in 10 CFR 71.71(c)(1), in the absence of venting, external cooling by an ancillary system, or operational controls during transport.

<u>Natural Thorium</u> means thorium with the naturally occurring distribution of thorium isotopes (essentially 100 weight percent thorium-232).

Normal Form Radioactive Material means radioactive material which has not been demonstrated to qualify as special form radioactive material.

<u>Nuclear Waste</u> means a quantity of source, byproduct or special nuclear material required to be in US Nuclear Regulatory Commission-approved specification packaging while transported to, through or across a state boundary to a disposal site, or to a collection point for transport to a disposal site.

Package means the packaging together with its radioactive contents as presented for transport.

- (1) Fissile material package or Type AF package, Type BF package, Type B(U)F package, or Type B(M)F package means a fissile material packaging together with its fissile material contents.
- (2) Type A package means a Type A packaging together with its radioactive contents. A Type A package is defined and must comply with the DOT regulations in 49 CFR Part 173.
- (3) Type B package means a Type B packaging together with its radioactive contents. On approval, a Type B package design is designated by NRC as B(U) unless the package has a maximum normal operating pressure of more than 700 kPa (100 lbs./in²) gauge or a pressure relief device that would allow the release of radioactive material to the environment under the tests specified in 10 CFR 71.73 (hypothetical accident conditions), in which case it will receive a designation B(M). B(U) refers to the need for unilateral approval of international shipments; B(M) refers to the need for multilateral approval of international shipments. There is no distinction made in how packages with these designations may be used in domestic transportation. To determine their distinction for international transportation, see DOT regulations in 49 CFR Part 173. A Type B package approved before September 6, 1983, was designated only as Type B. Limitations on its use are specified in 10 CFR 71.19.

<u>Packaging</u> means the assembly of components necessary to ensure compliance with the packaging requirements of 49 CFR Part 173. It may consist of one or more receptacles, absorbent materials, spacing structures, thermal insulation, radiation shielding, and devices for cooling or absorbing mechanical shocks. The vehicle, tie-down system, and auxiliary equipment may be designated as part of the packaging.

Regulations of the U.S. Department of Transportation (DOT) means the regulations in 49 CFR Parts 100 through 189 and Parts 390 through 397.

Regulations of the U.S. Nuclear Regulatory Commission (NRC) means the regulations in 10 CFR 71 for purposes of 105 CMR 120.770.

120.772: continued

<u>Specific Activity</u> of a radionuclide means the activity of a radionuclide per unit mass of that nuclide. The specific activity of a material in which the radionuclide is essentially uniformly distributed is the activity per unit mass of the material.

<u>Surface Contaminated Object (SCO)</u> means a solid object that is not itself classed as radioactive material, but which has radioactive material distributed on any of its surfaces. SCO must be in one of two groups with surface activity not exceeding the following limits:

- (1) SCO-I: A solid object on which:
 - (a) The non-fixed contamination on the accessible surface averaged over 300 cm² (or the area of the surface if less than 300 cm²) does not exceed four Bq/cm² (10⁻⁴ microcurie/cm²) for beta and gamma and low toxicity alpha emitters, or 0.4 Bq/cm² (10⁻⁵ microcurie/cm²) for all other alpha emitters;
 - (b) The fixed contamination on the accessible surface averaged over 300 cm² (or the area of the surface if less than 300 cm²) does not exceed 4x10⁴ Bq/cm² (1.0 microcurie/cm²) for beta and gamma and low toxicity alpha emitters, or 4x10³ Bq/cm² (0.1 microcurie/cm²) for all other alpha emitters; and
 - (c) The non-fixed contamination plus the fixed contamination on the inaccessible surface averaged over 300 cm² (or the area of the surface if less than 300 cm²) does not exceed 4x10⁴ Bq/cm² (one microcurie/cm²) for beta and gamma and low toxicity alpha emitters, or 4x10³ Bq/cm² (0.1 microcurie/cm²) for all other alpha emitters.
- (2) SCO-II: A solid object on which the limits for SCO-I are exceeded and on which:
 - (a) The non-fixed contamination on the accessible surface averaged over 300 cm² (or the area of the surface if less than 300 cm²) does not exceed 400 Bq/cm² (10⁻² microcurie/cm²) for beta and gamma and low toxicity alpha emitters or 40 Bq/cm² (10⁻³ microcurie/cm²) for all other alpha emitters;
 - (b) The fixed contamination on the accessible surface averaged over 300 cm² (or the area of the surface if less than 300 cm²) does not exceed 8x10⁵ Bq/cm² (20 microcuries/cm²) for beta and gamma and low toxicity alpha emitters, or 8x10⁴ Bq/cm² (two microcuries/cm²) for all other alpha emitters; and
 - (c) The non-fixed contamination plus the fixed contamination on the inaccessible surface averaged over 300 cm² (or the area of the surface if less than 300 cm²) does not exceed 8x10⁵ Bq/cm² (20 microcuries/cm²) for beta and gamma and low toxicity alpha emitters, or 8x10⁴ Bq/cm² (two microcuries/cm²) for all other alpha emitters.

<u>Transport Index</u> means the dimensionless number (rounded up to the next tenth) placed on the label of a package to designate the degree of control to be exercised by the carrier during transportation. The transport index is the number determined by multiplying the maximum radiation level in millisievert (mSv) per hour at one meter (3.3 ft.) from the external surface of the package by 100 (equivalent to the maximum radiation level in millirem per hour at one meter (3.3 ft.).

<u>Tribal Official</u> means the highest ranking individual that represents Tribal leadership, such as the Chief, President, or Tribal Council leadership.

Type A Quantity means a quantity of radioactive material, the aggregate radioactivity of which does not exceed A_1 for special form radioactive material or A_2 for normal form radioactive material, where A_1 and A_2 are given in 105 CMR 120.798: Appendix A or may be determined by procedures described in 105 CMR 120.798: Appendix A.

Type B Quantity means a quantity of radioactive material greater than a Type A quantity.

<u>Unirradiated Uranium</u> means uranium containing not more than 2×10^3 Bq of plutonium per gram of uranium-235, not more than 9×10^6 Bq of fission products per gram of uranium-235, and not more than 5×10^{-3} g of uranium-236 per gram of uranium-235.

Uranium - Natural, Depleted, Enriched.

(1) Natural Uranium means uranium (which may be chemically separated) with the naturally occurring distribution of uranium isotopes (approximately 0.711 weight percent uranium-235, and the remainder by weight essentially uranium-238).

120.772: continued

- (2) <u>Depleted Uranium</u> means uranium containing less uranium-235 than the naturally occurring distribution of uranium isotopes.
- (3) Enriched Uranium means uranium containing more uranium-235 than the naturally occurring distribution of uranium isotopes.

GENERAL REGULATORY PROVISIONS

120.773: Requirement for License

Except as authorized in a general license or a specific license issued by the Agency, or as exempted in 105 CMR 120.775, no licensee may:

- (A) Deliver licensed material to a carrier for transport; or
- (B) Transport licensed material.

120.774: Transportation of Licensed Material

- (A) Each licensee who transports licensed material outside the site of usage, as specified in the Agency license, or where transport is on public highways, or who delivers licensed material to a carrier for transport, shall comply with the applicable requirements of the U.S. Department of Transportation regulations in 49 CFR Parts 107, 171 through 180, and 390 through 397, appropriate to the mode of transport.
 - (1) The licensee shall particularly note DOT regulations in the following areas:

(a) Packaging - 49 CFR Part 173: Subparts A and B and I.

(b) Marking and labeling - 49 CFR Part 172: Subpart D, §§ 172.400 through 172.407,

§§ 172.436 through 172.441, and Subpart E.

(c) Placarding - 49 CFR Part 172: Subpart F, especially §§ 172.500 through 172.519, 172.556, and Appendices B and C.

(d) Accident reporting - 49 CFR Part 171: §§ 171.15 and 171.16.

- (e) Shipping papers and emergency information 49 CFR Part 172: Subparts C and G.
- (f) Hazardous material employee training 49 CFR Part 172: Subpart H.

(g) Security plans - 49 CFR Part 172: Subpart I.

- (h) Hazardous material shipper/carrier registration 49 CFR Part 107: Subpart G.
- (2) The licensee shall also note DOT regulations pertaining to the following modes of transportation:
 - (a) Rail 49 CFR Part 174: Subparts A through D, and K.

(b) Air - 49 CFR Part 175.

- (c) Vessel 49 CFR Part 176: Subparts A through F and M.
- (d) Public Highway 49 CFR Part 177 and Parts 390 through 397.
- (3) Assure that any special instructions needed to safely open the package are sent to or have been made available to the consignee in accordance with 105 CMR 120.242(E).
- (B) If, for any reason, the regulations of the U.S. Department of Transportation are not applicable to a shipment of licensed material, the licensee shall conform to the standards and requirements of 49 CFR Parts 107, 171 through 180 and 390 through 397 appropriate to the mode of transport to the same extent as if the shipment was subject to the regulations. A request for modification, waiver, or exemption from those requirements, and any notification referred to in those requirements, must be filed with, or made to, the Director, Radiation Control Program.

120.775: Exemptions

(A) Any physician licensed by a State to dispense drugs in the practice of medicine is exempt from 105 CMR 120.774 with respect to transport by the physician of licensed material for use in the practice of medicine. However, any physician operating under 105 CMR 120.775 must be licensed under 10 CFR Part 35 or the equivalent Agreement State regulations.

120.775: continued

- (B) Common and contract carriers, freight forwarders, and warehouse workers who are subject to the requirements of the U.S. Department of Transportation in 49 CFR 170 through 189 or the U.S. Postal Service in the Postal Service Manual (Domestic Mail Manual), Section 124.3 incorporated by reference, 39 CFR 111.11 (1974), and the U.S. Postal Service are exempt from the requirements of 105 CMR 120.770 to the extent that they transport or store radioactive material in the regular course of their carriage for others or storage incident thereto. Common and contract carriers who are not subject to the requirements of the U.S. Department of Transportation or U.S. Postal Service are subject to 105 CMR 120.773 and other applicable requirements of 105 CMR 120.000.
- (C) A licensee is exempt from all requirements of 105 CMR 120.770, with respect to shipment or carriage of the following low-level materials:
 - (1) Natural material and ores containing naturally occurring radionuclides that are either in their natural state, or have only been processed for purposes other than for the extraction of the radionuclides, and which are not intended to be processed for the use of these radionuclides, provided the activity concentration of the material does not exceed ten times the applicable radionuclide activity concentration values specified in 105 CMR 120.798: Appendix A, Table A-2, or Table A-3.
 - (2) Materials for which the activity concentration is not greater than the activity concentration values specified in 105 CMR 120.798: *Appendix A*, Table A-2, or *Table A-3*, or for which the consignment activity is not greater than the limit for an exempt consignment found in 105 CMR 120.798: *Appendix A*, Table A-2, or *Table A-3*.
 - (3) Non-radioactive solid objects with radioactive substances present on any surfaces in quantities not in excess of the levels cited in the definition of contamination in 105 CMR 120.772.
- (D) Fissile materials meeting one of the following requirements are exempt from the classification as fissile material and from the fissile material package standards of 10 CFR 71.55 and 10 CFR 71.59, but are subject to all other requirements of 10 CFR 71, except as noted.
 - (1) Individual package containing two grams or less fissile material.
 - (2) Individual or bulk packaging containing 15 grams or less of fissile material provided the package has at least 200 grams of solid nonfissile material for every gram of fissile material. Lead, beryllium, graphite, and hydrogenous material enriched in deuterium may be present in the package but must not be included in determining the required mass for solid nonfissile material.
 - (3) (a) Low concentrations of solid fissile material commingled with solid nonfissile material, provided that:
 - 1. There is at least 2000 grams of solid nonfissile material for every gram of fissile material, and
 - 2. There is no more than 180 grams of fissile material distributed within 360 kg of contiguous nonfissile material.
 - (b) Lead, beryllium, graphite, and hydrogenous material enriched in deuterium may be present in the package but must not be included in determining the required mass of solid nonfissile material.
 - (4) Uranium enriched in uranium-235 to a maximum of 1% by weight, and with total plutonium and uranium-233 content of up to 1% of the mass of uranium-235, provided that the mass of any beryllium, graphite, and hydrogenous material enriched in deuterium constitutes less than 5% of the uranium mass, and that the fissile material is distributed homogeneously and does not form a lattice arrangement within the package.
 - (5) Liquid solutions of uranyl nitrate enriched in uranium-235 to a maximum of 2% by mass, with a total plutonium and uranium-233 content not exceeding 0.002% of the mass of uranium, and with a minimum nitrogen to uranium atomic ratio (N/U) of two. The material must be contained in at least a DOT Type A package.
 - (6) Packages containing, individually, a total plutonium mass of not more than 1000 grams, of which not more than 20% by mass may consist of plutonium-239, plutonium-241, or any combination of these radionuclides.

120.776: General Licenses for Carriers

- (A) A general license is hereby issued to any common or contract carrier not exempt under 105 CMR 120.775 to receive, possess, transport, and store radioactive material in the regular course of their carriage for others or storage incident thereto, provided the transportation and storage is in accordance with the applicable requirements, appropriate to the mode of transport, of the U.S. Department of Transportation insofar as such requirements relate to the loading and storage of packages, placarding of the transporting vehicle, and incident reporting.³
- (B) A general license is hereby issued to any private carrier to transport radioactive material, provided the transportation is in accordance with the applicable requirements, appropriate to the mode of transport, of the U.S. Department of Transportation insofar as such requirements relate to the loading and storage of packages, placarding of the transporting vehicle, and incident reporting.³
- (C) Persons who transport radioactive material pursuant to the general licenses in 105 CMR 120.776(A) or (B) are exempt from the requirements of 105 CMR 120.200 and 120.750 to the extent that they transport radioactive material.

120.777: General License: Nuclear Regulatory Commission - Approved Packages

- (A) A general license is hereby issued to any licensee of the Agency to transport, or to deliver to a carrier for transport, licensed material in a package for which a license, certificate of compliance, or other approval has been issued by the Nuclear Regulatory Commission.
- (B) This general license applies only to a licensee who has a quality assurance program approved by the Agency as satisfying the provisions of 105 CMR 120.791 through 120.797.
- (C) Each licensee issued a general license under 105 CMR 120.777(A) shall:
 - (1) Maintain a copy of the NRC issued certificate of compliance, or other approval by the Nuclear Regulatory Commission of the package, and the drawings and other documents referenced in the approval relating to the use and maintenance of the packaging and to the actions to be taken prior to shipment;
 - (2) Comply with the terms and conditions of the license, certificate, or other approval by the Nuclear Regulatory Commission, as applicable, and the applicable requirements of 105 CMR 120.771 through 120.774 and 105 CMR 120.784 through 120.797; and
 - (3) Submit in writing before the first use of the package to: ATTN: Document Control Desk, Director, Division of Spent Fuel Storage and Transportation, Office of Nuclear Material Safety and Safeguards, using an appropriate method listed in 10 CFR 71.1(a), the licensee's name and license number and the package identification number specified in the package approval.
- (D) The general license in 105 CMR 120.777(A) applies only when the package approval authorizes use of the package under this general license.
- (E) For a Type B or fissile material package, the design of which was approved by the Nuclear Regulatory Commission before April 1, 1996, the general license is subject to the additional restrictions of 10 CFR 71.19.

120.779: General License: U.S. Department of Transportation Specification Container

- (A) A general license is issued to any licensee to transport, or to deliver to a carrier for transport, licensed material in a specification container for fissile material or for a Type B quantity of radioactive material as specified in 49 CFR Parts 173 and 178.
- (B) This general license applies only to a licensee who:

Notification of an incident shall be filed with, or made to, the Agency as prescribed in 49 CFR, regardless of, and in addition to, notification made to U.S. Department of Transportation or other agencies.

120.779: continued

- (1) Has a copy of the specification;
- (2) Complies with the terms and conditions of the specification and the applicable requirements of 105 CMR 120.770; and
- (3) Has a quality assurance program as required by 105 CMR 120.791.
- (C) This general license in 105 CMR 120.779(A) is subject to the limitation that the specification container may not be used for a shipment to a location outside the United States except by multilateral approval as defined in 49 CFR 173.403.
- (D) The general license specified in 105 CMR 120.779 expires on October 1, 2008.

120.780: General License - Use of Foreign Approved Package

- (A) A general license is issued to any licensee of the Agency to transport, or to deliver to a carrier for transport, licensed material in a package, the design of which has been approved in a foreign national competent authority certificate which has been revalidated by the U.S. Department of Transportation as meeting the applicable requirements of 49 CFR 171.23.
- (B) This general license applies only to shipments made to or from locations outside the United States.
- (C) Except as otherwise provided in 105 CMR 120.780, the general license applies only to a licensee who has a quality assurance program approved by the Agency as satisfying the applicable provisions of 105 CMR 120.791 through 120.797.
- (D) Each licensee issued a general license under 105 CMR 120.780(A) shall:
 - (1) Maintain a copy of the applicable certificate, the revalidation, and the drawings and other documents referenced in the certificate, relating to the use and maintenance of the packaging and to the actions to be taken before shipment; and
 - (2) Comply with the terms and conditions of the certificate and revalidation, and with the applicable requirements of 105 CMR 120.771 through 120.774 and 105 CMR 120.784 through 120.797.

120.781: General License: Fissile Material, Limited Quantity per Package

- (A) A general license is hereby issued to any licensee to transport fissile material, or to deliver fissile material to a carrier for transport, if the material is shipped in accordance with 105 CMR 120.781. The fissile material need not be contained in a package which meets the standards of 10 CFR 71 Subparts E and F; however, the material must be contained in a Type A package. The Type A package must also meet the DOT requirements of 49 CFR 173.417(a).
- (B) The general license applies only to a licensee who has a quality assurance program approved by the Agency as satisfying the provisions of 105 CMR 120.791 through 120.797.
- (C) The general license applies only when a package's contents:
 - (1) Contain less than a Type A quantity of fissile material; and
 - (2) Contain less than 500 total grams of beryllium, graphite, or hydrogenous material enriched in deuterium.
- (D) The general license applies only to packages containing fissile material that are labeled with a CSI which:
 - (1) Has been determined in accordance with 105 CMR 120.781(E);
 - (2) Has a value less than or equal to ten; and
 - (3) For a shipment of multiple packages containing fissile material, the sum of the CSIs must be less than or equal to 50 (for shipment on a nonexclusive use conveyance) and less than or equal to 100 (for shipment on an exclusive use conveyance).

120.782: General License: Plutonium Beryllium Special Form Material

- (A) A general license is issued to any licensee to transport fissile material in the form of plutonium beryllium (Pu Be) special form sealed sources, or to deliver Pu Be sealed sources to a carrier for transport, if the material is shipped in accordance with 105 CMR 120.782. This material need not be contained in a package which meets the standards of subparts E and F of 10 CFR 71; however, the material must be contained in a Type A package. The Type A package must also meet the DOT requirements of 49 CFR 173.417(a).
- (B) The general license applies only to a licensee who has a quality assurance program approved by the Agency as satisfying the provisions of 105 CMR 120.791 through 120.797.

(C) The general license applies only when a package's contents:

(1) Contain no more than a Type A quantity of radioactive material; and,

- (2) Contain less than 1000 g of plutonium, provided that: plutonium-239, plutonium-241, or any combination of these radionuclides, constitutes less than 240 g of the total quantity of plutonium in the package.
- (D) The general license applies only to packages labeled with a CSI which:

(1) Has been determined in accordance with 105 CMR 120.782(E);

(2) Has a value less than or equal to 100; and,

- (3) For a shipment of multiple packages containing Pu Be sealed sources, the sum of the CSIs must be less than or equal to 50 (for shipment on a nonexclusive use conveyance) and less than or equal to 100 (for shipment on an exclusive use conveyance).
- (E)(1) The value for the CSI must be greater than or equal to the number calculated by the following equation:

$$CSI = 10 \left[\frac{\text{grams of }^{239}Pu + \text{grams of }^{241}Pu}{24} \right];$$

(2) The calculated CSI must be rounded up to the first decimal place.

PACKAGE APPROVAL STANDARDS

120.783: External Radiation Standards for All Packages

- (A) Except as provided in 105 CMR 120.783(B), each package of radioactive materials offered for transportation must be designed and prepared for shipment so that under conditions normally incident to transportation the radiation level does not exceed 2 mSv/hr (200 mrem/hr) at any point on the external surface of the package, and the transport index does not exceed ten.
- (B) A package that exceeds the radiation level limits specified in 105 CMR 120.783(A) must be transported by exclusive use shipment only, and the radiation levels for such shipment must not exceed the following during transportation:
 - (1) 2 mSv/h (200 mrem/h) on the external surface of the package, unless the following conditions are met, in which case the limit is 10 mSv/h (1000 mrem/h):

(a) The shipment is made in a closed transport vehicle;

(b) The package is secured within the vehicle so that its position remains fixed during transportation; and,

(c) There are no loading or unloading operations between the beginning and end of the transportation;

(2) 2 mSv/h (200 mrem/h) at any point on the outer surface of the vehicle, including the top and underside of the vehicle; or in the case of a flat-bed style vehicle, at any point on the vertical planes projected from the outer edges of the vehicle, on the upper surface of the load or enclosure, if used, and on the lower external surface of the vehicle; and

(3) 0.1 mSv/h (10 mrem/h) at any point two meters (80 in.) from the outer lateral surfaces of the vehicle (excluding the top and underside of the vehicle); or in the case of a flat-bed style vehicle, at any point two meters (6.6 ft.) from the vertical planes projected by the outer edges of the vehicle (excluding the top and underside of the vehicle); and

120.783: continued

- (4) 0.02 mSv/h (2 mrem/h) in any normally occupied space, except that this provision does not apply to private carriers, if exposed personnel under their control wear radiation dosimetry devices in conformance with 105 CMR 120.226.
- (C) For shipments made under the provisions of 105 CMR 120.783(B), the shipper shall provide specific written instructions to the carrier for maintenance of the exclusive use shipment controls. The instructions must be included with the shipping paper information.
- (D) The written instructions required for exclusive use shipments must be sufficient so that, when followed, they will cause the carrier to avoid actions that will unnecessarily delay delivery or unnecessarily result in increased radiation levels or radiation exposures to transport workers or members of the general public.

OPERATING CONTROLS AND PROCEDURES

120.784: Assumptions as to Unknown Properties of Fissile Material

When the isotopic abundance, mass, concentration, degree of irradiation, degree of moderation, or other pertinent property of fissile material in any package is not known, the licensee shall package the fissile material as if the unknown properties have credible values that will cause the maximum neutron multiplication.

120.785: Preliminary Determinations

Prior to the first use of any packaging for the shipment of licensed material, the licensee shall ascertain that the determinations in 10 CFR 71.85(a) through (c) have been made.

120.786: Routine Determinations

Prior to each shipment of licensed material, the licensee shall ensure that the package with its contents satisfies applicable requirements of 10 CFR 71 and of the license. The licensee shall determine that:

- (A) The package is proper for the contents to be shipped;
- (B) The package is in unimpaired physical condition except for superficial defects such as marks or dents;
- (C) Each closure device of the packaging, including any required gasket, is properly installed and secured and free of defects;
- (D) Any system for containing liquid is adequately sealed and has adequate space or other specified provision for expansion of the liquid;
- (E) Any pressure relief device is operable and set in accordance with written procedures;
- (F) The package has been loaded and closed in accordance with written procedures;
- (G) For fissile material, any moderator or neutron absorber, if required, is present and in proper condition;
- (H) Any structural part of the package which could be used to lift or tie down the package during transport is rendered inoperable for that purpose unless it satisfies design requirements specified in 10 CFR 71.45;
- (I) The level of non-fixed (removable) radioactive contamination on the external surfaces of each package offered for shipment is as low as reasonably achievable, and within the limits specified in DOT regulations in 49 CFR 173.443;
- (J) External radiation levels around the package and around the vehicle, if applicable, will not exceed the limits specified in 10 CFR 71.47 at any time during transportation; and

120.786: continued

(K) Accessible package surface temperatures will not exceed the limits specified in 10 CFR 71.43(g) at any time during transportation.

120.787: Air Transport of Plutonium

Notwithstanding the provisions of any general licenses and notwithstanding any exemptions stated directly in 105 CMR 120.770 or included indirectly by citation of the U.S. Department of Transportation regulations, as may be applicable, the licensee shall assure that plutonium in any form, whether for import, export, or domestic shipment, is not transported by air, or delivered to a carrier for air transport, unless:

- (A) The plutonium is contained in a medical device designed for individual human application;
- (B) The plutonium is contained in a material in which the specific activity is not greater than or equal to the activity concentration values for plutonium specified in 105 CMR 120.798: Appendix A, Table A-2, and in which the radioactivity is essentially uniformly distributed;
- (C) The plutonium is shipped in a single package containing no more than an A₂ quantity of plutonium in any isotope or form and is shipped in accordance with 105 CMR 120.774;
- (D) The plutonium is shipped in a package specifically authorized (in the Certificate of Compliance issued by the Nuclear Regulatory Commission for that package) for the shipment of plutonium by air; or
- (E) For a shipment of plutonium by air which is subject to 105 CMR 120.787(D), the licensee shall, through special arrangement with the carrier, require compliance with 49 CFR 175.704, U.S. Department of Transportation regulations applicable to the air transport of plutonium.
- Nothing in 105 CMR 120.787 is to be interpreted as removing or diminishing the requirements of 10 CFR 73.24.

120.788: Opening Instructions

Before delivery of a package to a carrier for transport, the licensee shall ensure that any special instructions needed to safely open the package have been sent to, or otherwise made available to, the consignee for the consignee's use in accordance with 105 CMR 120.242(E).

120.789: Records

- (A) Each licensee shall maintain, for a period of three years after shipment, a record of each shipment of licensed material not exempt under 105 CMR 120.775(C), showing where applicable:
 - (1) Identification of the packaging by model number and serial number;
 - (2) Verification that there are no significant defects in the packaging, as shipped;
 - (3) Volume and identification of coolant;
 - (4) Type and quantity of licensed material in each package, and the total quantity of each shipment:
 - (5) For each item of irradiated fissile material:
 - (a) Identification by model number and serial number;
 - (b) Irradiation and decay history to the extent appropriate to demonstrate that its nuclear and thermal characteristics comply with license conditions; and
 - (c) Any abnormal or unusual condition relevant to radiation safety;
 - (6) Date of the shipment;
 - (7) For fissile packages and for Type B packages, any special controls exercised;
 - (8) Name and address of the transferee;
 - (9) Address to which the shipment was made; and
 - (10) Results of the determinations required by 105 CMR 120.786 and by the conditions of the package approval.

120.789: continued

- (B) The licensee shall make available to the Agency for inspection, upon reasonable notice, all records required by 105 CMR 120.770 through 120.798. Records are only valid if stamped, initialed, or signed and dated by authorized personnel, or otherwise authenticated.
- (C) The licensee shall maintain sufficient written records to furnish evidence of the quality of packaging. The records to be maintained include: results of the determinations required by 105 CMR 120.785; design, fabrication, and assembly records; results of reviews, inspections, tests, and audits; results of monitoring work performance and materials analyses; and results of maintenance, modification, and repair activities. Inspection, test, and audit records must identify the inspector or data recorder, the type of observation, the results, the acceptability, and the action taken in connection with any deficiencies noted. These records must be retained for three years after the life of the packaging to which they apply.

120.790: Advance Notification of Shipment of Nuclear Waste

(A)(1) As specified in 105 CMR 120.790(B) through (D), each licensee shall provide advance notification to the governor of a State, or the governor's designee, of the shipment of licensed material, within or across the boundary of the State, before the transport, or delivery to a carrier, for transport, of licensed material outside the confines of the licensee's plant or other place of use or storage.

(2) As specified in 105 CMR 120.790(B) through (D) each licensee shall provide advance notification to the Tribal official of participating Tribes referenced in 105 CMR 120.790(C)(3)(c), or the official's designee, of the shipment of licensed material, within or across the boundary of the Tribe's reservation, before the transport, or delivery to a carrier, for transport, of licensed material outside the confines of the licensee's plant or other place

of use or storage.

(B) Advance notification is required under 105 CMR 120.790 for shipment of licensed material meeting the following three conditions:

(1) The licensed material is required by 10 CFR 71 to be in Type B packaging for

transportation;

- (2) The licensed material is being transported into, within, or through a state en route to a disposal facility or to a collection point for transport to a disposal facility; and
- (3) The quantity of licensed material in a single package exceeds the least of the following:

 (a) 3000 times the A₁ value of the radionuclides as specified in 105 CMR 120.798:
 Appendix A, Table A-1 for special form radioactive material;
 - (b) 3000 times the A₂ value of the radionuclides as specified in 105 CMR 120.798: Appendix A, Table A-1 for normal form radioactive material; or
 - (c) 1000 TBq (27,000 Ci).
- (C) Procedures for Submitting Advance Notification.
 - (1) The notification must be made in writing to the office of each appropriate governor or governor's designee, the office of each appropriate Tribal official or Tribal official's designee, and to the Director of the Agency.
 - (2) A notification delivered by mail must be postmarked at least seven days before the beginning of the seven-day period during which departure of the shipment is estimated to occur.
 - (3) A notification delivered by any other means than mail must reach the office of the governor or of the governor's designee or the Tribal official or Tribal official's designee at least four days before the beginning of the seven-day period during which departure of the shipment is estimated to occur.
 - (a) A list of the names and mailing addresses of the governors' designees receiving advance notification of transportation of nuclear waste was published in the *Federal Register* on June 30, 1995 (60 FR 34306).
 - (b) Contact information for each State, including telephone and mailing addresses of governors and governors' designees, and participating Tribes, including telephone and mailing addresses of Tribal officials and Tribal official's designees, is available on the NRC website at: https://scp.nrc.gov/special/designee.pdf.

120.790: continued

- (c) A list of the names and mailing addresses of the governors' designees and Tribal officials' designees of participating Tribes is available on request from the Director, Division of Material Safety, State, Tribal, and Rulemaking Programs, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.
- (4) The licensee shall retain a copy of the notification as a record for three years.
- (D) <u>Information to Be Furnished in Advance Notification of Shipment</u>. Each advance notification of shipment of nuclear waste must contain the following information:
 - (1) The name, address, and telephone number of the shipper, carrier, and receiver of the nuclear waste shipment;
 - (2) A description of the nuclear waste contained in the shipment, as specified in the regulations of DOT in 49 CFR 172.202 and 172.203(d);
 - (3) The point of origin of the shipment and the seven-day period during which departure of the shipment is estimated to occur;
 - (4) The seven-day period during which arrival of the shipment at State boundaries or Tribal reservation boundaries is estimated to occur;
 - (5) The destination of the shipment, and the seven-day period during which arrival of the shipment is estimated to occur; and
 - (6) A point of contact, with a telephone number, for current shipment information.
- (E) Revision Notice. A licensee who finds that schedule information previously furnished to a governor or governor's designee or a Tribal official or Tribal official's designee, in accordance with 105 CMR 120.790, will not be met, shall telephone a responsible individual in the office of the governor of the State or of the governor's designee or the Tribal official or the Tribal official's designee and inform that individual of the extent of the delay beyond the schedule originally reported. The licensee shall maintain a record of the name of the individual contacted for three years.
- (F) Cancellation Notice.
 - (1) Each licensee who cancels a nuclear waste shipment for which advance notification has been sent shall send a cancellation notice to the governor of each State or to the governor's designee previously notified, each Tribal official or to the Tribal official's designee previously notified, and to the Director of the Agency.
 - (2) The licensee shall state in the notice that it is a cancellation and identify the advance notification that is being canceled. The licensee shall retain a copy of the notice as a record for three years.

OUALITY ASSURANCE

120.791: Quality Assurance Requirements

- (A) <u>Purpose</u>. 105 CMR 120.791 through 120.797 describes quality assurance requirements applying to design, purchase, fabrication, handling, shipping, storing, cleaning, assembly, inspection, testing, operation, maintenance, repair, and modification of components of packaging that are important to safety. As used in 105 CMR 120.791 through 120.797, "quality assurance" comprises all those planned and systematic actions necessary to provide adequate confidence that a system or component will perform satisfactorily in service. Quality assurance includes quality control, which comprises those quality assurance actions related to control of the physical characteristics and quality of the material or component to predetermined requirements. Each licensee is responsible for the quality assurance requirements that apply to its use of a packaging for the shipment of licensed material subject to 105 CMR 120.791 through 120.797.
- (B) <u>Establishment of Program</u>. Each licensee shall establish, maintain, and execute a quality assurance program satisfying each of the applicable criteria of 105 CMR 120.791 through 120.797 and satisfying any specific provisions that are applicable to the licensee's activities including procurement of packaging. The licensee shall execute the applicable criteria in a graded approach to an extent that is commensurate with the quality assurance requirement's importance to safety.

120.791: continued

- (C) Approval of Program. Before the use of any package for the shipment of licensed material subject to 105 CMR 120.791 through 120.797, each licensee shall obtain Agency approval of its quality assurance program. Using an appropriate method listed in 105 CMR 120.013, each licensee shall file a description of its quality assurance program, including a discussion of which requirements of 105 CMR 120.791 through 120.797 are applicable and how they will be satisfied, by submitting the description to the Agency.
- (D) Radiography Containers. A program for transport container inspection and maintenance limited to radiographic exposure devices, source changers, or packages transporting these devices and meeting the requirements of 10 CFR 34.31(b) or equivalent Agreement State requirement, is deemed to satisfy the requirements of 105 CMR 120.777(B) and 120.791(B).

120.792: Quality Assurance Organization

- (A) The licensee shall be responsible for the establishment and execution of the quality assurance program. The licensee may delegate to others, such as contractors, agents, or consultants, the work of establishing and executing the quality assurance program, or any part of the quality assurance program, but shall retain responsibility for the program. These activities include performing the functions associated with attaining quality objectives and the quality assurance functions.
- (B) The quality assurance functions are:
 - (1) Assuring that an appropriate quality assurance program is established and effectively executed; and
 - (2) Verifying, by procedures such as checking, auditing, and inspection, that activities affecting the functions that are important to safety have been correctly performed.

120.793: Quality Assurance Program

- (A) The licensee shall establish, at the earliest practicable time consistent with the schedule for accomplishing the activities, a quality assurance program that complies with the requirements of 105 CMR 120.791 through 120.797. The licensee shall document the quality assurance program by written procedures or instructions and shall carry out the program in accordance with those procedures throughout the period during which the packaging is used. The licensee shall identify the material and components to be covered by the quality assurance program, the major organizations participating in the program, and the designated functions of these organizations.
- (B) The licensee shall base the requirements and procedures of its quality assurance program on the following considerations concerning the complexity and proposed use of the package and its components:
 - (1) The impact of malfunction or failure of the item to safety;
 - (2) The design and fabrication complexity or uniqueness of the item;
 - (3) The need for special controls and surveillance over processes and equipment;
 - (4) The degree to which functional compliance can be demonstrated by inspection or test; and
 - (5) The quality history and degree of standardization of the item.
- (C) The licensee shall provide for indoctrination and training of personnel performing activities affecting quality, as necessary to assure that suitable proficiency is achieved and maintained. The licensee shall review the status and adequacy of the quality assurance program at established intervals. Management of other organizations participating in the quality assurance program shall review regularly the status and adequacy of that part of the quality assurance program they are executing.

120.794: Changes to Quality Assurance Program

- (A) Each quality assurance program approval holder shall submit, in accordance with 105 CMR 120.013, a description of a proposed change to its Agency-approved quality assurance program that will reduce commitments in the program description as approved by the Agency. The quality assurance program approval holder shall not implement the change before receiving Agency approval. The description of a proposed change to the Agency-approved quality assurance program must identify the change, the reason for the change, and the basis for concluding that the revised program incorporating the change continues to satisfy the applicable requirements of 105 CMR 120.791 through 120.797.
- (B) Each quality assurance program approval holder may change a previously approved quality assurance program without prior Agency approval, if the change does not reduce the commitments in the quality assurance program previously approved by the Agency. Changes to the quality assurance program that do not reduce the commitments shall be submitted to the Agency every 24 months, in accordance with 105 CMR 120.013. In addition to quality assurance program changes involving administrative improvements and clarifications, spelling corrections, and non-substantive changes to punctuation or editorial items, the following changes are not considered reductions in commitment:

(1) The use of a quality assurance standard approved by the Agency that is more recent than the quality assurance standard in the applicant's current quality assurance program at the time of the change;

(2) The use of generic organizational position titles that clearly denote the position function, supplemented as necessary by descriptive text, rather than specific titles, provided that there is no substantive change to either the functions of the position or reporting responsibilities;

(3) The use of generic organizational charts to indicate functional relationships, authorities, and responsibilities, or alternatively, the use of descriptive text, provided that there is no substantive change to the functional relationships, authorities, or responsibilities;

(4) The elimination of quality assurance program information that duplicates language in quality assurance regulatory guides and quality assurance standards to which the quality assurance program approval holder has committed to on record; and

(5) Organizational revisions that ensure that persons and organizations performing quality assurance functions continue to have the requisite authority and organizational freedom, including sufficient independence from cost and schedule when opposed to safety considerations.

(C) Each quality assurance program approval holder shall maintain records of quality assurance program changes.

120.795: Corrective Action

The licensee shall establish measures to assure that conditions adverse to quality, such as deficiencies, deviations, defective material and equipment, and nonconformances, are promptly identified and corrected. In the case of a significant condition adverse to quality, the measures must assure that the cause of the condition is determined and corrective action taken to preclude repetition. The identification of the significant condition adverse to quality, the cause of the condition, and the corrective action taken must be documented and reported to appropriate levels of management.

120.796: Quality Assurance Records

The licensee shall maintain sufficient written records to describe the activities affecting quality. These records must include changes to the quality assurance program as required by 105 CMR 120.794. The records must include the instructions or procedures that establish a records retention program that is consistent with applicable regulations and designates factors such as duration, location, and assigned responsibility. The licensee shall retain these records for three years beyond the date when the licensee last engaged in the activity for which the quality assurance program was developed. If any portion of the quality assurance program, written procedures or instructions is superseded, the licensee shall retain the superseded material for three years after it is superseded.

120.797: Audits

The licensee shall carry out a comprehensive system of planned and periodic audits to verify compliance with all aspects of the quality assurance program and to determine the effectiveness of the program. The audits must be performed in accordance with written procedures or checklists by appropriately trained personnel not having direct responsibilities in the areas being audited. Audited results must be documented and reviewed by management having responsibility in the area audited. Follow-up action, including reaudit of deficient areas, must be taken where indicated.

120.798: Appendix A - Determination of A₁ and A₂

- I. Values of A₁ and A₂ for individual radionuclides, which are the bases for many activity limits elsewhere in 105 CMR 120.000 are given in Table A-1. The curie (Ci) values specified are obtained by converting from the Terabecquerel (TBq) figure. The Terabecquerel values are the regulatory standard. The curie values are for information only and are not intended to be the regulatory standard. Where values of A₁ or A₂ are unlimited, it is for radiation control purposes only. For nuclear criticality safety, some materials are subject to controls placed on fissile material.
- II. (a) For individual radionuclides whose identities are known, but which are not listed in Table A-1, the A₁ and A₂ values contained in Table A-3 may be used. Otherwise, the licensee shall obtain prior Agency approval of the A₁ and A₂ values for radionuclides not listed in Table A-1, before shipping the material.
 - (b) For individual radionuclides whose identities are known, but which are not listed in Table A-2, the exempt material activity concentration and exempt consignment activity values contained in Table A-3 may be used. Otherwise, the licensee shall obtain prior Agency approval of the exempt material activity concentration and exempt consignment activity values for radionuclides not listed in Table A-2, before shipping the material.
 - (c) The licensee shall submit requests for prior approval, described in Appendix AII(a) and II(b), to the Agency, in accordance with 105 CMR 120.013.
- III. In the calculations of A₁ and A₂ for a radionuclide not in Table A-1, a single radioactive decay chain, in which radionuclides are present in their naturally occurring proportions, and in which no daughter nuclide has a half-life either longer than ten days, or longer than that of the parent nuclide, shall be considered as a single radionuclide, and the activity to be taken into account, and the A₁ or A₂ value to be applied, shall be those corresponding to the parent nuclide of that chain. In the case of radioactive decay chains in which any daughter nuclide has a half-life either longer than ten days, or greater than that of the parent nuclide, the parent and those daughter nuclides shall be considered as mixtures of different nuclides.
- IV. For mixtures of radionuclides whose identities and respective activities are known, the following conditions apply:
 - (a) For special form radioactive material, the maximum quantity transported in a Type A package is as follows:

$$\sum_{i} \frac{B(i)}{A_{i}(i)} \le 1$$

where B(i) is the activity of radionuclide i in special form, and $A_1(i)$ is the A_1 value for radionuclide i.

(b) For normal form radioactive material, the maximum quantity transported in a Type A package is as follows:

$$\sum \frac{B(i)}{A_2(i)} \le 1$$

where B(i) is the activity of radionuclide i in normal form, and A₂(i) is the A₂ value for radionuclide i.

Appendix A: continued

(c) If the package contains both special and normal form radioactive material, the activity that may be transported in a Type A package is as follows:

$$\sum_{i} \frac{B(i)}{A_1(i)} + \sum_{j} \frac{C(j)}{A_2(j)} \le 1$$

where B(i) is the activity of radionuclide i as special form radioactive material, $A_1(i)$ is the A_1 value for radionuclide i, C(j) is the activity of radionuclide j as normal form radioactive material, and $A_2(j)$ is the A_2 value for radionuclide j.

(d) Alternatively, the A₁ value for mixtures of special form material may be determined as follows:

$$A_1$$
 for mixture = $\frac{1}{\Sigma_i \frac{f(i)}{A_1(i)}}$

where f(i) is the fraction of activity for radionuclide i in the mixture and $A_1(i)$ is the appropriate A_1 value for radionuclide i.

(e) Alternatively, the A_2 value for mixtures of normal form material may be determined as follows:

$$A_2$$
 for mixture $=\frac{1}{\sum_i \frac{f(i)}{A_2(i)}}$

where f(i) is the fraction for radioactivity for radionuclide i in the mixture and $A_2(i)$ is the appropriate A_2 value for radioradionuclide i.

(f) The exempt activity concentration for mixtures of nuclides may be determined as follows:

Exempt activity concentration for mixture
$$= \frac{1}{\sum_{i} \frac{f(i)}{[A](i)}}$$

where f(i) is the fraction of activity of radionuclide i in the mixture, and [A](i) is the activity concentration for exempt material containing radionuclide i.

(g) The activity limit for an exempt consignment for mixtures of radionuclides may be determined as follows:

Exempt consignment activity limit for mixture
$$= \frac{1}{\sum_{i} \frac{f(i)}{A(i)}}$$

where f(i) is the fraction of activity of radionuclide i in the mixture, and A(i) is the activity limit for exempt consignments for radionuclide i.

V. (a) When the identity of each radionuclide is known, but the individual activities of some of the radionuclides are not known, the radionuclides may be grouped, and the lowest A₁ or A₂ value, as appropriate, for the radionuclides in each group may be used in applying the formulas in paragraph IV. Groups may be based on the total alpha activity and the total beta/gamma activity when these are known, using the lowest A₁ or A₂ values for the alpha emitters and beta/gamma emitters.

(b) When the identity of each radionuclide is known but the individual activities of some of the radionuclides are not known, the radionuclides may be grouped and the lowest [A] (activity concentration for exempt material) or A (activity limit for exempt consignment) value, as appropriate, for the radionuclides in each group may be used in applying the formulas in paragraph IV of this appendix. Groups may be based on the total alpha activity and the total beta/gamma activity when these are known, using the lowest [A] or A values for the alpha emitters and beta/gamma emitters, respectively.

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES

		·····	······································			Specific	activity
Symbol of radionuclides	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
Ac-225 (a)	Actinium (89)	8.0X10 ⁻¹	2.2X101	6.0X10 ⁻³	1.6X10 ⁻¹	2.1X10 ³	5.8X10 ⁴
Ac-227 (a)	Ť .	9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻⁵	2.4X10 ⁻³	2.7X10°	7.2X10 ¹
Ac-228		6.0X10 ⁻¹	1.6X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	8.4X10 ⁴	2.2X10 ⁶
Ag-105	Silver (47)	2X10°	5.4X101	2X10°	5.4X101	1.1X10 ³	3.0X10 ⁴
Ag-108m (a)		7.0X10 ⁻¹	1.9X101	7.0X10 ⁻¹	1.9X10 ¹	9.7X10 ⁻¹	2.6X10 ¹
Ag-110m (a)		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.8X10 ²	4.7X10 ³
Ag-111		2.0X10°	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	5.8X10 ³	1.6X10 ⁵
A1-26	Aluminum (13)	1.0X10 ⁻¹	2.7X10°	1.0X10 ⁻¹	2.7X10°	7.0X10 ⁻⁴	1.9X10 ⁻²
Am-241	Americium (95)	1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	1.3X10 ⁻¹	3.4X10°
Am-242m (a)		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	3.6X10 ⁻¹	1.0X10 ¹
Am-243 (a)		5.0X10°	1.4X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	7.4X10 ⁻³	2.0X10 ⁻¹
Ar-37	Argon (18)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	3.7X10 ³	9.9X10 ⁴
Ar-39		4.0X101	1.1X10 ³	2.0X10 ¹	5.4X10 ²	1.3X10°	3.4X10 ¹
Ar-41		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	1.5X10 ⁶	4.2X10 ⁷
As-72	Arsenic (33)	3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	6.2X10 ⁴	1.7X10 ⁶
As-73		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	8.2X10 ²	2.2X10 ⁴
As-74	i i	1.0X10°	2.7X101	9.0X10 ⁻¹	2.4X101	3.7X10 ³	9.9X10 ⁴
As-76		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	5.8X10 ⁴	1.6X10 ⁶
As-77		2.0X101	5.4X10 ²	7.0X10 ⁻¹	1.9X10 ¹	3.9X10 ⁴	1.0X10 ⁶
At-211 (a)	Astatine (85)	2.0X10 ¹	5.4X10 ²	5.0X10 ⁻¹	1.4X10 ¹	7.6X10 ⁴	2.1X10 ⁶
Au-193	Gold (79)	7.0X10°	1.9X10 ²	2.0X10°	5.4X10 ¹	3.4X10 ⁴	9.2X10 ⁵
Au-194		1.0X10°	2.7X101	1.0X10°	2.7X101	1.5X10 ⁴	4.1X10 ⁵
Au-195	Gold (79)	1.0X10 ¹	2.7X10 ²	6.0X10°	1.6X10 ²	1.4X10 ²	3.7X10 ³
Au-198		1.0X10°	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.0X10 ³	2.4X10 ⁵
Au-199		1.0X10 ¹	2.7X10 ²	6.0X10 ⁻¹	1.6X101	7.7X10 ³	2.1X10 ⁵
Ba-131 (a)	Barium (56)	2.0X10°	5.4X101	2.0X10°	5.4X101	3.1X10 ³	8.4X10 ⁴
Ba-133		3.0X10°	8.1X101	3.0X10°	8.1X101	9.4X10°	2.6X10 ²
Ba-133m		2.0X10 ¹	5.4X10 ²	6.0X10 ⁻¹	1.6X10 ¹	2.2X10 ⁴	6.1X10 ⁵
Ba-140 (a)		5.0X10 ⁻¹	1.4X10 ¹	3.0X10 ⁻¹	8.1X10°	2.7X10 ³	7.3X10 ⁴
Be-7	Beryllium (4)	2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	1.3X10 ⁴	3.5X10 ⁵
Be-10		4.0X101	1.1X10 ³	6.0X10 ⁻¹	1.6X10 ¹	8.3X10 ⁻⁴	2.2X10 ⁻²
Bi-205	Bismuth (83)	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X101	1.5X10 ³	4.2X10 ⁴
Bi-206		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	-3.8X10 ³	1.0X10 ⁵
Bi-207	İ	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X101	1.9X10°	5.2X10 ¹
Bi-210		1.0X10 ⁰	2.7X10 ⁱ	6.0X10 ⁻¹	1.6X10 ¹	4.6X10 ³	1.2X10 ⁵
Bi-210m(a)	<u> </u>	6.0X10 ⁻¹	1.6X10 ¹	2.0X10 ⁻²	5.4X10 ⁻¹	2.1X10 ⁻⁵	5.7X10 ⁻⁴
Bi-212 (a)		7.0X10 ⁻¹	1.9X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	5.4X10 ⁵	1.5X10 ⁷
Bk-247	Berkelium (97)	8.0X10°	2.2X10 ²	8.0X10 ⁻⁴	2.2X10 ⁻²	3.8X10 ⁻²	1.0X10°
Bk-249 (a)		4.0X10 ¹	1.1X10 ³	3.0X10 ⁻¹	8.1X10°	6.1X10 ¹	1.6X10 ³

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES (continued)

						Specific	activity
Symbol of radionuclides	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
Br-76	Bromine (35)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	9.4X10 ⁴	2.5X10 ⁶
Br-77	İ	3.0X10°	8.1X10 ¹	3.0X10°	8.1X10 ¹	2.6X10 ⁴	7.1X10 ⁵
Br-82	i	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	4.0X104	1.1X10 ⁶
C-11	Carbon (6)	1.0X10°	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.1X10 ⁷	8.4X10 ⁸
C-14		4.0X101	1.1X10 ³	3.0X10°	8.1X10 ¹	1.6X10 ⁻¹	4.5X10°
Ca-41	Calcium (20)	Unlimited	Unlimited	Unlimited	Unlimited	3.1X10 ⁻³	8.5X10 ⁻²
Ca-45		4.0X10 ¹	1.1X10 ³	1.0X10°	2.7X10 ¹	6.6X10 ²	1.8X10 ⁴
Ca-47 (a)		3.0X10°	8.1X101	3.0X10 ⁻¹	8.1X10°	2.3X10 ⁴	6.1X10 ⁵
Cd-109	Cadmium (48)	3.0X10 ¹	8.1X10 ²	2.0X10°	5.4X101	9.6X10 ¹	2.6X10 ³
Cd-113m		4.0X101	1.1X10 ³	5.0X10 ⁻¹	1.4X10 ¹	8.3X10°	2.2X10 ²
Cd-115 (a)		3.0X10°	8.1X101	4.0X10 ⁻¹	1.1X10 ¹	1.9X10⁴	5.1X10 ⁵
Cd-115m		5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	9.4X10 ²	2.5X10 ⁴
Ce-139	Cerium (58)	7.0X10°	1.9X10 ²	2.0X10°	5.4X10 ¹	2.5X10 ²	·6.8X10 ³
Ce-141		2.0X10 ¹	5.4X10 ²	6.0X10 ⁻¹	1.6X10 ¹	1.1X10 ³	2.8X10 ⁴
Ce-143		9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.5X10 ⁴	6.6X10 ⁵
Ce-144 (a)		2.0X10 ⁻¹	5.4X10°	2.0X10 ⁻¹	5.4X10°	1.2X10 ²	3.2X10 ³
Cf-248	Californium (98)	4.0X101	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	5.8X10 ¹	1.6X10 ³
Cf-249		3.0X10°	8.1X10 ¹	8.0X10 ⁻⁴	2.2X10 ⁻²	1.5X10 ⁻¹	4.1X10°
Cf-250		2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	4.0X10°	1.1X10 ²
Cf-251		7.0X10°	1.9X10 ²	7.0X10 ⁻⁴	1.9X10 ⁻²	5.9X10 ⁻²	1.6X10°
Cf-252		1.0X10 ⁻¹	2.7X10°	3.0X10 ⁻³	8.1X10 ⁻²	2.0X10 ¹	5.4X10 ²
Cf-253 (a)		4.0X10 ¹	1.1X10 ³	4.0X10 ⁻²	1.1X10°	1.1X10 ³	2.9X10 ⁴
Cf-254	<u> </u>	1.0X10 ⁻³	2.7X10 ⁻²	1.0X10 ⁻³	2.7X10 ⁻²	3.1X10 ²	8.5X10 ³
C1-36	Chlorine (17)	1.0X10 ¹	2.7X10 ²	6.0X10-1	1.6X10 ¹	1.2X10 ⁻³	3.3X10 ⁻²
Cl-38		2.0X10 ⁻¹	5.4X10°	2.0X10 ⁻¹	5.4X10°	4.9X10 ⁶	1.3X10 ⁸
Cm-240	Curium (96)	4.0X101	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	7.5X10 ²	2.0X10 ⁴
Cm-241		2.0X10°	5.4X10 ¹	1.0X10°	2.7X10 ¹	6.1X10 ²	1.7X10 ⁴
Cm-242	Curium (96)	4.0X10 ¹	1.1X10 ³	1.0X10 ⁻²	2.7X10 ⁻¹	1.2X10 ²	3.3X10 ³
Cm-243		9.0X10°	2.4X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	1.9X10 ⁻³	5.2X10 ¹
Cm-244	<u> </u>	2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	3.0X10°	8.1X10 ¹
Cm-245		9.0X10°	2.4X10 ²	9.0X10 ⁻⁴	2.4X10 ⁻²	6.4X10 ⁻³	1.7X10 ⁻¹
Cm-246		9.0X10°	2.4X10 ²	9.0X10 ⁻⁴	2.4X10 ⁻²	1.1X10 ⁻²	3.1X10 ⁻¹
Cm-247 (a)		3.0X10°	8.1X10 ¹	1.0X10 ⁻³	2.7X10 ⁻²	3.4X10 ⁻⁶	9.3X10 ⁻⁵
Cm-248		2.0X10 ⁻²	5.4X10 ⁻¹	3.0X10 ⁻⁴	8.1X10 ⁻³	1.6X10 ⁻⁴	4.2X10 ⁻³
Co-55	Cobalt (27)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.1X10 ⁵	3.1X10 ⁶
Co-56		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	1.1X10 ³	3.0X10 ⁴
Co-57		1.0X10 ¹	2.7X10 ²	1.0X10 ¹	2.7X10 ²	3.1X10 ²	8.4X10 ³
Co-58		1.0X10°	2.7X101	1.0X10°	2.7X10 ¹	1.2X10 ³	3.2X10 ⁴
Co-58m		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	2.2X10 ⁵	5.9X10 ⁶
Co-60		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	4.2X10 ¹	1.1X10 ³
Cr-51	Chromium (24)	3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	3.4X10 ³	9.2X10 ⁴
Cs-129	Cesium (55)	4.0X10°	1.1X10 ²	4.0X10°	1.1X10 ²	2.8X10 ⁴	7.6X10 ⁵
Cs-131		3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	3.8X10 ³	1.0X10 ⁵
Cs-132	 	1.0X10°	2.7X10 ¹	1.0X10°	2.7X101	5.7X10 ³	1.5X10 ⁵
Cs-134		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	4.8X101	1.3X10 ³
Cs-134m	 	4.0X10 ¹	1.1X10 ³	6.0X10 ⁻¹	1.6X10 ¹	3.0X10 ⁵	8.0X10 ⁶
Cs-135	 	4.0X10 ¹	1.1X10 ³	1.0X10°	2.7X101	4.3X10 ⁻⁵	1.2X10 ⁻³
Cs-136	_	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	2.7X10 ³	7.3X10 ⁴
Cs-137 (a)		2.0X10°	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.2X10°	8.7X10 ¹
Cu-64	Copper (29)	6.0X10°	1.6X10 ²	1.0X10°	2.7X10 ¹	1.4X10 ⁵	3.9X10 ⁶
Cu-67	Coppor (22)	1.0X10 ¹	2.7X10 ²	7.0X10 ⁻¹	1.9X10 ¹	2.8X10 ⁴	7.6X10 ⁵

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES (continued)

,						Specific	activity
Symbol of radionuclides	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
Dy-159	Dysprosium (66)	2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	2.1X10 ²	5.7X10 ³
Dy-165		9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.0X10 ⁵	8.2X10 ⁶
Dy-166 (a)		9.0X10 ⁻¹	2.4X10 ¹	3.0X10 ⁻¹	8.1X10°	8.6X10 ³	2.3X10 ⁵
Er-169	Erbium (68)	4.0X10 ¹	1.1X10 ³	1.0X10 ⁰	2.7X10 ¹	3.1X10 ³	8.3X10 ⁴
Er-171		8.0X10 ⁻¹	2.2X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	9.0X10 ⁴	2.4X10 ⁶
Eu-147	Europium (63)	2.0X10°	5.4X10 ¹	2.0X10°	5.4X10 ¹	1.4X10 ³	3.7X10⁴
Eu-148		5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.0X10 ²	1.6X10⁴
Eu-149		2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	3.5X10 ²	9.4X10 ³
Eu-150 (short-lived)		2.0X10°	5.4X101	7.0X10 ⁻¹	1.9X10 ¹	6.1X10 ⁴	1.6X10 ⁶
Eu-150 (long-lived)		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	6.1X10 ⁴	1.6X10 ⁶
Eu-152		1.0X10°	2.7X10 ¹	1.0X10°	2.7X10 ¹	6.5X10°	1.8X10 ²
Eu-152m		8.0X10 ⁻¹	2.2X101	8.0X10 ⁻¹	2.2X10 ¹	8.2X10⁴	2.2X10 ⁶
Eu-154		9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.8X10°	2.6X10 ²
Eu-155		2.0X101	5.4X10 ²	3.0X10°	8.1X10 ¹	1.8X10 ¹	4.9X10 ²
Eu-156		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	2.0X10 ³	5.5X10 ⁴
F-18	Fluorine (9)	1.0X10°	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.5X10 ⁶	9.5X10 ⁷
Fe-52 (a)	Iron (26)	3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	2.7X10 ⁵	7.3X10 ⁶
Fe-55		4.0X10 ¹	1.1X10 ³	4.0X101	1.1X10 ³	8.8X10 ¹	2.4X10 ³
Fe-59		9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻¹	2.4X101	1.8X10 ³	5.0X10 ⁴
Fe-60 (a)	 	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻¹	5.4X10°	7.4X10 ⁻⁴	2.0X10 ⁻²
Ga-67	Gallium (31)	7.0X10°	1.9X10 ²	3.0X10°	8.1X10 ¹	2.2X10 ⁴	6.0X10 ⁵
Ga-68		5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.5X10 ⁶	4.1X10 ⁷
Ga-72	1	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.1X10 ⁵	3.1X10 ⁶
Gd-146 (a)	Gadolinium (64)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.9X10 ²	1.9X10 ⁴
Gd-148	f	2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	1.2X10°	3.2X10 ¹
Gd-153		1.0X10 ¹	2.7X10 ²	9.0X10°	2.4X10 ²	1.3X10 ²	3.5X10 ³
Gd-159		3.0X10°	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.9X10 ⁴	1.1X10 ⁶
Ge-68 (a)	Germanium (32)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	2.6X10 ²	7.1X10 ³
Ge-71		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	5.8X10 ³	1.6X10 ⁵
Ge-77		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	1.3X10 ⁵	3.6X10 ⁶
Hf-172 (a)	Hafnium (72)	6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.1X10 ¹	1.1X10 ³
Hf-175		3.0X10°	8.1X10 ¹	3.0X10°	8.1X10 ¹	3.9X10 ²	1.1X10 ⁴
Hf-181		2.0X10°	5.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.3X10 ²	1.7X10 ⁴
Hf-182		Unlimited	Unlimited	<u> </u>	Unlimited	8.1X10 ⁻⁶	2.2X10 ⁻⁴
Hg-194 (a)	Mercury (80)	1.0X10°	2.7X10 ¹	1.0X10°	2.7X10 ¹	1.3X10 ⁻¹	3.5X10°
Hg-195m (a)		3.0X10°	8.1X101	7.0X10 ⁻¹	1.9X10 ¹	1.5X10 ⁴	4.0X10 ⁵
Hg-197		2.0X10 ¹	5.4X10 ²	1.0X10 ¹	2.7X10 ²	9.2X10 ³	2.5X10 ⁵
Hg-197m		1.0X10 ¹	2.7X10 ²	4.0X10 ⁻¹	1.1X10 ¹	2.5X10 ⁴	6.7X10 ⁵
Hg-203		5.0X10°	1.4X10 ²	1	2.7X10 ¹	5.1X10 ²	1.4X10 ⁴
Ho-166	Holmium (67)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	2.6X10 ⁴	7.0X10 ⁵
Ho-166m	1	6.0X10 ⁻¹	1.6X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.6X10 ⁻²	1.8X10°
I-123	Iodine (53)	6.0X10°	1.6X10 ²	3.0X10°	8.1X10 ¹	7.1X10 ⁴	1.9X10 ⁶
I-124		1.0X10°	2.7X10 ¹	1.0X10°	2.7X10 ¹	9.3X10 ³	2.5X10 ⁵
I-125	 	2.0X10 ¹	5.4X10 ²	3.0X10°	8.1X10 ¹	6.4X10 ²	1.7X10 ⁴
I-126		2.0X10°	5.4X10 ¹	1.0X10°	2.7X10 ¹	2.9X10 ³	8.0X10 ⁴
I-129	 	Unlimited		}	Unlimited		1.8X10 ⁻⁴
I-131	 	3.0X10°	8.1X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	4.6X10 ³	1.2X10 ⁵
I-132		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	3.8X10 ⁵	1.0X10 ⁷
I-133	 	7.0X10 ⁻¹	1.9X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.2X10 ⁴	1.1X10 ⁶
	1	11.07.10	12:23270	10,02210	1 1.07210	1	14,12210

9/7/18 105 CMR - 474.122

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES (continued)

						Specific	activity
Symbol of radionuclides	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
I-134		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹		9.9X10 ⁵	2.7X10 ⁷
I-135 (a)		6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹		1.3X10 ⁵	3.5X10 ⁶
	Indium (49)	3.0X10°	8.1X10 ¹	3.0X10°		1.5X10⁴	4.2X10 ⁵
In-113m		4.0X10°	1.1X10 ²	2.0X10°		6.2X10 ⁵	1.7X10 ⁷
In-114m (a)		1.0X10 ¹	2.7X10 ²	5.0X10 ⁻¹		8.6X10 ²	2.3X104
In-115m		7.0X10°	1.9X10 ²	1.0X10°	2.7X10 ¹	2.2X10 ^s	6.1X10 ⁶
	Iridium (77)	1.0X10 ¹	2.7X10 ²	1.0X10 ¹	2.7X10 ²	1.9X10 ³	5.2X10 ⁴
Ir-190		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	2.3X10 ³	6.2X10 ⁴
Ir-192		(c)1.0X10°	(c)2.7X101	6.0X10 ⁻¹	1.6X10 ¹	3.4X10 ²	9.2X10 ³
Ir-194		3.0X10 ⁻¹	8.1X10 ⁰	3.0X10 ⁻¹	8.1X10°	3.1X10 ⁴	8.4X10 ⁵
	Potassium (19)	9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻¹	2.4X10 ¹	2.4X10 ⁻⁷	6.4X10 ⁻⁶
K-42	```	2.0X10 ⁻¹	5.4X10°	2.0X10 ⁻¹	5.4X10°	2.2X10 ⁵	6.0X10 ⁶
K-43		7.0X10 ⁻¹	1.9X101	6.0X10 ⁻¹	1.6X10 ¹	1.2X10 ⁵	3.3X10 ⁶
	Krypton (36)	4.0X10°	1.1X10 ²	2.0X10°	5.4X10 ¹	4.2X10 ⁴	1.1X10 ⁶
Kr-81		4.0X10 ¹	1.1X10 ³	4.0X101	1.1X10 ³	7.8X10 ⁻⁴	2.1X10 ⁻²
Kr-85		1.0X10 ¹	2.7X10 ²	1.0X10 ¹	2.7X10 ²	1.5X10 ¹	3.9X10 ²
Kr-85m .		8.0X10°	2.2X10 ²	3.0X10°	8.1X10 ¹	3.0X10 ⁵	8.2X10 ⁶
Kr-87		2.0X10 ⁻¹	5.4X10°	2.0X10 ⁻¹	5.4X10°	1.0X10 ⁶	2.8X10 ⁷
	Lanthanum (57)	3.0X10 ¹	8.1X10 ²	6.0X10°	1.6X10 ²	1.6X10 ⁻³	4.4X10 ⁻²
La-140	Dandianam (57)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	2.1X10 ⁴	5.6X10 ⁵
	Lutetium (71)	6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.2X10 ³	1.1X10 ⁵
Lu-173	Luccium (71)	8.0X10°	2.2X10 ²	8.0X10°	2.2X10 ²	5.6X10 ¹	1.5X10 ³
Lu-174		9.0X10°	2.4X10 ²	9.0X10°	2.4X10 ²	2.3X101	6.2X10 ²
		2.0X10 ¹	5.4X10 ²	1.0X10 ¹	2.7X10 ²	2.0X10 ²	5.3X10 ³
Lu-174m		3.0X10 ¹	8.1X10 ²	7.0X10 ⁻¹	1.9X10 ¹	4.1X10 ³	1.1X10 ⁵
Lu-177	Magnesium (12)	3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	2.0X10 ⁵	5.4X10 ⁶
Mg-28 (a)	Manganese (25)	3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	1.6X10 ⁴	4.4X10 ⁵
Mn-52	Manganese (23)	Unlimited	Unlimited		·	6.8X10 ⁻⁵	1.8X10 ⁻³
Mn-53		1.0X10°	2.7X10 ¹	1.0X10°	2.7X10 ¹	2.9X10 ²	7.7X10 ³
Mn-54		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	8.0X10 ⁵	2.2X10 ⁷
Mn-56	Makshdanum (42)	4.0X10 ¹	1.1X10 ³	2.0X10 ¹	5.4X10 ²	4.1X10 ⁻²	1.1X10°
Mo-93	Molybdenum (42)	1.0X10°	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.8X10 ⁴	4.8X10 ⁵
Mo-99 (a) (h)	31'4	9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	5.4X10 ⁷	1.5X10°
N-13	Nitrogen (7)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	2.3X10 ²	6.3X10 ³
Na-22	Sodium (11)		5.4X10°	2.0X10 ⁻¹	5.4X10°	3.2X10 ⁵	8.7X10 ⁶
Na-24	27 11 //12	2.0X10 ⁻¹			8.1X10 ²	8.8X10°	2.4X10 ²
Nb-93m	Niobium (41)	4.0X10 ¹	1.1X10 ³	3.0X10 ¹		6.9X10 ⁻³	1.9X10 ⁻¹
Nb-94		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X101		
Nb-95		1.0X10°	2.7X10 ¹	1.0X10°	2.7X10 ¹	1.5X10 ³	3.9X10 ⁴ 2.7X10 ⁷
Nb-97		9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.9X10 ⁵	
Nd-147	Neodymium (60)	6.0X10°	1.6X10 ²	6.0X10-1	1.6X10 ¹	3.0X10 ³	8.1X10 ⁴
Nd-149		6.0X10 ⁻¹	1.6X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	4.5X10 ⁵	1.2X10 ⁷
Ni-59	Nickel (28)	Unlimited					8.0X10 ⁻²
Ni-63		4.0X10 ¹	1.1X10 ³	3.0X10 ¹	8.1X10 ²	2.1X10°	5.7X10 ¹
Ni-65		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	7.1X10 ⁵	1.9X10 ⁷
Np-235	Neptunium (93)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	5.2X101	1.4X10 ³
Np-236 (short-lived)		2.0X10 ¹	5.4X10 ²	2.0X10°	5.4X10 ¹	4.7X10 ⁻⁴	1.3X10 ⁻²
Np-236 (long-lived)		9.0X10°	2.4X10 ²	2.0X10 ²	5.4X10 ⁻¹	4.7X10 ⁻⁴	1.3X10 ⁻²
Np-237		2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	2.6X10 ⁻⁵	7.1X10
Np-239		7.0X10°	1.9X10 ²	4.0X10 ⁻¹	1.1X10 ¹	8.6X10 ³	2.3X10 ⁵

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES (continued)

						Specific	activity
Symbol of radionuclides	Element and atomic number	A _i (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
Os-185	Osmium (76)	1.0X10°	2.7X10 ¹	1.0X10 ⁰	2.7X10 ¹	2.8X10 ²	7.5X10 ³
Os-191		1.0X10 ¹	2.7X10 ²	2.0X10°	5.4X10 ¹	1.6X10 ³	4.4X10 ⁴
Os-191m		4.0X10 ¹	1.1X10 ³	3.0X10 ¹	8.1X10 ²	4.6X10 ⁴	1.3X10 ⁶
Os-193		2.0X10°	5.4X101	6.0X10 ⁻¹	1.6X10 ¹	2.0X10 ⁴	5.3X10 ⁵
Os-194 (a)		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	1.1X10 ¹	3.1X10 ²
P-32	Phosphorus (15)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.1X10 ⁴	2.9X10 ⁵
P-33		4.0X101	1.1X10 ³	1.0X10°	2.7X10 ¹	5.8X10 ³	1.6X10 ⁵
Pa-230 (a)	Protactinium (91)	2.0X10°	5.4X10 ¹	7.0X10 ⁻²	1.9X10°	1.2X10 ³	3.3X10 ⁴
Pa-231		4.0X10°	1.1X10 ²	4.0X10 ⁻⁴	1.1X10 ⁻²	1.7X10 ⁻³	4.7X10 ⁻²
Pa-233		5.0X10°	1.4X10 ²	7.0X10 ⁻¹	1.9X10 ¹	7.7X10 ²	2.1X10 ⁴
Pb-201	Lead (82)	1.0X10°	2.7X10 ¹	1.0X10°	2.7X101	6.2X10 ⁴	1.7X10 ⁶
Pb-202		4.0X10 ¹	1.1X10 ³	2.0X10 ¹	5.4X10 ²	1.2X10⁴	3.4X10 ⁻³
Pb-203		4.0X10 ⁰	1.1X10 ²	3.0X10°	8.1X101	1.1X10 ⁴	3.0X10 ⁵
Pb-205	·	Unlimited	Unlimited	Unlimited	Unlimited	4.5X10 ⁻⁶	1.2X10 ⁻⁴
Pb-210 (a)		1.0X10°	2.7X10 ¹	5.0X10 ⁻²	1.4X10°	2.8X10°	7.6X10 ¹
Pb-212 (a)		7.0X10 ⁻¹	1.9X101	2.0X10 ⁻¹	5.4X10°	5.1X10 ⁴	1.4X10 ⁶
Pd-103 (a)	Palladium (46)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	2.8X10 ³	7.5X10 ⁴
Pd-107	<u>.</u>	Unlimited	Unlimited	Unlimited	Unlimited	1.9X10 ⁻⁵	5.1X10 ⁻⁴
Pd-109		2.0X10°	5.4X101	5.0X10 ⁻¹	1.4X10 ¹	7.9X10 ⁴	2.1X10 ⁶
Pm-143	Promethium (61)	3.0X10°	8.1X10 ¹	3.0X10°	8.1X101	1.3X10 ²	3.4X10 ³
Pm-144		7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X101	9.2X101	2.5X10 ³
Pm-145	1	3.0X10 ¹	8.1X10 ²	1.0X10 ¹	2.7X10 ²	5.2X10°	1.4X10 ²
Pm-147	Ì	4.0X10 ¹	1.1X10 ³	2.0X10°	5.4X10 ¹	3.4X10 ¹	9.3X10 ²
Pm-148m (a)		8.0X10 ⁻¹	2.2X101	7.0X10 ⁻¹	1.9X101	7.9X10 ²	2.1X10 ⁴
Pm-149	<u> </u>	2.0X10°	5.4X101	6.0X10 ⁻¹	1.6X10 ¹	1.5X10 ⁴	4.0X10 ⁵
Pm-151		2.0X10°	5.4X10 ¹	6.0X10 ⁻¹	1.6X101	2.7X10 ⁴	7.3X10 ⁵
Po-210	Polonium (84)	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	1.7X10 ²	4.5X10 ³
Pr-142	Praseodymium (59)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	4.3X10 ⁴	1.2X10 ⁶
Pr-143		3.0X10°	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.5X10 ³	6.7X10 ⁴
Pt-188 (a)	Platinum (78)	1.0X10°	2.7X10 ¹	8.0X10 ⁻¹	2.2X10 ¹	2.5X10 ³	6.8X10 ⁴
Pt-191	1	4.0X10°	1.1X10 ²	3.0X10°	8.1X10 ¹	8.7X10 ³	2.4X10 ⁵
Pt-193		4.0X101	1.1X10 ³	4.0X101	1.1X10 ³	1.4X10°	3.7X10 ¹
Pt-193m		4.0X10 ¹	1.1X10 ³	5.0X10 ⁻¹	1.4X10 ¹	5.8X10 ³	1.6X10 ⁵
Pt-195m		1.0X10 ¹	2.7X10 ²	5.0X10 ⁻¹	1.4X10 ¹	6.2X10 ³	1.7X10 ⁵
Pt-197		2.0X10 ¹	5.4X10 ²	6.0X10 ⁻¹	1.6X101	3.2X10 ⁴	8.7X10 ⁵
Pt-197m		1.0X10 ¹	2.7X10 ²	6.0X10 ⁻¹	1.6X10 ¹	3.7X10 ⁵	1.0X10 ⁷
Pu-236	Plutonium (94)	3.0X10 ¹	8.1X10 ²	3.0X10 ⁻³	8.1X10 ⁻²	2.0X101	5.3X10 ²
Pu-237	İ	2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	4.5X10 ²	1.2X10 ⁴
Pu-238		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	6.3X10 ⁻¹	1.7X10 ¹
Pu-239		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	2.3X10 ⁻³	6.2X10 ⁻²
Pu-240		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	8.4X10 ⁻³	2.3X10 ⁻¹
Pu-241 (a)		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻²	1.6X10°	3.8X10°	1.0X10 ²
Pu-242		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	1.5X10 ⁻⁴	3.9X10 ⁻³
Pu-244 (a)	İ	4.0X10 ⁻¹	1.1X10 ¹	1.0X10 ⁻³	2.7X10 ⁻²	6.7X10 ⁻⁷	1.8X10 ⁻⁵
Ra-223 (a)	Radium (88)	4.0X10 ⁻¹	1.1X10¹	7.0X10 ⁻³	1.9X10 ⁻¹	1.9X10 ³	5.1X10 ⁴
Ra-224 (a)	İ	4.0X10 ⁻¹	1.1X10 ¹	2.0X10 ⁻²	5.4X10 ⁻¹	5.9X10 ³	1.6X10 ⁵
Ra-225 (a)	İ	2.0X10 ⁻¹	5.4X10°	4.0X10 ⁻³	1.1X10 ⁻¹	1.5X10 ³	3.9X10⁴
Ra-226 (a)	i -	2.0X10 ⁻¹	5.4X10°	3.0X10 ⁻³	8.1X10 ⁻²	3.7X10 ⁻²	1.0X10°
Ra-228 (a)		6.0X10 ⁻¹	1.6X10 ¹	2.0X10 ⁻²	5.4X10 ⁻¹	1.0X10 ¹	2.7X10 ²

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES (continued)

						Specific	activity
Symbol of radionuclides	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
Rb-81	Rubidium (37)	2.0X10°	5.4X10 ¹	8.0X10 ⁻¹		3.1X10 ⁵	8.4X10 ⁶
Rb-83 (a)		2.0X10°	5.4X10 ¹	2.0X10°		6.8X10 ²	1.8X10 ⁴
Rb-84		1.0X10°	2.7X10 ¹	1.0X10°		1.8X10 ³ ·	4.7X10 ⁴
Rb-86	•	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹		3.0X10 ³	8.1X10 ⁴
Rb-87	·	Unlimited	Unlimited			3.2X10 ⁻⁹	8.6X10 ⁻⁸
Rb(nat)		Unlimited	Unlimited	Unlimited		6.7X10 ⁶	1.8X10 ⁸
Re-184	Rhenium (75)	1.0X10°	2.7X10 ¹	1.0X10°	2.7X10 ¹	6.9X10 ²	1.9X10⁴
Re-184m		3.0X10°	8.1X10 ¹	1.0X10°	2.7X10 ¹	1.6X10 ²	4.3X10 ³
Re-186		2.0X10°	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	6.9X10 ³	1.9X10 ⁵
Re-187		Unlimited	Unlimited	Unlimited		1.4X10 ⁻⁹	3.8X10 ⁻⁸
Re-188		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	3.6X10⁴	9.8X10 ⁵
Re-189 (a)		3.0X10°	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.5X10⁴	6.8X10 ⁵
Re(nat)		Unlimited	Unlimited	Unlimited	Unlimited		2.4X10 ⁻⁸
Rh-99	Rhodium (45)	2.0X10°	5.4X10 ¹	2.0X10°	5.4X10 ¹	$3.0X10^{3}$	8.2X10⁴
Rh-101		4.0X10°	1.1X10 ²	3.0X10°	8.1X10 ¹	4.1X10 ¹	1.1X10 ³
Rh-102		5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	4.5X10 ¹	1.2X10 ³
Rh-102m		2.0X10°	5.4X101	2.0X10°	5.4X10 ¹	2.3X10 ²	6.2X10 ³
Rh-103m		4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	1.2X10 ⁶	3.3X10 ⁷
Rh-105		1.0X10 ¹	2.7X10 ²	8.0X10 ⁻¹	2.2X101	3.1X10 ⁴	8.4X10 ⁵
Rn-222 (a)	Radon (86)	3.0X10 ⁻¹	8.1X10°	4.0X10 ⁻³	1.1X10 ⁻¹	5.7X10 ³	1.5X10 ⁵
Ru-97	Ruthenium (44)	5.0X10°	1.4X10 ²	5.0X10°	1.4X10 ²	1.7X10 ⁴	4.6X10 ⁵
Ru-103 (a)	120200000000000000000000000000000000000	2.0X10°	5.4X10 ¹	2.0X10°	5.4X101	1.2X10 ³	3.2X10 ⁴
Ru-105 (2)		1.0X10°	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.5X10 ⁵	6.7X10 ⁶
Ru-106 (a)		2.0X10 ⁻¹	5.4X10°	2.0X10 ⁻¹	5.4X10°	1.2X10 ²	3.3X10 ³
S-35	Sulphur (16)	4.0X10 ¹	1.1X10 ³	3.0X10°	8.1X10 ¹	1.6X10 ³	4.3X10 ⁴
Sb-122	Antimony (51)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.5X10 ⁴	4.0X10 ⁵
Sb-124	Thumbury (51)	6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	6.5X10 ²	1.7X10 ⁴
Sb-125		2.0X10°	5.4X10 ¹	1.0X10°	2.7X10 ¹	3.9X10 ¹	1.0X10 ³
Sb-126	-	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	3.1X10 ³	8.4X10 ⁴
Sc-44	Scandium (21)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.7X10 ⁵	1.8X10 ⁷
Sc-46	Beandrain (21)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.3X10 ³	3.4X10 ⁴
Sc-46		1.0X10 ¹	2.7X10 ²	7.0X10 ⁻¹	1.9X10 ¹	3.1X10 ⁴	8.3X10 ⁵
Sc-48		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹		5.5X10 ⁴	1.5X10 ⁶
	Selenium (34)	3.0X10°	8.1X10 ¹	3.0X10°	8.1X10 ¹	5.4X10 ²	1.5X10 ⁴
Se-75	Seleman (34)	4.0X10 ¹	1.1X10 ³	2.0X10°	5.4X10 ¹	2.6X10 ⁻³	7.0X10 ⁻²
Se-79	Cilian (14)	6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.4X10 ⁶	3.9X10 ⁷
Si-31	Silicon (14)	4.0X10 ¹	1.1X10 ³	5.0X10 ⁻¹	1.4X10 ¹	3.9X10°	1.1X10 ²
Si-32	(62)	1.0X10 ¹	2.7X10 ²	1.0X10 ¹	2.7X10 ²	9.8X10 ¹	2.6X10 ³
Sm-145	Samarium (62)	Unlimited					2.3X10-8
Sm-147		4.0X10 ¹	1.1X10 ³	1.0X10 ¹	2.7X10 ²	9.7X10 ⁻¹	2.6X10 ¹
Sm-151			2.4X10 ²	6.0X10 ⁻¹	1.6X10 ¹	1.6X10 ⁴	4.4X10 ⁵
Sm-153	T. (50)	9.0X10°	1.1X10 ²	2.0X10°	5.4X10 ¹	3.7X10 ²	1.0X10 ⁴
Sn-113 (a)	Tin (50)	4.0X10°	1.1.1.10	4.0X10		3.0X10 ³	8.2X10 ⁴
Sn-117m		7.0X10°	1.9X10 ²		8.1X10 ²	1.4X10 ²	3.7X10 ³
Sn-119m		4.0X10 ¹	1.1X10 ³	3.0X10 ¹		2.0X10°	5.4X10 ¹
Sn-121m (a)		4.0X10 ¹	1.1X10 ³	9.0X10 ⁻¹			
Sn-123		8.0X10 ⁻¹	2.2X10 ¹	6.0X10-1		3.0X10 ²	8.2X10 ³
Sn-125		4.0X10 ⁻¹	1.1X10 ¹	4.0X10-1		4.0X10 ³	1.1X10 ⁵
Sn-126 (a)		6.0X10 ⁻¹	1.6X10 ¹	4.0X10-1		1.0X10 ⁻³	
Sr-82 (a)	Strontium (38)	2.0X10 ⁻¹	5.4X10°	2.0X10 ⁻¹	5.4X10°	2.3X10 ³	6.2X10

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES (continued)

		· · · · · · · · · · · · · · · · · · ·	<u>,</u>	· · · · · · · · ·		Specific	activity
Symbol of radionuclides	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
Sr-85		2.0X10°	5.4X10 ¹	2.0X10°	5.4X10 ¹	8.8X10 ²	2.4X10 ⁴
Sr-85m		5.0X10°	1.4X10 ²	5.0X10°	1.4X10 ²	1.2X10 ⁶	3.3X10 ⁷
Sr-87m		3.0X10°	8.1X10 ¹	3.0X10°	8.1X10 ¹	4.8X10 ⁵	1.3X10 ⁷
Sr-89		6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.1X10 ³	2.9X10 ⁴
Sr-90 (a)		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	5.1X10°	1.4X10 ²
Sr-91 (a)		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	1.3X10 ⁵	3.6X10 ⁶
Sr-92 (a)		1.0X10°	2.7X101	3.0X10 ⁻¹	8.1X10°	4.7X10 ⁵	1.3X10 ⁷
T(H-3)	Tritium (1)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	3.6X10 ²	9.7X10 ³
Ta-178 (long-lived)	Tantalum (73)	1.0X10°	2.7X10 ¹	8.0X10 ⁻¹	2.2X101	4.2X10 ⁶	1.1X10 ⁸
Ta-179		3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	4.1X10 ¹	1.1X10 ³
Ta-182		9.0X10 ⁻¹	2.4X101	5.0X10 ⁻¹	1.4X10 ¹	2.3X10 ²	6.2X10 ³
Tb-157	Terbium (65)	4.0X101	1.1X10 ³	4.0X10 ¹	1.1X10 ³	5.6X10 ⁻¹	1.5X10 ¹
Tb-158	İ	1.0X10°	2.7X10 ¹	1.0X10°	2.7X10 ¹	5.6X10 ⁻¹	1.5X10 ¹
Tb-160		1.0X10°	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.2X10 ²	1.1X10 ⁴
Tc-95m (a)	Technetium (43)	2.0X10°	5.4X10 ¹	2.0X10°	5.4X101	8.3X10 ²	2.2X10 ⁴
Tc-96	<u> </u>	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.2X10 ⁴	3.2X10 ⁵
Tc-96m (a)		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.4X10 ⁶	3.8X10 ⁷
Tc-97		Unlimited	Unlimited	Unlimited	Unlimited	5.2X10 ⁻⁵	1.4X10 ⁻³
Tc-97m	<u> </u>	4.0X101	1.1X10 ³	1.0X10°	2.7X10 ¹	5.6X10 ²	1.5X10⁴
Tc-98	İ	8.0X10 ⁻¹	2.2X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	3.2X10 ⁻⁵	8.7X10 ⁻⁴
Tc-99		4.0X101	1.1X10 ³	9.0X10 ⁻¹	2.4X10 ¹	6.3X10 ⁻⁴	1.7X10 ⁻²
Tc-99m	 	1.0X10 ¹	2.7X10 ²	4.0X10°	1.1X10 ²	1.9X10 ⁵	5.3X10 ⁶
Te-121	Tellurium (52)	2.0X10°	5.4X10 ¹	2.0X10°	5.4X10 ¹	2.4X10 ³	6.4X10 ⁴
Te-121m		5.0X10°	1.4X10 ²	3.0X10°	8.1X10 ¹	2.6X10 ²	7.0X10 ³
Te-123m	1.	8.0X10°	2.2X10 ²	1.0X10°	2.7X10 ¹	3.3X10 ²	8.9X10 ³
Te-125m		2.0X10 ¹	5.4X10 ²	9.0X10 ⁻¹	2.4X10 ¹	6.7X10 ²	1.8X10 ⁴
Te-127	 	2.0X10 ¹	5.4X10 ²	7.0X10 ⁻¹	1.9X10 ¹	9.8X10 ⁴	2.6X10 ⁶
Te-127m (a)		2.0X10 ¹	5.4X10 ²	5.0X10 ⁻¹	1.4X10 ¹	3.5X10 ²	9.4X10 ³
Te-129	 	7.0X10 ⁻¹	1.9X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	7.7X10 ⁵	2.1X10 ⁷
Te-129m (a)		8.0X10 ⁻¹	2.2X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.1X10 ³	3.0X10 ⁴
Te-131m (a)	 	7.0X10 ⁻¹	1.9X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	3.0X10 ⁴	8.0X10 ⁵
Te-132 (a)	1	5.0X10 ⁻¹	1.4X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.1X10 ⁴	3.0X10 ⁵
Th-227	Thorium (90)	1.0X10 ¹	2.7X10 ²	5.0X10 ⁻³	1.4X10 ⁻¹	1.1X10 ³	3.1X10 ⁴
Th-228 (a)	Thorium (50)	5.0X10 ⁻¹	1.4X10 ¹	1.0X10 ⁻³	2.7X10 ⁻²	3.0X10 ¹	8.2X10 ²
Th-229	1	5.0X10 ⁰	1.4X10 ²	5.0X10 ⁻⁴	1.4X10 ⁻²	7.9X10 ⁻³	2.1X10 ⁻¹
Th-230		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	7.6X10 ⁻⁴	2.1X10 ⁻²
Th-231	Thorium (90)	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	2.0X10 ⁴	5.3X10 ⁵
Th-231	1 110111111 (30)	Unlimited	Unlimited	Unlimited	Unlimited		1.1X10 ⁻⁷
		3.0X10 ⁻¹	8.1X10°	3.0X10 ⁻¹	8.1X10°	8.6X10 ²	2.3X10 ⁴
Th-234 (a)	<u> </u>	Unlimited	Unlimited		Unlimited	<u> </u>	
Th(nat)	Titanium (22)	5.0X10 ⁻¹	1.4X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	6.4X10°	2.2X10 ⁻⁷
Ti-44 (a)	Titanium (22) Thallium (81)	9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻¹	2.4X10 ¹	2.2X10 ⁴	1.7X10 ²
TI-200	Tuguinii (01)	1.0X10 ¹	2.4X10 ²	4.0X10°	1.1X10 ²	7.9X10 ³	6.0X10 ⁵
TI-201		2.0X10°	5.4X10 ¹	2.0X10°	5.4X10 ¹	·	2.1X10 ⁵
TI-202						2.0X10 ³	5.3X10 ⁴
TI-204	Th. 12 (CO)	1.0X10 ¹	2.7X10 ²	7.0X10-1	1.9X10 ¹	1.7X10 ¹	4.6X10 ²
Tm-167	Thulium (69)	7.0X10°	1.9X10 ²	8.0X10 ⁻¹	2.2X10 ¹	3.1X10 ³	8.5X10 ⁴
Tm-170	1	3.0X10°	8.1X10 ¹	6.0X10-1	1.6X10 ¹	2.2X10 ²	6.0X10 ³
Tm-171	1	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	$1.1X10^{3}$	4.0X10 ¹	1.1X10 ³

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES (continued)

<u> </u>						Specific	activity
Symbol of	Element and	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
radionuclides	atomic number	4.0X10 ¹	1.1X10 ³	1.0X10 ⁻¹	2.7X10°	1.0X10 ³	2.7X10 ⁴
1	Uranium (92)	4.0A10	1.1710	1.02.10	2.722.10		
absorption) (a)(d) U-230 (medium lung a	harmtian) (a)(e)	4.0X10 ¹	1.1X10 ³	4.0X10 ⁻³	1.1X10 ⁻¹	1.0X10 ³	2.7X10 ⁴
U-230 (slow lung abso		3.0X10 ¹		3.0X10 ⁻³		1.0X10 ³	2.7X10 ⁴
U-232 (fast lung abso		4.0X10 ¹	1.1X10 ³	1.0X10 ⁻²	2.7X10 ⁻¹	8.3X10 ⁻¹	2.2X10 ¹
U-232 (fast lung absolution)		4.0X10 ¹	1.1X10 ³	7.0X10 ⁻³	1.9X10 ⁻¹	8.3X10 ⁻¹	2.2X10 ¹
U-232 (medium lung abs		1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	8.3X10 ⁻¹	2.2X10 ¹
	Uranium (92)	4.0X10 ¹	1.1X10 ³	9.0X10 ⁻²	2.4X10°	3.6X10 ⁻⁴	9.7X10 ⁻³
U-233 (fast lung absorption) (d)	Oranium (92)	4.0X10	1.1X1V	3.021.0	2		
U-233 (medium lung	absorption) (e)	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	3.6X10 ⁻⁴	9.7X10 ⁻³
U-233 (slow lung abs		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	3.6X10 ⁻⁴	9.7X10 ⁻³
U-234 (fast lung abso		4.0X10 ¹	1.1X10 ³	9.0X10 ⁻²	2.4X10°	2.3X10 ⁻⁴	6.2X10 ⁻³
U-234 (medium lung		4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	2.3X10 ⁻⁴	6.2X10 ⁻³
U-234 (slow lung abs		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	2.3X10 ⁻⁴	6.2X10 ⁻³
U-235 (all lung absor		Unlimited	Unlimited	Unlimited	Unlimited	8.0X10 ⁻⁸	2.2X10 ⁻⁶
(e), (f)	ption types) (a), (a),						
U-236 (fast lung abso	orntion) (d)	Unlimited	Unlimited	Unlimited	Unlimited	2.4X10 ⁻⁶	6.5X10 ⁻⁵
U-236 (medium lung		4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹ ·	2.4X10 ⁻⁶	6.5X10 ⁻⁵
U-236 (slow lung abs		4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	2.4X10-6	6.5X10 ⁻⁵
U-238 (all lung absor		Unlimited	Unlimited	Unlimited	Unlimited	1.2X10 ⁻⁸	3.4X10 ⁻⁷
(f)	prion types) (4); (4);						
U (nat)		Unlimited	Unlimited	Unlimited	Unlimited	2.6X10 ⁻⁸	7.1X10 ⁻⁷
U (enriched to 20% of	or less)(g)			Unlimited		N/A	N/A
U (dep)	1 1000)(8)	Unlimited				0.0X10°	See Table
O (dop)			,				A-3
V-48	Vanadium (23)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	6.3X10 ³	1.7X10 ⁵
V-49		4.0X10 ¹	1.1X10 ³	4.0X101	1.1X10 ³	3.0X10 ²	8.1X10 ³
W-178 (a)	Tungsten (74)	9.0X10 ⁰	2.4X10 ²	5.0X10°	1.4X10 ²	1.3X10 ³	3.4X10 ⁴
W-181	122	3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	2.2X10 ²	6.0X10 ³
W-185		4.0X10 ¹	1.1X10 ³	8.0X10 ⁻¹	2.2X101	3.5X10 ²	9.4X10 ³
W-187		2.0X10°	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.6X10 ⁴	7.0X10 ⁵
W-188 (a)	1	4.0X10 ⁻¹	1.1X10 ¹	3.0X10 ⁻¹	8.1X10°	3.7X10 ²	1.0X10 ⁴
Xe-122 (a)	Xenon (54)	4.0X10 ⁻¹	1.1X10¹	4.0X10 ⁻¹	1.1X10 ¹	4.8X10 ⁴	1.3X10 ⁶
Xe-122 (a)							
			·	,		4.4X10 ⁵	1.2X10 ⁷
		2.0X10°	5.4X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	·	1.2X10 ⁷
Xe-127		2.0X10° 4.0X10°	5.4X10 ¹ 1.1X10 ²	7.0X10 ⁻¹ 2.0X10 ⁰	1.9X10 ¹ 5.4X10 ¹	1.0X10 ³	
Xe-127 Xe-131m		2.0X10° 4.0X10° 4.0X10¹	5.4X10 ¹ 1.1X10 ² 1.1X10 ³	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³	1.0X10 ³ 3.1X10 ³	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴
Xe-127 Xe-131m Xe-133		2.0X10° 4.0X10° 4.0X10° 2.0X10°	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ²	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ²	1.0X10 ³ 3.1X10 ³ 6.9X10 ³	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵
Xe-127 Xe-131m Xe-133 Xe-135		2.0X10° 4.0X10° 4.0X10¹ 2.0X10¹ 3.0X10°	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ² 8.1X10 ¹	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a)	Yttrium (39)	2.0X10° 4.0X10° 4.0X10¹ 2.0X10¹ 3.0X10° 1.0X10°	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ² 8.1X10 ¹ 2.7X10 ¹	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88		2.0X10° 4.0X10° 4.0X10¹ 2.0X10¹ 3.0X10° 1.0X10° 4.0X10⁻¹	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ² 8.1X10 ¹ 2.7X10 ¹ 1.1X10 ¹	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ²	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88 Y-90		2.0X10 ⁰ 4.0X10 ⁰ 4.0X10 ¹ 2.0X10 ¹ 3.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ² 8.1X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ² 2.0X10 ⁴	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴ 5.4X10 ⁵
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88 Y-90 Y-91		2.0X10 ⁰ 4.0X10 ¹ 4.0X10 ¹ 2.0X10 ¹ 3.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹ 6.0X10 ⁻¹	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ² 8.1X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹ 6.0X10 ⁻¹	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ² 2.0X10 ⁴ 9.1X10 ²	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴ 5.4X10 ⁵ 2.5X10 ⁴
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88 Y-90 Y-91 Y-91m		2.0X10 ⁰ 4.0X10 ¹ 4.0X10 ¹ 2.0X10 ¹ 3.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 6.0X10 ⁻¹ 2.0X10 ⁰	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ² 8.1X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ¹	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹ 6.0X10 ⁻¹ 2.0X10 ⁰	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ¹	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ² 2.0X10 ⁴ 9.1X10 ² 1.5X10 ⁶	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴ 5.4X10 ⁵ 2.5X10 ⁴ 4.2X10 ⁷
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88 Y-90 Y-91 Y-91m Y-92		2.0X10° 4.0X10¹ 4.0X10¹ 2.0X10¹ 3.0X10° 1.0X10° 4.0X10-1 3.0X10-1 6.0X10-1 2.0X10° 2.0X10°	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ² 8.1X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ¹ 5.4X10 ⁰	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹ 6.0X10 ⁻¹ 2.0X10 ⁰ 2.0X10 ¹	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ¹ 5.4X10 ⁰	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ² 2.0X10 ⁴ 9.1X10 ² 1.5X10 ⁶ 3.6X10 ⁵	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴ 5.4X10 ⁵ 2.5X10 ⁴ 4.2X10 ⁷ 9.6X10 ⁶
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88 Y-90 Y-91 Y-91m Y-92 Y-93	Yttrium (39)	2.0X10° 4.0X10¹ 4.0X10¹ 2.0X10¹ 3.0X10° 1.0X10° 4.0X10¹ 3.0X10¹ 5.0X10¹ 2.0X10° 2.0X10° 3.0X10¹	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ² 8.1X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ¹ 5.4X10 ⁰ 8.1X10 ⁰	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹ 6.0X10 ⁻¹ 2.0X10 ⁰ 2.0X10 ⁰ 3.0X10 ⁻¹	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ¹ 5.4X10 ⁰ 8.1X10 ⁰	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ² 2.0X10 ⁴ 9.1X10 ² 1.5X10 ⁶ 3.6X10 ⁵ 1.2X10 ³	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴ 5.4X10 ⁵ 2.5X10 ⁴ 4.2X10 ⁷ 9.6X10 ⁶ 3.3X10 ⁶
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88 Y-90 Y-91 Y-91m Y-92 Y-93 Yb-169		2.0X10° 4.0X10° 4.0X10¹ 2.0X10¹ 3.0X10° 1.0X10° 4.0X10⁻¹ 3.0X10⁻¹ 2.0X10⁻¹ 2.0X10⁻¹ 2.0X10⁻¹ 4.0X10⁻¹ 4.0X10⁻¹ 4.0X10⁻¹	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ¹ 8.1X10 ¹ 1.1X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ⁰ 8.1X10 ⁰ 1.1X10 ⁰ 1.1X10 ⁰ 1.1X10 ⁰	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹ 2.0X10 ⁰ 2.0X10 ⁻¹ 1.0X10 ⁰ 1.0X10 ⁰	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ⁰ 8.1X10 ⁰ 2.7X10 ¹	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ² 2.0X10 ⁴ 9.1X10 ² 1.5X10 ⁶ 3.6X10 ⁵ 1.2X10 ³ 8.9X10 ²	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴ 5.4X10 ⁵ 2.5X10 ⁴ 4.2X10 ⁷ 9.6X10 ⁶ 3.3X10 ⁶ 2.4X10 ⁴
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88 Y-90 Y-91 Y-91m Y-92 Y-93 Yb-169 Yb-175	Yttrium (39) Ytterbium (79)	2.0X10° 4.0X10¹ 4.0X10¹ 2.0X10¹ 3.0X10° 1.0X10° 4.0X10⁻¹ 3.0X10⁻¹ 2.0X10⁻¹ 2.0X10⁻¹ 2.0X10⁻¹ 4.0X10⁻¹ 3.0X10⁻¹ 3.0X10⁻¹ 3.0X10⁻¹ 3.0X10⁻¹ 3.0X10⁻¹	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ¹ 8.1X10 ¹ 1.1X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ⁰ 8.1X10 ⁰ 8.1X10 ⁰ 8.1X10 ⁰ 8.1X10 ⁰ 8.1X10 ⁰ 8.1X10 ⁰	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁻¹ 3.0X10 ⁻¹ 6.0X10 ⁻¹ 2.0X10 ⁰ 2.0X10 ⁰ 1.0X10 ⁰ 9.0X10 ⁻¹	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ¹ 5.4X10 ¹ 2.7X10 ¹ 2.7X10 ¹ 2.4X10 ¹	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ² 2.0X10 ⁴ 9.1X10 ² 1.5X10 ⁶ 3.6X10 ⁵ 1.2X10 ³ 8.9X10 ² 6.6X10 ³	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴ 5.4X10 ⁵ 2.5X10 ⁴ 4.2X10 ⁷ 9.6X10 ⁶ 3.3X10 ⁶ 2.4X10 ⁴ 1.8X10 ⁵
Xe-127 Xe-131m Xe-133 Xe-135 Y-87 (a) Y-88 Y-90 Y-91 Y-91m Y-92 Y-93 Yb-169	Yttrium (39)	2.0X10° 4.0X10° 4.0X10¹ 2.0X10¹ 3.0X10° 1.0X10° 4.0X10⁻¹ 3.0X10⁻¹ 2.0X10⁻¹ 2.0X10⁻¹ 2.0X10⁻¹ 4.0X10⁻¹ 4.0X10⁻¹ 4.0X10⁻¹	5.4X10 ¹ 1.1X10 ² 1.1X10 ³ 5.4X10 ¹ 8.1X10 ¹ 1.1X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ⁰ 8.1X10 ⁰ 1.1X10 ⁰ 1.1X10 ⁰ 1.1X10 ⁰	7.0X10 ⁻¹ 2.0X10 ⁰ 4.0X10 ¹ 1.0X10 ¹ 2.0X10 ⁰ 1.0X10 ⁰ 4.0X10 ⁻¹ 3.0X10 ⁻¹ 2.0X10 ⁰ 2.0X10 ⁻¹ 1.0X10 ⁰ 1.0X10 ⁰	1.9X10 ¹ 5.4X10 ¹ 1.1X10 ³ 2.7X10 ² 5.4X10 ¹ 2.7X10 ¹ 1.1X10 ¹ 8.1X10 ⁰ 1.6X10 ¹ 5.4X10 ⁰ 8.1X10 ⁰ 2.7X10 ¹	1.0X10 ³ 3.1X10 ³ 6.9X10 ³ 9.5X10 ⁴ 1.7X10 ⁴ 5.2X10 ² 2.0X10 ⁴ 9.1X10 ² 1.5X10 ⁶ 3.6X10 ⁵ 1.2X10 ³ 8.9X10 ²	1.2X10 ⁷ 2.8X10 ⁴ 8.4X10 ⁴ 1.9X10 ⁵ 2.6X10 ⁶ 4.5X10 ⁵ 1.4X10 ⁴ 5.4X10 ⁵ 2.5X10 ⁴ 4.2X10 ⁷ 9.6X10 ⁶ 3.3X10 ⁶ 2.4X10 ⁴

Appendix A: continued

Table A - 1: A₁ and A₂ VALUES FOR RADIONUCLIDES (continued)

						Specific activity	
Symbol of radionuclides	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci) ^b	(TBq/g)	(Ci/g)
Zn-69m (a)		3.0X10°	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.2X10 ⁵	3.3X10 ⁶
Zr-88	Zirconium (40)	3.0X10°	8.1X10 ¹	3.0X10°	8.1X10 ¹	6.6X10 ²	1.8X10 ⁴ ·
Zr-93		Unlimited	Unlimited	Unlimited	Unlimited	9.3X10 ⁻⁵	2.5X10 ⁻³
Zr-95 (a)		2.0X10°	5.4X10 ¹	8.0X10 ⁻¹	2.2X10 ⁱ	7.9X10 ²	2.1X10 ⁴
Zr-97 (a)		4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	7.1X10 ⁴	1.9X10 ⁶

^a A₁ and/or A₂ values include contributions from daughter nuclides with half-lives less than ten days, as listed in the following:

following:	
Mg-28	Al-28
Ca-47	Sc-47
Ti-44	Sc-44
Fe-52	Mn-52m
Fe-60	Co-60m
Zn-69m	Zn-69
Ge-68	Ga-68
Rb-83	Kr-83m
Sr-82	Rb-82
Sr-90	Y-90
Sr-91	Y-91m
Sr-92	Y-92
Y-87	Sr-87m
Zr-95	Nb-95m
Zr-97	Nb-97m, Nb-97
Mo-99	Tc-99m
Tc-95m	Tc-95
Тс-96т	Tc-96
Ru-103	Rh-103m
Ru-106	Rh-106
Pd-103	Rh-103m
Ag-108m	Ag-108
Ag-110m	Ag-110
Cd-115	In-115m
In-114m	In-114
Sn-113	In-113m
Sn-121m	Sn-121
Sn-126	Sb-126m
Te-127m	Te-127
Te-129m	Te-129
Te-131m	Te-131
Te-132	I-132
I-135	Xe-135m
Xe-122	I-122
Cs-137	Ba-137m
Ba-131	Cs-131
Ba-140	La-140
Ce-144	Pr-144m, Pr-144
Pm-148m	Pm-148
Gd-146	Eu-146
Dy-166	Ho-166
Hf-172	Lu-172
W-178	Ta-178
W-188	Re-188
Re-189	Os-189m
Os-194	Ir-194
Y 100	O 100

105 CMR - 474.124.4

Ir-189

Pt-188

Os-189m

Ir-188

```
Au-194
Hg-194
            Hg-195
Hg-195m
            Bi-210
Pb-210
            Bi-212, Tl-208, Po-212
Pb-212
Bi-210m
            T1-206
            Tl-208, Po-212
Bi-212
At-211
            Po-211
            Po-218, Pb-214, At-218, Bi-214, Po-214
Rn-222
            Rn-219, Po-215, Pb-211, Bi-211, Po-211, Tl-207
Ra-223
             Rn-220, Po-216, Pb-212, Bi-212, Tl-208, Po-212
Ra-224
             Ac-225, Fr-221, At-217, Bi-213, Tl-209, Po-213, Pb-209
Ra-225
             Rn-222, Po-218, Pb-214, At-218, Bi-214, Po-214
Ra-226
             Ac-228
Ra-228
             Fr-221, At-217, Bi-213, Tl-209, Po-213, Pb-209 .
Ac-225
Ac-227
             Fr-223
             Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208, Po-212
 Th-228
             Pa-234m, Pa-234
 Th-234
             Ac-226, Th-226, Fr-222, Ra-222, Rn-218, Po-214
Pa-230
             Th-226, Ra-222, Rn-218, Po-214
 U-230
             Th-231
 U-235
 Pu-241
             U-237
 Pu-244
             U-240, Np-240m
             Am-242, Np-238
 Am-242m
             Np-239
 Am-243
 Cm-247
             Pu-243
 Bk-249
              Am-245
              Cm-249
 Cf-253
```

^b The values of A_1 and A_2 in Curies (Ci) are approximate and for information only; the regulatory standard units are Terabecquerels (TBq) (see 105 CMR 120.798: Appendix A – Determination of A_1 and A_2 , subsection I).

The activity of Ir-192 in special form may be determined from a measurement of the rate of decay or a measurement of the radiation level at a prescribed distance from the source.

^d These values apply only to compounds of uranium that take the chemical form of UF₆, UO₂F₂ and UO₂(NO₃)₂ in both normal and accident conditions of transport.

^c These values apply only to compounds of uranium that take the chemical form of UO₃, UF₄, UCl₄ and hexavalent compounds in both normal and accident conditions of transport.

These values apply to all compounds of uranium other than those specified in notes (d) and (e) of this table.

⁸ These values apply to unirradiated uranium only.

^h $A_2 = 0.74$ TBq (20 Ci) for Mo-99 for domestic use.

Table A - 2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES

		Activity	Activity	Activity limit	Activity limit
Symbol of	Element and atomic	concentration	concentration	for exempt	for exempt
radionuclide	number	for exempt	for exempt	consignment	consignment
		material (Bq/g)		(Bq)	(Ci)
Ac-225	Actinium (89)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10⁴	2.7X10 ⁻⁷
Ac-227		1.0X10 ⁻¹	2.7X10 ⁻¹²	1.0X10 ³	2.7X10 ⁻⁸
Ac-228		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ag-105	Silver (47)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ag-108m (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ag-110m		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ag-111		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Al-26	Aluminum (13)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Am-241	Americium (95)	1.0X10 ^o	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Am-242m (b)		1.0X10⁰	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Am-243 (b)		1.0X10°	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Ar-37	Argon (18)	1.0X10 ⁶	2.7X10 ⁻⁵	1.0X10 ⁸	2.7X10 ⁻³
Ar-39		1.0X10 ⁷	2.7X10⁴	1.0X10⁴	2.7X10 ⁻⁷
Ar-41		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁹	2.7X10 ⁻²
As-72	Arsenic (33)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
As-73		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10⁴
As-74		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
As-76		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
As-77		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
At-211	Astatine (85)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Au-193	Gold (79)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Au-194 ·		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Au-195		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Au-198		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Au-199		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ba-131	Barium (56)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ba-133		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ba-133m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ba-140 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Be-7	Beryllium (4)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Be-10		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
Bi-205	Bismuth (83)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Bi-206		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Bi-207		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Bi-210		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Bi-210m		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Bi-212 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10-6
Bk-247	Berkelium (97)	1	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Bk-249		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Br-76	Bromine (35)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Br-77		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Br-82		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
C-11	Carbon (6)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
C-14		1.0X10⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Ca-41	Calcium (20)	1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁷	2.7X10 ⁻⁴
Ca-45		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Ca-47		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵

Table A - 2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES (continued)

		Activity	Activity	Activity limit	Activity limit
Symbol of	Element and atomic	concentration	concentration	for exempt	for exempt
radionuclide	number	for exempt	for exempt	consignment	consignment
		material (Bq/g)	material (Ci/g)	(Bq)	(Ci)
Cd-109	Cadmium (48)	1.0X10⁴.	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
Cd-113m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Cd-115		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Cd-115m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Ce-139	Cerium (58)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ce-141 ·		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Ce-143		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ce-144 (b)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cf-248	Californium (98)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cf-249		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cf-250		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cf-251		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cf-252		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cf-253		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10-6
Cf-254		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
C1-36	Chlorine (17)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
C1-38		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Cm-240	Curium (96)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cm-241		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Cm-242		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cm-243		1.0X10°	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Cm-244		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cm-245		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cm-246		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Cm-247		1	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Cm-248		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Co-55	Cobalt (27)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Co-56		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10-6
Co-57		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Co-58	•	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Co-58m		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Co-60		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Cr-51	Chromium (24)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Cs-129	Cesium (55)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Cs-131		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Cs-132		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Cs-134		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cs-134m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Cs-135		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Cs-136		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Cs-137 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Cu-64	Copper (29)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Cu-67	Coppor (27)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Dy-159	Dysprosium (66)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Dy-165	DJoprosium (00)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Dy-166 (a)		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Er-169	Erbium (68)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Er-171	Lioiani (00)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵

Table A - 2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES (continued)

	Γ	Activity	Activity	Activity limit	Activity limit
Symbol of	Element and atomic	concentration	concentration	for exempt	for exempt
radionuclide	number	for exempt	for exempt	consignment	consignment
Tadionachido	l maintoon	material (Bq/g)		(Bq)	(Ci)
Eu-147	Europium (63)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-148	1	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-149		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Eu-150 (short-lived)	***************************************	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-150 (long-lived)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-152		1.0X101	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-152 m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-154		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Eu-155		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Eu-156		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
F-18	Fluorine (9)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Fe-52	Iron (26)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Fe-55		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
Fe-59		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Fe-60		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Ga-67	Gallium (31)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ga-68		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Ga-72		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Gd-146	Gadolinium (64)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Gd-148		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Gd-153		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Gd-159		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Ge-68	Germanium (32)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Ge-71	<u> </u>	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
Ge-77		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Hf-172	Hafnium (72)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻³
Hf-175		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Hf-181		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Hf-182	***************************************	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Hg-194	Mercury (80)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Hg-195m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Hg-197		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Hg-197m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Hg-203		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Ho-166	Holmium (67)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Ho-166m		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
I-123	Iodine (53)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
I-124		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
I-125		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵ ·
I-126		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
I-129		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
I-131		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
I-132		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
I-133		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
I-134		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
I-135		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
In-111	Indium (49)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
In-113m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵

Table A - 2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES (continued)

•		Activity	Activity	Activity limit	Activity limit
Symbol of	Element and atomic	concentration	concentration	for exempt	for exempt
radionuclide	number	for exempt	for exempt	consignment	consignment
		material (Bq/g)	material (Ci/g)	(Bq)	(Ci)
(n-114m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
In-115m.		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
fr-189	Iridium (77)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Ir-190		1.0X10 ¹	2.7X10 ⁻¹⁰ ·	1.0X10 ⁶	2.7X10 ⁻⁵
Ir-192		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Ir-194		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10-6
K-40	Potassium (19)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
K-42		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
K-43		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Kr-79	Krypton (36)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Kr-81		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Kr-85		1.0X10 ⁵	2.7X10-6	1.0X10⁴	2.7X10 ⁻⁷
Kr-85m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ¹⁰	2.7X10 ⁻¹
Kr-87	<u> </u>	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁹	2.7X10 ⁻²
La-137	Lanthanum (57)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
La-140	2	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10-6
Lu-172	Lutetium (71)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
T 100	Editorium (71)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Lu-173 . Lu-174		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Lu-174m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Lu-177	Magnesium (12)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Mg-28		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Mn-52	Manganese (25)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁹	2.7X10 ⁻²
Mn-53	ļ	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Mn-54		1.0X10 ¹	2.7X10 2.7X10	1.0X10 ⁵	2.7X10 ⁻⁶
Mn-56	26.1.1.1 (42)		2.7X10	1.0X10 ⁸	2.7X10 ⁻³
Mo-93	Molybdenum (42)	1.0X10 ³		1.0X10 ⁶	2.7X10 2.7X10-5
Mo-99		1.0X10 ²	2.7X10 ⁻⁹		2.7X10 ⁻²
N-13	Nitrogen (7)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁹	
Na-22	Sodium (11)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Na-24		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Nb-93m	Niobium (41)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10-4
Nb-94		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Nb-95		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Nb-97		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Nd-147	Neodymium (60)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Nd-149		1.0X10 ²	2.7X10 ⁻⁹ ·	1.0X10 ⁶	2.7X10 ⁻⁵
Ni-59	Nickel (28)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
Ni-63		1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁸	2.7X10 ⁻³
Ni-65		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Np-235	Neptunium (93)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Np-236 (short-lived)		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10⁴
Np-236 (long-lived)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Np-237 (b)		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Np-239	<u> </u>	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Os-185	Osmium (76)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Os-191		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Os-191m	<u> </u>	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Os-1931		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Os-193 Os-194 (a)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶

Table A - 2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES (continued)

	· · · · · · · · · · · · · · · · · · ·	Activity	Activity	Activity limit	Activity limit
Symbol of	Element and atomic	concentration	concentration	for exempt	for exempt
radionuclide	number	for exempt	for exempt	consignment	consignment
		material (Bq/g)		(Bq)	(Ci)
P-32	Phosphorus (15)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
P-33		1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁸	2.7X10 ⁻³
Pa-230 (a)	Protactinium (91)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Pa-231		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Pa-233		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Pb-201	Lead (82)	1.0X10 ⁱ	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Pb-202		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Pb-203		1.0X10 ² ·	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Pb-205		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10⁴
Pb-210 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Pb-212 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Pd-103	Palladium (46)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁸	2.7X10 ⁻³
Pd-107		1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁸	2.7X10 ⁻³
Pd-109		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Pm-143	Promethium (61)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Pm-144		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Pm-145		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Pm-147		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Pm-148m		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Pm-149		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Pm-151		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Po-210	Polonium (84)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Pr-142	Praseodymium (59)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Pr-143	Trascodymium (39)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
Pt-188	Platinum (78)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Pt-191	Tractitum (76)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Pt-193		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Pt-193m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Pt-195m		1.0X10 ²	2.7X10	1.0X10 ⁶	2.7X10 ⁻⁵
Pt-193m Pt-197		1.0X10 1.0X10 ³	2.7X10 2.7X10 ⁻⁸	1.0X10	2.7X10 2.7X10 ⁻⁵
		1.0X10 ²	2.7X10 2.7X10 ⁻⁹	1.0X10	2.7X10 2.7X10 ⁻⁵
Pt-197m	Distantion (04)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 2.7X10 ⁻⁷
Pu-236	Plutonium (94)	1.0X10 ³			2.7X10 ⁻⁴
Pu-237 Pu-238		1.00.10	2.7X10 ⁻⁸ 2.7X10 ⁻¹¹	1.0X10 ⁷	2.7X10 ⁻⁷
					
Pu-239		1	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Pu-240		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Pu-241)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Pu-242		1	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Pu-244		1	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Ra-223 (b) .	Radium (88)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Ra-224 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10-6
Ra-225		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10-6
Ra-226 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Ra-228 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰ ·	1.0X10 ³	2.7X10 ⁻⁶
Rb-81	Rubidium (37)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Rb-83		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Rb-84		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Rb-86		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Rb-87		1.0X10⁴	2:7X10 ⁻⁷	1.0X10 ⁷	2.7X10⁴
Rb(nat)		1.0X10⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10⁴

Table A - 2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES (continued)

6 1 1 6	Planatania	Activity concentration	Activity concentration	Activity limit for exempt	Activity limit for exempt
Symbol of	Element and atomic			consignment	consignment
radionuclide	number	for exempt material (Bq/g)	for exempt material (Ci/g)	(Bq)	(Ci)
Re-184	Rhenium (75)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Re-184m	Turomain (75)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Re-186		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Re-187		1.0X10 ⁶	2.7X10 ⁻⁵	1.0X10°	2.7X10 ⁻²
Re-188		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Re-189		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Re(nat)		1.0X10 ⁶	2.7X10 ⁻⁵	1.0X10°	2.7X10 ⁻²
Rh-99	Rhodium (45)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Rh-101	Idiodium (13)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Rh-102		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Rh-102m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Rh-103m		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
Rh-105		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Rn-222 (b)	Radon (86)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁸	2.7X10 ⁻³
Ru-97	Ruthenium (44)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Ru-103	- Radioman (11)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Ru-105		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ru-106 (b)		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
S-35	Sulphur (16)	1.0X10 ⁵	2.7X10 ⁻⁶	1.0X10 ⁸	2.7X10 ⁻³
		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁴	2.7X10 ⁻⁷
Sb-122	Antimony (51)		2.7X10 2.7X10	1.0X10 ⁶	2.7X10 ⁻⁵
Sb-124		1.0X10 ¹	2.7X10 ⁻⁹	1.0X10 1.0X10 ⁶	2.7X10 ⁻⁵
Sb-125		1.0X10 ²	2.7X10 ⁻¹⁰	1.0X10 1.0X10 ⁵	2.7X10 ⁻⁶
Sb-126	- U (01)	1.0X10 ¹	2.7X10 -10 2.7X10-10	1.0X10 ⁵	2.7X10 2.7X10 6
Sc-44	Scandium (21)	1.0X10 ¹		1.0X10 ⁶	2.7X10 2.7X10-5
Sc-46		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10°	2.7X10 2.7X10 ⁻⁵
Sc-47		1.0X10 ²	2.7X10 ⁻⁹		
Sc-48		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Se-75	Selenium (34)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Se-79		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Si-31	Silicon (14)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Si-32		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Sm-145	Samarium (62)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Sm-147		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Sm-151		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
Sm-153		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sn-113	Tin (50)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10⁴
Sn-117m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sn-119m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Sn-121m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Sn-123		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Sn-125		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Sn-126		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Sr-82	Strontium (38)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵ -	2.7X10 ⁻⁶
Sr-85		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sr-85m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Sr-87m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Sr-89		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Sr-90 (b)	· ·	1.0X10 ²	2.7X10°	1.0X10 ⁴	2.7X10 ⁻⁷
Sr-91		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Sr-92		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵

Table A - 2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES (continued)

	I	Activity	Activity	Activity limit	Activity limit
Symbol of	Element and atomic	concentration	concentration	for exempt	for exempt
radionuclide	number	for exempt	for exempt	consignment	consignment
Tautonucine	number	material (Bq/g)		(Bq)	(Ci)
T(H-3)	Tritium (1)	1.0X10 ⁶	2.7X10 ⁻⁵	1.0X10°	2.7X10 ⁻²
Ta-178 (long-lived)	Tantalum (73)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Ta-179	Tanatan (75)	1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻¹
Ta-182		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Tb-157	Terbium (65)	1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
Tb-158	1 Or Ordin (OS)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tb-160		1.0X10 ¹	2.7X10 2.7X10 -10	1.0X10 ⁶	2.7X10 ⁻⁵
Tc-95m	Technetium (43)	1.0X10 ^t	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tc-96	i i i i i i i i i i i i i i i i i i i	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tc-96m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Tc-97		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁸	2.7X10 ⁻³
Tc-97m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Tc-98		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Tc-99	<u> </u>	1.0X10 ⁴	2.7X10 .	1.0X10 ⁷	2.7X10 ⁻⁴
Tc-99m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Te-121	Tellurium (52)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 2.7X10 ⁻⁵
Te-121m	Tenurum (32)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10
Te-123m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Te-125m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Te-127		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10
	ļ				
Te-127m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Te-129	ļ	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Te-129m		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
16-131111		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Te-132	m : (00)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10 ⁻⁴
Th-227	Thorium (90)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
Th-228 (b)		1	2.7X10 ⁻¹¹	1.0X10⁴	2.7X10 ⁻⁷
Th-229 (b)		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Th-230		1	2.7X10 ⁻¹¹	1.0X10 ⁴	2.7X10 ⁻⁷
Th-231		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Th-232		1,0X10 ¹	2.7X10 ⁻¹⁰	1.0X10⁴	2.7X10 ⁻⁷
Th-234 (b)		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Th (nat)(b)		1	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
Ti-44	Titanium (22)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
Tl-200	Thallium (81)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
TI-201		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Tl-202		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
T1-204		1.0X10⁴	2.7X10 ⁻⁷	1.0X10⁴	2.7X10 ⁻⁷
Tm-167	Thulium (69)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Tm-170		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Tm-171		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁸	2.7X10 ⁻³
U-230 (fast lung	Uranium (92)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
absorption) (b)(d)					
U-230 (medium lung absorption) (e)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-230 (slow lung absorption) (f)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-232 (fast lung	Uranium (92)	1.0X10°	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
absorption) (b), (d)	1				
U-232 (medium lung a	absorption) (e)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-232 (slow lung abso		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷

Table A - 2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES (continued)

		Activity	Activity	Activity limit	Activity limit
Symbol of	Element and atomic	concentration	concentration	for exempt	for exempt
radionuclide	number	for exempt	for exempt	consignment	consignment
		material (Bq/g)		(Bq)	(Ci)
U-233 (fast lung absorption) (d)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
U-233 (medium lung a		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
U-233 (slow lung abso	orption) (f)	1.0X101	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
U-234 (fast lung absor	ption) (d)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10⁴	2.7X10 ⁻⁷
U-234 (medium lung a	bsorption) (e)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
U-234 (slow lung abso	rption) (f)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
U-235 (all lung absorp	tion types) (b), (d), (e),	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
(f)					
U-236 (fast lung absor	ption) (d)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
	Uranium (92)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
absorption) (e)				`	
U-236 (slow lung abso		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10⁴	2.7X10 ⁻⁷
	tion types) (b), (d), (e),	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁴	2.7X10 ⁻⁷
(f)					
U (nat) (b)		1.0X10°	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
U (enriched to 20% or	less)(g)	1.0X10°	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
U (dep)		1.0X10°	2.7X10 ⁻¹¹	1.0X10 ³	2.7X10 ⁻⁸
V-48	Vanadium (23)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁵	2.7X10 ⁻⁶
V-49		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
W-178	Tungsten (74)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
W-181		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
W-185		1.0X10 ⁴	2.7X10 ⁻⁷	1.0X10 ⁷	2.7X10 ⁻⁴
W-187		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
W-188		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Xe-122	Xenon (54)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁹	2.7X10 ⁻²
Xe-123		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁹	2.7X10 ⁻²
Xe-127		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Xe-131m		1.0X10⁴	2.7X10 ⁻⁷	1.0X10⁴	2.7X10 ⁻⁷
Xe-133		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁴	2.7X10 ⁻⁷
Xe-135		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ¹⁰	2.7X10 ⁻¹
Y-87	Yttrium (39)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Y-88		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Y-90		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁵	2.7X10 ⁻⁶
Y-91		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁶	2.7X10 ⁻⁵
Y-91m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Y-92		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Y-93		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁵	2.7X10 ⁻⁶
Yb-169	Ytterbium (79)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁷	2.7X10-4
Yb-175		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Zn-65	Zinc (30)	1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Zn-69		1.0X10⁴	2.7X10 ⁻⁷	1.0X10 ⁶	2.7X10 ⁻⁵
Zn-69m		1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Zr-88	Zirconium (40)	1.0X10 ²	2.7X10 ⁻⁹	1.0X10 ⁶	2.7X10 ⁻⁵
Zr-93 (b)		1.0X10 ³	2.7X10 ⁻⁸	1.0X10 ⁷	2.7X10 ⁻⁴
Zr-95		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X10 ⁶	2.7X10 ⁻⁵
Zr-97 (b)		1.0X10 ¹	2.7X10 ⁻¹⁰	1.0X1.0 ⁵	2.7X10 ⁻⁶

^{* [}Reserved]

Appendix A: continued

^b Parent nuclides and their progeny included in secular equilibrium are listed in the following:

```
Sr-90
           Y-90
Zr-93
           Nb-93m
Zr-97
           Nb-97
Ru-106
           Rh-106
Ag-108m
          Ag-108
           Ba-137m
Cs-137
Ce-144
           Pr-144
Ba-140
           La-140
Bi-212
           Tl-208 (0.36), Po-212 (0.64)
Pb-210
           Bi-210, Po-210
Pb-212
           Bi-212, Tl-208 (0.36), Po-212 (0.64)
Rn-220
           Po-216
Rn-222
           Po-218, Pb-214, Bi-214, Po-214
Ra-223
           Rn-219, Po-215, Pb-211, Bi-211, Tl-207
Ra-224
           Rn-220, Po-216, Pb-212, Bi-212, Tl-208(0.36), Po-212 (0.64)
Ra-226
           Rn-222, Po-218, Pb-214, Bi-214, Po-214, Pb-210, Bi-210, Po-210
Ra-228
           Ac-228
Th-228
           Ra-224,
                    Rn-220, Po-216, Pb-212, Bi-212,
                                                               T1-208
                                                                         (0.36),
                                                                                 Po-212
Th-229
           Ra-225, Ac-225, Fr-221, At-217, Bi-213, Po-213, Pb-209
Th-nat
           Ra-228, Ac-228, Th-228, Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-212 (0.64)
Th-234
           Pa-234m
U-230
           Th-226, Ra-222, Rn-218, Po-214
U-232
           Th-228, Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-212 (0.64)
U-235
           Th-231
U-238
           Th-234, Pa-234m
U-nat
           Th-234, Pa-234m, U-234, Th-230, Ra-226, Rn-222, Po-218, Pb-214, Bi-214, Po-214, Pb-210, Bi-210,
           Po-210
Np-237 .
           Pa-233
Am-242m Am-242
Am-243
           Np-239
```

^c[Reserved]

^d These values apply only to compounds of uranium that take the chemical form of UF₆, UO₂F₂ and UO₂(NO₃)₂ in both normal and accident conditions of transport.

These values apply only to compounds of uranium that take the chemical form of UO₃, UF₄, UCl₄ and hexavalent compounds in both normal and accident conditions of transport.

These values apply to all compounds of uranium other than those specified in notes (d) and (e) of this table.

⁸ These values apply to unirradiated uranium only.

Table A-3: General Values for A₁ and A₂)

					Activity	Activity	Activity	Activity
					concen-	concen-	limits for	limits for
Contents	A	λ_{i}	A_2		tration for	tration for	exempt	exempt
					exempt	exempt	consign-	consign-
					material	material	ments	ments
	(TBq)	(Ci)	(TBq)	(Ci)	(Bq/g)	(Ci/g)	(Bq)	(Ci)
Only beta or gamma								
emitting radionuclides are	1 x 10 ⁻¹	2.7 x 10°	2 x 10 ⁻²	5.4 x 10 ⁻¹	1×10^{1}	2.7 x10 ⁻¹⁰	1 x 10 ⁴	2.7 x10 ⁻⁷
known to be present								
Alpha emitting radionuclides, but no neutron emitters, are known to be present (a)	2 x 10 ⁻¹	5.4 x 10°	9 x 10 ⁻⁵	2.4 x10 ⁻³	1 x 10 ⁻¹	2.7 x10 ⁻¹²	1 x 10 ³	2.7 x10 ⁻⁸
Neutron emitting radio-nuclides are known to be present or no relevant data is available	1 x 10 ⁻³	2.7 x 10 ⁻²	9 x 10 ⁻⁵	2.4 x 10 ⁻³	1 x 10.1	2.7 x 10 ⁻¹²	1 x 10 ³	2.7 x 10 ⁻⁸

^a If beta or gamma emitting radionuclides are known to be present, the A₁ value of 0.1 TBq (2.7 Ci) should be used.

Table A-4: Activity-mass Relationships for Uranium

Uranium Enrichment ¹ wt % U-235 present	Specific Activity		
. ·	TBq/g	Ci/g	
0.45	1.8 x 10 ⁻⁸	5.0 x 10 ⁻⁷	
0.72	2.6 x 10 ⁻⁸	7.1 x 10 ⁻⁷	
1	2.8 x 10 ⁻⁸	7.6 x 10 ⁻⁷	
1.5	3.7 x 10 ⁻⁸	1.0 x 10 ⁻⁶	
5	1.0 x 10 ⁻⁷	2.7 x 10 ⁻⁶	
10	1.8 x 10 ⁻⁷	4.8 x 10 ⁻⁶	
20	3.7 x 10 ⁻⁷	1.0 x 10 ⁻⁵	
35	7.4 x 10 ⁻⁷	2.0 x 10 ⁻⁵	
50	9.3 x 10 ⁻⁷	2.5 x 10 ⁻⁵	
90	2.2 x 10 ⁻⁶	5.8 x 10 ⁻⁵	
93	2.6 x 10 ⁻⁶	7.0 x 10 ⁻⁵	
95	3.4 x 10 ⁻⁶	9.1 x 10 ⁻⁵	

120.800: LICENSING AND OPERATIONAL REQUIREMENTS FOR LOW-LEVEL RADIOACTIVE WASTE FACILITIES

120.801: Purpose and Scope

- (A) 105 CMR 120.800 establishes procedures, performance objectives, criteria, terms and conditions governing the issuance of licenses for the treatment, storage or disposal of low-level radioactive wastes received from other persons, as well as the development, operation, closure, post-closure observation and maintenance, and institutional control of a low-level radioactive waste treatment, storage or disposal facility. The requirements of 105 CMR 120.800 are in addition to, and not in substitution for, other applicable requirements of 105 CMR 120.000.
- (B) 105 CMR 120.800 is applicable to any low-level radioactive waste facility for treatment, storage, or disposal of all classes of waste, which are not exempt from regulation pursuant to 105 CMR 120.200 as well as any wastes that the Board has required to be treated, stored or disposed of at a low-level radioactive waste facility.