

READ AND DESTROY

Approval <i>[Signature]</i>	Vogtle Electric Generating Plant NUCLEAR OPERATIONS	 Georgia Power	Procedure No. 29101-C
Date 12/5/94	Unit <u>COMMON</u>		Revision No. 1
			Page No. 1 of 96

EMERGENCY LIGHTING SURVEILLANCE
(FSAR Fire Protection Surveillance)

[illegible]

9202210421 920116
PDR ADDOCK 05000424
S PDR

VEGP

29101-C

1

2 of 96

1.0 PURPOSE

- 1.1 This procedure provides instructions for inspecting and testing emergency lighting systems per FSAR 9.5.3.4. (Commitment 1388)
- 1.2 This procedure is applicable to Emergency Lighting located in the following areas:
- 1.2.1 Main Control Room
- 1.2.2 Remote Shutdown Rooms
- 1.2.3 Auxiliary Feedwater Pumphouse Panel Rooms
- 1.2.4 Diesel Generator Panel Rooms
- 1.2.5 Access and Egress routes between the rooms identified above.
- 1.2.6 Other areas throughout the plant site as identified in this procedure.

2.0 PRECAUTIONS AND LIMITATIONS

- 2.1 This procedure shall be performed in accordance with the applicable portions of Procedure 92025-C, "Fire Protection Surveillance Program".
- 2.2 Batteries produce explosive gases. Avoid sparks and open flames when working around batteries.
- 2.3 Use only distilled or demineralized water to fill batteries; do not overfill.
- 2.4 Avoid contact with battery electrolyte since it will cause corrosive burns.
- 2.5 Contact Health Physics personnel before entering containment or any radiation area.
- 2.6 When replacing bulbs, use same type removed or approved equivalent.
- 2.7 To prevent premature bulb failure, do not handle bulbs with bare hands. Use clean cloths to install bulbs.

PROCEDURE NO.		REVISION	PAGE NO
VEGF	29101-C	1	3 of 96
3.0	<u>PREREQUISITES OR INITIAL CONDITIONS</u>		
	Notify the On Shift Operations Supervisor (OSOS)/Shift Supervisor (SS) prior to beginning this procedure.		
4.0	<u>INSTRUCTIONS</u>		
4.1	SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS		
4.1.1	At each emergency light listed on Checklist 1, 2, 3, 5, 6, 7, 8, and 9 perform the following:		
4.1.1.1	Verify the battery charge indicator (voltmeter, LED, Hi-Low Charge indicator light etc.) shows that the batteries are charged.		
	For Holophane M-19 8 hour battery units, the proper battery voltage as read on units voltmeter should be between 12 and 14 volts DC. If the observed indicated voltage is below 12 volts DC, the batteries are defective and/or the AC power feed to the fixture is off. Record in comments section.		
4.1.1.2	Visually inspect the battery electrolyte level of each cell and ensure the electrolyte is between the maximum and minimum fill line, if applicable. Add water to bring electrolyte level to within proper limits, as applicable. Record in comments section.		
	This step does not apply to Holophane M-19 battery units.		
4.1.1.2.1	Remove front cover of unit. Check exposed battery connections for corrosion (for Holophane M-19 units only). Record in comments section.		
4.1.1.2.2	Observe the fixtures' status indicating LEDs and lamp heads: (<u>normal conditions underlined</u>) record in comments section.		
	<u>Green light</u>	ON	Indicates AC power is available. Also indicates that AC feeder has tripped if accompanied with a low battery reading (below 12VDC).
	<u>Red light</u>	OFF	Indicates that lamp heads are not operating. <u>No loss of AC power has occurred.</u>

PROCEDURE NO.		REVISION	PAGE NO.
VEGP		29101-C	1
			4 of 96
	<u>Amber light</u>	OFF	<u>Indicates batteries are on float charge.</u>
	Green light	OFF	Indicates loss of AC power to unit. Sealed beam lamp head should be on as well as Red LED.
	Red light	ON	Indicates loss of AC power. Sealed beam lamp heads should be operating.
	<u>Amber light</u>	ON	<u>Indicates batteries are on high charge. Normally occurs after restoration of AC power.</u>
4.1.1.3	Press the test button. This stimulates a loss of AC power to the fixture. While still pressing the test button observe the fixtures status indicating LEDs and sealed beam lamp heads. Record in comments section.		
	Green light	OFF	Indicates loss of AC power.
	Red light	ON	Indicates loss of AC power.
	Amber light	OFF	Does not function.
4.1.1.4	Verify lamps are aimed to provide maximum lighting coverage, or per the appropriate drawings, as applicable.		
4.1.1.5	Release test button and observe the fixtures' status indicating LEDs and sealed beam lamp heads.		
	Green light	On	Indicates AC power is available.
	Red light	OFF	Indicates that lamp heads are not operating.
	Amber light	ON	Indicates batteries are on high charge. LED will extinguish when batteries are on float charge.
Replace any defective lamps or LEDs and record in comments section (for steps 4.1.1.2.2 through 4.1.1.5).			

VEGP

29101-C

1

5 of 96

4.1.1.6 Record test results.

NOTE

Repeat Steps 4.1.1.1 thru 4.1.6
for each emergency lighting
system identified on Checklist
1, 2, 3 or 5.

4.2 INVERTER POWERED EMERGENCY LIGHTING SYSTEMS

4.2.1 For each emergency lighting system listed on Checklist 4, perform the following:

- 4.2.1.1 Verify that the electrolyte level of each battery cell is between the maximum and minimum fill lines. Add water to bring electrolyte level to within proper limits, as applicable. Record in comments section.
- 4.2.1.2 Verify that the surface of each battery is free of contamination and corrosion, if not clean battery.
- 4.2.1.3 Verify that utility power is on to the inverter as evidenced by green light illuminated.
- 4.2.1.4 Press the test button and verify that all lamps associated with the unit energize. Replace any burnt out lamps and record in Comments section of Data Sheet.
- 4.2.1.5 Verify lamps are aimed to provide maximum lighting coverage, or per the appropriate drawings, as applicable.
- 4.2.1.6 Release inverter test button and verify all lamps associated with the unit de-energize.
- 4.2.1.7 Check battery voltage and inverter output.
- 4.2.1.8 Record test results.

NOTE

Repeat Steps 4.2.1.1 thru
4.2.1.8 for each lighting
system identified on checklist
4.

4.3 Notify the OSOS/SS upon completion of this procedure.

PROCEDURE NO.		REVISION	PAGE NO.
VEGP	29101-C	1	6 of 96

5.0 ACCEPTANCE CRITERIA

5.1 The lamps associated with the emergency lighting unit energize when the test button is pressed.

5.2 Battery charge indicators indicate that the batteries are charged.

5.3 The lamps are aimed to provide maximum light coverage or per the appropriate drawing, as applicable.

5.4 The emergency lighting system has been returned to normal operation.

5.5 Batteries are clean and free of foreign material.

5.6 Any materials used in repair of emergency lighting are listed in comments section with MER number and a copy of MER as applicable.

6.0 REFERENCES

6.1 Procedure 92025-C, "Fire Protection Surveillance Program"

6.2 NFPA 101-HB81 "National Fire Protection Association Life Safety Code Handbook"

6.3 AX3AN03-16-1 "Holophane, M-19, 12V DC Power Pack, Installation and Maintenance"

6.4 1X3AN09-500-1 "Lighting Equip - CHLOR EMER AC INVERTER SYS - IM"

6.5 1X3AN09-502-0 "Lighting Equip. CHLOR EMER AC INVERTER SYS - DATA"

6.6 UNIT 1 CONTAINMENT LIGHTING AND COMMUNICATIONS DRAWINGS

6.6.1 1X3DG50A

6.6.2 1X3DG50B

6.6.3 1X3DG50C

6.6.4 1X3DG50D

6.6.5 1X3DG51A

PROCEDURE NO.		REVISION	PAGE NO.
VECP	29101-C	1	7 of 96

6.6.6 1X3DG51B

6.6.7 1X3DG51C

6.6.8 1X3DG51D

6.6.9 1X3DG504

6.6.10 1X3DG514

6.7 UNIT 2 CONTAINMENT LIGHTING AND COMMUNICATIONS DRAWINGS

6.7.1 2X3DG52B

6.7.2 2X3DG52C

6.7.3 2X3DG52D

6.7.4 2X3DG53B

6.7.5 2X3DG53C

6.7.6 2X3DG53D

6.7.7 2X3DG521

6.7.8 2X3DG522

6.7.9 2X3DG524

6.7.10 2X3DG525

6.7.11 2X3DG526

6.7.12 2X3DG532

6.7.13 2X3DG534

6.7.14 2X3DG535

6.8 FSAR 9.5.1-10

6.9 FSAR 9.5.3.4

END OF PROCEDURE TEXT

PROCEDURE NO VEGP	29101-C	REVISION 1	PAGE NO. 8 of 96
----------------------	---------	---------------	---------------------

Sheet 1 of 1

EMERGENCY LIGHTING SURVEILLANCE

CHECKLIST

ACCEPTANCE CRITERIA AND PERFORMER IDENTIFICATION

ACCEPTANCE CRITERIA

The lamps associated with the emergency lighting unit energize when the test button is pressed.

Battery charge indicators indicate that the batteries are charged.

The lamps are aimed to provide maximum light coverage, or per the appropriate drawing, if applicable.

The emergency lighting system has been returned to normal operation.

Batteries are clean and free of foreign material.

PERFORMER IDENTIFICATION

Each person performing this procedure and initialling the checklists will place his/her name, initials, and signature below.

<u>NAME (Print)</u>	<u>INITIALS</u>	<u>SIGNATURE</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Procedure No.	Revision	Page No.
VEGP 29101-C	1	9 of 96

Sheet 1 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-114	1NLP30-22-1	1X3DG33A			East of C.B. Outside Door
R-117	1NLP43-8-2	1X3DG313			
R-117	1NLP43-8-3	1X3DG313			
R-123	1NLP31-4-1	1X3DG323			
R-123	1NLP31-6-1	1X3DG323			1 light aimed at PV 3010 North valve rm.
R-123	1NLP31-6-2	1X3DG33A			North valve rm.
R-122	1NLP31-6-3	1X3DG323			1 light aimed at PV 3020 North valve rm.

Procedure No.	Revision	Page No.
VEGF 29101-C	1	10 of 96

Sheet 2 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-123	1NLP31-6-4	1X3DG323			
R-123	1NLP36-13-1	1X3DG33A			North valve rm. Lights aimed at HV-3019
R-138	1NLP43-8-4	1X3DG313			
R-138	1NLP43-8-5	1X3DG313			
R-143	1NLP31-3-1	1X3DG313			
R-149	1NLP43-8-1	1X3DG313			
R-149	1NLP43-8-6	1X3DG313			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	11 of 96

Sheet 3 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-155	1NLP43-20-1	1X3DG303			I&C Shop at Control Rm.
R-155	1NLP43-20-2	1X3DG313			I&C Shop at Control Rm.
R-163	1NLP35-10-1	1X3DG303			Control Room
R-163	1NLP35-10-2	1X3DG303			Control Room Lights aimed at HVAC panel
R-163	1NLP35-10-3	1X3DG303			Control Room Lights aimed at HVAC panel
R-163	1NLP35-10-4	1X3DG313			Control Room
R-163	1NLP35-10-5	1X3DG313			Control Room
R-163	1NLP35-17-1	1X3DG303			Control Room Lights aimed at HVAC panel
R-163	1NLP36-10-1	1X3DG303			Control Room Lights aimed at HVAC panel
R-163	1NLP36-10-2	1X3DG303			Control Room Lights aimed at HVAC panel
R-163	1NLP36-10-3	1X3DG303			Control Room
R-163	1NLP36-10-4	1X3DG303			Control Room

Procedure No.	Revision	Page No.
VEGP 29101-C	1	12 of 96

Sheet 4 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-163	1NLP36-10-5	1X3DG313			Control Room
R-163	1NLP36-10-6	1X3DG313			Control Room
R-163	1NLP36-17-1	1X3DG303			Control Room Lights aimed at HVAC panel
R-163	1NLP36-17-2	1X3DG303			Control Room Lights aimed at HVAC panel
R-180	1NLP35-13-2	1X3DG303			
R-180	1NLP36-13-6	1X3DG303			
R-189	1NLP83-6-1	1X3DG303			
R-199	1NLP35-13-1	1X3DG303			Small hall to I&C and Control Room
R-225	1NLP28-5-1	1X3DG304			
R-225	1NLP28-5-3	1X3DG314			
R-225	1NLP28-5-7	1X3DG304			
R-230	1NLP28-5-4	1X3DG314			

Procedure No.	Revision	Page No.
VF3P 29101-C	1	13 of 96

Sheet 5 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-230	1NLP28-5-5	1X3DG314			
R-230	1NLP28-5-2	1X3DG304			
R-245	1NLP28-5-6	1X3DG314			
R-312	1NLP36-18-1	1X3DG315			
R-313	1NLP36-18-2	1X3DG315			
R-313	1NLP36-18-3	1X3DG315			
R-314	1NLP44-5-1	1X3DG315			
R-316	1NLP44-5-2	1X3DG315			
R-319	1NLP44-5-3	1X3DG315			
R-320	1NLP35-20-6	1X3DG315			
R-321	1NLP35-20-7	1X3DG315			
R-322	1NLP36-18-4	1X3DG315			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	14 of 96

Sheet 6 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-322	1NLP36-18-5	1X3DG315			Lights aimed at Breaker #22 on 1BYA1
R-322	1NLP36-18-6	1X3DG315			
R-325	1NLP35-20-1	1X3DG305			
R-325	1NLP35-20-2	2X3DG305			1 light aimed at Breaker #11 on ANBC
R-325	1NLP35-20-3	1X3DG305			
R-325	1NLP35-20-4	1X3DG305			
R-325	1NLP35-20-5	1X3DG305			
R-325	1NLP35-20-8	1X3DG305			
R-408	ANLP42-11-1	1X3DG316			
R-410	ANLP42-11-2	1X3DG316			
R-410	ANLP42-11-3	1X3DG316			
R-410	ANLP42-11-4	1X3DG316			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	15 of 96

Sheet 7 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-410	ANLP42-11-5	1X3DG316			
R-A34	1NLP35-8-3	1X3DG312			
R-A36	1NLP35-8-4	1X3DG312			
R-A36	1NLP36-8-8	1X3DG312			
R-A38	1NLP34-14-1	1X3DG312			
R-A38	1NLP34-14-2	1X3DG312			
R-A43	1NLP29-1-2	1X3DG312			Key No. 62 Train B Shut Down Panel
R-A43	1NLP32-1-1	1X3DG312			Lights to be aimed at Shut Down Panel
R-A43	1NLP32-1-2	1X3DG312			Key No. 62 Train B Shut Down Panel
R-A43	1NLP32-1-3	1X3DG312			Lights to be aimed at Shut Down Panel
R-A43	1NLP32-1-3	1X3DG312			Key No. 62 Train B Shut Down Panel
R-A44	1NLP35-8-1	1X3DG302			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	16 of 96

Sheet 8 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-A44	1NLP35-8-5	1X3DG312			
R-A44	1NLP36-8-1	1X3DG302			
R-A44	1NLP36-8-2	1X3DG302			
R-A44	1NLP36-8-9	1X3DG312			
R-A44	1NLP36-9-1	1X3DG302			
R-A48	1NLP35-7-1	1X3DG302			Key #64 Train A 4.16KV Swgr Room 1 light aimed at Breaker #19, 1 light aimed at Breaker #20
R-A48	1NLP35-7-2	1X3DG302			Key #64 Train A 4.16KV Swgr Room 1 light aimed at Breaker #10, 1 light aimed at breaker #14
R-A48	1NLP35-7-3	1X3DG302			Key #64 Train A 4.16KV Swgr Room 1 light aimed at Breaker #21, 1 light aimed at Breaker #22
R-A48	1NLP35-7-6	1X3DG322			Key #64 Train A 4.16KV Swgr Room 1 light aimed at Breaker #1, 1 light aimed at breaker #5
R-A48	1NLP35-7-7	1X3DG302			Key #64 Train A 4.16KV Swgr Room
R-A48	1NLP35-8-2	1X3DG302			Key #64 Train A 4.16KV Swgr Room
R-A48	1NLP36-8-3	1X3DG302			Key #64 Train A 4.16KV Swgr Room

Procedure No.	Revision	Page No.
VEGP 29101-C	1	17 of 96

Sheet 9 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
F-A50	1NLP35-7-5	1X3DG322			Key #65 Train B 4.16KV Swgr Room
R-A50	1NLP36-8-4	1X3DG302			1 light aimed at Breaker #14, 1 light aimed at Breaker #18 Key #65 Train B 4.16KV Swgr Room
R-A50	1NLP36-8-5	1X3DG302			1 light aimed at Breaker #1, 1 light aimed at Breaker #4 Key #65 Train B 4.16KV Swgr Room
R-A50	1NLP36-8-6	1X3DG302			1 light aimed at Breaker #5, 1 light aimed at Breaker #6 Key #65 Train B 4.16KV Swgr Room
R-A50	1NLP36-8-7	1X3DG302			1 light aimed at Breaker #19, 1 light aimed at Breaker #21 Key #65 Train B 4.16KV Swgr Room
R-A50	1NLP36-8-13	1X3DG302			Lights aimed at Breaker #9 Key #65 Train B 4.16KV Swgr Room
R-A50	1NLP36-11-2	1X3DG322			Key #65 Train B 4.16KV Swgr Room
R-A51	1NLP35-9-1	1X3DG302			
R-A51	1NLP35-11-3	1X3DG312			
R-A51	1NLP36-9-2	1X3DG302			
R-A51	1NLP36-11-3	1X3DG322			
R-A53	1NLP33-6-1	1X3DG312			Key #234

Procedure No.	Revision	Page No.
VEGP 29101-C	1	18 of 96

Sheet 10 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-A54	1NLP35-8-6	1X3DG312			
R-A58	1NLP35-7-4	1X3DG302			
R-A58	1NLP35-8-7	1X3DG322			
R-A58	1NLP35-11-1	1X3DG302			
R-A58	1NLP35-11-2	1X3DG302			
R-A58	1NLP36-7-1	1X3DG302			
R-A58	1NLP36-8-10	1X3DG322			
R-A58	1NLP36-9-3	1X3DG322			
R-A58	1NLP36-11-1	1X3DG302			
R-A59	1NLP35-8-8	1X3DG322			
R-A59	1NLP36-8-11	1X3DG322			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	19 of 96

Sheet 11 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-A62	1NLP35-8-9	1X3DG322			
R-A62	1NLP36-8-12	1X3DG322			
R-A64	1NLP35-8-10	1X3DG332			
R-A65	1NLP49-6-1	1X3DG332			
R-A70	1NLP33-3-1	1X3DG302			
R-A75	1NLP29-1-1	1X3DG302			Lights to be aimed at Shut Down Panel Key #265 Train "A" Shut Down Panel
R-A75	1NLP29-1-3	1X3DG302			Lights to be aimed at Shut Down Panel Key #265 Train "A" Shut Down Panel
R-A75	1NLP29-1-4	1X3DG302			Lights to be aimed at Shut Down Panel Key #265 Train "A" Shut Down Panel
R-B39	1NLP35-3-4	1X3DG311			
R-B42	1NLP36-1-8	1X3DG311			
R-B47	1NLP36-4-1	1X3DG311			1 light aimed at Breaker #3 on 1BD12

Procedure No. VEGP	29101-C	Revision 1	Page No. 20 of 96
-----------------------	---------	---------------	----------------------

Sheet 12 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-B47	1NLP36-4-2	1X3DG311			1 light aimed at Breaker #1 on 1BD1M 1 light aimed at Breaker #4 on 1BD1M
R-B48	1NLP36-1-9	1X3DG311			
R-B50	1NLP35-1-4	1X3DG311			
R-B50	1NLP35-3-1	1X3DG301			
R-B50	1NLP35-3-2	1X3DG301			1 light aimed at Breaker #10 on 1NB08
R-B50	1NLP35-3-5	1X3DG311			1 light aimed at Breaker #5 on 1 NB10
R-B50	1NLP35-3-9	1X3DG301			1 light aimed at Breaker #10 on 1NB09
R-B50	1NLP35-3-10	1X3DG311			
R-B50	1NLP36-1-1	1X3DG301			
R-B50	1NLP36-1-10	1X3DG311			
R-B50	1NLP36-1-12	1X3DG301			
R-B52	1NLP36-1-2	1X3DG301			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	21 of 96

Sheet 13 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-B52	1NLP36-1-3	1X3DG301			1 light aimed at Breaker #1 on 1ADIM 1 light aimed at Breaker #4 on 1ADIM
R-B52	1NLP36-1-4	1X3DG301			1 light aimed at Breaker #8 on 1ADIM 1 light aimed at Breaker #3 & #8 on 1D12
R-B53	1NLP35-1-1	1X3DG301			Lights aimed at Breaker #14 on 1ND32
R-B53	1NLP35-1-8	1X3DG301			Lights aimed at Breaker #21 on 1ND31
R-B55	1NLP35-1-2	1X3DG301			Lights aimed at Breakers #10 & #12 on 1 BYC1
R-B61	1NLP36-1-5	1X3DG301			
R-B61	1NLP36-1-6	1X3DG301			1 light aimed at Breaker #1 on 1BB07 1 light aimed at Breaker #1 on 1BB06
R-B61	1NLP36-1-18	1X3DG301			
R-B62	1NLP36-6-2	1X3DG301			Key #82 Lights aimed at TV - 12725
R-B62	1NLP36-6-3	1X3DG301			Key #82
R-B63	1NLP35-1-5	1X3DG311			
R-B63	1NLP35-1-6	1X3DG321			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	22 of 96

Sheet 14 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-B63	1NLP35-3-3	1X3DG301			
R-B63	1NLP36-6-1	1X3DG311			
R-B65	1NLP39-22-1	1X3DG311			
R-B66	1NLP39-20-1	1X3DG311			
R-B68	1NLP35-4-1	1X3DG321			Lights aimed at Breaker #5 on 1NB01
R-B68	1NLP36-1-20	1X3DG321			
R-B70	1NLP35-1-3	1X3DG301			
R-B70	1NLP35-2-1	1X3DG321			
R-B70	1NLP35-3-6	1X3DG321			
R-B70	1NLP36-1-7	1X3DG301			
R-B70	1NLP36-1-13	1X3DG321			
R-B70	1NLP35-1-14	1X3DG321			
R-B70	1NLP36-1-15	1X3DG321			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	23 of 96

Sheet 15 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-B71	1NLP35-3-7	1X3DG321			
R-B71	1NLP36-1-19	1X3DG321			
R-B73	1NLP36-1-16	1X3DG321			
R-B74	1NLP40-20-1	1X3DG331			
R-B76	1NLP35-4-2	1X3DG321			Lights aimed at Breaker #1 on 1AB04
R-B76	1NLP35-4-3	1X3DG321			Lights aimed at Breaker #1 on 1AB05
R-B76	1NLP36-1-17	1X3DG321			
R-B77	1NLP35-3-8	1X3DG321			
R-B78	1NLP36-1-11	1X3DG331			
R-B79	1NLP35-1-7	1X3DG331			
R-BSP	1NLP39-3-1	1X3DG380			Sump Pump hole accessed in R-B50

Procedure No.	Revision	Page No.
VEGP 29101-C	1	24 of 96

Sheet 16 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
188' ST#2	1NLP36-3-1	1X3DG333			Stair #2
208' ST#2	1NLP36-3-2	1X3DG333			Stair #2
228' ST#2	1NLP36-3-3	1X3DG333			Stair #2
248' ST#2	1NLP36-3-4	1X3DG333			Stair #2
268' ST#2	1NLP36-3-5	1X3DG333			Stair #2
288' ST#2	1NLP36-3-6	1X3DG333			Stair #2
308' ST#2	1NLP36-3-7	1X3DG333			Stair #2
188' ST#3	1NLP35-14-1	1X3DG333			Stair #3 Lev. B
208' ST#3	1NLP35-14-2	1X3DG333			Stair #3 Lev. A
228' ST#3	1NLP35-14-3	1X3DG333			Stair #3 Lev. 1
R-C01	1NLP39-1-3	1X3DG380			Tunnel

Procedure No.

VEGP

29101-C

Revision

1

Page No.

23 of 96

Sheet 15 of 17

CHECKLIST 1

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-B71	1NLP35-3-7	1X3DG321			
R-B71	1NLP36-1-19	1X3DG321			
R-B73	1NLP36-1-16	1X3DG321			
R-B74	1NLP40-20-1	1X3DG331			
R-B76	1NLP35-4-2	1X3DG321			Lights aimed at Breaker #1 on IABG4
R-B76	1NLP35-4-3	1X3DG321			Lights aimed at Breaker #1 on IAB05
R-B76	1NLP36-1-1/	1X3DG321			
R-B77	1NLP35-3-8	1X3DG321			
R-B78	1NLP36-1-11	1X3DG331			
R-B79	1NLP35-1-7	1X3DG331			
R-BSP	1NLP39-3-1	1X3DG380			Sump Pump hole accessed in R-B50

Procedure No.	Revision	Page No.
VEGP 29101-C	1	24 of 96

Sheet 16 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
188 ⁺ ST#2	1NLP36-3-1	1X3DG333			Stair #2
208 ⁺ ST#2	1NLP36-3-2	1X3DG333			Stair #2
228 ⁺ ST#2	1NLP36-3-3	1X3DG333			Stair #2
248 ⁺ ST#2	1NLP36-3-4	1X3DG333			Stair #2
268 ⁺ ST#2	1NLP36-3-5	1X3DG333			Stair #2
288 ⁺ ST#2	1NLP36-3-6	1X3DG333			Stair #2
308 ⁺ ST#2	1NLP36-3-7	1X3DG333			Stair #2
188 ⁺ ST#3	1NLP35-14-1	1X3DG333			Stair #3 Lev. B
208 ⁺ ST#3	1NLP35-14-2	1X3DG333			Stair #3 Lev. A
228 ⁺ ST#3	1NLP35-14-3	1X3DG333			Stair #3 Lev. 1
R-C01	1NLP39-1-3	1X3DG380			Tunnel

Procedure No.	Revision	Page No.
VEGP 29101-C	1	25 of 96

Sheet 17 of 17

CHECKLIST 1 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTROL BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. DATE	COMMENTS
R-C02	1NLP39-5-1	1X3DG380			Tunnel
R-C03	1NLP39-1-1	1X3DG380			Tunnel
R-C09	1NLP39-1-2	1X3DG380			Tunnel

Procedure No.	Revision	Page No.
VEGP 29101-C	1	26 of 96

Sheet 1 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT.	DATE	COMMENTS
R-101	1NLP110-7-2	1X3DG430				Stair #5
R-103	1NLP08-11-2	1X3DG425				
R-104	1NLP08-7-6	1X3DG425				
R-104	1NLP08-9-1	1X3DG425				
R-105	1NLP08-7-1	1X3DG425				
R-105	1NLP08-9-2	1X3DG425				
R-105	1NLP08-11-1	1X3DG425				
R-108	1NLP08-7-2	1X3DG425				South Valve Room
R-108	1NLP08-7-3	1X3DG425				1 light aimed at ladder to elev. 233 South Valve Room
R-108	1NLP08-7-4	1X3DG425				1 light aimed at ladder South Valve Room
R-108	1NLP08-7-5	1X3DG426				1 light aimed at PV3030 South Valve Room 1 light aimed at ladder
R-108	1NLP08-9-3	1X3DG425				South Valve Room

Procedure No.	Revision	Page No.
VEGP 29101-C	1	27 of 96

Sheet 2 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-108	1NLP08-9-4	1X3DG425			South Valve Room
R-108	1NLP08-9-5	1X3DG426			1 light aimed at PV3000
R-108	1NLP08-9-6	1X3DG425			South Valve Room 1 light aimed at ladder
R-108	1NLP08-9-7	1X3DG425			Lights aimed at HV - 3009
R-108	1NLP08-11-3	1X3DG425			South Valve Room
R-110	1NLP05-1-1	1X3DG425			South Valve Room
R-112	1NLP08-12-1	1X3DG430			Lights aimed at ladder to Lvl A
R-113	1NLP06-5-1	1X3DG415			"Insul. Pipe Access Cover"
R-113	1NLP08-10-2	1X3DG415			
R-116	1NLP08-8-1	1X3DG415			1 light aimed at Breaker #12 on 1BBB
R-116	1NLP08-8-2	1X3DG415			
R-118	1NLP08-10-1	1X3DG415			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	28 of 96

Sheet 3 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-118	1NLP08-10-4	1X3DG415			Lights aimed at Breaker #17 on 1 AY2A
R-118	1NLP08-10-5	1X3DG415			
R-118	1NLP08-12-3	1X3DG415			Lights aimed at Breaker #17 on 1ABB
R-118	1NLP08-12-4	1X3DG415			Lights aimed at Breaker #37 on 1ABB
R-120	1NLP06-5-3	1X3DG415			
R-120	1NLP06-5-4	1X3DG415			Equipment Bldg.
R-120	1NLP31-2-1	1X3DG405			
R-122	1NLP06-5-5	1X3DG415			
R-122	1NLP06-5-6	1X3DG415			
R-122	1NLP08-8-3	1X3DG415			
R-122	1NLP08-10-3	1X3DG415			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	29 of 96

Sheet 4 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-127	1NLP05-2-1	1X3DG415			Fuel Handling Bay
R-127	1NLP05-2-2	1X3DG415			Fuel Handling Bay
R-202	1NLP54-5-7	1X3DG426			
R-202	1NLP54-5-8	1X3DG426			
R-203	1NLP54-5-6	1X3DG426			
R-203	1NLP54-5-9	1X3DG426			
R-204	1NLP54-5-10	1X3DG426			
R-204	1NLP54-5-11	1X3DG426			
R-206	1NLP109-7-1	1X3DG430			Stair #3 Between 2 and 1 Level
R-207	1NLP110-11-1	1X3DG416			
R-209	1NLP54-5-3	1X3DG416			
R-210	1NLP54-5-2	1X3DG416			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	30 of 96

Sheet 5 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-212	1NLP54-5-4	1X3DG416			
R-212	1NLP54-5-5	1X3DG416			
R-212	1NLP54-5-1	1X3DG416			
R-213	1NLP110-9-1	1X3DG430			Stair #5
R-213	1NLP110-7-1	1X3DG430			Stair #5 Between 2 and roof approx. 14 ft. from floor
R-A01	1NLP16-8-2	1X3DG430			Stair #5 Between A and B Level
R-A01	1NLP12-11-1	1X3DG430			Stair #5 Between A and 1 Level
R-A03	1NLP10-11-1	1X3DG424			
R-A04	1NLP10-11-2	1X3DG424			
R-A05	1NLP10-11-3	1X3DG424			
R-A05	1NLP10-11-5	1X3DG424			
R-05	1NLP10-11-6	1X3DG424			
R-A06	1NLP10-2-2	1X3DG424			Rad. Area South Valve Room

Procedure No.	Revision	Page No.
VEGP 29101-C	i	31 of 96

Sheet 6 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACC'T (YES/NO)	INIT. / DATE	COMMENTS
R-A09	1NLP129-3-1	1X3DG424			1 light aimed at HV - 8105 Rad. Area
R-A09	1NLP129-3-2	1X3DG424			Rad. Area
R-A10	1NLP10-2-1	1X3DG424			Rad. Area South Valve Room
R-A12	1NLP129-7-1	1X3DG424			South Valve Room Lights aimed at ladder to Lvl 1 Fix. not marked with last digit of no.
R-A12	1NLP129-7-2	1X3DG424			South Valve Room 1 light aimed at HV - 5139 1 light aimed at HV - 5317 Fix. not marked with last digit of no.
R-A12	1NLP129-9-1	1X3DG424			South Valve Room 1 light aimed at ladder to elev 208 1 light aimed at ladder to Rm A12 Fix. not marked with last digit of no.
R-A12	1NLP129-9-2	1X3DG424			Fix. not marked with last digit of no.
R-A17	1NLP10-11-4	1X3DG424			
R-A17	1NLP10-11-7	1X3DG424			
R-A21	1NLP11-12-1	1X3DG430			Stair #3 between A and A Level
R-A22	1NLP09-6-1	1X3DG414			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	32 of 96

Sheet 7 of 13

CHECKLIST 2 SELF-CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-A22	1NLP09-6-2	1X3DG414			
R-A30	1NLP09-6-3	1X3DG414			
R-A40	1NLP09-6-4	1X3DG414			
R-A40A	1NLP09-6-5	1X3DG414			
R-A40A	1NLP09-6-6	1X3DG414			
R-A40A	1NLP09-6-7	1X3DG414			
R-A40	1NLP09-6-10	1X3DG414			
R-A52	1NLP09-6-8	1X3DG414			
R-A54	1NLP09-6-9	1X3DG414			
R-B01	1NLP16-8-1	1X3DG430			Stair #5 Between B and C Level
R-B02	1NLP16-6-1	1X3DG423			
R-B02	1NLP16-6-2	1X3DG423			
R-B04	1NLP16-6-3	1X3DG423			

Procedure No. VEGP	29101-C	Revision 1	Page No. 33 of 96
-----------------------	---------	---------------	----------------------

Sheet 8 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-B07	1NLP16-6-4	1X3DG423			
R-B07	1NLP16-6-5	1X3DG423			
R-B13	1NLP16-6-6	1X3DG423			
R-B16	1NLP423-16-1	1X3DG423			
R-B17	1NLP16-6-8	1X3DG423			
R-B22	1NLP16-6-9	1X3DG423			
R-B22	1NLP16-6-10	1X3DG423			
R-B23	1NLP14-26-1	1X3DG423			ACCW Room
R-B25	1NLP14-18-1	1X3DG423			
R-B27	1NLP15-14-1	1X3DG430			Stair #3 Between B and C Level
R-B27	1NLP15-14-2	1X3DG430			Stair #3 Between A and B Level

Procedure No.	Revision	Page No.
VEGP 29101-C	1	34 of 96

Sheet 9 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-B28	1NLP15-5-1	1X3DG413			
R-B29	1NLP15-5-2	1X3DG413			
R-B48	1NLP15-5-3	1X3DG413			
R-B48	1NLP15-5-4	1X3DG413			
R-B48	1NLP15-5-5	1X3DG413			
R-B63	1NLP15-5-6	1X3DG413			
R-C83	1NLP19-5-1	1X3DG412			
R-C83	1NLP19-5-2	1X3DG412			
R-C85	1NLP19-5-3	1X3DG412			
R-C97	1NLP19-5-4	1X3DG412			
R-C98	1NLP19-5-5	1X3DG412			
R-C101	1NLP19-8-1	1X3DG430			Stair #3

Procedure No.	Revision	Page No.
VEGP 29101-C	1	35 of 96

Sheet 10 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-C109	1NLP19-5-6	1X3DG422			1 light aimed at Breaker #11 on 1 ABD
R-C109	1NLP19-5-13	1X3DG422			
R-C113	1NLP19-5-11	1X3DG422			
R-C113	1NLP19-5-14	1X3DG422			1 light aimed at door to Rm C11A
R-C114	1NLP18-21-1	1X3DG422			Rad Area 1 light aimed at HV - 8111A Fix. not marked with last digit of no.
R-C116	1NLP19-5-7	1X3DG422			
R-C117	1NLP19-10-1	1X3DG430			Stair #5
R-C120	1NLP19-5-8	1X3DG422			
R-C121	1NLP19-5-9	1X3DG422			
R-C121	1NLP19-5-15	1X3DG422			
R-C130	1NLP19-7-1	1X3DG420			Stair #6
R-C131	1NLP19-5-12	1X3DG420			Upper Stair #6

Procedure No.	Revision	Page No.
VEGP 29101-C	1	36 of 96

Sheet 11 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-D53	1NLP20-5-1	1X3DG411			
R-D53	1NLP20-5-2	1X3DG411			
R-D53	1NLP20-5-3	1X3DG411			
R-D56	1NLP20-5-4	1X3DG411			
R-D56	1NLP20-5-5	1X3DG411			
R-D60	1NLP21-14-1	1X3DG411			
R-D66	1NLP20-8-1	1X3DG430			Stair #3 Between D and C Level
R-D67	1NLP20-5-12	1X3DG411			
R-D67	1NLP20-17-1	1X3DG411			
R-D68	1NLP20-5-7	1X3DG421			
R-D71	1NLP20-10-1	1X3DG421			Stair #5 Between D and C Level

Procedure No.	Revision	Page No.
VEGP 29101-C	1	37 of 96

Sheet 12 of 13

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 AUX BUILDING

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-D73	1NLP22-9-1	1X3DG421			
R-D74	1NLP20-5-6	1X3DG421			
R-D75	1NLP20-5-8	1X3DG421			
R-D75	1NLP20-5-9	1X3DG421			
R-D75	1NLP20-5-14	1X3DG421			
R-D105	1NLP20-5-13	1X3DG421			1 light aimed at Breaker # 1 on 1AB15
R-D110	1NLP20-5-11	1X3DG421			
R-D119	1NLP126-3-1	1X3DG421			Lights aimed at PI 10115
R-D121	1NLP22-21-1	1X3DG411			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	38 of 96

CHECKLIST 2 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

Sheet 13 of 13

BUILDING: UNIT 1 FUEL HANDLING BLDG

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-107	1NLP127-2-2	1X3DG405			Fuel Handling Bay
R-107	1NLP127-2-3	1X3DG405			Fuel Handling Bay
R-107	1NLP127-2-4	1X3DG405			Fuel Handling Bay
R-124	1NLP127-8-1	1X3DG405			
R-305	1NLP45-9-1	1X3DG406			Key #221 Accessed from Lev. 3 Control Bldg.
R-A06	1NLP02-30-1	1X3DG404			
R-A07	1NLP02-30-3	1X3DG404			
R-A10	1NLP02-30-2	1X3DG404			Rad Area
R-B08	1NLP02-6-1	1X3DG403			
R-B08	1NLP02-8-1	1X3DG403			
R-B11	1NLP02-6-2	1X3DG403			
R-C06	1NLP39-5-2	1X3DG402			Accessed thru R-C88 Aux. Bldg.
R-C07	1NLP02-1-1	1X3DG402			
R-C07	1NLP02-5-1	1X3DG402			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	39 of 96

Sheet 1 of 7

CHECKLIST 3 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 DIESEL GENERATOR

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R101	1NLP47-4-5	1X3DH7D3			Lights aimed at D.G. Gen. Ctl. panel
R101	1NLP47-4-6	1X3DH7D3			Lights aimed at D.G. Gen. Ctl. panel
R101	1NLP50-4-3	1X3DH7D3			
R101	1NLP50-4-4	1X3DH7D3			
R101	1NLP50-4-5	1X3DH7D3			
R101	1NLP50-4-6	1X3DH7D3			
R203	1NLP121-5-1	1X3DH7D3			
R103	1NLP47-4-1	1X3DH7D3			
R103	1NLP47-4-2	1X3DH7D3			
R103	1NLP47-4-3	1X3DH7D3			
R103	1NLP47-4-4	1X3DH7D3			
R103	1NLP50-4-1	1X3DH7D3			Lights aimed at D.G. Gen. Ctl. panel
R103	1NLP50-4-2	1X3DH7D3			Lights aimed at D.G. Gen. Ctl. panel
R208	1NLP120-5-1	1X3DH7D3			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	40 of 96

Sheet 2 of 7

CHECKLIST 3 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 DIESEL GENERATOR FUEL OIL STORAGE

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
R-101	1NLP52-13-2	1X3DH7D4			
R-A01	1NLP52-13-1	1X3DH7D4			
R-A02	1NLP52-13-3	1X3DH7D4			
R-A03	1NLP52-17-1	1X3DH7D4			

BUILDING: UNIT 1 TUNNELS

1T2A	1NLP09-3-1	1X3DH7E2			
1T5A	1NLP09-1-1	1X3DH7E2			
1T5A	1NLP09-3-2	1X3DH7E2			
1T2B	1NLP10-1-1	1X3DH7F1			
1T2B	1NLP10-1-2	1X3DH7F1			
1T2B	1NLP10-3-1	1X3DH7F1			
1T5B	1NLP10-5-1	1X3DH7F1			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	41 of 96

Sheet 3 of 7

CHECKLIST 3 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 TUNNELS

LOC.	EMERG. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
1T5B	1NLP10-17-1	1X3DH7F1			
1T3A	1NLP52-12-1	1X3DH7E1			
1T3A	1NLP52-10-1	1X3DH7E1			
1T3A	1NLP52-10-2	1X3DH7E1			
1T4A	1NLP40-23-1	1X3DH7C3			
1T4A	1NLP40-23-2	1X3DH7C3			
1T4A	1NLP40-23-3	1X3DH7C3			
1T4B	1NLP40-21-1	1X3DH7C3			
1T4B	1NLP40-21-2	1X3DH7C3			
1T4B	1NLP40-21-3	1X3DH7C3			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	42 of 96

Sheet 4 of 7

CHECKLIST 3 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: VARIOUS UNIT 1 & COMMON

EMERG. LIGHT NO.	LOCATION	DRAWING NO.	ACCEPT YES/NO	INIT. / DATE	COMMENTS
1NLP51-11-1	CHEM & ELEC. BLDG 103	AX3DG9K4			
1NLP51-10-1	CHEM & ELEC. BLDG 104	AX3DG9K4			
1NAY1-26-1	LOW-Volt SW YD. VAV HSE	1X3DF7A3			
ANYV1-8-1	DECHLOR. BLDG R-102	CX3DG9K1			
ANYV1-10-1	DECHLOR. BLDG R-103	CX3DG9K1			
LP-MIA-19-5	AUX. BLR. RM. R-101	CX3DG7JK			
LP-MIA-21-9	AUX. BLR. RM. R-101	CX3DG7JK			
LP-MIA-21-15	AUX. BLR. RM. 101	CX3DG7JL			
LP-MIA-23-17	AUX. BLR. RM. R-101	CX3DG7JL			
CNYF1-6-1	POT. WRT. CHLOR. BLDG. PUMP RM	AX3DG9J1			
CNYF1-8-1	POT. WRT. CHLOR. BLDG. PUMP RM	AX3DG9J1			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	43 of 96

Sheet 5 of 7

CHECKLIST 3 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: VARIOUS UNIT 1 & COMMON

EMERG. LIGHT NO.	LOCATION	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
1NLP50-6-1	AUX. F.W. PMP HSE. R-101	1X3DH7C4			
1NLP50-6-3	AUX. F.W. PMP HSE. R-106	1X3DH7C4			1 light aimed at PV - 15129
1NLP47-6-2	AUX. F.W. PMP HSE. R-106	1X3DH7C4			
1NLP47-6-4	AUX. F.W. PMP HSE. R-106	1X3DH7C4			Lights aimed at panel 1-1302-P5-AFP
1NLP47-6-5	AUX. F.W. PMP HSE. ENTRY	1X3DH7C4			
1NLP47-6-1	AUX. F.W. PMP HSE. R-102	1X3DH7C4			
1NLP50-6-2	CONDENSATE STORAGE TANKS	1X3DH7C5			
1NLP47-6-3	CONDENSATE STORAGE TANKS	1X3DH7C5			
1NLP135-18-1	NSCW VLV HSE R-102	1X3DH7E3			
CNYG1-14-5	NSCW CHLORINE BLDG	AX3DG7GJ			
CNYG1-19-7	NSCW CHLORINE BLDG	AX3DG7GJ			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	44 of 96

Sheet 6 of 7

CHECKLIST 3 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: VARIOUS UNIT 1 & COMMON

EMERG. LIGHT NO.	LOCATION	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
1NLP135-18-2	NSCW VLV HSE R-102	1X3DH7E3			
1NLP135-18-3	NSCW VLV HSE R-102	1X3DH7E3			
1NLP136-18-1	NSCW VLV HSE R-202	1X3DH7F2			
1NLP136-18-2	NSCW VLV HSE R-202	1X3DH7F2			
1NLP136-18-3	NSCW VLV HSE R-202	1X3DH7F2			
ANYJ1-5-1	FIRE PUMP HOUSE #1	CX3DG7GL			
ANYK1-2-1	FPH #2 DSL RM #2	CX3DG7JB			
ANYK1-5-1	FPH #2 DSL RM #1	CX3DG7JB			
ANYK1-4-1	FPH #2 EQP RM #3	CX3DG7JB			
CNYJ1-4-1	WELL PUMP HOUSE #1	AX3DH9GP			
CNYK9-10-1	WELL PUMP HOUSE #2	AX3DH9FB			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	45 of 96

Sheet 7 of 7

CHECKLIST 3 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: VARIOUS UNIT 1 & COMMON

EMERG. LIGHT NO.	LOCATION	DRAWING NO.	ACCEPT (YES/NO)	INIT.	DATE	COMMENTS
ANLP77-2-1	PESB (SAS)	AX3DH7L1				
ANLP77-3-1	PESB (HALLWAY)	AX3DH7L1				
ANLP77-3-2	PESB (HALLWAY)	AX3DH7L1				
ANLP77-6-1	PESB (DIESEL GEN. RM.)	AX3DH7L1				
ANLP77-7-1	PESB (SWITCH GEAR RM.)	AX3DH7L1				
ANLP77-7-2	PESB (BATTERY CHRGR. RM.)	AX3DH7L1				

PROCEDURE NO	REVISION	PAGE NO
VECP 29101-C	1	46 of 96

Sheet 1 of 4

CHECKLIST 4 INVERTER POWERED EMERGENCY LIGHTING SYSTEMS

BUILDING: TURBINE BUILDING INVERTER EQUIPMENT NO: 1-1808-Q3-E00

APPLICABLE DRAWINGS: 1X3DG101, 1X3DG102, 1X3DG106, 1X3DG122,
1X3DG132, 1X3DG135, 1X3DG134, 1X3DG111, 1X3DG112, 1X3DG121, 1X3DG131

NORMAL POWER SUPPLY: 1NLP56 CIRCUIT NO: 24

ACCEPT.				
(YES) (NO)	INIT.	DATE		COMMENTS

BATTERY VOLTAGE _____ (66 - 74 VOLTS DC)

OUTPUT VOLTAGE _____ (114 - 126 VOLTS)

BUILDING: TURBINE BUILDING INVERTER EQUIPMENT NO: 1-1808-Q3-E01

APPLICABLE DRAWINGS: 1X3DG103, 1X3DG124, 1X3DG125, 1X3DG133, 1X3DG134
1X3DG104, 1X3DG113, 1X3DG114, 1X3DG123

NORMAL POWER SUPPLY: 1NLP56 CIRCUIT NO: 26

ACCEPT.				
(YES) (NO)	INIT.	DATE		COMMENTS

BATTERY VOLTAGE _____ (66 - 74 VOLTS DC)

OUTPUT VOLTAGE _____ (114 - 126 VOLTS)

BUILDING: WATER TREATMENT BUILDING INVERTER EQUIPMENT NO: A-1801-P5-F2C

APPLICABLE DRAWINGS: AX3DG7GF, AX3DG7GG,

NORMAL POWER SUPPLY: ANLP79 CIRCUIT NO: 14

ACCEPT.				
(YES) (NO)	INIT.	DATE		COMMENTS

BATTERY VOLTAGE _____ (45 - 51 VOLTS DC)

OUTPUT VOLTAGE _____ (114 - 126 VOLTS)

PROCEDURE NO VEGP	29101-C	REVISION 1	PAGE NO 47 of 96
----------------------	---------	---------------	---------------------

Sheet 2 of 4

CHECKLIST 4 INVERTER POWERED EMERGENCY LIGHTING SYSTEMS

BUILDING: MAINTENANCE BUILDING INVERTER EQUIPMENT NO: C1808-Y3-501

APPLICABLE DRAWINGS: CX3DG7FM, CX3DG7JP, CX3DG7JR, CX3DG7JS, CX3DG7JT
CX3DL7JW

NORMAL POWER SUPPLY: LP-MIA CIRCUIT NO: 24

ACCEPT. (YES)(NO)	INIT.	DATE	COMMENTS
----------------------	-------	------	----------

BATTERY VOLTAGE	_____	(51 - 57 VOLTS DC)
OUTPUT VOLTAGE	_____	(263 - 290 VOLTS)

BUILDING: SERVICE BUILDING INVERTER EQUIPMENT NO: C-1702-Y5-501

APPLICABLE DRAWINGS: CX3DG7H1, CX3DG7HA, CX3DG7HB, CX3DG7HC, AX3DG7H1
AX3DG7H2, CX3DG7H4

NORMAL POWER SUPPLY: LP-SIA CIRCUIT NO: 14

ACCEPT. (YES)(NO)	INIT.	DATE	COMMENTS
----------------------	-------	------	----------

BATTERY VOLTAGE	_____	(114 - 126 VOLTS DC)
OUTPUT VOLTAGE	_____	(263 - 290 VOLTS)

BUILDING: ADMINISTRATION BUILDING INVERTER EQUIPMENT NO: C1808-Q3-501

APPLICABLE DRAWINGS: CX3DG7MK, CX3DG7ML, CX3DG7MM, CX3DG7MN, AX3DG7MQ,
CX3DG7MP, CX3DF7ML

NORMAL POWER SUPPLY: LP-AI CIRCUIT NO: 10

ACCEPT. (YES)(NO)	INIT.	DATE	COMMENTS
----------------------	-------	------	----------

BATTERY VOLTAGE	_____	(51 - 57 VOLTS DC)
OUTPUT VOLTAGE	_____	(263 - 290 VOLTS)

PROCEDURE NO. VEGP	29101-C	REVISION 1	PAGE NO. 48 of 96
-----------------------	---------	---------------	----------------------

Sheet 3 of 4

CHECKLIST 4 INVERTER POWERED EMERGENCY LIGHTING SYSTEMS

BUILDING: PRODUCTION WAREHOUSE INVERTER EQUIPMENT NO: C1808-Q3-502

APPLICABLE DRAWINGS: CX3DG9NA, CX3DG9NB, CX3DG9N8, CX3DG9N9

NORMAL POWER SUPPLY: LP-WI CIRCUIT NO: 29

ACCEPT. (YES) (NO)	INIT.	DATE	COMMENTS
-----------------------	-------	------	----------

BATTERY VOLTAGE	_____	(45 - 51 VOLTS DC)
OUTPUT VOLTAGE	_____	(263 - 290 VOLTS)

BUILDING: RECEIVING WAREHOUSE INVERTER EQUIPMENT NO: C1808-Q3-503

APPLICABLE DRAWINGS: CX3DG9NA, CX3DF9N3

NORMAL POWER SUPPLY: LP-RI CIRCUIT NO: 23

ACCEPT. (YES) (NO)	INIT.	DATE	COMMENTS
-----------------------	-------	------	----------

BATTERY VOLTAGE	_____	(45 - 51 VOLTS DC)
OUTPUT VOLTAGE	_____	(263 - 290 VOLTS)

BUILDING: TURBINE BUILDING INVERTER EQUIPMENT NO: 2-1208-Q3-E00

APPLICABLE DRAWINGS: 2X3DG141, 2X3DG142, 2X3DG146, 2X3DG151, 2X3DG152,
2X3DG161, 2X3DG162, 2X3DG171, 2X3DG172, 2X3DG175

NORMAL POWER SUPPLY: 2NLP56

ACCEPT. (YES) (NO)	INIT.	DATE	COMMENTS
-----------------------	-------	------	----------

BATTERY VOLTAGE	_____	(45 - 51 VOLTS DC)
OUTPUT VOLTAGE	_____	(263 - 290 VOLTS)

PROCEDURE NO VEGP	29101-C	REVISION 1	PAGE NO 49 of 96
----------------------	---------	---------------	---------------------

Sheet 4 of 4

CHECKLIST 4 INVERTER POWERED EMERGENCY LIGHTING SYSTEMS

BUILDING: TURBINE BUILDING INVERTER EQUIPMENT NO: 2-1208-Q3-E01

APPLICABLE DRAWINGS: 2X3DG143, 2X3DG144, 2X3DG153, 2X3DG154, 2X3DG163,
2X3DG173, 2X3DG174, 2X3DG165

NORMAL POWER SUPPLY: 2NLP56

ACCEPT. (YES) (NO)	INIT.	DATE	COMMENTS
-----------------------	-------	------	----------

BATTERY VOLTAGE	<u> </u>	(45 - 51 VOLTS DC)
OUTPUT VOLTAGE	<u> </u>	(263 - 290 VOLTS)

Procedure No.

VEGP

29101-C

Revision

1

Page No.

50 of 96

Sheet 1 of 5

CHECKLIST 5

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTAINMENT BUILDING

EMER. LIGHT NO.	LOCATION	ACCEP. (YES/NO)	INIT. / DATE	COMMENTS
1-CNMT-1				
1-CNMT-2				
1-CNMT-3				
1-CNMT-4				
1-CNMT-5				
1-CNMT-6				
1-CNMT-7				
1-CNMT-8				
1-CNMT-9				
1-CNMT-10				
1-CNMT-11				
1-CNMT-12				
1-CNMT-13				

Procedure No. VEGP	29101-C	Revision 1	Page No. 51 of 96
-----------------------	---------	---------------	----------------------

Sheet 2 of 5

CHECKLIST 5 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 1 CONTAINMENT BUILDING			
EMER. LIGHT NO.	LOCATION	ACCEPT. (YES/NO)	INIT. / DATE
1 - CNMT - 14			COMMENTS
1 - CNMT - 15			
1 - CNMT - 16			
1 - CNMT - 17			
1 - CNMT - 18			
1 - CNMT - 19			
1 - CNMT - 20			
1 - CNMT - 21			
1 - CNMT - 22			
1 - CNMT - 23			
1 - CNMT - 24			
1 - CNMT - 25			
1 - CNMT - 26			
1 - CNMT - 27			

Procedure No. VEGP	29101-C	Revision 1	Page No. 52 of 96
CHECKLIST 5 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS Sheet 3 of 5			
BUILDING: UNIT 1 CONTAINMENT BUILDING EMER. LIGHTING ACCEPT.			
NO.	LOCATION	(YES/NO) INIT.	DATE COMMENTS
1-CNMT-28			
1-CNMT-29			
1-CNMT-30			
1-CNMT-31			
1-CNMT-32			
1-CNMT-33			
1-CNMT-34			
1-CNMT-35			
1-CNMT-36			
1-CNMT-37			
1-CNMT-38			
1-CNMT-39			
1-CNMT-40			
1-CNMT-41			

Procedure No.	VEGP	29101-C	Revision	1	Page No.	53 of 96
CHECKLIST 5 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS Sheet 4 of 5						
BUILDING: UNIT 1 CONTAINMENT BUILDING						
EMER. LIGHT ACCEPT.						
NO.	LOCATION	(YES/NO)	INIT.	DATE	COMMENTS	
1 - CNMT - 42						
1 - CNMT - 43						
1 - CNMT - 44						
1 - CNMT - 45						
1 - CNMT - 46						
1 - CNMT - 47						
1 - CNMT - 48						
1 - CNMT - 49						
1 - CNMT - 50						
1 - CNMT - 51						
1 - CNMT - 52						
1 - CNMT - 53						
1 - CNMT - 54						
1 - CNMT - 55						

Procedure No.	VEGP	29101-C	Revision	1	Page No.	54 of 96
CHECKLIST 5						
SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS						
BUILDING: UNIT 1 CONTAINMENT BUILDING						
EMER. LIGHT						
NO.	LOCATION	(YES/NO)	INIT.	DATE	COMMENTS	
1 - CNMT - 56						
1 - CNMT - 57						
1 - CNMT - 58						
1 - CNMT - 59						
1 - CNMT - 60						
	TENDON					
1NLP30-6-1	GALLERY				DWG. #1X3DG511	
	TENDON					
1NLP30-6-2	GALLERY				DWG. #1X3DG511	
	TENDON					
1NLP30-6-3	GALLERY				DWG. #1X3DG501	
	TENDON					
1NLP30-6-4	GALLERY				DWG. #1X3DG501	

Procedure No.

VEGP

29101-C

Revision

1

Page No.

55 of 96

Sheet 1 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-101	2NLP35-5-1	2X3DG373			STAIR #4
R-101	2NLP35-5-2	2X3DG373			STAIR #4
R-105	2NLP43-17-6	2X3DG363			
R-108	2NLP36-10-5	2X3DG343			
R-114	2NLP31-6-1	2X3DG37A			
R-115	2NLP35-12-4	2X3DG343			
R-116	2NLP35-3-1	2X3DG373			STAIR #1
R-116	2NLP35-3-2	2X3DG373			STAIR #1
R-117	2NLP36-10-1	2X3DG343			
R-117	2NLP35-12-6	2X3DG343			
R-117	2NLP36-12-6	2x3DG343			
R-117	2NLP137-17-1	2X3DG37A			EQUIP. BLDG
R-118	2NLP36-10-2	2X3DG343			

Procedure No.	Revision	Page No.
VEGP 29101-C	i	56 of 96

Sheet 2 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-122	2NLP31-4-1	2X3DG37A			
R-123	2NLP31-4-2	2X3DG363			
R-123	2NLP31-6-2	2X3DG363			
R-123A	2NLP31-2-1	2X3DG363			
R-128	2NLP43-17-7	2X3DG353			
R-138	2NLP43-17-4	2X3DG353			
R-138	2NLP43-17-5	2X3DG353			
R-141	2NLP43-17-3	2X3DG353			
R-164	2NLP35-12-3	2X3DG343			
R-164	2NLP35-14-1	2X3DG343			
R-164	2NLP35-14-2	2X3DG343			
R-164	2NLP35-14-3	2X3DG343			
R-164	2NLP35-14-4	2X3DG353			
R-164	2NLP35-14-5	2X3DG353			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	57 of 96

Sheet 3 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-164	2NLP35-14-7	2X3DG343			
R-164	2NLP36-10-3	2X3DG343			
R-164	2NLP36-10-4	2X3DG343			
R-164	2NLP36-12-1	2X3DG343			
R-164	2NLP36-12-2	2X3DG343			
R-164	2NLP36-12-3	2X3DG343			
R-164	2NLP36-12-4	2X3DG343			
R-164	2NLP36-12-5	2X3DG353			
R-202	2NLP35-5-3	2X3DG373			STAIR #4
R-215	2NLP35-16-1	2X3DG344			
R-215	2NLP35-16-6	2X3DG364			
R-219	2NLP35-3-3	2X3DG373			STAIR #1
R-222	2NLP35-16-2	2X3DG344			

Procedure No. VEGP	29101-C	Revision 1	Page No. 58 of 96
-----------------------	---------	---------------	----------------------

Sheet 4 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING					
LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-224	2NLP35-16-3	2X3DG344			
R-224	2NLP35-16-4	2X3DG344			
R-224	2NLP35-16-5	2X3DG354			
R-257	2NLP28-5-1	2X3DG354			
R-263	2NLP35-14-6	2X3DG354			
R-301	2NLP35-3-4	2X3DG373			STAIR #1
R-305	2NLP36-18-2	2X3DG345			
R-305	2NLP36-18-3	2X3DG355			
R-308	2NLP36-18-1	2X3DG355			
R-308	2NLP36-18-4	2X3DG355			
R-309	2NLP44-5-2	2X3DG355			
R-309	2NLP44-5-3	2X3DG355			

Procedure No.

VEGP

29101-C

Revision

1

Page No.

59 of 96

Sheet 5 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-310	2NLP35-13-1	2X3DG355			
R-311	2NLP35-13-2	2X3DG 15			
R-325	2NLP35-13-3	2X3DG345			
R-325	2NLP35-13-4	2X3DG345			
R-325	2NLP35-13-5	2X3DG345			
R-325	2NLP35-13-6	2X3DG345			
R-401	2NLP35-3-5	2X3DG373			STAIR #1
R-403	2NLP36-17-1	2X3DC356			
R-403	2NLP36-17-2	2X3DG356			
R-403	2NLP36-17-3	2X3DG356			
R-407	2NLP36-17-4	2X3DG356			
R-A01	2NLP35-11-1	2X3DG372			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	60 of 96

Sheet 6 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING					
LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-A02	2NLP49-6-1	2X3DG372			
R-A04	2NLP35-8-10	2X3DG362			
R-A04	2NLP36-8-18	2X3DG362			
R-A07	2NLP35-8-11	2X3DG362			
R-A07	2NLP36-8-17	2X3DG362			
R-A09	2NLP33-2-1	2X3DG362			
R-A09	2NLP33-4-1	2X3DG362			
R-A09	2NLP33-6-1	2X3DG372			
R-A11	2NLP35-7-7	2X3DG352			
R-A12	2NLP33-6-2	2X3DG352			
R-A14	2NLP35-8-1	2X3DG342			
R-A14	2NLP35-8-12	2X3DG352			
R-A14	2NLP36-8-15	2X3DG342			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	61 of 96

Sheet 7 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING					
LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-A14	2NLP36-8-16	2X3DG362			
R-A15	2NLP35-8-2	2X3DG362			
R-A15	2NLP36-8-1	2X3DG342			
R-A15	2NLP36-8-10	2X3DG342			
R-A15	2NLP36-8-11	2X3DG342			
R-A15	2NLP36-8-12	2X3DG342			
R-A15	2NLP36-8-13	2X3DG342			
R-A15	2NLP36-8-14	2X3DG362			
R-A16	2NLP35-7-1	2X3DG342			
R-A16	2NLP35-7-2	2X3DG342			
R-A16	2NLP35-7-3	2X3DG342			
R-A16	2NLP35-7-4	2X3DG342			
R-A16	2NLP35-7-6	2X3DG362			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	62 of 96

Sheet 8 of 14

CHECKLIST 6

SELF CONTAINED SEAL BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	AC. EPT. (YES/NO)	INIT. / DATE	COMMENTS
R-A16	2NLP35-8-3	2X3DG342			
R-A16	2NLP36-8-2	2X3DG342			
R-A17	2NLP36-5-4	2X3DG373			STAIR #4
R-A18	2NLP35-8-4	2X3DG362			
R-A18	2NLP35-8-5	2X3DG342			
R-A18	2NLP36-8-3	2X3DG362			
R-A18	2NLP36-8-5	2X3DG342			
R-A18	2NLP36-9-1	2X3DG362			
R-A18	2NLP36-8-4	2X3DG342			
R-A19	2NLP35-5-5	2X3DG373			STAIR #1
R-A23	2NLP33-3-1	2X3DG342			
R-A23	2NLP36-7-1	2X3DG342			
R-A23	2NLP35-7-8	2X3DG352			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	63 of 96

Sheet 9 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEM

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-A23	2NLP36-11-1	2X3DG342			
R-A23	2NLP36-9-2	2X3DG342			
R-A23	2NLP35-11-2	2X3DG342			
R-A24	2NLP32-1-1	2X3DG352			
R-A24	2NLP32-1-1	2X3DG352			
R-A24	2NLP32-1-2	2X3DG352			
R-A24	2NLP32-1-3	2X3DG352			
R-A29	2NLP35-8-8	2X3DG352			
R-A30	2NLP34-14-1	2X3DG352			
R-A30	2NLP34-14-2	2X3DG352			
R-A32	2NLP35-8-9	2X3DG352			
R-A76	2NLP29-1-2	2X3DG342			
R-A76	2NLP29-1-3	2X3DG342			
R-A76	2NLP29-1-4	2X3DG342			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	64 of 96

Sheet 10 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-A79	2NLP33-6-3	2X3DG352			
R-B01	2NLP35-2-1	2X3DG371			
R-B02	2NLP36-4-10	2X3DG371			
R-B03	2NLP36-2-1	2X3DG361			
R-B04	2NLP35-4-1	2X3DG361			
R-B04	2NLP35-6-1	2X3DG361			
R-B04	2NLP36-6-10	2X3DG361			
R-B05	2NLP38-11-1	2X3DG361			
R-B06	2NLP35-2-2	2X3DG361			
R-B06	2NLP35-6-2	2X3DG361			
R-B06	2NP35-6-3	2X3DG341			
R-B06	2NLP36-2-2	2X3DG361			
R-B06	2NLP36-4-1	2X3DG341			

Procedure No.

VEGP

29101-C

Revision

1

Page No.

65 of 96

Sheet 11 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
R-B06	2NLP36-4-11	2X3DG361				
R-B06	2NLP36-6-1	2X3DG361				
R-B07	2NLP35-4-2	2X3DG361				
R-B07	2NLP36-4-2	2X3DG361				
R-B09	2NLP36-4-3	2X3DG361				
R-B10	2NLP38-2-1	2X3DG371				
R-B12	2NLP37-8-1	2X3DG351				
R-B13	2NLP35-2-3	2X3DG361				
R-B13	2NLP35-6-4	2X3DG351				
R-B13	2NLP35-6-5	2X3DG351				
R-B13	2NLP36-6-2	2X3DG341				
R-B14	2NLP35-4-3	2X3DG361				
R-B14	2NLP36-4-4	2X3DG361				

Procedure No.	Revision	Page No.
VEGP 29101-C	1	66 of 96

Sheet 12 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-B15	2NLP35-5-6	2X3DG373			STAIR #4
R-B17	2NLP36-6-3	2X3DG341			
R-B17	2NLP36-6-4	2X3DG341			
R-B18	2NLP36-1-1	2X3DG341			
R-B18	2NLP36-1-2	2X3DG341			
R-B18	2NLP36-6-5	2X3DG341			
R-B19	2NLP37-16-1	2X3DG351			
R-B21	2NLP35-5-7	2X3DG373			STAIR # 1
R-B26	2NLP35-1-1	2X3DG341			
R-B26	2NLP35-1-5	2X3DG341			
R-B28	2NLP35-1-2	2X3DG341			
R-B28	2NLP35-1-3	2X3DG341			
R-B28	2NLP35-1-4	2X3DG341			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	67 of 96

Sheet 13 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-B29	2NLP35-6-6	2X3DG341			
R-B29	2NLP35-6-7	2X3DG341			
R-B29	2NLP35-6-8	2X3DG341			
R-B29	2NLP35-6-9	2X3DG341			
R-B31	2NLP35-6-10	2X3DG351			
R-B33	2NLP35-4-4	2X3DG351			
R-B33	2NLP35-4-5	2X3DG351			
R-B33	2NLP35-4-6	2X3DG341			
R-B33	2NLP35-7-5	2X3DG341			
R-B33	2NLP36-2-3	2X3DG351			
R-B33	2NLP36-4-5	2X3DG341			
R-B33	2NLP36-6-6	2X3DG341			
R-B36	2NLP36-4-6	2X3DG351			
R-B36	2NLP36-4-7	2X3DG351			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	68 of 96

Sheet 14 of 14

CHECKLIST 6

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTROL BUILDING					
LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / LATE	COMMENTS
R-B36	2NLP36-4-8	2X3DG351			
R-B38	2NLP36-4-9	2X3DG351			
R-C04	2NLP37-1-1	2X3DG390			TUNNEL
R-C05	2NLP37-1-1	2X3DG390			TUNNEL
R-C05	2NLP37-1-2	2X3DG390			TUNNEL
R-C05	2NLP37-1-3	2X3DG390			TUNNEL
R-C07	2NLP37-1-2	2X3DG390			TUNNEL
R-C07	2NLP37-3-2	2X3DG390			TUNNEL
R-C07	2NLP37-3-3	2X3DG390			TUNNEL
R-C07	2NLP37-3-4	2X3DG390			TUNNEL
R-C07	2NLP37-5-3	2X3DG390			TUNNEL
R-C08	2NLP37-1-3	2X3DG390			TUNNEL

Procedure No.	Revision	Page No.
VEGP 29101-C	1	69 of 96

Sheet 1 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-126	2NLP08-10-1	2X3DG460			STAIR #1
R-127	2NLP06-5-1	2X3DG445			
R-127	2NLP06-5-2	2X3DG445			
R-137	2NLP08-8-1	2X3DG445			
R-137	2NLP08-12-6	2X3DC445			
R-139	2NLP08-8-5	2X3DG445			
R-139	2NLP08-10-5	2X3DG445			
R-139	2NLP08-12-1	2X3DG445			
R-144	2NLP08-10-4	2X3DG445			
R-145	2NLP08-12-2	2X3DG460			STAIR # 2
R-146	2NLP08-8-4	2X3DG445			
R-146	2NLP08-12-3	2X3DG445			
R-147	2NLP08-8-3	2X3DG445			
R-147	2NLP08-10-3	2X3DG445			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	70 of 96

Sheet 2 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
R-149	2NLP08-8-2	2X3DG445				
R-149	2NLP08-10-2	2X3DG445				
R-149	2NLP08-12-4	2X3DG445				
R-149	2NLP08-12-5	2X3DG445				
R-150	2NLP08-7-1	2X3DG460				STAIR # 4
R-152	2NLP08-9-5	2X3DG455				
R-153	2NLP08-7-2	2X3DG455				
R-153	2NLP08-9-4	2X3DG455				
R-153	2NLP08-11-1	2X3DG455				
R-157	2NLP05-1-1	2X3DG455				
R-159	2NLP05-1-2	2X3DG456				
R-159	2NLP05-1-3	2X3DG456				
R-159	2NLP08-7-3	2X3DG455				

Procedure No.

VEGP

29101-C

Revision

1

Page No.

71 of 96

Sheet 3 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-159	2NLP08-9-1	2X3DG455			
R-159	2NLP08-9-2	2X3DG455			
R-159	2NLP08-9-3	2X3DG455			
R-159	2NLP08-11-2	2X3DG455			
R-217	2NLP128-12-1	2X3DG446			
R-219	2NLP109-7-1	2X3DG446			
R-219	2NLP109-9-1	2X3DG446			
R-220	2NLP110-7-1	2X3DG446			
R-221	2NLP109-9-2	2X3DG446			
R-221	2NLP109-10-1	2X3DG446			
R-221	2NLP110-7-2	2X3DG446			
R-221	2NLP110-9-1	2X3DG446			
R-224	2NLP109-7-3	2X3DG460			
R-226	2NLP110-7-3	2X3DG456			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	72 of 96

Sheet 4 of 13

CHECKLIST 7 SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING					
LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-226	2NLP110-7-4	2X3DG456			
R-226	2NLP110-9-2	2X3DG456			
R-227	2NLP109-7-2	2X3DG456			
R-227	2NLP109-9-3	2X3DG456			
R-227	2NLP109-11-1	2X3DG456			
R-229	2NLP109-7-4	2X3DG456			
R-229	2NLP109-11-2	2X3DG456			
R-230	2NLP110-11-1	2X3DG460			STAIR # 4
R-A40B	2NLP11-9-2	2X3DG444			
R-A40B	2NLP11-11-2	2X3DG444			
R-A55	2NLP11-6-1	2X3DG460			STAIR # 1
R-A56	2NLP11-5-1	2X3DG444			
R-A61	2NLP12-5-3	2X3DG454			
R-A69	2NLP11-11-1	2X3DG444			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	73 of 96

Sheet 5 of 15

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-A69	2NLP11-13-1	2X3DG444			
R-A75	2NLP11-9-1	2X3DG444			
R-A76	2NLP11-8-1	2X3DG460			STAIR #2
R-A89	2NLP11-10-1	2X3DG444			
R-A89	2NLP11-12-1	2X3DG444			
R-A90	2NLP11-12-2	2X3DG444			
R-A94	2NLP12-6-3	2X3DG460			STAIR # 4
R-A96	2NLP12-6-1	2X3DG454			
R-A96	2NLP12-6-2	2X3DG454			
R-A96	2NLP12-10-1	2X3DG454			
R-A97	2NLP12-8-1	2X3DG454			
R-A98	2NLP12-12-1	2X3DG454			
R-A98	2NLP12-14-1	2X3DG454			
R-A99	2NLP12-7-1	2X3DG454			

Procedure No	Revision	Page No
VEGP 29101-C	1	74 of 96

Sheet 6 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING						
LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
R-A99	2NLP12-7-2	2X3DG454				UNDER LADDER PLATFORM
R-A102	2NLP12-5-1	2X3DG454				
R-A103	2NLP10-1-1	2X3DG454				
R-A103	2NLP12-9-2	2X3DG454				
R-A105	2NLP12-5-2	2X3DG454				
R-A105	2NLP12-7-3	2X3DG454				
R-A105	2NLP12-7-4	2X3DG454				
R-A105	2NLP12-9-1	2X3DG454				
R-B69	2NLP15-7-1	2X3DG443				STAIR #1
R-B69	2NLP15-7-2	2X3DG443				STAIR #1
R-B70	2NLP15-8-1	2X3DG443				
R-B80	2NLP15-8-2	2X3DG443				
R-B80	2NLP15-9-1	2X3DG443				
R-B80	2NLP15-11-1	2X3DG443				

Procedure No.

VEGP

29101-C

1

Page No.

75 of 96

Sheet 7 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-B92	2NLP15-9-2	2X3DG443			
R-B93	2NLP15-7-3	2X3DG443			STAIR #2
R-B93	2NLP15-7-4	2X3DG443			STAIR #2
R-B96	2NLP15-13-1	2X3DG443			
R-B103	2NLP15-10-1	2X3DG443			
R-B103	2NLP15-12-1	2X3DG443			
R-B104	2NLP130-17-1	2X3DG443			
R-B105	2NLP15-14-1	2X3DG443			
R-B107	2NLP15-10-2	2X3DG443			
R-B113	2NLP130-21-1	2X3DG453			
R-B114	2NLP15-15-1	2X3DG453			
R-B114	2NLP16-15-1	2X3DG453			
R-B115	2NLP16-7-1	2X3DG453			
R-B122	2NLP16-5-1	2X3DG453			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	76 of 96

Sheet 8 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT	DATE	COMMENTS
R-B123	2NLP16-9-1	2X3DG453				
R-B125	2NLP16-13-1	2X3DG453				
R-B130	2NLP16-5-2	2X3DG453				
R-B130	2NLP16-13-2	2X3DG453				
R-B131	2NLP16-5-3	2X3DG453				
R-B131	2NLP16-7-2	2X3DG453				
R-B134	2NLP16-10-1	2X3DG460				STAIR # 4
R-B134	2NLP16-10-2	2X3DG460				STAIR # 4
R-B135	2NLP16-3-1	2X3DG453				
R-B135	2NLP16-13-3	2X3DG453				
R-B136	2NLP15-9-3	2X3DG443				
R-C07	2NLP19-14-1	2X3DG452				
R-C07	2NLP19-14-2	2X3DG452				
R-C08	2NLP19-11-1	2X3DG452				STAIR # 7

Procedure No.	Revision	Page No.
VEGP 29101-C	1	77 of 96

Sheet 9 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-C10	2NLP19-10-1	2X3DG452			
R-C10	2NLP19-14-3	2X3DG452			
R-C11	2NLP131-5-1	2X3DG452			
R-C13	2NLP19-16-1	2X3DG452			
R-C14	2NLP19-8-1	2X3DG460			STAIR # 4
R-C15	2NLP19-16-2	2X3DG452			
R-C15	2NLP19-20-1	2X3DG452			
R-C19	2NLP19-10-2	2X3DG452			
R-C20	2NLP19-7-1	2X3DG460			STAIR # 2
R-C21	2NLP19-12-1	2X3DG442			
R-C24	2NLP19-15-2	2X3DG442			
R-C24	2NLP19-17-1	2X3DG442			
R-C25	2NLP18-19-1	2X3DG442			
R-C25	2NLP18-19-2	2X3DG442			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	78 of 95

Sheet 10 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-C25	2NLP18-19-3	2X3DG442			
R-C26	2NLP18-19-4	2X3DG442			
R-C26	2NLP18-19-5	2X3DG442			
R-C26	2NLP18-19-6	2X3DG442			
R-C27	2NLP18-8-1	2X3DG442			
R-C31	2NLP19-14-4	2X3DG442			
R-C38	2NLP18-8-2	2X3DG442			
R-C44	2NLP19-5-1	2X3DG442			
R-C44	2NLP19-13-1	2X3DG442			
R-C49	2NLP19-13-2	2X3DG442			
R-C49	2NLP19-17-1	2X3DG442			
R-C58	2NLP19-17-1	2X3DG442			
R-C59	2NLP19-9-1	2X3DG460			STAIR # 1

Procedure No.	Revision	Page No.
VEGP 29101-C	1	79 of 96

Sheet 11 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-D01	2NLP20-13-4	2X3DG451			
R-D06	2NLP20-15-1	2X3DG451			
R-D06	2NLP20-17-1	2X3DG451			
R-D07	2NLP20-10-1	2X3DG451			STAIR # 4
R-D10	2NLP20-23-1	2X3DG460			STAIR # 2
R-D11	2NLP20-19-1	2X3DG451			
R-D11	2NLP20-21-1	2X3DG451			
R-D15	2NLP20-5-1	2X3DG451			
R-D32	2NLP20-23-2	2X3DG451			
R-D32	2NLP20-23-3	2X3DG451			
R-D41	2NLP20-16-1	2X3DG451			
R-D44	2NLP20-11-1	2X3DG460			STAIR # 1
R-D53	2NLP20-5-2	2X3DG451			
R-D104	2NLP20-13-1	2X3DG451			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	80 of 96

Sheet 12 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 AUXILIARY BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-D106	2NLP20-13-2	2X3DG451			
R-D106	2NLP20-15-2	2X3DG451			
R-D107	2NLP22-13-1	2X3DG451			
R-D108	2NLP20-13-3	2X3DG451			
R-D109	2NLP20-10-2	2X3DG451			
R-D113	2NLP133-13-1	2X3DG451			
R-D123	2NLP22-15-1	2X3DG451			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	81 of 96

Sheet 13 of 13

CHECKLIST 7

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 FUEL HANDLING BUILDING

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
R-105	2NLP127-2-1	2X3DG435				
R-105	2NLP127-2-2	2X3DG435				
R-105	2NLP127-2-3	2X3DG435				
R-120	2NLP127-8-1	2X3DG435				
R-124	2NLP127-8-2	2X3DG435				
R-A01	2NLP02-21-1	2X3DG434				
R-A04	2NLP02-19-1	2X3DG434				
R-A05	2NLP02-17-1	2X3DG434				
R-B01	2NLP02-11-1	2X3DG434				
R-B01	2NLP02-11-2	2X3DG434				
R-B06	2NLP02-6-1	2X3DG433				

Procedure No.

VEGP

29101-C

Revision

1

Page No.

82 of 96

Sheet 1 of 6

CHECKLIST 8

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTAINMENT BUILDING

EMER. LIGHT NO.	LOCATION	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
2-CNMT-1				
2-CNMT-2				
2-CNMT-3				
2-CNMT-4				
2-CNMT-5				
2-CNMT-6				
2-CNMT-7				
2-CNMT-8				
2-CNMT-9				
2-CNMT-10				

Procedure No. VEGP	29101-C	Revision 1	Page No. 83 of 96
-----------------------	---------	---------------	----------------------

Sheet 2 of 6

CHECKLIST 8

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTAINMENT BUILDING

EMER. LIGHT NO.	LOCATION	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
2-CNMT-11				
2-CNMT-12				
2-CNMT-13				
2-CNMT-14				
2-CNMT-15				
2-CNMT-16				
2-CNMT-17				
2-CNMT-18				
2-CNMT-19				
2-CNMT-20				

Procedure No.

VEGP

29101-C

Revision

1

Page No.

84 of 96

Sheet 3 of 6

CHECKLIST 8

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTAINMENT BUILDING

EMER. LIGHT NO.	LOCATION	ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
2-CNMT-21					
2-CNMT-22					
2-CNMT-23					
2-CNMT-24					
2-CNMT-25					
2-CNMT-26					
2-CNMT-27					
2-CNMT-28					
2-CNMT-29					
2-CNMT-30					

Procedure No VEGP	29101-C	Revision 1	Page No. 85 of 96
----------------------	---------	---------------	----------------------

CHECKLIST 8

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

Sheet 4 of 6

BUILDING: UNIT 2 CONTAINMENT BUILDING

EMER. LIGHT NO.	LOCATION	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
2-CNMT-31				
2-CNMT-32				
2-CNMT-33				
2-CNMT-34				
2-CNMT-35				
2-CNMT-36				
2-CNMT-37				
2-CNMT-38				
2-CNMT-39				
2-CNMT-40				
2-CNMT-41				
2-CNMT-42				
2-CNMT-43				

Procedure No.

VEGP

29101-C

Revision

1

Page No.

86 of 96

Sheet 5 of 6

CHECKLIST 8

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTAINMENT BUILDING

EMER. LIGHT NO.	LOCATION	ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
2-CNMT-44					
2-CNMT-45					
2-CNMT-46					
2-CNMT-47					
2-CNMT-48					
2-CNMT-49					
2-CNMT-50					
2-CNMT-51					
2-CNMT-52					
2-CNMT-53					
2-CNMT-54					
2-CNMT-55					
2-CNMT-56					

Procedure No.	Revision	Page No.
VEGP 29101-C	1	87 of 96

Sheet 6 of 5

CHECKLIST 8

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 CONTAINMENT BUILDING

EMER. LIGHT NO.	LOCATION	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
2-CNMT-57				
2-CNMT-58				
2-CNMT-59				
2NLP30-7-1	TENDON GALLERY			DWG. #2X3DG521
2NLP30-9-1	TENDON GALLERY			DWG. #2X3DG521
2NLP30-11-1	TENDON GALLERY			DWG. #2X3DG531
2NLP30-12-1	TENDON GALLERY			DWG. #2X3DG531

Procedure No.	Revision	Page
VEGP 29101-C	1	of 96

Sheet 1 of 1

CHECKLIST 9

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 TUNNELS

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT (YES/NO)	INIT. / DATE	COMMENTS
2T2B	2NLP09-26-1	2X3DH8F1			
2T2B	2NLP09-28-1	2X3DH8F1			
2T2B	2NLP09-30-3	2X3DH8F1			
2T3A	2NLP52-8-1	2X3DH8E1			
2T3A	2NLP52-10-1	2X3DH8E1			
2T3A	2NLP52-10-2	2X3DH8E1			
2T3B	2NLP52-8-2	2X3DH8E1			
2T3B	2NLP52-12-2	2X3DH8E1			
2T4A	2NLP35-4-7	2X3DH8C3			
2T4A	2NLP35-6-11	2X3DH8C3			
2T4A	2NLP35-6-12	2X3DH8C3			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	89 of 95

Sheet 2 of 6

CHECKLIST 9

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 TUNNELS

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
2T4B	2NLP36-2-4	2X3DH8C3				
2T4B	2NLP36-2-5	2X3DH8C3				
2T4B	2NLP36-6-8	2X3DH8C3				
2T5B	2NLP09-30-1	2X3DH8F1				
2T5B	2NLP09-30-2	2X3DH8F1				

Procedure No.	Revision	Page No.
VEGP 29101-C	1	90 of 96

Sheet 3 of 6

CHECKLIST 9

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 DIESEL GENERATOR

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
R-101	2NLP47-4-1	2X3DH8D3				
R-101	2NLP47-4-2	2X3DH8D3				
R-101	2NLP47-4-3	2X3DH8D3				
R-101	2NLP50-4-1	2X3DH8D3				
R-101	2NLP50-4-2	2X3DH8D3				
R-103	2NLP47-4-4	2X3DH8D3				
R-103	2NLP47-4-5	2X3DH8D3				
R-103	2NLP47-4-6	2X3DH8D3				
R-103	2NLP47-4-7	2X3DH8D3				
R-103	2NLP50-4-3	2X3DH8D3				
R-103	2NLP50-4-4	2X3DH8D3				
R-103	2NLP50-4-5	2X3DH8D3				
R-103	2NLP50-4-6	2X3DH8D3				

Procedure No. VEGP	29101-C	Revision 1	Page No. 91 of 96
-----------------------	---------	---------------	----------------------

Sheet 4 of 6

CHECKLIST 9

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 DIESEL GENERATOR FUEL OIL STORAGE

LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-203	2NLP120-5-1	2X3DH8D3			
R-208	2NLP121-5-1	2X3DH8D3			
R-A01	2NLP052-15-1	2X3DH8D4			
R-A02	2NLP052-15-2	2X3DH8D4			
R-A02	2NLP052-17-1	2X3DH8D4			
R-A03	2NLP052-13-1	2X3DH8D4			

Procedure No.	Revision	Page No.
VEGP 29101-C	1	92 of 96

Sheet 5 of 6

CHECKLIST 9

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 VARIOUS					
LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
	2NLP12-22-1	2X3DH8F4			REFUEL WTR STOR. TNK
	2NLP46-7-1	2X3DH8C5			CONDENSATE STOR. TNK
	2NLP46-7-2	2X3DH8C5			CONDENSATE STOR. TNK
R-101	2NLP50-8-1	2X3DH8C4			AFW PMP. HSE.
R-102	2NLP47-6-1	2X3DH8C4			AFW PMP. HSE.
R-106	2NLP47-6-2	2X3DH8C4			AFW PMP. HSE.
R-106	2NLP47-6-3	2X3DH8C4			AFW PMP. HSE.
R-106	2NLP50-6-1	2X3DH8C4			AFW PMP. HSE.
S. ENTRY	2NLP47-6-4	2X3DH8C4			AFW PMP. HSE.

Procedure No. VEGP	29101-C	Revision 1	Page No. 93 of 96
-----------------------	---------	---------------	----------------------

Sheet 6 of 6

CHECKLIST 9

SELF CONTAINED SEALED BEAM EMERGENCY LIGHTING SYSTEMS

BUILDING: UNIT 2 VARIOUS					
LOC.	EMER. LIGHT NO.	DRAWING NO.	ACCEPT. (YES/NO)	INIT. / DATE	COMMENTS
R-302	2NLP136-18-1	2X3DH8F2			NSCW VLV. HSE. "B"
R-302	2NLP136-18-2	2X3DH8F2			NSCW VLV. HSE. "B"
R-302	2NLP136-18-3	2X3DH8F2			NSCW VLV. HSE. "B"
R-402	2NLP135-18-1	2X3DH8E3			NSCW VLV. HSE. "A"
R-402	2NLP135-18-2	2X3DH8E3			NSCW VLV. HSE. "A"
R-402	2NLP135-18-3	2X3DH8E3			NSCW VLV. HSE. "A"

Sheet 1 of 1

EMERGENCY LIGHTING SURVEILLANCE
CHECKLIST
RETEST SHEET FOR CHECKLIST 4

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
---------------------	-------	------	----------

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
---------------------	-------	------	----------

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
---------------------	-------	------	----------

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
---------------------	-------	------	----------

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
---------------------	-------	------	----------

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT. (YES/NO)	INIT.	DATE	COMMENTS
---------------------	-------	------	----------

PROCEDURE

VEGP

Each
acce
and

COMP

REVT

COMM

Sheet 1 of 1

EMERGENCY LIGHTING SURVEILLANCE
CHECKLIST
RETEST SHEET FOR CHECKLIST 4

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT.
(YES/NO)

INIT.

DATE

COMMENTS

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT.
(YES/NO)

INIT.

DATE

COMMENTS

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT.
(YES/NO)

INIT.

DATE

COMMENTS

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT.
(YES/NO)

INIT.

DATE

COMMENTS

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT.
(YES/NO)

INIT.

DATE

COMMENTS

BUILDING: _____ INVERTER EQUIPMENT NO: _____

ACCEPT.
(YES/NO)

INIT.

DATE

COMMENTS

