



Entergy Operations, Inc.  
1448 S.R. 333  
Russellville, AR 72802  
Tel 479-858-7826

Riley D. Keele, Jr.  
Manager, Regulatory Assurance  
Arkansas Nuclear One

1CAN102104

October 22, 2021

ATTN: Document Control Desk  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555

SUBJECT: Steam Generator Tube Inspection Report – 1R29

Arkansas Nuclear One, Unit 1  
NRC Docket No. 50-313  
Renewed Facility Operating License No. DPR-51

Entergy Operations, Inc. (Entergy) inspected the Arkansas Nuclear One, Unit 1 (ANO-1) steam generator (SG) tubes during the Spring 2021 refueling outage (1R29) in accordance with ANO-1 Technical Specification (TS) 5.5.9, "Steam Generator (SG) Program." ANO-1 TS 5.6.7 requires that the results of inspections performed during the report period be submitted to the NRC within 180 days after the initial entry into Mode 4. The initial entry into Mode 4 post-1R29 was made on May 9, 2021. Enclosed is the subject inspection report.

The 1R29 inspection performed on both SGs involved an initial full-length bobbin coil inspection, as well as utilizing the X-probe for diagnostic testing.

Four damage mechanisms were identified, three of which have been previously identified: tube support plate (TSP) wear at broached support plates, TSP wear at drilled support plates, and tube-to-tube wear. The fourth, tube-to-tie rod wear, was a new mechanism for the 1R29 inspection but was previously classified as a potential damage mechanism in the Degradation Assessment. No identified damage mechanism challenged the performance criteria for leakage or burst.

This submittal completes the reporting requirements of the ANO-1 TSs for this inspection.

This letter contains no new regulatory commitments.

If you need any additional information, please contact me.

Respectfully,

**ORIGINAL SIGNED BY RILEY D. KEELE, JR.**

Riley Keele

RDK/rwc

Enclosure: Results of ANO-1 SG Tube Inspections During 1R29

Attachments: Location of Service Induced Indications

Attachment 1 SG A TSP Wear (Broached)

Attachment 2 SG B TSP Wear (Broached)

Attachment 3 SG A TSP Wear (Drilled)

Attachment 4 SG A TTW

Attachment 5 SG B TTW

Attachment 6 SG A TRW

Attachment 7 SG B TRW

cc: NRC Region IV Regional Administrator

NRC Senior Resident Inspector – Arkansas Nuclear One

NRC Project Manager – Arkansas Nuclear One

**ENCLOSURE TO**

**1CAN102104**

**Results of ANO-1 SG Tube Inspections  
During 1R29**

## RESULTS OF ANO-1 SG TUBE INSPECTIONS DURING 1R29

### 1.0 INTRODUCTION

Arkansas Nuclear One, Unit 1 (ANO-1) Technical Specification (TS) 5.6.7, "Steam Generator Tube Inspection Reports," requires Entergy Operations, Inc. (Entergy) to submit a 180-day report to the NRC that outlines the details of the steam generator (SG) tubing inspections that were performed during the reporting period. The report shall include:

1. The scope of inspections performed on each SG.
2. Active degradation mechanisms found.
3. Nondestructive examination (NDE) techniques utilized for each degradation mechanism.
4. Location, orientation (if linear), and measured sizes (if available) of service induced indications.
5. Number of tubes plugged during the inspection outage for each active degradation mechanism.
6. Total number and percentage of tubes plugged to date.
7. The results of condition monitoring, including the results of tube pulls and in-situ testing.

The operating period for this report includes one refueling inspection outage (1R29) in April 2021. The previous inspection in 1R26 was a 100% scope bobbin inspection, the results of which permitted skipping inspections in 1R27 and 1R28.

This report details the result of the 1R29 inspection. The inspection was a 100% full-length bobbin inspection, as well as utilizing the X-probe for diagnostic testing. Four damage mechanisms were identified, three of which have been previously identified: tube support plate (TSP) wear at broached support plates, TSP wear at drilled support plates, and tube-to-tube wear (TTW). The fourth, tube-to-tie rod wear (TRW), was a new mechanism for the 1R29 inspection but was previously classified as a potential damage mechanism in the Degradation Assessment. No identified damage mechanism challenged the performance criteria for leakage or burst.

### 2.0 DESIGN

The replacement SGs for ANO-1 are Enhanced Once-Through Steam Generators (EOTSGs) manufactured by AREVA and installed in 2005 during refueling outage 1R19. The EOTSG is a straight shell-and-tube type heat exchanger installed in a vertical position with bottom supports and emergency supports as required to accommodate normal and accident loads. The tubing consists of Inconel 690 thermally treated tubing that is 5/8" in diameter with a 0.037" wall thickness. The tubes are expanded full depth hydraulically in the tubesheet. There are 15 TSPs that are constructed of stainless steel (SA 240 Type 410) and are a broached trefoil-hole design.

### 3.0 REPORT REQUIREMENTS

#### 3.1 The scope of inspections performed on each SG

The 1R29 work scope included eddy current (ECT) inspections and primary side visual inspections in each of the SGs. Bobbin examination was performed on all in-service tubes, full length upper tube-end (UTE) to lower tube-end (LTE). Array examination was performed on the periphery tubes (2 deep) from the LTE to the first TSP (01S) to facilitate identification of potential loose parts. Array examination was also used on bobbin indication codes, manufacturing related indications, TSP wear indications, TTW indications, and other indications.

**Table 3.1.1  
 1R29 Inspection Scope**

Examination Type	# Inspections	% Scope	Extent Tested
<b>SG A</b>			
Bobbin	15554	100	UTE to LTE
Array (periphery)	902	6	LTE to 01S
<b>SG B</b>			
Bobbin	15560	100	UTE to LTE
Array (periphery)	881	6	LTE to 01S

#### 3.2 Active degradation mechanisms found

The 1R29 inspection was the seventh inspection following replacement of the SGs. There were four active degradation mechanisms identified: TSP wear at broached support plates, TSP wear at drilled support plates, TTW, and TRW. These are listed in Table 3.2.1.

**Table 3.2.1  
 All Indication List for 1R29**

SG	TSP Wear (Broached)	TSP Wear (Drilled)	TTW	TRW
A	2574	2	109	1
B	2591	0	154	1

**3.3 NDE techniques utilized for each degradation mechanism.**

**Table 3.3.1  
 1R29 NDE Techniques**

Degradation Mechanism	Location	Inspection Technique	EPRI ETSS [2.c]
TSP Wear	TSPs	Bobbin Detection & Sizing broached TSPs Bobbin Detection Drilled TSPs	I-96043.4 Rev 0 I-96042.1 Rev 4
		+Point™ Detection & Sizing at Broached TSPs	96910.1 Rev 11
		+Point™ Detection & Sizing at Drilled TSPs	27901.1 Rev 1 27902.1 Rev 2 27903.1 Rev 1 27904.1 Rev 2 27905.1 Rev 2 27906.1 Rev 1 27907.1 Rev 2
		Array Detection & Sizing at Broached TSPs	11956.3 Rev 3 11956.4 Rev 3
Tube-to-tube wear (TTW)	Free-span TTW or Tie Rod-to-tube wear	Bobbin Detection & Sizing TTW	13091.1 Rev 0 13091.2 Rev 0
		+Point™ Detection & Sizing TTW	13901.1 Rev 1
		Array Detection & Sizing TTW	13902.1 Rev 0 13902.2 Rev 0
PLP Wear	PLPs & PLP Wear	Bobbin Detection	27091.2 Rev 2
		+Point™ Detection & Sizing	27901.1 Rev 1 27902.1 Rev 2 27903.1 Rev 1 27904.1 Rev 2 27905.1 Rev 2 27906.1 Rev 1 27907.1 Rev 2
		Array Detection	17901.1 R0 (Ax.) 17901.3 R0 (Circ.) 17902.1 R0 (Ax.) 17902.3 R0 (Circ.) 17903.1 R0 (Ax.) 17903.3 R0 (Circ.) 17904.1 R0 (Ax.) 17904.3 R0 (Circ.) 17905.1 R0 (Ax.) 17905.3 R0 (Circ.) 17906.1 R0 (Ax.) 17906.3 R0 (Circ.)
Tie Rod Proximity	Freespan	Bobbin Proximity Detection	[13.e]

This note is applicable to the last column of the table above:

ETSS Examination Technical Specification Sheet

[13.e] Framatome Document 51-9094580-004, "Measuring the Gap between Tubes and Tie Rods with the Bobbin Coil Eddy Current Method"

**3.4 Location, orientation (if linear), and measured sizes (if available) of service induced indications.**

The service induced mechanisms were mechanical wear at TSPs (broached and drilled), TTW, and TRW. Due to the large number of indications, these are listed in the following attachments:

- Attachment 1 SG A TSP Wear (Broached)
- Attachment 2 SG B TSP Wear (Broached)
- Attachment 3 SG A TSP Wear (Drilled)
- Attachment 4 SG A TTW
- Attachment 5 SG B TTW
- Attachment 6 SG A TRW
- Attachment 7 SG B TRW

**3.5 Number of tubes plugged during the inspection outage for each active degradation mechanism.**

There were 27 tubes plugged in 1R29, all of which were stabilized. Listed below in Tables 3.5.1 and 3.5.2 is a summary of the plugged tubes in each SG.

**Table 3.5.1  
 SG A Repaired Tubes in 1R29**

Row	Tube	Repair Type	Reason
81	126	Plug & Stabilizer	Preventative 39% @ 11S
85	123	Plug & Stabilizer	Preventative 34% @ 10S
114	3	Plug & Stabilizer	Preventative 33% @ 13S
134	9	Plug & Stabilizer	Preventative 30% @ 10S

**Table 3.5.2  
 SG B Repaired Tubes in 1R29**

Row	Tube	Repair Type	Reason
10	3	Plug & Stabilizer	Preventative 26% @ 11S
11	61	Plug & Stabilizer	Preventative 21% @ 11S
22	2	Plug & Stabilizer	Preventative 28% @ 12S
26	97	Plug & Stabilizer	Preventative – Loose Part
26	98	Plug & Stabilizer	Preventative – Loose Part
27	98	Plug & Stabilizer	Preventative – Loose Part
27	99	Plug & Stabilizer	Preventative – Loose Part
73	131	Plug & Stabilizer	Preventative 30% @ 13S

106	2	Plug & Stabilizer	Preventative 27% @ 12S
114	1	Plug & Stabilizer	Preventative 35% @ 12S
115	1	Plug & Stabilizer	42% @ 12S
117	2	Plug & Stabilizer	41% @ 12S
118	2	Plug & Stabilizer	44% @ 12S
124	2	Plug & Stabilizer	Preventative 34% @ 12S
127	1	Plug & Stabilizer	Preventative 39% @ 12S
129	1	Plug & Stabilizer	Preventative 37% @ 12S
130	2	Plug & Stabilizer	Preventative 27% @ 12S
131	1	Plug & Stabilizer	Preventative 32% @ 11S
137	69	Plug & Stabilizer	Preventative 32% @ 11S
138	75	Plug & Stabilizer	Preventative 29% @ 12S
145	47	Plug & Stabilizer	Preventative 33% @ 14S
148	3	Plug & Stabilizer	Preventative 30% @ 13S
148	4	Plug & Stabilizer	44% @ 12S

**3.6 Total number and percentage of tubes plugged to date.**

There were no sleeves installed in either SG. The aggregate plugging information is listed in Table 3.6.1 below.

**Table 3.6.1  
 Cumulative Plugs in Service**

<b>SG A</b>				
<b>Year</b>	<b>Outage</b>	<b>Installed</b>	<b>Cumulative</b>	<b>% Plugged</b>
2004	Fabrication	2 (welded)	2	0.013
2005	Baseline (1R19)	0	2	0.013
2007	First ISI 1R20	0	2	0.013
2008	1R21	8	10	0.064
2010	1R22	0	10	0.064
2011	1R23	7	17	0.109
2013	1R24	7	24	0.154
2016	1R26	19	43	0.276
2021	1R29	4	47	0.301



SG B				
Year	Outage	Installed	Cumulative	% Plugged
2005	Fabrication	0	0	0
2005	Baseline (1R19)	0	0	0
2007	First ISI 1R20	1	1	0.006
2008	1R21	5	6	0.038
2010	1R22	0	6	0.038
2011	1R23	9	15	0.096
2013	1R24	9	24	0.154
2016	1R26	13	37	0.237
2021	1R29	23	60	0.385

Note: 15597 total tubes per SG

### 3.7 The results of condition monitoring, including the results of tube pulls and in-situ testing.

All condition monitoring requirements for the tubing performance criteria were met. There were no indications that exceeded performance criteria or in-situ screening limits. There was no tube pulls required.

The Condition Monitoring Operational Assessment (CMOA) for 1R26 evaluated an Operational Assessment (OA) of three operating cycles totaling 4.65 Effective Full Power Years (EFPY) to 1R29 (EOC29). At the conclusion of Cycle 29, 3.82 EFPY had passed therefore the 1R26 CMOA is still applicable.

The previous OA included deterministic and probabilistic analyses for all detected mechanisms (TSP wear and TTW), and the findings of the 1R29 SG examinations are bounded by the behavior projected in the 1R26 OA. The first, and strongest, point is noted by none of the TSP wear (broached and drilled) or TTW meeting or exceeding the Condition Monitoring (CM) limits. The second point is demonstrated by the growth rate behavior associated with TSP wear and TTW. The 1R26 OA assumed no attenuation in growth rates and used a bounding  $K_{unin}$  growth rate for broached TSP wear in the full bundle probabilistic model, and the maximum growth rate for TTW deterministically. It is noted that in 1R29 growth rate attenuation for both TSP wear and TTW seemed to stagnate where 1R29 growth rate distribution is almost identical to 1R26. Additionally, while the upper 95<sup>th</sup> growth rate from the 1R26 SG B inner bundle is slightly less than the observed upper 95<sup>th</sup> at 1R29, it is still bounded by the periphery in both growth rates as well as depths of indications.

#### 3.7.1 Tie Rod Bowing

There were no new bowed tie rods detected at 1R29 in either SG. Some tie rods which experienced bow in prior outages but did not have proximity indications detected in adjacent tubes, had a maximum bow calculated based on proximity detection thresholds

on in-service tubes. Each tie rod's bow is plotted as a function of time (in cooldown cycles) in Figure 3.7.1 through Figure 3.7.4. For SG A, which has the longest history of tie rod bowing, a pattern is developing that shows the tie rods bowing to a point and then stagnating with a majority of tie rods showing no change or even a decrease in calculated bow. This is most evident in the first span tie rods where even the preventative tube plugging proximity signals are still detected for each tie rod to accurately calculate the magnitude and direction of the tie rod bow. It is believed the same relationship is true for the upper span tie rods with the majority experiencing a similar pattern; however, due to the lack of information for some tie rods (affected tubes plugged in prior outages) a conservative maximum possible bow is calculated which shows a jump in tie rod bow. This is assumed to be conservative for plugging projections, as some of these tie rods still show stagnation after multiple outages with no change in affected tubes.

Figure 3.7.1  
SG A First Span Bowing with Allowable Limits




Figure 3.7.2  
SG A Upper Span Bowing with Allowable Limits




Figure 3.7.3  
SG B First Span Bowing with Allowable Limits





Figure 3.7.4  
SG B Upper Span Bowing with Allowable Limits



**Enclosure to 1CAN102104**

**Attachment 1**

**Location of Service Induced Indications**

**SG A TSP Wear (Broached)**

**Location of Service Induced Indications  
SG A TSP Wear (Broached)**

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	1	5	18	13S	-0.8
SG A	1	6	18	13S	-0.73
SG A	1	16	7	10S	0.39
SG A	1	17	7	10S	0.36
SG A	1	19	9	10S	0.41
SG A	1	19	13	13S	-0.88
SG A	1	20	13	13S	-0.78
SG A	1	20	15	14S	-0.84
SG A	1	23	8	10S	0.41
SG A	2	4	9	13S	-0.73
SG A	2	18	14	14S	0.3
SG A	2	22	10	10S	0.42
SG A	2	24	18	13S	-0.72
SG A	2	26	13	10S	0.45
SG A	2	26	15	13S	-0.76
SG A	2	27	10	10S	0.39
SG A	2	28	11	13S	-0.74
SG A	3	5	11	13S	-0.7
SG A	3	11	5	10S	0.49
SG A	3	23	9	10S	0.04
SG A	3	27	11	13S	-0.76
SG A	4	6	11	13S	-0.75
SG A	4	15	12	10S	-0.77
SG A	4	19	16	13S	0.34
SG A	4	22	15	14S	0.32
SG A	4	23	10	14S	0.26
SG A	4	24	7	10S	0.02
SG A	4	25	15	10S	0.04
SG A	5	1	11	12S	-0.68
SG A	5	3	10	13S	-0.73
SG A	5	18	17	12S	-0.75
SG A	5	19	8	10S	-0.73
SG A	5	19	9	12S	-0.84
SG A	5	20	18	10S	-0.75
SG A	5	22	6	10S	-0.68
SG A	5	22	16	13S	0.36
SG A	5	22	10	14S	0.28
SG A	5	23	11	10S	-0.77



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	5	24	8	12S	-0.74
SG A	5	25	12	12S	-0.84
SG A	5	25	13	13S	-0.75
SG A	5	25	11	13S	0.21
SG A	5	25	11	14S	0.22
SG A	5	26	10	10S	-0.65
SG A	5	26	15	12S	-0.76
SG A	5	26	20	13S	0.28
SG A	5	27	12	10S	-0.68
SG A	5	27	16	12S	-0.8
SG A	5	27	13	13S	-0.78
SG A	5	28	7	10S	-0.75
SG A	5	28	18	10S	0.09
SG A	5	29	19	10S	0.11
SG A	6	2	11	13S	-0.73
SG A	6	6	19	10S	-0.68
SG A	6	7	11	10S	-0.66
SG A	6	9	21	10S	-0.68
SG A	6	13	11	10S	-0.68
SG A	6	14	10	13S	-0.77
SG A	6	15	17	10S	-0.68
SG A	6	15	13	13S	0.32
SG A	6	16	14	10S	-0.75
SG A	6	17	11	10S	-0.72
SG A	6	18	7	10S	-0.66
SG A	6	19	16	10S	-0.68
SG A	6	19	11	12S	-0.78
SG A	6	19	13	13S	0.38
SG A	6	20	9	09S	-0.73
SG A	6	20	9	15S	0.37
SG A	6	21	8	12S	-0.82
SG A	6	24	16	13S	0.26
SG A	6	25	10	12S	-0.83
SG A	6	26	9	12S	-0.72
SG A	6	26	23	13S	0.26
SG A	6	26	12	14S	-0.72
SG A	6	26	14	14S	0.28
SG A	6	29	9	09S	-0.77
SG A	6	30	10	09S	-0.7
SG A	6	30	8	12S	-0.79

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	6	30	9	13S	-0.79
SG A	6	31	16	09S	-0.72
SG A	6	31	12	12S	-0.76
SG A	6	32	8	10S	-0.64
SG A	6	32	9	10S	0.02
SG A	6	32	14	12S	-0.84
SG A	6	33	10	10S	0.02
SG A	6	35	10	15S	0.21
SG A	6	37	10	13S	0.32
SG A	6	38	18	13S	0.28
SG A	6	39	13	13S	0.26
SG A	6	39	10	14S	0.24
SG A	6	41	10	09S	0.38
SG A	7	1	25	13S	-0.65
SG A	7	1	11	13S	0.47
SG A	7	2	14	13S	-0.7
SG A	7	3	11	13S	-0.73
SG A	7	6	14	10S	-0.73
SG A	7	6	17	13S	-0.72
SG A	7	6	11	13S	0.55
SG A	7	7	10	10S	-0.73
SG A	7	9	17	10S	-0.73
SG A	7	10	25	10S	-0.68
SG A	7	12	7	10S	-0.75
SG A	7	13	11	10S	-0.7
SG A	7	14	9	10S	-0.77
SG A	7	15	16	10S	-0.7
SG A	7	16	11	13S	0.3
SG A	7	17	14	09S	-0.7
SG A	7	17	25	10S	-0.7
SG A	7	17	12	12S	-0.7
SG A	7	17	13	13S	0.34
SG A	7	21	13	09S	-0.72
SG A	7	28	11	10S	0.28
SG A	7	28	11	12S	-0.83
SG A	7	32	18	09S	-0.72
SG A	7	32	12	12S	0.36
SG A	7	33	12	09S	-0.72
SG A	7	33	15	13S	0.32
SG A	7	34	15	12S	-0.74

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	7	35	9	10S	0.04
SG A	7	35	10	12S	-0.79
SG A	7	37	11	10S	0.15
SG A	7	38	6	10S	0
SG A	7	38	11	12S	-0.86
SG A	7	41	19	13S	0.34
SG A	7	42	13	13S	-0.77
SG A	7	42	12	13S	0.3
SG A	8	1	23	13S	-0.66
SG A	8	1	13	13S	0.53
SG A	8	9	16	10S	-0.7
SG A	8	11	12	10S	-0.68
SG A	8	14	13	10S	-0.73
SG A	8	14	10	12S	-0.82
SG A	8	16	15	09S	-0.71
SG A	8	17	20	09S	-0.73
SG A	8	19	15	09S	-0.75
SG A	8	19	17	10S	-0.77
SG A	8	20	15	09S	-0.59
SG A	8	29	10	12S	-0.81
SG A	8	29	10	12S	0.34
SG A	8	30	13	12S	-0.71
SG A	8	31	13	12S	-0.81
SG A	8	33	14	15S	0.21
SG A	8	34	19	09S	-0.7
SG A	8	34	15	12S	-0.81
SG A	8	34	18	13S	0.26
SG A	8	35	12	09S	0.4
SG A	8	35	16	13S	0.25
SG A	8	36	18	12S	-0.79
SG A	8	36	10	15S	0.2
SG A	8	37	13	12S	-0.85
SG A	8	38	11	12S	-0.83
SG A	8	38	11	14S	0.19
SG A	8	39	12	09S	-0.7
SG A	8	39	17	12S	-0.87
SG A	8	39	15	13S	0.34
SG A	8	39	13	14S	0.26
SG A	8	39	9	15S	-0.9
SG A	8	40	26	12S	-0.74

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	8	40	10	15S	0.2
SG A	8	41	14	09S	-0.66
SG A	8	45	12	14S	0.26
SG A	8	47	10	14S	0.28
SG A	8	48	12	14S	-0.75
SG A	8	49	17	14S	-0.79
SG A	8	50	11	14S	0.28
SG A	8	51	8	14S	0.26
SG A	9	1	12	13S	-0.64
SG A	9	2	10	13S	0.43
SG A	9	3	12	13S	-0.7
SG A	9	3	10	13S	0.55
SG A	9	4	10	13S	0.41
SG A	9	7	11	10S	-0.66
SG A	9	8	7	10S	-0.73
SG A	9	9	24	10S	-0.68
SG A	9	10	6	10S	0.53
SG A	9	11	13	13S	-0.75
SG A	9	11	12	13S	0.34
SG A	9	12	7	09S	0.47
SG A	9	12	21	10S	-0.68
SG A	9	17	8	09S	0.39
SG A	9	17	13	10S	-0.73
SG A	9	31	10	05S	0.39
SG A	9	31	13	12S	-0.81
SG A	9	32	14	12S	0.24
SG A	9	34	13	05S	-0.66
SG A	9	34	11	05S	0.4
SG A	9	40	17	12S	-0.76
SG A	9	40	10	14S	-0.81
SG A	9	42	14	12S	-0.81
SG A	9	42	16	13S	0.3
SG A	9	43	19	09S	-0.68
SG A	9	43	17	12S	-0.72
SG A	9	45	11	15S	0.24
SG A	9	48	11	15S	0.22
SG A	9	50	10	14S	0.19
SG A	9	52	14	10S	0
SG A	9	53	10	14S	0.21
SG A	9	54	10	14S	0.24

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	9	56	13	13S	-0.79
SG A	9	57	13	13S	-0.85
SG A	10	1	11	13S	-0.6
SG A	10	1	14	13S	0.51
SG A	10	2	11	13S	0.45
SG A	10	3	23	13S	0.51
SG A	10	9	25	10S	-0.68
SG A	10	10	19	10S	-0.68
SG A	10	13	7	10S	-0.64
SG A	10	14	11	10S	-0.75
SG A	10	15	15	10S	-0.7
SG A	10	17	10	10S	-0.73
SG A	10	19	10	06S	-0.7
SG A	10	19	12	10S	-0.74
SG A	10	36	11	15S	0.25
SG A	10	38	10	12S	-0.83
SG A	10	40	18	12S	-0.81
SG A	10	42	14	12S	-0.81
SG A	10	44	12	12S	-0.79
SG A	10	49	10	15S	0.22
SG A	10	52	14	15S	0.19
SG A	10	53	12	13S	0.28
SG A	10	53	13	14S	0.21
SG A	10	54	12	14S	0.21
SG A	10	56	8	14S	0.24
SG A	10	57	10	14S	0.21
SG A	10	58	11	14S	0.19
SG A	10	59	10	14S	-0.79
SG A	10	60	8	10S	-0.13
SG A	10	61	13	13S	0.3
SG A	10	61	7	14S	0.21
SG A	10	62	13	14S	0.21
SG A	10	63	15	14S	0.23
SG A	10	65	18	13S	-0.71
SG A	11	1	16	13S	-0.62
SG A	11	1	22	13S	0.53
SG A	11	2	12	13S	0.49
SG A	11	2	11	14S	-0.73
SG A	11	2	13	14S	0.46
SG A	11	5	14	10S	-0.69

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	11	6	8	10S	0.55
SG A	11	6	10	13S	0.51
SG A	11	7	13	13S	0.41
SG A	11	8	19	10S	-0.64
SG A	11	8	14	12S	-0.76
SG A	11	10	13	10S	-0.68
SG A	11	11	14	10S	-0.69
SG A	11	11	16	13S	0.37
SG A	11	12	29	10S	-0.68
SG A	11	14	20	10S	-0.54
SG A	11	14	8	12S	-0.65
SG A	11	15	11	10S	-0.66
SG A	11	16	14	10S	-0.68
SG A	11	27	14	15S	0.27
SG A	11	41	11	12S	-0.81
SG A	11	43	25	12S	-0.68
SG A	11	48	9	15S	0.18
SG A	11	49	15	15S	-0.96
SG A	11	50	14	15S	0.2
SG A	11	51	16	12S	-0.81
SG A	11	51	12	15S	0.18
SG A	11	52	10	10S	-0.72
SG A	11	54	16	13S	0.3
SG A	11	54	14	14S	-0.7
SG A	11	55	10	09S	0.36
SG A	11	58	11	14S	-0.81
SG A	11	59	9	14S	0.23
SG A	11	62	10	14S	-0.81
SG A	11	64	14	10S	0.04
SG A	11	65	7	10S	-0.11
SG A	11	68	17	13S	-0.77
SG A	12	1	16	13S	0.49
SG A	12	2	11	13S	0.47
SG A	12	3	13	13S	-0.64
SG A	12	7	19	10S	-0.62
SG A	12	8	12	10S	-0.73
SG A	12	8	13	12S	-0.63
SG A	12	8	13	13S	0.43
SG A	12	9	21	10S	-0.68
SG A	12	11	23	10S	-0.7

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	12	12	12	10S	-0.72
SG A	12	13	12	10S	-0.69
SG A	12	14	15	10S	-0.74
SG A	12	15	11	10S	-0.68
SG A	12	15	5	10S	0.38
SG A	12	22	8	09S	-0.66
SG A	12	37	12	15S	0.18
SG A	12	42	18	12S	-0.77
SG A	12	42	13	12S	0.26
SG A	12	45	14	15S	0.16
SG A	12	48	16	15S	-0.92
SG A	12	55	14	13S	0.3
SG A	12	57	8	15S	-0.79
SG A	12	57	10	15S	0.21
SG A	12	63	11	14S	-0.79
SG A	12	65	10	06S	-0.7
SG A	13	1	16	13S	0.49
SG A	13	2	12	13S	0.41
SG A	13	10	18	10S	-0.69
SG A	13	11	23	10S	-0.72
SG A	13	12	15	10S	-0.71
SG A	13	13	21	10S	-0.68
SG A	13	14	13	10S	-0.6
SG A	13	16	21	10S	-0.71
SG A	13	38	14	15S	0.22
SG A	13	51	12	15S	0.19
SG A	13	57	8	09S	-0.68
SG A	13	59	9	12S	-0.83
SG A	13	60	8	09S	0.4
SG A	13	60	11	10S	0.04
SG A	13	61	12	12S	-0.81
SG A	13	61	13	13S	-0.74
SG A	13	61	10	14S	0.24
SG A	13	67	11	14S	0.24
SG A	13	74	17	13S	-0.87
SG A	14	11	7	10S	-0.68
SG A	14	12	6	12S	-0.75
SG A	14	15	11	10S	-0.7
SG A	14	15	7	11S	-0.75
SG A	14	16	14	10S	-0.73

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	14	16	14	14S	-0.77
SG A	14	17	7	07S	-0.68
SG A	14	18	12	10S	-0.75
SG A	14	19	17	10S	-0.7
SG A	14	37	11	15S	-0.98
SG A	14	42	9	15S	0.22
SG A	14	52	10	15S	0.22
SG A	14	63	11	13S	0.3
SG A	14	74	8	10S	-0.06
SG A	14	77	13	13S	-0.85
SG A	15	5	8	12S	-0.68
SG A	15	7	7	10S	-0.7
SG A	15	10	11	10S	-0.73
SG A	15	15	11	11S	-0.72
SG A	15	16	13	10S	-0.75
SG A	15	16	15	11S	-0.77
SG A	15	19	14	10S	-0.73
SG A	15	49	5	09S	-0.7
SG A	15	55	10	15S	-0.81
SG A	15	63	12	09S	-0.75
SG A	15	72	10	09S	-0.72
SG A	15	80	21	13S	-0.83
SG A	16	4	6	10S	0.21
SG A	16	6	14	13S	-0.73
SG A	16	53	11	15S	0.17
SG A	16	60	11	15S	-0.94
SG A	16	61	10	15S	-0.82
SG A	16	66	12	09S	-0.76
SG A	16	68	11	14S	0.21
SG A	16	69	10	09S	-0.75
SG A	16	73	10	09S	-0.75
SG A	16	74	12	09S	0.42
SG A	16	76	6	10S	0.09
SG A	16	76	10	13S	-0.81
SG A	16	76	11	14S	0.21
SG A	17	2	14	11S	-0.72
SG A	17	5	22	10S	-0.56
SG A	17	57	11	15S	0.19
SG A	17	62	16	15S	0.19
SG A	17	64	10	15S	0.17



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	17	67	11	15S	-0.82
SG A	17	68	6	10S	-0.81
SG A	17	68	10	15S	-0.96
SG A	17	74	18	13S	0.25
SG A	17	76	11	09S	-0.68
SG A	17	76	12	12S	-0.81
SG A	17	76	12	15S	-0.99
SG A	17	77	12	14S	0.22
SG A	17	79	10	13S	-0.81
SG A	17	83	13	13S	-0.83
SG A	18	7	10	12S	-0.72
SG A	18	21	8	09S	-0.68
SG A	18	60	11	15S	-0.99
SG A	18	76	12	09S	-0.72
SG A	18	77	12	09S	0.39
SG A	18	78	15	09S	-0.74
SG A	18	80	12	10S	0.11
SG A	19	7	15	10S	-0.68
SG A	19	48	10	15S	0.17
SG A	19	51	11	15S	-0.95
SG A	19	54	11	15S	-0.92
SG A	19	66	7	09S	-0.73
SG A	19	71	11	12S	0.34
SG A	19	72	17	10S	-0.79
SG A	19	75	13	12S	0.3
SG A	19	78	11	09S	0.36
SG A	19	80	23	09S	-0.72
SG A	19	81	12	13S	0.28
SG A	19	81	10	14S	0.26
SG A	19	82	10	10S	0.17
SG A	19	87	20	13S	-0.78
SG A	20	43	14	15S	0.22
SG A	20	65	11	15S	-0.9
SG A	20	80	19	09S	-0.72
SG A	20	81	12	09S	-0.7
SG A	20	81	12	09S	0.36
SG A	20	82	16	12S	0.3
SG A	20	85	11	14S	0.26
SG A	20	89	13	12S	-0.83
SG A	21	45	6	08S	0.37

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	21	82	14	09S	0.36
SG A	21	82	11	10S	-0.73
SG A	21	84	11	10S	0.14
SG A	21	84	13	12S	-0.87
SG A	21	85	11	14S	0.21
SG A	21	87	16	12S	-0.83
SG A	21	90	23	12S	-0.79
SG A	22	83	15	10S	-0.75
SG A	22	83	12	15S	-0.9
SG A	22	84	13	10S	-0.84
SG A	22	85	17	09S	-0.73
SG A	22	85	11	09S	0.36
SG A	22	85	24	10S	-0.75
SG A	22	85	11	10S	0.3
SG A	22	85	11	11S	0.28
SG A	22	85	21	12S	-0.85
SG A	22	86	15	12S	-0.89
SG A	22	88	12	12S	-0.87
SG A	22	92	15	12S	-0.83
SG A	22	92	29	13S	-0.87
SG A	23	33	6	08S	0.43
SG A	23	40	10	08S	-0.68
SG A	23	44	11	08S	-0.72
SG A	23	66	12	11S	-0.9
SG A	23	72	11	12S	-0.91
SG A	23	72	15	15S	-0.79
SG A	23	85	21	10S	-0.81
SG A	23	86	28	10S	-0.8
SG A	23	87	21	12S	-0.82
SG A	23	88	10	12S	-0.89
SG A	23	88	12	12S	0.3
SG A	23	89	12	12S	0.3
SG A	23	93	13	12S	-0.83
SG A	23	94	18	12S	-0.85
SG A	24	30	10	08S	-0.72
SG A	24	31	7	08S	-0.69
SG A	24	38	9	08S	0.4
SG A	24	48	9	08S	-0.72
SG A	24	53	7	08S	0.39
SG A	24	82	22	15S	-0.82

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	24	83	19	10S	-0.82
SG A	24	83	12	12S	0.28
SG A	24	84	9	10S	-0.74
SG A	24	84	18	12S	-0.84
SG A	24	85	13	12S	-0.85
SG A	24	86	13	10S	0.08
SG A	24	90	18	12S	-0.8
SG A	24	91	15	12S	-0.85
SG A	25	30	15	08S	0.4
SG A	25	31	5	08S	0.45
SG A	25	34	10	08S	-0.76
SG A	25	40	8	08S	0.4
SG A	25	42	9	08S	-0.75
SG A	25	47	8	08S	0.39
SG A	25	50	11	08S	-0.7
SG A	25	52	10	08S	-0.77
SG A	25	54	9	08S	0.36
SG A	25	56	12	08S	-0.71
SG A	25	59	9	08S	-0.7
SG A	25	62	10	08S	0.38
SG A	25	64	12	08S	0.36
SG A	25	82	16	15S	-0.93
SG A	25	85	14	12S	-0.84
SG A	25	86	11	14S	0.19
SG A	25	92	13	14S	0.19
SG A	25	96	14	12S	-0.81
SG A	26	29	11	08S	-0.76
SG A	26	33	11	08S	-0.72
SG A	26	42	7	08S	0.45
SG A	26	43	7	08S	-0.74
SG A	26	47	10	08S	-0.78
SG A	26	49	13	08S	-0.76
SG A	26	51	9	08S	-0.74
SG A	26	52	8	08S	0.41
SG A	26	54	13	08S	-0.74
SG A	26	54	7	08S	0.38
SG A	26	55	8	08S	0.41
SG A	26	56	9	08S	-0.71
SG A	26	65	12	08S	-0.72
SG A	26	65	8	08S	0.34

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	26	67	10	08S	-0.7
SG A	26	71	8	08S	-0.71
SG A	26	91	14	12S	-0.85
SG A	26	92	17	10S	-0.73
SG A	26	92	16	12S	-0.87
SG A	26	93	19	12S	-0.79
SG A	26	94	11	10S	0.13
SG A	26	94	12	12S	-0.83
SG A	26	95	6	10S	0.06
SG A	26	96	15	14S	0.19
SG A	26	99	12	12S	-0.85
SG A	27	15	13	10S	-0.64
SG A	27	27	7	08S	-0.68
SG A	27	28	9	08S	0.42
SG A	27	29	7	08S	0.43
SG A	27	30	10	08S	-0.7
SG A	27	31	6	08S	-0.71
SG A	27	32	10	08S	-0.72
SG A	27	34	10	08S	-0.74
SG A	27	36	11	08S	-0.72
SG A	27	36	15	08S	0.45
SG A	27	38	12	08S	-0.62
SG A	27	39	9	08S	-0.75
SG A	27	39	9	08S	0.39
SG A	27	40	9	08S	-0.75
SG A	27	41	8	08S	-0.77
SG A	27	42	8	09S	-0.72
SG A	27	43	7	08S	-0.71
SG A	27	45	7	07S	0.45
SG A	27	46	11	08S	-0.74
SG A	27	46	12	08S	0.4
SG A	27	49	10	08S	-0.82
SG A	27	51	13	08S	-0.84
SG A	27	51	7	08S	0.37
SG A	27	54	5	08S	-0.76
SG A	27	55	7	08S	-0.7
SG A	27	58	7	08S	-0.75
SG A	27	63	7	08S	-0.77
SG A	27	64	6	08S	0.41
SG A	27	69	8	08S	0.4

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	27	71	7	08S	0.42
SG A	27	92	14	15S	0.17
SG A	27	93	17	12S	-0.85
SG A	27	94	19	12S	-0.9
SG A	27	94	11	12S	0.28
SG A	27	95	21	12S	-0.86
SG A	27	97	8	10S	0.06
SG A	27	102	11	10S	-0.83
SG A	28	6	10	12S	-0.68
SG A	28	8	11	11S	-0.73
SG A	28	12	16	10S	-0.66
SG A	28	15	21	10S	-0.64
SG A	28	16	6	10S	0.47
SG A	28	27	8	08S	-0.71
SG A	28	28	10	08S	0.43
SG A	28	31	8	08S	-0.77
SG A	28	31	9	08S	0.45
SG A	28	32	10	08S	-0.72
SG A	28	35	9	08S	-0.73
SG A	28	38	13	08S	-0.68
SG A	28	40	13	08S	-0.75
SG A	28	41	12	08S	-0.73
SG A	28	41	8	08S	0.4
SG A	28	41	8	09S	-0.72
SG A	28	42	11	08S	-0.79
SG A	28	43	11	08S	-0.81
SG A	28	43	8	08S	0.38
SG A	28	46	13	08S	-0.83
SG A	28	54	7	08S	0.42
SG A	28	55	5	08S	-0.75
SG A	28	56	8	08S	-0.74
SG A	28	57	8	08S	-0.72
SG A	28	57	5	08S	0.38
SG A	28	80	13	15S	0.19
SG A	28	96	15	12S	-0.83
SG A	28	96	18	12S	0.21
SG A	28	97	9	12S	-0.89
SG A	28	98	13	12S	-0.83
SG A	29	9	16	10S	0.45
SG A	29	30	7	08S	0.43

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	29	31	13	08S	-0.66
SG A	29	32	10	08S	-0.75
SG A	29	33	16	08S	-0.68
SG A	29	33	12	08S	0.43
SG A	29	34	13	08S	-0.75
SG A	29	34	7	08S	0.43
SG A	29	41	8	08S	-0.76
SG A	29	42	12	08S	-0.79
SG A	29	44	10	08S	-0.79
SG A	29	49	11	08S	-0.79
SG A	29	51	15	08S	-0.81
SG A	29	51	15	08S	0.42
SG A	29	52	10	08S	-0.81
SG A	29	56	10	08S	-0.75
SG A	29	56	5	08S	0.36
SG A	29	57	9	08S	0.4
SG A	29	58	15	08S	-0.75
SG A	29	58	11	08S	0.43
SG A	29	60	5	08S	0.43
SG A	29	61	12	08S	-0.77
SG A	29	61	14	08S	0.4
SG A	29	62	6	08S	-0.72
SG A	29	63	13	08S	-0.74
SG A	29	63	11	08S	0.4
SG A	29	64	5	08S	0.45
SG A	29	66	6	08S	0.43
SG A	29	71	15	08S	0.34
SG A	29	72	7	08S	0.38
SG A	29	73	8	08S	0.4
SG A	29	96	12	12S	-0.88
SG A	29	97	30	12S	0.28
SG A	29	98	9	12S	-0.89
SG A	29	98	16	12S	0.28
SG A	29	99	12	12S	-0.87
SG A	30	31	12	08S	-0.72
SG A	30	32	11	08S	-0.73
SG A	30	33	17	08S	-0.79
SG A	30	34	11	08S	-0.75
SG A	30	36	14	08S	-0.74
SG A	30	37	12	08S	-0.74

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	30	38	12	08S	-0.76
SG A	30	39	12	08S	-0.76
SG A	30	40	11	08S	-0.78
SG A	30	41	7	08S	-0.72
SG A	30	42	11	08S	-0.79
SG A	30	47	15	08S	0.42
SG A	30	48	12	08S	-0.79
SG A	30	49	17	08S	-0.78
SG A	30	51	13	08S	-0.78
SG A	30	53	14	08S	-0.8
SG A	30	56	5	08S	-0.75
SG A	30	67	9	08S	0.4
SG A	30	68	9	08S	-0.77
SG A	30	70	4	08S	0.43
SG A	30	72	5	08S	0.38
SG A	30	73	9	08S	0.38
SG A	30	96	12	10S	-0.81
SG A	30	98	18	12S	-0.87
SG A	30	98	13	14S	0.17
SG A	30	99	10	10S	0.08
SG A	30	99	12	12S	-0.83
SG A	30	99	8	12S	0.27
SG A	30	99	13	14S	0.19
SG A	30	100	11	12S	-0.83
SG A	31	30	10	08S	-0.7
SG A	31	32	12	08S	-0.74
SG A	31	32	8	08S	0.43
SG A	31	33	7	08S	0.41
SG A	31	34	16	08S	-0.72
SG A	31	37	15	08S	-0.75
SG A	31	38	13	08S	-0.75
SG A	31	41	13	08S	-0.77
SG A	31	45	11	08S	-0.79
SG A	31	50	10	08S	-0.74
SG A	31	57	9	08S	-0.75
SG A	31	58	10	08S	-0.77
SG A	31	67	10	08S	0.41
SG A	31	70	10	08S	0.4
SG A	31	75	8	08S	0.36
SG A	31	79	10	08S	0.36

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	31	98	18	10S	-0.81
SG A	31	98	15	12S	-0.83
SG A	31	98	18	12S	0.23
SG A	31	100	13	10S	0.06
SG A	31	100	11	12S	0.25
SG A	31	101	16	10S	0.09
SG A	32	20	14	10S	0.32
SG A	32	23	7	08S	-0.68
SG A	32	25	17	08S	-0.7
SG A	32	25	10	08S	0.45
SG A	32	29	10	08S	-0.6
SG A	32	29	8	08S	0.42
SG A	32	31	7	08S	0.43
SG A	32	32	12	08S	-0.74
SG A	32	32	6	08S	0.49
SG A	32	33	10	08S	-0.75
SG A	32	34	11	08S	-0.74
SG A	32	34	10	08S	0.47
SG A	32	36	9	08S	-0.64
SG A	32	45	10	08S	-0.77
SG A	32	47	11	08S	-0.75
SG A	32	48	12	08S	-0.76
SG A	32	49	16	08S	-0.79
SG A	32	50	13	08S	-0.76
SG A	32	51	12	08S	-0.79
SG A	32	52	10	08S	-0.79
SG A	32	52	10	08S	0.42
SG A	32	53	13	08S	-0.78
SG A	32	54	15	08S	-0.76
SG A	32	65	10	08S	0.4
SG A	32	67	7	08S	0.42
SG A	32	70	4	08S	0.43
SG A	32	73	6	08S	0.4
SG A	32	81	12	08S	-0.81
SG A	32	97	21	10S	-0.83
SG A	32	98	12	12S	-0.85
SG A	32	98	17	12S	0.28
SG A	32	99	11	10S	0.15
SG A	32	99	12	12S	0.21
SG A	32	100	9	10S	0.08



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	32	100	6	14S	0.17
SG A	32	102	6	14S	0.21
SG A	33	18	11	08S	-0.69
SG A	33	21	9	08S	-0.59
SG A	33	21	6	09S	-0.66
SG A	33	21	15	10S	0.4
SG A	33	22	8	08S	-0.71
SG A	33	23	6	08S	0.45
SG A	33	24	13	09S	-0.73
SG A	33	25	10	08S	-0.74
SG A	33	29	11	08S	-0.7
SG A	33	30	7	08S	0.4
SG A	33	31	11	08S	-0.73
SG A	33	32	11	08S	-0.77
SG A	33	34	11	08S	-0.77
SG A	33	34	11	08S	0.41
SG A	33	36	15	08S	-0.75
SG A	33	37	11	08S	-0.76
SG A	33	37	11	09S	-0.72
SG A	33	37	11	09S	0.38
SG A	33	38	14	08S	-0.74
SG A	33	38	11	08S	0.41
SG A	33	38	13	09S	-0.77
SG A	33	40	11	08S	-0.78
SG A	33	43	10	08S	-0.74
SG A	33	44	12	08S	-0.75
SG A	33	45	17	08S	-0.74
SG A	33	45	12	08S	0.4
SG A	33	51	11	08S	-0.76
SG A	33	57	11	08S	-0.72
SG A	33	58	12	08S	-0.74
SG A	33	59	10	08S	-0.77
SG A	33	60	9	08S	-0.76
SG A	33	61	11	08S	-0.78
SG A	33	66	12	08S	-0.74
SG A	33	67	14	08S	-0.72
SG A	33	71	17	08S	0.38
SG A	33	72	6	08S	0.4
SG A	33	73	12	08S	-0.77
SG A	33	75	9	08S	0.4

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	33	76	9	08S	0.38
SG A	33	77	9	08S	-0.72
SG A	33	77	9	08S	0.36
SG A	33	78	7	08S	0.38
SG A	33	79	11	11S	-0.91
SG A	33	80	8	08S	-0.75
SG A	33	103	15	12S	-0.78
SG A	34	6	11	09S	-0.67
SG A	34	6	9	12S	-0.73
SG A	34	26	11	08S	-0.71
SG A	34	27	12	08S	-0.64
SG A	34	34	13	08S	-0.76
SG A	34	36	6	08S	-0.7
SG A	34	48	10	08S	-0.78
SG A	34	51	11	08S	-0.79
SG A	34	56	11	08S	-0.76
SG A	34	57	14	08S	-0.81
SG A	34	69	5	08S	0.45
SG A	34	75	9	08S	-0.77
SG A	34	76	10	09S	-0.78
SG A	34	78	8	08S	-0.77
SG A	34	79	6	08S	0.4
SG A	34	82	5	08S	0.43
SG A	34	103	16	10S	-0.85
SG A	34	104	15	12S	-0.82
SG A	34	105	13	12S	-0.87
SG A	35	21	13	08S	-0.64
SG A	35	23	8	08S	0.41
SG A	35	24	12	08S	-0.7
SG A	35	35	12	08S	-0.72
SG A	35	38	13	08S	-0.75
SG A	35	45	12	08S	0.38
SG A	35	48	12	08S	-0.79
SG A	35	62	14	08S	-0.7
SG A	35	62	15	09S	-0.81
SG A	35	63	13	08S	-0.72
SG A	35	66	10	08S	-0.76
SG A	35	76	6	08S	0.36
SG A	35	77	9	08S	0.45
SG A	35	80	6	08S	0.4

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	35	82	6	08S	-0.78
SG A	35	82	9	08S	0.34
SG A	35	83	8	08S	0.43
SG A	35	84	7	08S	0.36
SG A	35	86	9	08S	0.38
SG A	35	87	7	08S	0.4
SG A	35	90	7	08S	0.38
SG A	35	106	6	11S	0.28
SG A	35	107	14	10S	0.26
SG A	35	107	9	14S	0.23
SG A	35	110	13	13S	-0.87
SG A	36	19	7	08S	0.49
SG A	36	21	7	08S	0.51
SG A	36	22	9	08S	0.45
SG A	36	24	9	08S	-0.68
SG A	36	25	9	08S	-0.73
SG A	36	27	10	08S	-0.69
SG A	36	30	9	08S	-0.68
SG A	36	32	8	10S	-0.71
SG A	36	69	11	08S	-0.78
SG A	36	69	22	08S	0.4
SG A	36	72	11	08S	-0.76
SG A	36	78	7	08S	0.49
SG A	36	82	7	08S	0.4
SG A	36	84	9	08S	0.38
SG A	36	87	6	08S	0.3
SG A	36	89	13	08S	0.3
SG A	36	107	9	11S	0.3
SG A	36	107	14	12S	-0.85
SG A	36	108	10	10S	0.13
SG A	36	109	10	10S	0.13
SG A	37	7	8	10S	0.51
SG A	37	16	15	14S	-0.77
SG A	37	24	8	08S	0.43
SG A	37	34	11	08S	-0.69
SG A	37	38	11	08S	-0.75
SG A	37	39	15	08S	-0.72
SG A	37	69	13	09S	-0.76
SG A	37	77	11	08S	-0.77
SG A	37	77	15	08S	0.38

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	37	85	10	08S	0.38
SG A	37	86	10	08S	0.38
SG A	37	87	13	08S	0.38
SG A	37	88	5	08S	0.34
SG A	37	108	9	12S	0.19
SG A	37	110	11	10S	0.06
SG A	37	111	10	10S	0.11
SG A	38	9	12	09S	-0.69
SG A	38	18	9	08S	-0.68
SG A	38	20	11	08S	0.51
SG A	38	23	11	08S	-0.73
SG A	38	24	9	08S	0.45
SG A	38	25	12	08S	-0.73
SG A	38	26	15	08S	-0.7
SG A	38	27	12	08S	-0.73
SG A	38	29	9	08S	-0.73
SG A	38	31	10	09S	0.36
SG A	38	80	10	08S	0.34
SG A	38	85	5	08S	0.38
SG A	38	86	6	08S	-0.81
SG A	38	89	8	08S	0.36
SG A	38	109	7	10S	-0.83
SG A	38	110	9	11S	0.32
SG A	38	110	12	12S	-0.91
SG A	38	111	7	10S	-0.74
SG A	39	23	7	08S	0.49
SG A	39	25	10	08S	-0.6
SG A	39	25	8	08S	0.53
SG A	39	27	8	08S	-0.66
SG A	39	27	11	08S	0.51
SG A	39	32	7	08S	0.45
SG A	39	35	11	08S	-0.76
SG A	39	89	17	08S	0.36
SG A	39	89	13	09S	-0.76
SG A	39	111	6	12S	-0.89
SG A	39	113	6	14S	0.21
SG A	40	8	16	11S	-0.73
SG A	40	9	13	11S	0.42
SG A	40	19	12	08S	-0.55
SG A	40	19	9	08S	0.49

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	40	23	14	08S	-0.68
SG A	40	24	12	08S	-0.73
SG A	40	25	16	08S	-0.7
SG A	40	27	15	08S	-0.59
SG A	40	28	13	08S	-0.66
SG A	40	31	10	08S	0.51
SG A	40	33	9	08S	-0.68
SG A	40	34	11	08S	-0.75
SG A	40	87	7	08S	-0.8
SG A	40	89	9	08S	-0.78
SG A	40	89	6	08S	0.4
SG A	40	92	16	08S	0.34
SG A	40	101	11	11S	-0.89
SG A	41	20	10	08S	-0.57
SG A	41	21	9	08S	-0.73
SG A	41	22	11	08S	-0.66
SG A	41	23	16	08S	-0.73
SG A	41	24	11	08S	-0.66
SG A	41	26	11	08S	-0.64
SG A	41	26	10	09S	0.42
SG A	41	27	11	08S	-0.73
SG A	41	28	11	08S	-0.62
SG A	41	29	15	08S	-0.62
SG A	41	31	10	08S	-0.73
SG A	41	32	13	09S	-0.72
SG A	41	93	7	08S	0.38
SG A	41	94	6	08S	0.4
SG A	41	109	13	14S	0.17
SG A	42	1	11	13S	-0.62
SG A	42	5	9	10S	0.49
SG A	42	17	9	08S	-0.62
SG A	42	17	10	09S	0.47
SG A	42	20	10	08S	-0.68
SG A	42	22	11	08S	-0.7
SG A	42	24	10	08S	-0.68
SG A	42	25	12	08S	-0.6
SG A	42	26	11	08S	-0.68
SG A	42	30	9	08S	-0.74
SG A	42	87	8	08S	0.4
SG A	43	2	13	13S	-0.66

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	43	14	5	08S	0.53
SG A	43	19	14	08S	-0.57
SG A	43	20	14	08S	-0.69
SG A	43	21	12	08S	-0.68
SG A	43	24	12	08S	-0.73
SG A	43	25	12	08S	-0.61
SG A	43	26	14	08S	-0.71
SG A	43	26	16	09S	-0.75
SG A	43	27	13	08S	-0.67
SG A	43	32	12	08S	-0.73
SG A	43	34	10	08S	-0.77
SG A	43	115	12	12S	-0.8
SG A	44	15	5	08S	0.54
SG A	44	22	11	08S	-0.62
SG A	44	23	12	08S	-0.66
SG A	44	24	15	08S	-0.59
SG A	44	25	12	09S	-0.77
SG A	44	29	11	08S	-0.74
SG A	44	95	9	08S	0.38
SG A	44	96	7	08S	0.36
SG A	44	97	10	08S	0.38
SG A	45	1	15	13S	-0.62
SG A	45	1	12	13S	0.47
SG A	45	1	11	14S	0.49
SG A	45	5	10	14S	0.41
SG A	45	15	9	08S	-0.62
SG A	45	20	17	08S	-0.57
SG A	45	20	10	09S	-0.66
SG A	45	22	10	08S	-0.67
SG A	45	23	10	08S	-0.54
SG A	45	24	14	08S	-0.7
SG A	45	24	12	09S	-0.7
SG A	45	25	11	08S	-0.73
SG A	45	32	12	08S	-0.66
SG A	45	35	11	08S	-0.71
SG A	45	91	7	08S	0.36
SG A	45	96	7	08S	0.38
SG A	45	97	9	08S	0.4
SG A	45	115	8	12S	-0.87
SG A	46	1	13	13S	-0.66

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	46	1	14	13S	0.47
SG A	46	11	9	11S	-0.68
SG A	46	20	8	08S	-0.65
SG A	46	22	8	08S	0.47
SG A	46	23	15	08S	-0.63
SG A	46	23	6	08S	0.54
SG A	46	24	10	08S	-0.68
SG A	46	24	12	09S	-0.68
SG A	46	25	11	08S	-0.64
SG A	46	26	13	08S	-0.72
SG A	46	92	6	08S	0.4
SG A	46	94	6	08S	0.4
SG A	46	96	9	08S	0.4
SG A	46	112	10	11S	0.28
SG A	46	117	11	12S	-0.79
SG A	46	118	10	12S	-0.89
SG A	47	7	7	10S	0.51
SG A	47	17	8	08S	-0.62
SG A	47	21	10	08S	-0.63
SG A	47	23	12	08S	-0.65
SG A	47	27	11	08S	-0.71
SG A	47	28	11	08S	-0.68
SG A	47	82	9	08S	0.4
SG A	47	88	9	08S	-0.76
SG A	47	94	6	08S	-0.78
SG A	47	113	9	10S	-0.81
SG A	47	118	7	14S	0.21
SG A	48	4	10	11S	-0.64
SG A	48	5	14	10S	0.3
SG A	48	22	9	08S	-0.58
SG A	48	25	11	08S	-0.7
SG A	48	27	9	08S	-0.58
SG A	48	28	10	08S	-0.72
SG A	48	98	5	08S	0.38
SG A	48	112	9	14S	0.17
SG A	49	8	9	09S	0.56
SG A	49	17	9	08S	-0.64
SG A	49	25	11	08S	-0.61
SG A	49	29	13	08S	-0.71
SG A	49	91	11	08S	0.38

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	49	93	15	08S	0.36
SG A	49	100	7	08S	0.4
SG A	49	102	9	07S	0.38
SG A	49	102	8	10S	-0.87
SG A	49	115	8	10S	-0.8
SG A	50	17	11	09S	0.49
SG A	50	31	11	08S	-0.71
SG A	50	92	9	08S	0.38
SG A	50	94	8	08S	0.36
SG A	50	95	11	08S	0.4
SG A	50	96	10	08S	-0.77
SG A	51	1	18	13S	-0.62
SG A	51	7	18	10S	0.17
SG A	51	8	14	10S	0.42
SG A	51	18	15	08S	-0.62
SG A	51	22	14	08S	-0.66
SG A	51	99	8	09S	-0.78
SG A	51	100	11	08S	0.36
SG A	51	101	11	08S	0.4
SG A	51	104	8	08S	0.38
SG A	51	111	12	10S	-0.81
SG A	51	111	21	12S	-0.9
SG A	51	112	10	10S	-0.81
SG A	51	112	9	14S	0.19
SG A	52	16	14	08S	-0.6
SG A	52	18	12	08S	-0.54
SG A	52	27	11	09S	0.42
SG A	52	104	12	08S	0.38
SG A	52	107	7	08S	0.38
SG A	52	113	13	09S	0.34
SG A	52	114	22	10S	-0.8
SG A	52	118	11	10S	-0.82
SG A	53	1	17	13S	-0.62
SG A	53	2	21	13S	0.47
SG A	53	8	14	10S	0.19
SG A	53	11	11	09S	0.47
SG A	53	19	13	08S	-0.62
SG A	53	20	12	08S	-0.64
SG A	53	20	8	08S	0.52
SG A	53	22	18	08S	-0.69



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	53	23	13	08S	-0.68
SG A	53	24	14	08S	-0.6
SG A	53	26	12	08S	-0.62
SG A	53	95	11	08S	0.38
SG A	53	97	12	08S	0.38
SG A	53	98	9	08S	0.38
SG A	53	116	10	14S	0.13
SG A	53	121	13	12S	0.25
SG A	53	122	4	14S	0.17
SG A	53	123	10	12S	-0.84
SG A	53	123	11	14S	0.21
SG A	54	3	10	13S	-0.66
SG A	54	9	10	09S	0.52
SG A	54	11	10	09S	0.49
SG A	54	19	11	08S	0.54
SG A	54	20	15	08S	-0.66
SG A	54	21	10	08S	-0.6
SG A	54	21	10	08S	0.54
SG A	54	22	12	08S	-0.7
SG A	54	23	13	08S	-0.71
SG A	54	24	16	08S	-0.63
SG A	54	25	12	08S	-0.75
SG A	54	26	14	08S	-0.7
SG A	54	27	10	08S	-0.7
SG A	54	28	13	08S	-0.72
SG A	54	31	9	08S	-0.71
SG A	54	95	9	06S	-0.74
SG A	54	96	11	08S	0.38
SG A	54	106	7	08S	0.38
SG A	54	109	9	08S	-0.72
SG A	54	109	12	08S	0.36
SG A	54	114	15	09S	0.34
SG A	54	115	12	12S	-0.89
SG A	54	116	15	10S	-0.79
SG A	54	119	18	10S	-0.78
SG A	54	121	10	10S	0
SG A	54	121	8	11S	0.3
SG A	54	123	8	12S	-0.85
SG A	54	124	12	12S	-0.79
SG A	55	8	9	09S	0.55

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	55	9	15	09S	0.55
SG A	55	12	12	09S	0.45
SG A	55	19	12	08S	-0.66
SG A	55	22	11	08S	-0.66
SG A	55	23	19	08S	-0.68
SG A	55	24	13	08S	-0.72
SG A	55	26	14	08S	-0.72
SG A	55	27	11	08S	-0.66
SG A	55	28	13	08S	-0.72
SG A	55	28	10	08S	0.49
SG A	55	30	12	08S	-0.74
SG A	55	31	11	08S	0.47
SG A	55	31	11	09S	0.41
SG A	55	32	12	08S	-0.74
SG A	55	93	11	08S	0.38
SG A	55	94	11	08S	0.41
SG A	55	95	12	08S	0.38
SG A	55	99	10	08S	0.34
SG A	55	101	14	08S	-0.78
SG A	55	101	12	08S	0.4
SG A	55	102	10	08S	0.36
SG A	55	103	11	08S	0.38
SG A	55	116	11	11S	0.23
SG A	55	118	10	11S	0.23
SG A	55	119	17	11S	0.25
SG A	55	119	10	12S	-0.89
SG A	55	121	12	09S	-0.83
SG A	55	121	19	10S	-0.78
SG A	55	121	13	10S	0.11
SG A	55	121	13	11S	0.27
SG A	55	121	18	12S	0.25
SG A	55	122	20	09S	-0.75
SG A	55	122	11	09S	0.36
SG A	55	122	12	11S	0.28
SG A	55	123	11	12S	-0.88
SG A	56	7	7	09S	-0.66
SG A	56	7	10	10S	0.58
SG A	56	8	18	09S	0.5
SG A	56	19	10	08S	-0.6
SG A	56	19	8	08S	0.45

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	56	20	12	08S	-0.64
SG A	56	20	10	08S	0.52
SG A	56	21	14	08S	-0.62
SG A	56	23	16	08S	-0.66
SG A	56	24	17	08S	-0.64
SG A	56	26	12	08S	-0.66
SG A	56	27	11	08S	-0.72
SG A	56	28	10	08S	-0.67
SG A	56	28	11	08S	0.49
SG A	56	29	12	08S	-0.7
SG A	56	102	15	08S	0.36
SG A	56	118	10	09S	0.32
SG A	56	118	13	11S	-0.89
SG A	56	119	13	10S	-0.77
SG A	56	120	23	12S	0.19
SG A	56	120	11	14S	0.15
SG A	56	121	15	09S	-0.77
SG A	56	122	23	09S	-0.74
SG A	56	122	12	11S	0.21
SG A	56	122	10	12S	-0.93
SG A	56	123	10	09S	-0.77
SG A	56	123	11	10S	-0.83
SG A	56	123	11	12S	0.23
SG A	56	127	11	12S	-0.87
SG A	57	20	14	08S	0.45
SG A	57	21	17	08S	-0.7
SG A	57	21	7	08S	0.45
SG A	57	22	13	08S	-0.62
SG A	57	23	14	08S	-0.64
SG A	57	25	12	08S	-0.7
SG A	57	27	13	08S	-0.76
SG A	57	27	10	09S	-0.74
SG A	57	30	11	08S	-0.71
SG A	57	105	16	08S	-0.72
SG A	57	107	11	07S	-0.68
SG A	57	107	7	09S	-0.78
SG A	57	107	10	10S	-0.82
SG A	57	124	12	12S	-0.83
SG A	57	125	13	12S	-0.91
SG A	58	3	12	13S	-0.59

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	58	4	15	13S	-0.69
SG A	58	20	9	08S	0.4
SG A	58	21	12	08S	-0.56
SG A	58	21	7	08S	0.54
SG A	58	22	12	08S	-0.64
SG A	58	23	13	08S	-0.6
SG A	58	24	11	08S	-0.68
SG A	58	24	7	08S	0.51
SG A	58	25	11	08S	-0.69
SG A	58	25	10	08S	0.52
SG A	58	29	9	08S	-0.71
SG A	58	33	11	08S	-0.73
SG A	58	104	10	07S	0.38
SG A	58	125	16	12S	-0.87
SG A	59	20	12	08S	-0.51
SG A	59	21	8	08S	0.49
SG A	59	29	14	08S	-0.72
SG A	59	95	10	08S	0.36
SG A	59	105	10	08S	-0.82
SG A	59	124	12	10S	-0.79
SG A	59	124	13	11S	0.21
SG A	59	125	15	12S	-0.62
SG A	60	7	12	10S	-0.54
SG A	60	9	12	11S	-0.64
SG A	60	21	12	08S	-0.69
SG A	60	21	6	08S	0.54
SG A	60	22	12	08S	-0.7
SG A	60	23	16	08S	-0.58
SG A	60	24	15	08S	-0.61
SG A	60	103	12	08S	0.38
SG A	60	108	14	08S	0.38
SG A	60	124	16	11S	0.31
SG A	60	125	12	10S	-0.8
SG A	60	125	12	12S	-0.85
SG A	61	21	14	08S	-0.6
SG A	61	21	6	08S	0.47
SG A	61	22	15	08S	-0.64
SG A	61	22	9	08S	0.51
SG A	61	23	12	08S	-0.64
SG A	61	100	10	08S	0.36

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	61	101	19	08S	0.36
SG A	61	103	10	08S	-0.78
SG A	61	103	11	08S	0.32
SG A	61	124	14	12S	-0.89
SG A	61	125	18	10S	-0.74
SG A	61	125	6	10S	0.21
SG A	61	125	19	11S	0.27
SG A	61	125	13	12S	-0.91
SG A	62	19	11	08S	-0.62
SG A	62	22	9	08S	-0.68
SG A	62	26	12	08S	-0.72
SG A	62	26	9	08S	0.42
SG A	62	98	11	08S	-0.81
SG A	62	98	14	08S	0.38
SG A	62	99	13	08S	0.36
SG A	62	100	8	08S	-0.77
SG A	62	107	11	08S	0.38
SG A	62	122	11	09S	0.36
SG A	62	122	9	14S	0.17
SG A	63	19	10	08S	-0.62
SG A	63	20	13	08S	-0.53
SG A	63	21	15	08S	-0.62
SG A	63	22	16	08S	-0.64
SG A	63	22	6	08S	0.53
SG A	63	23	13	08S	-0.59
SG A	63	25	8	08S	-0.68
SG A	63	26	10	08S	-0.7
SG A	63	27	10	08S	-0.71
SG A	63	101	10	08S	0.36
SG A	63	111	10	08S	0.42
SG A	63	124	13	12S	-0.96
SG A	63	125	16	06S	-0.72
SG A	63	125	18	10S	-0.74
SG A	63	125	13	11S	-0.82
SG A	63	125	13	12S	-0.95
SG A	64	12	13	11S	-0.68
SG A	64	20	13	08S	-0.61
SG A	64	22	12	08S	-0.59
SG A	64	24	12	08S	-0.66
SG A	64	25	18	08S	-0.72

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	64	25	11	08S	0.44
SG A	64	27	9	08S	-0.7
SG A	64	31	10	08S	-0.74
SG A	64	103	14	06S	-0.72
SG A	64	103	12	08S	0.32
SG A	64	103	14	10S	-0.87
SG A	64	104	15	08S	0.38
SG A	64	105	14	08S	-0.76
SG A	64	106	10	06S	0.4
SG A	64	124	10	14S	0.15
SG A	64	126	10	14S	0.17
SG A	65	20	11	08S	-0.63
SG A	65	21	15	08S	-0.61
SG A	65	23	11	08S	-0.7
SG A	65	24	12	08S	-0.65
SG A	65	26	18	08S	-0.73
SG A	65	27	8	08S	0.44
SG A	65	28	13	08S	-0.66
SG A	65	30	10	08S	-0.73
SG A	65	31	10	08S	0.42
SG A	65	32	14	08S	-0.71
SG A	65	103	11	06S	-0.7
SG A	65	104	12	05S	-0.68
SG A	65	104	11	10S	-0.87
SG A	65	106	12	08S	0.38
SG A	65	107	10	08S	0.38
SG A	65	107	19	10S	-0.83
SG A	65	107	19	10S	0.19
SG A	65	110	11	07S	0.37
SG A	65	110	10	09S	-0.67
SG A	65	110	11	10S	0.25
SG A	65	125	13	10S	-0.74
SG A	65	125	14	10S	0.28
SG A	65	125	14	11S	-0.85
SG A	65	126	10	06S	-0.66
SG A	66	17	10	09S	0.49
SG A	66	20	11	08S	-0.61
SG A	66	21	8	08S	-0.54
SG A	66	22	14	08S	-0.65
SG A	66	23	10	08S	-0.63

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	66	24	13	08S	-0.64
SG A	66	26	27	08S	-0.7
SG A	66	27	13	08S	-0.69
SG A	66	28	13	08S	-0.72
SG A	66	101	14	08S	-0.78
SG A	66	106	11	08S	-0.79
SG A	66	108	10	08S	0.38
SG A	66	123	11	10S	0.27
SG A	66	124	12	10S	-0.79
SG A	66	124	10	11S	0.24
SG A	66	124	11	12S	0.23
SG A	66	124	11	14S	0.17
SG A	66	125	16	06S	-0.74
SG A	67	2	16	13S	0.53
SG A	67	4	10	13S	0.47
SG A	67	20	14	08S	-0.61
SG A	67	21	9	08S	-0.65
SG A	67	22	12	08S	-0.61
SG A	67	23	15	08S	-0.63
SG A	67	24	12	08S	-0.7
SG A	67	25	12	08S	-0.67
SG A	67	26	14	08S	-0.66
SG A	67	27	15	08S	-0.72
SG A	67	28	13	08S	-0.68
SG A	67	29	19	08S	-0.72
SG A	67	30	14	08S	-0.7
SG A	67	102	9	07S	-0.72
SG A	67	105	12	07S	0.38
SG A	67	105	15	09S	-0.8
SG A	67	105	11	10S	0.32
SG A	67	111	15	09S	-0.78
SG A	67	111	12	10S	-0.85
SG A	67	124	12	09S	0.32
SG A	67	124	9	11S	0.28
SG A	67	125	10	09S	0.36
SG A	67	125	13	12S	-0.88
SG A	68	2	14	13S	0.51
SG A	68	18	11	08S	-0.56
SG A	68	22	10	08S	-0.66
SG A	68	24	16	08S	-0.66

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	68	24	8	08S	0.49
SG A	68	25	12	08S	-0.72
SG A	68	26	13	08S	-0.68
SG A	68	27	9	08S	-0.68
SG A	68	28	23	08S	-0.72
SG A	68	29	12	08S	-0.73
SG A	68	31	15	08S	-0.71
SG A	68	32	12	08S	-0.74
SG A	68	109	11	09S	-0.83
SG A	68	113	12	10S	-0.82
SG A	68	126	10	09S	0.34
SG A	69	2	12	11S	-0.66
SG A	69	2	10	13S	0.51
SG A	69	4	11	10S	0.26
SG A	69	4	11	13S	-0.64
SG A	69	24	12	08S	-0.73
SG A	69	25	7	08S	0.53
SG A	69	26	13	08S	-0.73
SG A	69	26	11	09S	-0.73
SG A	69	27	23	08S	-0.7
SG A	69	28	13	08S	-0.66
SG A	69	29	11	08S	-0.72
SG A	69	102	11	08S	-0.8
SG A	69	110	13	10S	-0.74
SG A	69	110	10	10S	0.34
SG A	69	126	9	09S	0.3
SG A	69	126	17	11S	0.28
SG A	69	127	12	10S	-0.82
SG A	70	1	8	11S	0.54
SG A	70	3	9	13S	-0.64
SG A	70	4	11	10S	0.25
SG A	70	4	17	13S	0.47
SG A	70	6	10	13S	-0.66
SG A	70	19	9	08S	-0.64
SG A	70	20	11	08S	-0.68
SG A	70	21	9	08S	-0.71
SG A	70	22	11	09S	-0.66
SG A	70	23	10	08S	-0.53
SG A	70	25	11	08S	-0.71
SG A	70	26	14	08S	-0.68



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	70	28	15	08S	-0.7
SG A	70	103	13	08S	0.38
SG A	70	104	12	06S	-0.63
SG A	70	104	9	07S	0.42
SG A	70	104	18	09S	-0.76
SG A	70	105	12	08S	-0.76
SG A	70	106	10	08S	0.38
SG A	70	109	12	08S	0.4
SG A	70	119	12	14S	0.17
SG A	70	125	17	12S	-0.86
SG A	71	1	12	11S	-0.6
SG A	71	4	22	13S	-0.63
SG A	71	4	14	13S	0.47
SG A	71	5	12	09S	-0.49
SG A	71	5	11	13S	-0.67
SG A	71	21	8	08S	0.49
SG A	71	23	16	08S	-0.68
SG A	71	23	8	08S	0.45
SG A	71	24	17	08S	-0.63
SG A	71	25	18	08S	-0.7
SG A	71	26	14	08S	-0.72
SG A	71	27	18	08S	-0.72
SG A	71	27	12	08S	0.38
SG A	71	27	15	09S	0.47
SG A	71	30	10	08S	-0.71
SG A	71	31	19	08S	-0.7
SG A	71	32	13	08S	-0.71
SG A	71	102	14	08S	0.4
SG A	71	103	10	08S	-0.78
SG A	71	104	12	08S	-0.81
SG A	71	105	20	06S	-0.7
SG A	71	105	6	07S	0.42
SG A	71	105	11	08S	0.36
SG A	71	105	17	09S	-0.76
SG A	71	105	10	10S	-0.85
SG A	71	107	11	08S	-0.82
SG A	71	107	11	08S	0.36
SG A	71	110	12	08S	0.38
SG A	71	112	10	08S	0.4
SG A	71	112	6	10S	-0.81

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	72	1	13	13S	-0.58
SG A	72	4	13	13S	-0.66
SG A	72	22	13	08S	-0.57
SG A	72	24	12	08S	-0.59
SG A	72	25	18	08S	-0.66
SG A	72	26	12	08S	-0.71
SG A	72	27	12	08S	-0.68
SG A	72	28	10	08S	-0.73
SG A	72	29	18	08S	-0.7
SG A	72	31	11	08S	-0.72
SG A	72	103	7	08S	0.42
SG A	72	106	13	08S	-0.77
SG A	72	106	10	08S	0.35
SG A	72	107	10	08S	-0.78
SG A	72	109	14	08S	0.38
SG A	72	109	9	10S	-0.84
SG A	72	110	12	08S	0.4
SG A	72	111	15	08S	0.4
SG A	72	111	10	10S	-0.82
SG A	72	124	10	10S	0.32
SG A	72	125	14	11S	0.23
SG A	73	2	6	11S	0.61
SG A	73	10	7	09S	0.53
SG A	73	17	12	08S	-0.66
SG A	73	18	10	08S	-0.51
SG A	73	19	10	08S	-0.64
SG A	73	20	11	08S	-0.61
SG A	73	25	20	08S	-0.63
SG A	73	26	13	08S	-0.63
SG A	73	27	17	08S	-0.66
SG A	73	28	12	08S	-0.68
SG A	73	29	16	08S	0.4
SG A	73	31	11	08S	0.47
SG A	73	104	12	06S	-0.74
SG A	73	104	9	09S	-0.82
SG A	73	105	9	08S	0.38
SG A	73	107	11	10S	-0.84
SG A	73	108	13	09S	-0.79
SG A	73	109	11	07S	0.36
SG A	73	109	11	08S	-0.74

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	73	110	15	09S	-0.79
SG A	73	111	11	08S	0.38
SG A	73	113	10	08S	0.4
SG A	73	115	12	07S	0.55
SG A	73	131	24	12S	0.23
SG A	74	2	23	13S	0.49
SG A	74	6	8	09S	0.57
SG A	74	24	11	08S	-0.7
SG A	74	25	11	08S	-0.71
SG A	74	26	14	08S	-0.72
SG A	74	27	11	08S	-0.73
SG A	74	28	9	08S	-0.74
SG A	74	30	12	08S	-0.72
SG A	74	39	13	08S	-0.73
SG A	74	104	9	08S	-0.78
SG A	74	107	12	08S	-0.66
SG A	74	108	12	08S	0.36
SG A	74	108	10	09S	-0.8
SG A	74	109	11	07S	0.4
SG A	74	109	8	08S	-0.76
SG A	74	109	11	08S	0.38
SG A	74	109	14	09S	-0.81
SG A	74	110	10	05S	-0.7
SG A	74	110	16	06S	-0.61
SG A	74	110	12	06S	0.4
SG A	74	110	9	07S	0.42
SG A	74	110	13	08S	0.36
SG A	74	110	15	10S	-0.82
SG A	74	110	13	10S	0.3
SG A	74	116	9	09S	-0.76
SG A	74	124	12	11S	0.27
SG A	75	6	7	09S	-0.62
SG A	75	15	11	11S	-0.68
SG A	75	16	10	09S	0.49
SG A	75	18	9	08S	-0.64
SG A	75	20	9	08S	-0.64
SG A	75	21	13	08S	-0.61
SG A	75	22	8	08S	-0.64
SG A	75	26	12	08S	-0.73
SG A	75	27	11	08S	-0.68

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	75	28	12	08S	-0.75
SG A	75	30	9	08S	-0.73
SG A	75	105	11	07S	0.38
SG A	75	105	8	08S	-0.7
SG A	75	105	11	09S	-0.78
SG A	75	107	14	08S	0.36
SG A	75	107	10	09S	-0.74
SG A	75	108	16	06S	-0.69
SG A	75	108	8	08S	-0.7
SG A	75	108	12	08S	0.26
SG A	75	108	12	09S	-0.81
SG A	75	108	11	09S	0.35
SG A	75	109	22	06S	0.4
SG A	75	109	9	07S	0.4
SG A	75	109	13	08S	0.38
SG A	75	111	13	08S	0.34
SG A	75	113	12	06S	-0.67
SG A	76	5	5	09S	0.55
SG A	76	15	8	09S	0.51
SG A	76	17	5	08S	0.55
SG A	76	19	5	08S	0.53
SG A	76	20	14	08S	-0.61
SG A	76	22	17	08S	-0.66
SG A	76	23	12	08S	-0.65
SG A	76	23	7	08S	0.51
SG A	76	23	6	09S	-0.7
SG A	76	26	11	08S	-0.65
SG A	76	27	11	08S	-0.69
SG A	76	28	14	08S	-0.71
SG A	76	89	7	05S	0.51
SG A	76	101	8	08S	0.34
SG A	76	102	22	06S	-0.78
SG A	76	102	18	10S	-0.85
SG A	76	105	7	08S	-0.7
SG A	76	105	9	09S	-0.78
SG A	76	106	12	06S	-0.74
SG A	76	106	13	08S	0.36
SG A	76	107	7	06S	0.44
SG A	76	107	8	08S	0.32
SG A	76	108	10	08S	0.38

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	76	110	11	08S	0.38
SG A	76	111	11	08S	0.38
SG A	76	120	16	10S	0.26
SG A	76	122	13	11S	0.26
SG A	76	122	7	12S	-0.85
SG A	76	123	16	11S	0.28
SG A	76	124	11	06S	-0.68
SG A	76	124	11	12S	0.23
SG A	77	2	19	11S	0.53
SG A	77	4	10	13S	0.44
SG A	77	19	7	08S	0.51
SG A	77	22	10	08S	0.53
SG A	77	23	14	08S	-0.65
SG A	77	23	7	08S	0.55
SG A	77	27	11	08S	0.45
SG A	77	28	11	08S	-0.7
SG A	77	104	8	08S	0.36
SG A	77	109	10	06S	0.38
SG A	77	109	13	08S	-0.76
SG A	77	109	14	08S	0.36
SG A	77	109	11	09S	-0.78
SG A	77	110	11	08S	0.36
SG A	77	110	10	10S	0.3
SG A	77	112	13	08S	0.43
SG A	77	117	6	09S	-0.77
SG A	77	118	15	10S	-0.83
SG A	77	132	26	10S	0
SG A	78	8	11	11S	-0.66
SG A	78	17	9	08S	-0.49
SG A	78	19	10	08S	-0.61
SG A	78	23	11	08S	-0.65
SG A	78	25	12	09S	0.44
SG A	78	103	10	08S	0.38
SG A	78	105	11	08S	0.36
SG A	78	107	13	08S	-0.76
SG A	78	111	12	08S	-0.79
SG A	78	115	11	07S	-0.6
SG A	78	124	12	10S	0.3
SG A	78	125	11	11S	0.21
SG A	78	125	12	12S	-0.81

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	78	131	10	10S	-0.81
SG A	79	3	6	13S	0.51
SG A	79	17	11	09S	0.51
SG A	79	19	7	08S	0.53
SG A	79	20	11	08S	-0.63
SG A	79	21	8	08S	0.53
SG A	79	24	13	08S	-0.69
SG A	79	27	7	08S	0.51
SG A	79	28	15	08S	-0.72
SG A	79	29	14	08S	-0.69
SG A	79	30	6	08S	0.46
SG A	79	110	8	08S	0.34
SG A	79	111	13	08S	0.38
SG A	79	113	11	08S	0.4
SG A	79	123	12	10S	0.28
SG A	79	126	11	14S	0.15
SG A	80	5	11	09S	0.57
SG A	80	5	11	12S	0.49
SG A	80	25	11	08S	-0.67
SG A	80	28	10	08S	-0.69
SG A	80	107	12	08S	0.36
SG A	80	109	6	08S	0.38
SG A	80	110	13	10S	-0.89
SG A	80	113	7	08S	0.37
SG A	80	125	21	11S	0.3
SG A	81	13	10	09S	0.51
SG A	81	15	12	08S	-0.53
SG A	81	17	12	08S	-0.62
SG A	81	17	7	08S	0.53
SG A	81	18	10	08S	-0.64
SG A	81	23	11	08S	0.47
SG A	81	24	11	08S	-0.66
SG A	81	25	7	08S	0.45
SG A	81	26	13	08S	-0.72
SG A	81	111	8	05S	-0.7
SG A	81	111	19	06S	-0.71
SG A	81	114	6	08S	0.41
SG A	81	115	13	08S	0.4
SG A	81	124	10	09S	-0.7
SG A	81	126	10	10S	-0.83

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	81	126	39	11S	0.3
SG A	81	128	12	12S	0.28
SG A	82	9	10	11S	-0.66
SG A	82	11	11	09S	0.53
SG A	82	14	11	11S	-0.66
SG A	82	18	11	08S	-0.59
SG A	82	19	12	08S	-0.59
SG A	82	20	8	08S	-0.66
SG A	82	22	10	08S	-0.64
SG A	82	22	8	08S	0.51
SG A	82	23	7	08S	0.51
SG A	82	24	13	08S	-0.68
SG A	82	24	7	08S	0.51
SG A	82	26	12	08S	-0.72
SG A	82	76	8	09S	0.49
SG A	82	111	11	06S	-0.72
SG A	82	111	11	08S	0.38
SG A	82	113	10	08S	0.38
SG A	82	115	7	08S	0.42
SG A	82	115	5	09S	-0.76
SG A	82	117	10	08S	0.38
SG A	83	6	8	10S	0.53
SG A	83	10	13	11S	-0.68
SG A	83	15	10	08S	-0.57
SG A	83	18	8	08S	-0.64
SG A	83	19	6	08S	0.45
SG A	83	20	15	08S	-0.59
SG A	83	21	9	08S	-0.61
SG A	83	21	8	08S	0.53
SG A	83	23	18	08S	-0.67
SG A	83	23	7	08S	0.45
SG A	83	24	11	08S	-0.66
SG A	83	25	11	08S	-0.72
SG A	83	25	8	08S	0.44
SG A	83	26	11	08S	-0.7
SG A	83	28	9	08S	-0.72
SG A	83	29	9	08S	-0.74
SG A	83	29	7	08S	0.47
SG A	83	32	10	08S	-0.7
SG A	83	112	11	10S	-0.77

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	83	114	14	08S	0.41
SG A	83	126	10	10S	-0.83
SG A	84	6	10	09S	0.53
SG A	84	8	14	10S	-0.62
SG A	84	9	15	11S	-0.66
SG A	84	15	5	08S	0.55
SG A	84	17	9	08S	-0.61
SG A	84	17	7	08S	0.51
SG A	84	18	12	08S	-0.61
SG A	84	18	6	08S	0.53
SG A	84	20	10	08S	-0.55
SG A	84	21	12	08S	-0.61
SG A	84	21	7	08S	0.46
SG A	84	22	16	08S	-0.63
SG A	84	22	8	08S	0.52
SG A	84	23	15	08S	-0.66
SG A	84	24	12	08S	-0.66
SG A	84	26	15	08S	-0.68
SG A	84	27	16	08S	-0.7
SG A	84	29	11	08S	-0.7
SG A	84	30	12	08S	-0.7
SG A	84	107	5	08S	-0.72
SG A	84	110	11	08S	0.4
SG A	84	111	14	08S	0.38
SG A	84	113	10	08S	0.4
SG A	84	116	11	08S	0.38
SG A	84	116	8	09S	-0.79
SG A	84	124	17	10S	0.26
SG A	84	125	14	09S	0.34
SG A	84	125	12	10S	-0.78
SG A	84	126	11	10S	-0.77
SG A	85	6	8	09S	-0.55
SG A	85	6	9	09S	0.53
SG A	85	11	12	11S	-0.68
SG A	85	17	11	08S	-0.55
SG A	85	17	5	08S	0.53
SG A	85	19	6	08S	0.49
SG A	85	19	11	09S	0.44
SG A	85	21	11	08S	-0.68
SG A	85	23	9	08S	-0.56



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	85	23	6	08S	0.52
SG A	85	24	9	08S	-0.68
SG A	85	25	10	08S	-0.7
SG A	85	27	11	08S	0.45
SG A	85	29	13	08S	-0.7
SG A	85	30	10	08S	-0.7
SG A	85	30	10	08S	0.45
SG A	85	97	8	07S	0.51
SG A	85	109	12	08S	-0.74
SG A	85	112	7	08S	0.36
SG A	85	123	34	10S	0
SG A	85	123	11	11S	0.42
SG A	85	124	20	11S	0.3
SG A	86	6	7	09S	0.53
SG A	86	18	6	08S	0.55
SG A	86	22	7	08S	0.49
SG A	86	23	12	08S	-0.7
SG A	86	24	9	08S	-0.7
SG A	86	27	11	08S	0.4
SG A	86	78	11	09S	0.44
SG A	86	97	11	08S	-0.76
SG A	86	112	8	08S	0.38
SG A	86	114	8	08S	0.41
SG A	86	123	12	10S	0.23
SG A	86	124	12	11S	0.32
SG A	86	124	17	13S	-0.9
SG A	87	5	7	09S	0.53
SG A	87	20	11	08S	-0.64
SG A	87	21	10	08S	-0.63
SG A	87	22	9	08S	-0.68
SG A	87	26	10	08S	0.45
SG A	87	27	5	08S	0.49
SG A	87	97	11	08S	-0.76
SG A	87	113	10	08S	0.4
SG A	87	129	12	14S	-0.89
SG A	88	5	8	09S	0.55
SG A	88	21	5	08S	0.53
SG A	88	22	9	08S	-0.68
SG A	88	23	11	08S	-0.68
SG A	88	23	8	08S	0.49

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	88	28	11	08S	-0.7
SG A	88	55	11	08S	0.47
SG A	88	111	10	08S	0.38
SG A	88	115	7	08S	0.38
SG A	88	125	14	12S	-0.83
SG A	88	127	12	13S	-0.89
SG A	89	3	6	10S	0.08
SG A	89	20	9	08S	-0.64
SG A	89	21	11	08S	-0.68
SG A	89	22	13	08S	-0.72
SG A	89	22	9	08S	0.45
SG A	89	22	11	09S	0.42
SG A	89	23	10	08S	-0.68
SG A	89	23	9	08S	0.49
SG A	89	24	12	08S	0.51
SG A	89	25	11	08S	-0.7
SG A	89	106	13	08S	0.38
SG A	89	107	8	09S	-0.81
SG A	90	3	6	10S	0.17
SG A	90	4	8	09S	0.55
SG A	90	5	9	09S	0.49
SG A	90	14	10	09S	0.51
SG A	90	19	10	08S	-0.63
SG A	90	22	8	08S	-0.68
SG A	90	22	6	08S	0.53
SG A	90	24	11	08S	-0.7
SG A	90	24	7	08S	0.51
SG A	90	26	9	08S	0.45
SG A	90	27	11	08S	-0.72
SG A	90	28	14	08S	-0.72
SG A	90	30	10	08S	-0.7
SG A	91	19	9	08S	-0.63
SG A	91	21	11	08S	-0.66
SG A	91	22	12	08S	-0.59
SG A	91	23	11	08S	-0.68
SG A	91	24	14	08S	-0.66
SG A	91	25	16	08S	-0.68
SG A	91	106	10	08S	0.38
SG A	91	108	9	08S	0.4
SG A	91	127	13	10S	0.09

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	92	4	9	09S	0.55
SG A	92	6	11	10S	0.49
SG A	92	11	12	11S	-0.65
SG A	92	21	13	08S	-0.68
SG A	92	22	11	08S	-0.72
SG A	92	23	13	08S	-0.68
SG A	92	24	13	08S	-0.66
SG A	92	25	15	08S	-0.7
SG A	92	26	14	08S	-0.68
SG A	92	109	6	08S	0.45
SG A	93	1	8	13S	0.53
SG A	93	4	10	12S	0.49
SG A	93	20	10	08S	-0.61
SG A	93	20	10	09S	0.44
SG A	93	22	18	08S	-0.68
SG A	93	23	14	08S	-0.68
SG A	93	24	14	08S	-0.68
SG A	93	24	8	08S	0.51
SG A	93	25	10	08S	-0.68
SG A	93	27	12	08S	-0.72
SG A	93	27	11	08S	0.47
SG A	93	107	7	08S	0.4
SG A	94	1	7	13S	0.53
SG A	94	2	7	13S	0.51
SG A	94	24	15	08S	-0.68
SG A	94	25	13	08S	-0.65
SG A	94	26	14	08S	-0.7
SG A	94	28	8	08S	-0.8
SG A	94	109	11	08S	0.4
SG A	94	111	14	07S	-0.7
SG A	94	111	12	08S	0.42
SG A	95	3	10	10S	-0.64
SG A	95	21	10	08S	-0.68
SG A	95	23	9	08S	-0.68
SG A	95	24	11	08S	-0.66
SG A	95	25	13	08S	-0.68
SG A	95	27	11	08S	-0.74
SG A	95	28	14	08S	-0.68
SG A	95	106	10	07S	-0.74
SG A	95	109	5	08S	0.42

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	95	111	9	08S	0.4
SG A	95	124	13	10S	-0.79
SG A	96	19	11	08S	-0.65
SG A	96	23	12	08S	-0.63
SG A	96	24	13	08S	-0.72
SG A	96	26	14	08S	-0.72
SG A	96	29	14	08S	-0.68
SG A	96	107	12	08S	0.36
SG A	97	18	13	09S	0.44
SG A	97	21	11	08S	-0.7
SG A	97	23	12	08S	-0.72
SG A	97	24	11	08S	-0.72
SG A	97	25	11	08S	-0.68
SG A	97	25	10	08S	0.42
SG A	97	26	12	08S	-0.72
SG A	97	26	13	08S	0.42
SG A	97	28	12	08S	-0.72
SG A	97	28	11	08S	0.45
SG A	97	118	6	10S	0.31
SG A	97	119	20	11S	0.34
SG A	98	2	16	13S	0.45
SG A	98	4	17	09S	0.51
SG A	98	5	10	10S	-0.55
SG A	98	5	11	11S	-0.55
SG A	98	8	20	09S	0.47
SG A	98	9	11	09S	0.53
SG A	98	18	14	09S	0.46
SG A	98	22	13	08S	-0.68
SG A	98	23	10	08S	-0.66
SG A	98	24	14	08S	-0.7
SG A	98	24	7	08S	0.45
SG A	98	25	9	08S	-0.72
SG A	98	25	11	08S	0.47
SG A	98	26	16	08S	-0.72
SG A	98	28	10	08S	-0.68
SG A	98	30	11	08S	-0.74
SG A	98	89	11	08S	-0.73
SG A	98	105	8	08S	0.46
SG A	98	116	12	11S	0.34
SG A	99	8	13	09S	0.49

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	99	8	10	12S	-0.68
SG A	99	9	12	09S	0.49
SG A	99	9	10	11S	-0.68
SG A	99	12	12	11S	-0.68
SG A	99	19	8	08S	-0.74
SG A	99	20	9	08S	-0.74
SG A	99	22	10	08S	-0.72
SG A	99	23	9	08S	-0.66
SG A	99	23	10	08S	0.45
SG A	99	24	16	08S	-0.7
SG A	99	25	8	08S	-0.72
SG A	99	25	8	08S	0.47
SG A	99	26	15	08S	-0.7
SG A	99	29	12	08S	-0.72
SG A	99	107	6	08S	-0.73
SG A	99	107	10	08S	0.4
SG A	99	114	8	09S	-0.66
SG A	99	115	10	10S	-0.69
SG A	99	115	11	11S	0.42
SG A	99	117	11	09S	0.4
SG A	99	118	11	09S	0.4
SG A	99	119	10	07S	-0.69
SG A	99	119	13	09S	0.4
SG A	100	1	7	13S	-0.65
SG A	100	2	16	13S	0.42
SG A	100	8	6	10S	-0.59
SG A	100	9	10	11S	-0.69
SG A	100	18	10	09S	0.47
SG A	100	19	10	09S	0.45
SG A	100	24	9	08S	-0.7
SG A	100	25	11	08S	-0.7
SG A	100	114	10	10S	-0.75
SG A	101	1	9	13S	-0.64
SG A	101	1	16	13S	0.4
SG A	101	7	5	10S	-0.63
SG A	101	10	11	09S	0.49
SG A	101	23	15	08S	-0.68
SG A	101	102	8	08S	-0.64
SG A	101	102	9	08S	0.43
SG A	101	111	12	09S	0.43

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	101	112	5	10S	-0.04
SG A	102	5	6	10S	-0.61
SG A	102	8	15	11S	-0.59
SG A	102	9	11	09S	0.49
SG A	103	1	15	12S	0.51
SG A	103	5	9	10S	-0.68
SG A	103	9	12	09S	-0.59
SG A	103	9	15	09S	0.51
SG A	103	9	19	11S	-0.57
SG A	103	16	12	09S	0.47
SG A	103	19	8	08S	-0.64
SG A	103	19	11	09S	0.45
SG A	103	29	21	08S	-0.72
SG A	103	103	8	08S	0.43
SG A	103	113	10	12S	-0.83
SG A	104	8	7	09S	-0.55
SG A	104	8	11	09S	0.47
SG A	104	9	9	09S	-0.62
SG A	104	23	7	08S	-0.65
SG A	104	25	9	08S	-0.72
SG A	104	27	9	08S	-0.7
SG A	104	29	11	08S	-0.72
SG A	104	30	12	08S	-0.72
SG A	104	31	10	08S	-0.74
SG A	104	34	15	08S	-0.7
SG A	104	35	12	08S	-0.74
SG A	105	7	7	09S	0.49
SG A	105	8	8	09S	-0.55
SG A	105	8	10	09S	0.47
SG A	105	18	10	09S	0.45
SG A	105	24	9	08S	-0.66
SG A	105	25	9	08S	-0.7
SG A	105	28	7	08S	-0.7
SG A	105	29	10	08S	-0.72
SG A	105	32	13	08S	0.4
SG A	105	34	13	08S	0.38
SG A	105	35	12	08S	-0.72
SG A	106	5	13	10S	0.45
SG A	106	17	6	08S	-0.62
SG A	106	20	13	09S	0.45

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	106	23	10	08S	-0.7
SG A	106	23	10	08S	0.47
SG A	106	24	7	08S	-0.67
SG A	106	25	12	08S	-0.7
SG A	106	27	12	08S	-0.7
SG A	106	27	5	08S	0.49
SG A	106	29	15	08S	-0.72
SG A	106	31	20	08S	-0.7
SG A	106	32	9	08S	-0.69
SG A	106	33	14	08S	-0.74
SG A	106	87	8	08S	-0.75
SG A	106	98	11	08S	-0.76
SG A	106	111	10	12S	-0.76
SG A	106	112	6	10S	-0.7
SG A	106	119	23	10S	-0.76
SG A	107	3	8	10S	0.23
SG A	107	5	9	09S	0.47
SG A	107	6	17	09S	-0.68
SG A	107	17	6	08S	-0.63
SG A	107	18	12	09S	0.43
SG A	107	22	11	08S	-0.64
SG A	107	26	14	08S	-0.71
SG A	107	27	7	08S	-0.64
SG A	107	29	11	08S	-0.7
SG A	107	29	10	08S	0.42
SG A	107	30	15	08S	-0.68
SG A	107	30	11	08S	0.4
SG A	107	81	10	08S	-0.74
SG A	107	82	8	08S	-0.72
SG A	107	88	15	08S	0.36
SG A	107	93	10	08S	-0.72
SG A	107	112	13	10S	-0.74
SG A	107	113	9	10S	-0.7
SG A	107	114	12	10S	-0.74
SG A	107	115	10	10S	-0.7
SG A	108	5	10	09S	-0.62
SG A	108	18	10	09S	0.45
SG A	108	21	7	08S	-0.7
SG A	108	25	7	08S	-0.72
SG A	108	26	16	08S	-0.7

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	108	28	27	08S	-0.68
SG A	108	28	13	08S	0.34
SG A	108	30	19	08S	-0.72
SG A	108	31	11	08S	-0.72
SG A	108	31	11	08S	0.42
SG A	108	91	10	08S	0.38
SG A	108	109	15	10S	-0.74
SG A	108	113	11	10S	-0.74
SG A	108	114	11	10S	-0.72
SG A	109	2	11	13S	0.45
SG A	109	4	6	09S	-0.6
SG A	109	18	9	10S	-0.72
SG A	109	20	9	08S	-0.7
SG A	109	24	11	08S	-0.75
SG A	109	25	9	08S	-0.7
SG A	109	27	11	08S	-0.72
SG A	109	27	13	08S	0.45
SG A	109	29	15	08S	-0.74
SG A	109	29	10	08S	0.38
SG A	109	32	11	08S	-0.72
SG A	109	90	8	08S	-0.74
SG A	110	15	13	09S	0.42
SG A	110	21	10	08S	-0.7
SG A	110	25	10	08S	-0.7
SG A	110	26	7	08S	-0.68
SG A	110	27	8	08S	0.49
SG A	110	28	7	08S	-0.72
SG A	110	29	9	08S	-0.74
SG A	110	29	12	08S	0.45
SG A	110	30	7	08S	-0.71
SG A	110	31	12	08S	-0.72
SG A	110	80	9	08S	0.43
SG A	110	83	10	08S	-0.74
SG A	110	86	14	06S	-0.7
SG A	110	86	5	06S	0.43
SG A	111	15	11	09S	0.44
SG A	111	20	9	08S	-0.7
SG A	111	24	10	08S	0.42
SG A	111	24	12	10S	-0.76
SG A	111	25	10	08S	-0.7



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	111	25	10	08S	0.44
SG A	111	25	11	09S	0.42
SG A	111	26	6	08S	-0.66
SG A	111	27	11	08S	-0.74
SG A	111	27	8	09S	-0.74
SG A	111	29	22	08S	-0.7
SG A	111	29	11	08S	0.43
SG A	111	30	10	08S	-0.68
SG A	111	31	9	08S	-0.74
SG A	111	32	6	08S	-0.7
SG A	111	34	10	08S	-0.72
SG A	111	35	10	08S	-0.74
SG A	111	82	8	08S	-0.74
SG A	111	89	8	08S	0.38
SG A	112	2	10	11S	-0.7
SG A	112	23	6	08S	0.43
SG A	112	27	11	08S	-0.74
SG A	112	27	10	08S	0.44
SG A	112	29	11	08S	-0.7
SG A	112	30	8	08S	-0.7
SG A	112	30	8	08S	0.42
SG A	112	31	12	08S	-0.72
SG A	112	32	8	08S	-0.76
SG A	112	33	10	08S	-0.74
SG A	112	34	9	08S	-0.72
SG A	112	35	11	08S	-0.74
SG A	112	69	10	08S	-0.76
SG A	112	88	9	08S	0.38
SG A	112	95	13	08S	0.45
SG A	112	98	7	08S	0.4
SG A	112	110	11	10S	-0.72
SG A	113	3	14	10S	-0.66
SG A	113	5	9	09S	0.51
SG A	113	24	9	08S	-0.68
SG A	113	26	9	08S	-0.72
SG A	113	26	10	08S	0.45
SG A	113	26	12	09S	0.4
SG A	113	27	6	08S	0.49
SG A	113	28	10	08S	-0.72
SG A	113	28	11	08S	0.42

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	113	30	16	08S	-0.75
SG A	113	30	14	08S	0.4
SG A	113	31	7	08S	0.42
SG A	113	37	8	08S	-0.72
SG A	113	72	11	08S	-0.74
SG A	113	83	8	08S	-0.72
SG A	113	88	9	08S	-0.74
SG A	113	110	11	10S	-0.74
SG A	113	111	11	10S	-0.7
SG A	113	111	13	12S	-0.72
SG A	113	113	15	13S	-0.76
SG A	114	3	11	13S	-0.65
SG A	114	3	33	13S	0.42
SG A	114	4	9	10S	-0.6
SG A	114	30	5	08S	-0.67
SG A	114	31	12	08S	-0.74
SG A	114	35	13	08S	-0.74
SG A	114	35	11	08S	0.4
SG A	114	36	11	08S	-0.71
SG A	114	108	13	10S	-0.72
SG A	114	109	13	10S	-0.7
SG A	115	4	17	10S	-0.66
SG A	115	21	13	09S	0.43
SG A	115	27	13	08S	-0.7
SG A	115	27	10	08S	0.4
SG A	115	29	19	08S	-0.74
SG A	115	29	10	08S	0.42
SG A	115	38	10	08S	0.42
SG A	115	61	10	08S	-0.76
SG A	115	70	13	08S	-0.72
SG A	115	71	14	08S	-0.76
SG A	115	107	13	10S	-0.72
SG A	115	107	10	12S	-0.74
SG A	115	108	9	10S	-0.7
SG A	115	108	12	13S	-0.7
SG A	115	109	11	10S	0.17
SG A	115	110	15	10S	0.17
SG A	115	113	12	07S	-0.68
SG A	116	5	25	09S	0.41
SG A	116	6	8	09S	0.42

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	116	26	7	08S	-0.7
SG A	116	26	9	08S	0.45
SG A	116	28	13	08S	-0.72
SG A	116	33	7	08S	-0.72
SG A	116	40	20	08S	-0.74
SG A	116	61	11	08S	-0.72
SG A	116	71	13	08S	-0.76
SG A	116	77	14	08S	-0.74
SG A	116	79	11	08S	-0.72
SG A	116	86	10	08S	0.44
SG A	116	87	4	08S	0.45
SG A	116	107	7	10S	-0.08
SG A	116	109	7	10S	0.11
SG A	117	6	9	09S	0.44
SG A	117	7	7	09S	0.49
SG A	117	22	5	08S	0.47
SG A	117	28	8	08S	-0.7
SG A	117	29	7	08S	-0.68
SG A	117	37	10	08S	0.42
SG A	117	59	13	08S	-0.76
SG A	117	62	14	08S	-0.76
SG A	117	66	10	08S	-0.76
SG A	117	67	18	08S	-0.76
SG A	117	68	8	08S	-0.76
SG A	117	107	15	10S	0.15
SG A	118	7	13	10S	-0.63
SG A	118	30	11	09S	0.36
SG A	118	33	10	08S	-0.76
SG A	118	36	12	08S	-0.78
SG A	118	42	10	07S	-0.66
SG A	118	58	11	08S	-0.74
SG A	118	62	12	08S	-0.74
SG A	118	68	18	08S	-0.76
SG A	118	76	7	09S	-0.74
SG A	118	83	6	08S	0.42
SG A	118	105	5	14S	0.38
SG A	118	106	4	10S	0.08
SG A	119	6	13	09S	0.49
SG A	119	25	8	08S	-0.72
SG A	119	26	12	09S	0.32

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	119	27	6	08S	-0.74
SG A	119	30	14	08S	-0.77
SG A	119	30	8	09S	-0.72
SG A	119	31	12	08S	-0.76
SG A	119	34	7	08S	-0.7
SG A	119	44	11	07S	0.36
SG A	119	44	6	08S	-0.68
SG A	119	44	10	09S	-0.78
SG A	119	56	13	08S	-0.85
SG A	119	57	12	08S	-0.77
SG A	119	58	13	08S	-0.76
SG A	119	59	11	08S	-0.74
SG A	119	60	15	08S	-0.76
SG A	119	62	10	08S	-0.76
SG A	119	67	14	08S	-0.75
SG A	119	69	14	08S	-0.74
SG A	119	70	8	08S	0.42
SG A	119	101	8	10S	-0.7
SG A	119	104	5	10S	0.3
SG A	120	4	23	10S	-0.66
SG A	120	5	11	10S	-0.69
SG A	120	7	8	09S	0.45
SG A	120	16	11	09S	0.36
SG A	120	22	14	09S	0.34
SG A	120	24	7	08S	-0.63
SG A	120	40	9	08S	-0.83
SG A	120	58	13	08S	-0.76
SG A	120	60	7	08S	-0.74
SG A	120	62	8	08S	-0.76
SG A	120	64	11	08S	-0.74
SG A	120	66	9	08S	-0.76
SG A	120	76	7	08S	-0.72
SG A	120	78	8	08S	-0.72
SG A	120	78	11	08S	0.4
SG A	120	80	10	08S	0.4
SG A	120	98	9	10S	-0.72
SG A	120	99	11	12S	-0.76
SG A	120	101	11	10S	0.23
SG A	120	102	8	10S	0.15
SG A	120	105	12	10S	0.42

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	121	2	11	14S	-0.63
SG A	121	8	14	09S	0.4
SG A	121	16	13	10S	-0.66
SG A	121	26	4	08S	-0.74
SG A	121	30	8	08S	0.38
SG A	121	31	11	08S	-0.72
SG A	121	33	9	08S	-0.68
SG A	121	54	9	08S	-0.8
SG A	121	55	10	08S	-0.8
SG A	121	56	15	08S	-0.77
SG A	121	59	8	08S	-0.76
SG A	121	65	9	08S	-0.76
SG A	121	76	10	08S	-0.7
SG A	121	76	7	08S	0.4
SG A	121	76	13	09S	0.38
SG A	121	80	7	08S	0.43
SG A	121	100	9	10S	-0.74
SG A	121	101	6	10S	0.17
SG A	121	102	8	10S	0.17
SG A	122	1	12	10S	0.42
SG A	122	2	18	14S	-0.59
SG A	122	7	17	10S	-0.7
SG A	122	8	11	09S	0.49
SG A	122	8	14	13S	-0.73
SG A	122	34	6	07S	0.43
SG A	122	34	10	08S	-0.7
SG A	122	34	9	08S	0.38
SG A	122	35	9	08S	-0.74
SG A	122	39	6	08S	-0.72
SG A	122	40	17	09S	-0.68
SG A	122	50	13	08S	-0.74
SG A	122	52	13	08S	-0.81
SG A	122	56	11	08S	-0.77
SG A	122	61	12	08S	-0.78
SG A	122	62	10	08S	-0.79
SG A	122	63	7	08S	-0.8
SG A	122	63	7	08S	0.42
SG A	122	72	10	07S	-0.7
SG A	122	89	10	14S	0.3
SG A	122	97	12	14S	0.38

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	122	98	10	12S	-0.72
SG A	122	99	12	14S	0.38
SG A	123	7	7	10S	-0.72
SG A	123	8	8	09S	0.42
SG A	123	8	11	10S	-0.7
SG A	123	18	11	09S	0.38
SG A	123	28	11	08S	-0.7
SG A	123	29	4	08S	-0.78
SG A	123	35	10	09S	-0.78
SG A	123	36	15	09S	-0.72
SG A	123	37	17	09S	-0.78
SG A	123	38	10	08S	0.4
SG A	123	40	14	09S	-0.72
SG A	123	41	6	08S	-0.81
SG A	123	41	11	09S	-0.78
SG A	123	51	6	08S	-0.74
SG A	123	54	14	08S	-0.76
SG A	123	60	9	08S	-0.76
SG A	123	65	8	08S	0.43
SG A	123	71	8	08S	0.38
SG A	123	74	9	08S	0.42
SG A	123	99	7	10S	0.21
SG A	124	4	14	13S	0.36
SG A	124	8	10	09S	0.42
SG A	124	9	14	09S	0.38
SG A	124	14	11	10S	-0.66
SG A	124	28	10	08S	-0.74
SG A	124	30	9	08S	-0.74
SG A	124	31	9	08S	-0.68
SG A	124	32	8	08S	-0.78
SG A	124	35	10	09S	-0.74
SG A	124	36	12	08S	-0.74
SG A	124	37	11	09S	-0.78
SG A	124	38	10	08S	-0.74
SG A	124	38	11	08S	0.36
SG A	124	39	10	09S	-0.76
SG A	124	42	9	08S	-0.74
SG A	124	44	10	08S	0.36
SG A	124	48	9	08S	-0.78
SG A	124	49	15	08S	-0.76

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	124	55	12	08S	0.38
SG A	124	55	11	09S	-0.72
SG A	124	76	8	08S	-0.7
SG A	125	1	13	13S	0.38
SG A	125	7	7	10S	-0.72
SG A	125	8	7	09S	0.4
SG A	125	8	26	10S	-0.67
SG A	125	9	11	09S	0.38
SG A	125	13	13	10S	-0.64
SG A	125	17	17	10S	-0.74
SG A	125	27	18	10S	-0.78
SG A	125	28	14	08S	0.38
SG A	125	39	13	09S	-0.74
SG A	125	44	10	08S	-0.76
SG A	125	45	7	08S	-0.74
SG A	125	46	7	08S	-0.82
SG A	125	48	8	08S	-0.76
SG A	125	51	12	09S	-0.72
SG A	125	53	9	08S	-0.74
SG A	125	54	5	06S	0.47
SG A	125	54	9	08S	-0.68
SG A	125	54	12	08S	0.38
SG A	125	54	10	09S	-0.75
SG A	125	56	7	08S	0.41
SG A	125	58	8	08S	-0.75
SG A	125	64	10	08S	0.41
SG A	125	65	14	08S	0.4
SG A	125	73	8	08S	0.44
SG A	125	93	16	10S	-0.68
SG A	126	1	11	07S	0.42
SG A	126	7	13	10S	-0.7
SG A	126	9	11	09S	0.45
SG A	126	21	11	10S	-0.76
SG A	126	24	20	10S	-0.82
SG A	126	32	8	08S	-0.74
SG A	126	32	10	08S	0.42
SG A	126	32	14	09S	-0.76
SG A	126	37	10	09S	0.32
SG A	126	40	7	08S	-0.76
SG A	126	42	11	08S	-0.71

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	126	42	12	08S	0.36
SG A	126	42	12	09S	-0.78
SG A	126	46	11	08S	0.36
SG A	126	47	11	08S	-0.76
SG A	126	48	12	09S	-0.78
SG A	126	50	7	08S	-0.8
SG A	126	54	5	08S	-0.74
SG A	126	55	9	08S	-0.71
SG A	126	57	8	08S	-0.72
SG A	126	59	11	09S	-0.77
SG A	126	92	18	14S	0.34
SG A	126	97	10	13S	-0.72
SG A	127	40	12	09S	-0.7
SG A	127	41	13	08S	0.36
SG A	127	47	12	08S	0.36
SG A	127	47	14	09S	0.34
SG A	127	50	6	08S	-0.78
SG A	127	58	12	09S	-0.68
SG A	127	60	11	08S	0.41
SG A	127	64	10	08S	0.43
SG A	127	88	10	09S	0.44
SG A	127	89	10	10S	-0.7
SG A	127	91	7	10S	-0.66
SG A	127	95	13	14S	-0.66
SG A	127	98	19	13S	-0.7
SG A	128	1	16	13S	0.4
SG A	128	1	10	14S	-0.59
SG A	128	2	12	12S	-0.7
SG A	128	2	10	14S	0.43
SG A	128	36	16	10S	-0.83
SG A	128	42	10	09S	-0.78
SG A	128	42	10	10S	-0.83
SG A	128	48	7	08S	-0.72
SG A	128	83	13	09S	0.42
SG A	128	84	8	09S	0.45
SG A	128	88	9	10S	0.13
SG A	129	9	20	09S	0.38
SG A	129	15	10	10S	0.38
SG A	129	20	16	10S	-0.7
SG A	129	21	14	10S	-0.7



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	129	22	11	10S	-0.72
SG A	129	26	13	10S	-0.72
SG A	129	33	14	10S	-0.81
SG A	129	40	5	08S	-0.76
SG A	130	2	12	13S	0.43
SG A	130	8	10	10S	-0.7
SG A	130	9	11	09S	0.4
SG A	130	10	12	09S	0.45
SG A	130	33	5	08S	-0.66
SG A	130	34	6	08S	-0.72
SG A	130	37	7	08S	-0.61
SG A	130	39	5	08S	-0.76
SG A	130	45	9	08S	-0.74
SG A	130	48	10	09S	0.34
SG A	130	49	8	08S	-0.75
SG A	130	51	7	08S	-0.66
SG A	130	85	18	11S	0.4
SG A	131	1	7	14S	-0.66
SG A	131	7	9	10S	-0.7
SG A	131	8	13	09S	0.4
SG A	131	9	5	09S	0.44
SG A	131	17	10	10S	-0.7
SG A	131	36	6	08S	-0.72
SG A	131	38	11	09S	-0.7
SG A	131	83	9	11S	0.36
SG A	131	84	15	10S	0.15
SG A	131	85	6	10S	0.13
SG A	132	7	10	10S	-0.69
SG A	132	8	19	09S	0.42
SG A	132	9	11	09S	0.4
SG A	132	10	12	09S	0.42
SG A	132	19	14	10S	-0.72
SG A	132	30	5	08S	-0.74
SG A	132	38	6	08S	-0.74
SG A	132	46	8	08S	0.43
SG A	132	46	10	09S	0.4
SG A	133	1	7	13S	0.43
SG A	133	2	10	13S	0.43
SG A	133	2	8	14S	-0.62
SG A	133	9	7	09S	0.42

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	133	10	14	09S	0.43
SG A	133	13	11	10S	-0.71
SG A	133	37	4	08S	-0.76
SG A	133	81	12	11S	0.46
SG A	133	81	12	13S	-0.8
SG A	133	83	12	13S	-0.72
SG A	133	87	12	13S	-0.72
SG A	134	1	13	14S	-0.7
SG A	134	2	12	10S	-0.7
SG A	134	6	11	10S	-0.7
SG A	134	7	18	10S	-0.68
SG A	134	8	13	10S	-0.7
SG A	134	9	18	09S	0.45
SG A	134	9	30	10S	-0.68
SG A	134	10	22	10S	-0.67
SG A	134	11	17	09S	0.36
SG A	134	79	20	11S	0.45
SG A	135	1	11	13S	0.43
SG A	135	1	6	14S	-0.64
SG A	135	8	9	10S	-0.68
SG A	135	9	10	09S	-0.74
SG A	135	9	11	09S	0.38
SG A	135	9	25	10S	-0.72
SG A	135	9	11	12S	0.38
SG A	135	10	23	10S	-0.66
SG A	135	11	14	09S	0.38
SG A	135	11	11	10S	-0.74
SG A	135	65	12	10S	-0.74
SG A	135	78	13	11S	-0.72
SG A	135	78	11	11S	0.42
SG A	135	78	12	13S	-0.75
SG A	136	1	12	11S	-0.74
SG A	136	6	14	10S	-0.68
SG A	136	7	13	10S	-0.67
SG A	136	7	9	13S	-0.79
SG A	136	8	8	09S	0.43
SG A	136	8	11	10S	-0.68
SG A	136	9	14	09S	0.44
SG A	136	9	30	10S	-0.68
SG A	136	19	15	10S	-0.7

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	136	67	15	09S	0.36
SG A	136	76	10	11S	-0.69
SG A	136	76	13	11S	0.46
SG A	136	77	10	11S	0.42
SG A	137	8	10	09S	0.4
SG A	137	9	18	10S	-0.7
SG A	137	11	10	10S	-0.74
SG A	137	12	7	09S	0.4
SG A	137	19	10	10S	-0.72
SG A	137	64	11	11S	0.32
SG A	137	75	9	10S	0.4
SG A	138	7	10	10S	-0.68
SG A	138	9	14	11S	-0.7
SG A	138	11	18	11S	-0.7
SG A	138	13	7	09S	0.42
SG A	138	15	16	10S	-0.72
SG A	138	17	22	10S	-0.72
SG A	138	17	10	14S	0.32
SG A	138	18	20	09S	0.36
SG A	138	19	16	10S	-0.68
SG A	138	60	13	11S	0.38
SG A	138	61	11	11S	-0.76
SG A	138	62	13	11S	0.36
SG A	138	64	13	11S	0.42
SG A	138	65	21	11S	0.42
SG A	138	65	13	14S	-0.76
SG A	138	74	10	12S	-0.69
SG A	139	5	12	11S	-0.72
SG A	139	7	13	10S	-0.7
SG A	139	10	10	10S	-0.81
SG A	139	11	18	10S	-0.74
SG A	139	12	22	10S	-0.81
SG A	139	13	17	10S	-0.74
SG A	139	14	26	10S	-0.81
SG A	139	15	16	10S	-0.72
SG A	139	16	27	10S	-0.83
SG A	139	17	19	10S	-0.72
SG A	139	19	10	09S	0.38
SG A	139	54	13	10S	-0.72
SG A	139	57	8	09S	-0.66

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	139	59	28	11S	0.35
SG A	139	60	23	11S	0.43
SG A	139	61	12	11S	0.42
SG A	139	62	14	11S	0.45
SG A	139	63	13	11S	0.44
SG A	139	65	11	11S	-0.74
SG A	139	65	11	11S	0.4
SG A	139	69	13	14S	-0.7
SG A	140	1	5	13S	-0.74
SG A	140	4	13	10S	-0.68
SG A	140	4	13	13S	0.38
SG A	140	7	21	10S	-0.7
SG A	140	8	12	10S	-0.7
SG A	140	9	28	10S	-0.69
SG A	140	10	11	10S	-0.7
SG A	140	11	14	10S	-0.7
SG A	140	13	14	10S	-0.72
SG A	140	13	7	14S	-0.79
SG A	140	14	31	10S	-0.67
SG A	140	15	21	10S	-0.78
SG A	140	16	6	09S	-0.69
SG A	140	16	28	09S	0.37
SG A	140	16	14	10S	-0.7
SG A	140	17	12	09S	0.36
SG A	140	57	11	11S	-0.74
SG A	140	57	10	11S	0.38
SG A	140	57	14	13S	-0.79
SG A	140	58	10	11S	0.48
SG A	140	60	15	11S	0.44
SG A	140	61	15	11S	0.42
SG A	140	61	12	13S	-0.68
SG A	140	62	14	11S	-0.75
SG A	140	63	18	10S	0.36
SG A	140	66	9	10S	0.43
SG A	141	9	10	10S	-0.68
SG A	141	10	8	10S	-0.72
SG A	141	11	26	10S	-0.72
SG A	141	14	14	09S	0.36
SG A	141	14	17	10S	-0.59
SG A	141	15	13	09S	0.35

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	141	16	10	09S	0.38
SG A	141	16	12	10S	-0.68
SG A	141	17	18	09S	0.32
SG A	141	53	10	10S	0.38
SG A	141	56	17	11S	0.42
SG A	141	59	17	11S	-0.76
SG A	141	59	13	11S	0.4
SG A	141	62	14	11S	-0.76
SG A	142	2	12	10S	-0.7
SG A	142	2	11	11S	-0.7
SG A	142	4	10	11S	-0.68
SG A	142	11	8	10S	-0.7
SG A	142	12	23	10S	-0.7
SG A	142	12	12	11S	-0.74
SG A	142	14	13	10S	-0.7
SG A	142	15	10	10S	-0.77
SG A	142	15	11	11S	-0.74
SG A	142	52	11	11S	-0.81
SG A	142	53	10	11S	-0.76
SG A	142	53	21	11S	0.42
SG A	142	54	11	11S	0.47
SG A	142	57	13	11S	0.47
SG A	142	58	12	11S	-0.7
SG A	142	60	10	11S	-0.68
SG A	142	60	9	11S	0.51
SG A	142	62	7	11S	0.55
SG A	142	63	13	11S	-0.67
SG A	143	1	11	11S	-0.7
SG A	143	1	16	14S	-0.68
SG A	143	2	13	14S	-0.7
SG A	143	10	15	10S	-0.68
SG A	143	10	16	11S	-0.77
SG A	143	12	18	10S	-0.7
SG A	143	12	14	11S	-0.72
SG A	143	41	10	09S	0.4
SG A	143	49	11	11S	-0.71
SG A	143	52	10	11S	-0.74
SG A	143	52	17	11S	0.37
SG A	143	53	10	11S	-0.74
SG A	143	53	18	11S	0.47

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	143	55	8	10S	0.46
SG A	143	56	10	11S	-0.66
SG A	143	58	16	11S	-0.68
SG A	143	60	12	11S	-0.66
SG A	144	5	10	13S	0.36
SG A	144	7	14	10S	-0.69
SG A	144	8	8	10S	-0.7
SG A	144	9	30	10S	-0.62
SG A	144	10	14	10S	-0.72
SG A	144	10	12	11S	-0.74
SG A	144	13	11	10S	0.38
SG A	144	14	15	11S	-0.74
SG A	144	14	10	11S	0.4
SG A	144	14	11	13S	-0.74
SG A	144	15	10	11S	-0.74
SG A	144	17	10	11S	-0.71
SG A	144	17	11	13S	-0.77
SG A	144	18	14	09S	0.38
SG A	144	18	10	12S	0.3
SG A	144	18	12	13S	-0.77
SG A	144	20	13	09S	0.42
SG A	144	21	11	09S	0.4
SG A	144	35	13	09S	0.36
SG A	144	36	13	09S	0.4
SG A	144	41	11	09S	0.4
SG A	144	45	20	11S	-0.72
SG A	144	46	19	11S	0.45
SG A	144	47	16	11S	-0.7
SG A	144	47	13	11S	0.47
SG A	145	3	14	11S	-0.7
SG A	145	3	12	13S	-0.74
SG A	145	3	18	13S	0.36
SG A	145	4	12	10S	-0.72
SG A	145	5	10	11S	-0.69
SG A	145	5	10	14S	-0.75
SG A	145	7	15	10S	-0.72
SG A	145	9	10	10S	-0.71
SG A	145	9	12	11S	-0.7
SG A	145	11	24	10S	-0.72
SG A	145	19	12	09S	0.44

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	145	20	11	05S	-0.68
SG A	145	32	8	09S	0.41
SG A	145	36	12	11S	0.41
SG A	145	37	18	11S	0.4
SG A	145	44	11	11S	-0.7
SG A	145	44	9	11S	0.49
SG A	145	45	16	11S	-0.7
SG A	145	46	5	10S	0.04
SG A	145	47	8	11S	0.53
SG A	146	5	8	13S	-0.85
SG A	146	6	13	10S	-0.69
SG A	146	7	11	10S	-0.72
SG A	146	8	16	10S	-0.69
SG A	146	9	10	11S	-0.75
SG A	146	10	21	10S	-0.69
SG A	146	15	20	10S	-0.72
SG A	146	16	13	10S	-0.75
SG A	146	34	8	10S	0.06
SG A	146	36	11	11S	0.41
SG A	146	36	12	13S	-0.81
SG A	146	39	10	11S	-0.76
SG A	146	41	10	11S	-0.74
SG A	146	42	10	11S	-0.75
SG A	146	43	10	10S	-0.72
SG A	146	44	10	11S	-0.7
SG A	146	46	11	13S	-0.75
SG A	146	47	11	10S	-0.78
SG A	147	5	16	10S	-0.7
SG A	147	6	16	10S	-0.68
SG A	147	7	22	10S	-0.69
SG A	147	8	30	10S	-0.72
SG A	147	10	9	10S	-0.7
SG A	147	13	14	10S	-0.72
SG A	147	15	13	10S	-0.75
SG A	147	16	9	10S	-0.71
SG A	147	28	11	11S	0.41
SG A	147	29	5	10S	0.08
SG A	147	29	11	11S	0.38
SG A	147	30	9	11S	0.41
SG A	148	4	11	10S	-0.68

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	148	11	13	10S	-0.72
SG A	148	13	19	10S	-0.71
SG A	148	14	10	10S	-0.7
SG A	148	22	12	10S	0.38
SG A	148	23	8	10S	0.38
SG A	148	25	8	10S	0.11
SG A	149	2	11	11S	-0.72
SG A	149	4	12	11S	-0.66
SG A	149	32	11	10S	0.4
SG A	150	2	10	11S	-0.71
SG A	150	4	18	11S	-0.72
SG A	150	5	12	11S	-0.73
SG A	150	14	11	10S	-0.76
SG A	151	5	11	11S	-0.77
SG A	151	19	12	10S	-0.7
SG A	151	23	10	13S	0.32



**Enclosure to 1CAN102104**

**Attachment 2**

**Location of Service Induced Indications**

**SG B TSP Wear (Broached)**

**Location of Service Induced Indications  
SG B TSP Wear (Broached)**

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	1	1	9	11S	-0.75
SG B	1	4	29	11S	-0.65
SG B	1	8	21	11S	-0.61
SG B	1	10	12	11S	-0.77
SG B	1	14	19	11S	-0.72
SG B	1	15	15	11S	-0.75
SG B	1	16	26	11S	-0.65
SG B	1	16	12	12S	-0.75
SG B	1	17	13	11S	-0.72
SG B	1	18	19	11S	-0.72
SG B	1	19	9	11S	-0.75
SG B	1	20	19	11S	-0.65
SG B	1	24	14	11S	-0.74
SG B	2	1	11	11S	-0.75
SG B	2	2	17	10S	0.41
SG B	2	2	18	11S	0.43
SG B	2	2	11	14S	-0.91
SG B	2	4	22	11S	-0.77
SG B	2	5	28	11S	-0.63
SG B	2	6	9	10S	-0.75
SG B	2	6	18	11S	-0.77
SG B	2	7	30	11S	-0.68
SG B	2	8	19	11S	-0.75
SG B	2	9	20	11S	-0.7
SG B	2	10	20	11S	-0.68
SG B	2	15	10	11S	-0.77
SG B	2	16	9	11S	-0.79
SG B	2	17	16	11S	-0.77
SG B	2	18	11	11S	-0.74
SG B	2	19	12	11S	-0.64
SG B	2	20	20	11S	-0.7
SG B	2	21	34	11S	-0.7
SG B	2	23	22	11S	-0.72
SG B	2	24	16	11S	-0.81
SG B	2	25	11	11S	-0.75
SG B	2	26	12	11S	-0.77
SG B	2	27	13	11S	-0.73
SG B	2	28	12	11S	-0.7

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	3	1	20	11S	-0.7
SG B	3	1	8	11S	0.42
SG B	3	2	12	10S	-0.75
SG B	3	2	6	10S	0.47
SG B	3	2	29	11S	-0.7
SG B	3	3	8	10S	0.43
SG B	3	3	18	11S	-0.77
SG B	3	4	13	10S	0.45
SG B	3	4	16	11S	-0.75
SG B	3	5	14	10S	-0.72
SG B	3	5	8	10S	0.44
SG B	3	5	15	11S	-0.77
SG B	3	6	23	11S	-0.77
SG B	3	6	10	11S	0.42
SG B	3	7	17	11S	-0.75
SG B	3	8	5	08S	-0.65
SG B	3	8	14	10S	-0.7
SG B	3	8	14	11S	-0.72
SG B	3	9	10	10S	0.41
SG B	3	9	10	11S	-0.79
SG B	3	9	11	11S	0.36
SG B	3	9	12	12S	0.28
SG B	3	9	12	14S	-0.84
SG B	3	9	10	14S	0.32
SG B	3	10	11	10S	-0.75
SG B	3	10	10	11S	-0.77
SG B	3	10	13	11S	0.41
SG B	3	11	7	08S	0.43
SG B	3	11	7	12S	-0.79
SG B	3	12	4	10S	-0.73
SG B	3	12	12	12S	-0.66
SG B	3	12	12	12S	0.28
SG B	3	20	11	11S	-0.77
SG B	3	21	12	11S	-0.7
SG B	3	21	13	12S	0.3
SG B	3	22	11	11S	-0.79
SG B	3	24	10	11S	-0.74
SG B	3	32	11	11S	-0.8
SG B	3	34	10	10S	0.45
SG B	3	35	9	10S	0.45

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	4	1	5	10S	0.45
SG B	4	1	13	11S	-0.75
SG B	4	2	13	10S	-0.7
SG B	4	2	10	10S	0.45
SG B	4	2	26	11S	-0.77
SG B	4	3	14	11S	-0.75
SG B	4	4	12	10S	0.43
SG B	4	4	13	11S	-0.75
SG B	4	5	20	11S	-0.68
SG B	4	6	23	11S	-0.7
SG B	4	7	18	11S	-0.77
SG B	4	7	7	12S	0.3
SG B	4	8	10	11S	-0.75
SG B	4	8	12	11S	0.36
SG B	4	8	20	12S	0
SG B	4	9	11	11S	-0.77
SG B	4	10	11	10S	-0.68
SG B	4	10	14	11S	0.28
SG B	4	10	16	12S	-0.68
SG B	4	10	16	12S	0.21
SG B	4	12	9	10S	-0.71
SG B	4	12	8	12S	0.28
SG B	4	13	14	11S	0.38
SG B	4	24	12	12S	0.32
SG B	4	26	13	11S	-0.72
SG B	4	27	10	12S	0.3
SG B	4	28	12	12S	0.32
SG B	4	34	13	11S	-0.75
SG B	4	35	17	11S	-0.69
SG B	4	36	14	11S	-0.71
SG B	4	37	19	10S	0.35
SG B	4	37	12	11S	-0.63
SG B	4	37	12	11S	0.4
SG B	5	2	18	11S	-0.79
SG B	5	3	12	10S	-0.73
SG B	5	3	8	10S	0.43
SG B	5	4	15	11S	-0.72
SG B	5	5	13	11S	-0.75
SG B	5	7	14	11S	-0.73
SG B	5	8	14	12S	-0.76

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	5	8	15	12S	0.32
SG B	5	9	8	10S	-0.73
SG B	5	9	10	11S	0.42
SG B	5	10	16	11S	0.41
SG B	5	11	18	10S	-0.68
SG B	5	11	13	11S	0.37
SG B	5	11	14	12S	-0.21
SG B	5	12	14	10S	-0.65
SG B	5	12	11	11S	0.3
SG B	5	12	11	12S	-0.72
SG B	5	12	15	12S	0.19
SG B	5	12	10	14S	-0.82
SG B	5	13	11	11S	0.41
SG B	5	13	12	14S	-0.83
SG B	5	14	12	11S	0.38
SG B	5	18	11	10S	-0.77
SG B	5	23	12	10S	-0.79
SG B	5	23	11	12S	0.36
SG B	5	24	7	12S	0.32
SG B	5	26	7	10S	0.04
SG B	5	27	14	10S	0.06
SG B	5	27	10	11S	0.36
SG B	5	29	13	11S	0.38
SG B	5	31	15	11S	0.38
SG B	5	34	12	11S	0.34
SG B	5	36	11	12S	0.34
SG B	5	37	11	11S	0.43
SG B	5	39	14	11S	-0.62
SG B	5	39	14	11S	0.43
SG B	5	39	16	12S	0.34
SG B	5	39	10	13S	-0.79
SG B	5	40	13	11S	-0.68
SG B	5	41	17	11S	-0.75
SG B	5	41	20	11S	0.41
SG B	5	42	11	10S	0.49
SG B	5	42	13	11S	-0.73
SG B	5	42	14	11S	0.49
SG B	6	1	18	11S	-0.73
SG B	6	3	5	10S	0.45
SG B	6	3	13	11S	-0.75

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	6	4	18	10S	-0.75
SG B	6	4	13	10S	0.43
SG B	6	5	10	10S	-0.75
SG B	6	5	15	11S	-0.75
SG B	6	6	8	10S	-0.75
SG B	6	7	14	10S	-0.7
SG B	6	7	11	11S	-0.73
SG B	6	8	13	10S	-0.72
SG B	6	11	9	11S	0.4
SG B	6	16	13	11S	0.36
SG B	6	21	23	10S	-0.77
SG B	6	23	17	10S	-0.75
SG B	6	24	15	10S	-0.62
SG B	6	24	11	11S	0.36
SG B	6	25	16	10S	-0.73
SG B	6	25	11	12S	-0.83
SG B	6	26	13	10S	-0.75
SG B	6	30	12	10S	0.06
SG B	6	30	10	11S	0.38
SG B	6	30	10	12S	0.32
SG B	6	32	12	11S	0.38
SG B	6	34	14	11S	0.36
SG B	6	37	22	11S	0.34
SG B	6	37	11	12S	0.3
SG B	6	38	24	11S	0.38
SG B	6	39	12	11S	-0.67
SG B	6	39	22	11S	0.35
SG B	6	40	14	11S	0.41
SG B	6	43	9	10S	0.47
SG B	6	43	19	11S	-0.7
SG B	6	44	8	10S	0.44
SG B	6	44	18	11S	-0.74
SG B	6	44	11	11S	0.47
SG B	6	45	10	11S	-0.75
SG B	6	45	12	12S	0.3
SG B	6	46	11	11S	-0.74
SG B	6	46	15	11S	0.43
SG B	6	47	18	10S	0.47
SG B	7	1	17	11S	-0.75
SG B	7	2	26	11S	-0.75

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	7	6	14	11S	-0.77
SG B	7	7	21	11S	-0.81
SG B	7	8	17	10S	-0.68
SG B	7	9	26	10S	-0.7
SG B	7	10	23	10S	-0.7
SG B	7	11	21	10S	-0.68
SG B	7	12	17	10S	-0.75
SG B	7	15	17	10S	-0.75
SG B	7	26	11	10S	0.34
SG B	7	26	13	11S	0.24
SG B	7	27	10	10S	-0.75
SG B	7	27	18	11S	0.38
SG B	7	30	10	11S	0.36
SG B	7	36	12	11S	0.36
SG B	7	37	14	11S	0.38
SG B	7	38	13	11S	0.32
SG B	7	38	13	12S	0.3
SG B	7	39	31	11S	0.35
SG B	7	40	6	10S	0.45
SG B	7	40	13	11S	0.32
SG B	7	41	11	11S	0.41
SG B	7	46	10	11S	-0.7
SG B	7	46	11	11S	0.36
SG B	7	47	14	10S	0.49
SG B	7	47	10	11S	-0.75
SG B	7	47	11	11S	0.45
SG B	7	47	11	12S	0.32
SG B	7	48	12	10S	0.42
SG B	7	48	13	11S	-0.67
SG B	7	49	9	10S	0.45
SG B	7	49	14	11S	0.41
SG B	7	49	8	12S	0.35
SG B	7	50	11	10S	0.47
SG B	8	1	9	10S	0.47
SG B	8	1	22	11S	-0.77
SG B	8	2	14	11S	-0.77
SG B	8	4	10	10S	0.45
SG B	8	4	17	11S	-0.77
SG B	8	5	20	10S	-0.74
SG B	8	5	11	11S	-0.7

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	8	6	19	10S	-0.7
SG B	8	6	14	11S	-0.75
SG B	8	7	16	10S	-0.67
SG B	8	7	16	11S	-0.7
SG B	8	7	12	11S	0.38
SG B	8	8	10	11S	-0.77
SG B	8	8	19	11S	0.42
SG B	8	12	20	10S	-0.73
SG B	8	12	7	10S	0.38
SG B	8	13	13	10S	-0.75
SG B	8	13	12	10S	0.41
SG B	8	14	15	10S	-0.77
SG B	8	15	13	10S	-0.72
SG B	8	16	16	10S	-0.73
SG B	8	18	15	10S	-0.74
SG B	8	19	12	10S	-0.76
SG B	8	38	13	10S	0.32
SG B	8	39	10	09S	-0.73
SG B	8	39	12	10S	0.34
SG B	8	39	8	13S	0.26
SG B	8	40	9	09S	-0.68
SG B	8	43	5	13S	-0.92
SG B	8	47	10	11S	0.39
SG B	8	50	11	10S	0.45
SG B	8	50	20	11S	0.45
SG B	8	51	17	10S	0.47
SG B	8	51	10	11S	-0.7
SG B	8	52	16	11S	-0.72
SG B	8	53	6	10S	0.49
SG B	8	53	7	11S	-0.6
SG B	8	54	9	10S	0.49
SG B	8	54	11	11S	-0.73
SG B	8	54	13	12S	-0.83
SG B	9	1	8	10S	0.43
SG B	9	3	15	11S	-0.77
SG B	9	4	16	10S	-0.68
SG B	9	4	10	11S	-0.79
SG B	9	5	17	10S	-0.72
SG B	9	7	12	10S	-0.7
SG B	9	7	13	11S	-0.75



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	9	8	11	11S	-0.88
SG B	9	9	13	10S	-0.73
SG B	9	9	15	11S	-0.77
SG B	9	11	18	11S	-0.77
SG B	9	11	14	11S	0.38
SG B	9	12	12	10S	-0.72
SG B	9	13	13	10S	-0.73
SG B	9	14	10	10S	-0.74
SG B	9	14	13	10S	0.4
SG B	9	15	8	10S	0.41
SG B	9	16	10	10S	-0.7
SG B	9	16	12	10S	0.38
SG B	9	17	18	10S	-0.75
SG B	9	18	21	10S	-0.72
SG B	9	20	13	10S	-0.7
SG B	9	28	14	10S	0.36
SG B	9	34	15	10S	0.3
SG B	9	37	10	10S	0.34
SG B	9	41	19	14S	-0.83
SG B	9	47	11	14S	-0.81
SG B	9	52	11	13S	-0.73
SG B	9	53	9	13S	-0.84
SG B	9	54	10	10S	0.49
SG B	9	54	32	11S	0.43
SG B	9	55	10	10S	0.47
SG B	9	55	10	11S	-0.7
SG B	9	55	21	11S	0.41
SG B	9	55	11	12S	-0.77
SG B	9	56	9	10S	0.51
SG B	9	56	12	11S	-0.68
SG B	9	56	14	12S	-0.75
SG B	9	56	10	12S	0.34
SG B	9	57	16	11S	0.41
SG B	9	58	24	10S	0.47
SG B	9	59	8	10S	0.49
SG B	9	59	18	11S	-0.62
SG B	9	59	8	11S	0.39
SG B	9	60	20	10S	0.47
SG B	9	60	17	12S	-0.75
SG B	10	2	13	10S	0.45

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	10	2	13	11S	-0.79
SG B	10	3	26	11S	-0.75
SG B	10	4	14	10S	0.43
SG B	10	4	19	11S	-0.75
SG B	10	7	7	10S	-0.71
SG B	10	9	17	10S	-0.73
SG B	10	11	16	11S	-0.79
SG B	10	11	10	11S	0.4
SG B	10	13	14	11S	-0.79
SG B	10	15	7	14S	-0.86
SG B	10	16	14	10S	-0.73
SG B	10	17	8	10S	0.36
SG B	10	29	11	08S	-0.7
SG B	10	32	11	10S	0.34
SG B	10	33	14	10S	0.38
SG B	10	44	17	14S	0.24
SG B	10	45	6	14S	0.26
SG B	10	53	10	11S	0.37
SG B	10	54	19	11S	0.38
SG B	10	56	10	10S	0.45
SG B	10	56	11	11S	-0.72
SG B	10	57	8	10S	0.42
SG B	10	58	7	11S	-0.75
SG B	10	58	16	11S	0.41
SG B	10	59	8	10S	0.49
SG B	10	59	16	11S	0.41
SG B	10	59	11	13S	-0.88
SG B	10	60	11	11S	-0.73
SG B	10	60	12	13S	0.28
SG B	10	61	12	11S	-0.71
SG B	10	61	7	12S	0.35
SG B	10	62	15	11S	0.46
SG B	10	64	9	11S	-0.77
SG B	10	65	15	10S	0.45
SG B	11	2	12	11S	-0.77
SG B	11	2	9	11S	0.41
SG B	11	3	9	11S	-0.76
SG B	11	6	10	11S	-0.73
SG B	11	7	12	10S	-0.71
SG B	11	8	20	10S	-0.7

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	11	9	19	10S	-0.7
SG B	11	10	11	10S	-0.7
SG B	11	12	14	11S	-0.75
SG B	11	13	10	10S	-0.75
SG B	11	14	29	10S	-0.61
SG B	11	17	20	10S	-0.72
SG B	11	18	15	10S	-0.75
SG B	11	31	7	14S	-0.94
SG B	11	34	11	10S	0.36
SG B	11	35	11	10S	0.36
SG B	11	36	11	10S	0.34
SG B	11	46	8	13S	-0.79
SG B	11	49	6	14S	-0.84
SG B	11	55	5	13S	-0.8
SG B	11	58	8	10S	0.43
SG B	11	59	13	11S	0.43
SG B	11	60	7	10S	0.45
SG B	11	60	13	11S	0.43
SG B	11	61	11	10S	0.47
SG B	11	61	12	11S	-0.75
SG B	11	61	21	11S	0.42
SG B	11	61	10	13S	-0.75
SG B	11	61	11	13S	0.3
SG B	11	62	8	10S	0.47
SG B	11	63	13	11S	-0.73
SG B	11	64	7	08S	-0.73
SG B	11	64	7	11S	0.45
SG B	11	65	12	11S	-0.7
SG B	11	66	10	11S	-0.7
SG B	12	1	7	10S	0.38
SG B	12	1	9	11S	-0.77
SG B	12	2	10	10S	0.41
SG B	12	2	16	11S	-0.79
SG B	12	6	7	10S	-0.73
SG B	12	7	18	10S	-0.73
SG B	12	8	12	10S	-0.73
SG B	12	9	16	10S	-0.73
SG B	12	10	16	10S	-0.72
SG B	12	11	20	10S	-0.73
SG B	12	12	21	10S	-0.7

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	12	13	19	10S	-0.75
SG B	12	18	10	10S	0.38
SG B	12	24	11	14S	-0.92
SG B	12	24	11	14S	0.24
SG B	12	35	13	10S	0.36
SG B	12	38	9	14S	0.22
SG B	12	40	8	14S	0.22
SG B	12	57	11	10S	0.41
SG B	12	59	13	11S	0.43
SG B	12	63	10	11S	-0.7
SG B	12	63	13	12S	-0.73
SG B	12	64	8	10S	0.47
SG B	12	65	9	10S	0.45
SG B	12	66	12	11S	-0.68
SG B	12	66	10	12S	0.35
SG B	12	67	22	11S	-0.72
SG B	12	67	13	11S	0.41
SG B	12	68	12	11S	-0.68
SG B	12	69	12	10S	0.45
SG B	13	3	11	11S	-0.77
SG B	13	6	16	10S	-0.75
SG B	13	7	17	10S	-0.73
SG B	13	8	16	10S	-0.75
SG B	13	9	33	10S	-0.66
SG B	13	10	28	10S	-0.77
SG B	13	10	7	14S	-0.85
SG B	13	11	17	10S	-0.68
SG B	13	13	17	10S	-0.75
SG B	13	13	8	10S	0.36
SG B	13	17	9	11S	-0.83
SG B	13	18	9	10S	-0.79
SG B	13	56	7	14S	0.28
SG B	13	60	13	10S	0.43
SG B	13	60	11	11S	0.41
SG B	13	62	9	10S	0.38
SG B	13	64	13	11S	0.47
SG B	13	68	8	10S	0.49
SG B	13	69	6	13S	0.32
SG B	13	72	21	11S	-0.62
SG B	13	73	12	11S	-0.72

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	13	74	21	10S	-0.65
SG B	13	74	8	10S	0.37
SG B	14	4	12	11S	-0.79
SG B	14	7	18	10S	-0.68
SG B	14	8	23	10S	-0.75
SG B	14	12	21	10S	-0.73
SG B	14	13	28	10S	-0.75
SG B	14	13	11	10S	0.36
SG B	14	14	16	10S	-0.73
SG B	14	14	10	11S	0.34
SG B	14	15	14	11S	0.35
SG B	14	19	10	10S	-0.75
SG B	14	20	10	10S	-0.75
SG B	14	24	12	14S	0.21
SG B	14	25	11	14S	0.17
SG B	14	28	12	14S	0.24
SG B	14	38	8	14S	0.17
SG B	14	42	9	14S	0.19
SG B	14	61	10	13S	-0.81
SG B	14	62	16	10S	0.39
SG B	14	68	11	10S	0.41
SG B	14	69	6	10S	0.51
SG B	14	70	9	11S	-0.72
SG B	14	70	24	11S	0.43
SG B	14	74	17	11S	-0.7
SG B	14	75	18	11S	-0.64
SG B	14	75	21	11S	0.4
SG B	14	76	24	11S	-0.6
SG B	14	77	11	10S	0.45
SG B	15	3	10	11S	-0.75
SG B	15	5	6	10S	0.39
SG B	15	7	32	10S	-0.75
SG B	15	8	15	10S	-0.72
SG B	15	9	16	10S	-0.75
SG B	15	12	15	10S	0.41
SG B	15	14	11	10S	0.38
SG B	15	17	13	10S	-0.72
SG B	15	18	12	10S	-0.73
SG B	15	19	13	10S	-0.72
SG B	15	24	11	10S	0.36

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	15	25	6	10S	0.32
SG B	15	25	10	14S	0.17
SG B	15	30	9	14S	-0.92
SG B	15	32	11	14S	-0.88
SG B	15	36	16	14S	0.17
SG B	15	40	11	14S	0.19
SG B	15	63	13	10S	0.36
SG B	15	65	11	10S	0.39
SG B	15	66	12	10S	0.41
SG B	15	67	10	10S	0.41
SG B	15	67	7	13S	-0.77
SG B	15	69	10	10S	0.41
SG B	15	72	6	14S	-0.73
SG B	15	72	12	14S	0.34
SG B	15	73	12	09S	-0.7
SG B	15	74	10	11S	0.43
SG B	15	76	11	12S	0.34
SG B	15	77	20	11S	-0.71
SG B	15	77	13	11S	0.41
SG B	15	78	10	08S	-0.7
SG B	15	78	15	11S	-0.71
SG B	15	79	14	10S	0.45
SG B	15	79	19	11S	-0.69
SG B	15	80	19	10S	-0.68
SG B	15	80	17	11S	-0.7
SG B	16	1	12	11S	-0.79
SG B	16	2	9	11S	-0.79
SG B	16	7	13	10S	-0.73
SG B	16	8	15	10S	-0.73
SG B	16	9	10	10S	-0.73
SG B	16	20	10	10S	-0.79
SG B	16	28	13	14S	0.17
SG B	16	64	13	10S	0.36
SG B	16	66	13	10S	0.41
SG B	16	67	12	09S	-0.72
SG B	16	68	7	10S	0.43
SG B	16	70	9	09S	-0.73
SG B	16	70	7	13S	-0.83
SG B	16	72	10	09S	-0.68
SG B	16	72	15	14S	-0.78

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	16	75	17	10S	0.45
SG B	16	78	14	11S	-0.7
SG B	16	78	14	11S	0.36
SG B	16	78	11	12S	-0.75
SG B	16	79	27	11S	-0.7
SG B	16	79	11	11S	0.4
SG B	16	80	12	11S	-0.64
SG B	16	80	10	13S	-0.79
SG B	16	81	14	09S	0.34
SG B	16	81	23	10S	0.44
SG B	16	81	13	11S	-0.74
SG B	17	1	19	11S	-0.79
SG B	17	4	10	11S	-0.77
SG B	17	8	14	11S	0.39
SG B	17	13	14	10S	-0.75
SG B	17	28	12	14S	-0.83
SG B	17	68	12	09S	-0.72
SG B	17	68	14	10S	0.41
SG B	17	69	8	09S	-0.73
SG B	17	71	8	09S	-0.71
SG B	17	78	12	11S	0.45
SG B	17	79	9	13S	-0.8
SG B	17	80	12	12S	-0.74
SG B	17	82	24	10S	0.4
SG B	17	82	17	11S	-0.72
SG B	17	82	10	13S	0.35
SG B	17	84	13	10S	-0.72
SG B	17	84	18	11S	-0.7
SG B	18	1	24	11S	-0.74
SG B	18	3	13	11S	-0.75
SG B	18	8	10	10S	0.3
SG B	18	12	9	14S	0.19
SG B	18	19	7	14S	0.23
SG B	18	54	7	08S	-0.68
SG B	18	54	6	08S	0.41
SG B	18	73	16	14S	0.3
SG B	18	78	7	09S	-0.73
SG B	18	78	8	09S	0.4
SG B	18	78	19	10S	0.45
SG B	18	78	8	13S	-0.78

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	18	81	11	13S	-0.79
SG B	18	81	12	13S	0.28
SG B	18	82	11	11S	-0.82
SG B	18	83	10	10S	-0.75
SG B	18	83	21	10S	0.4
SG B	18	83	16	11S	-0.72
SG B	18	83	10	11S	0.44
SG B	18	83	11	12S	0.38
SG B	18	83	11	13S	-0.74
SG B	18	84	15	11S	-0.72
SG B	18	85	20	10S	-0.72
SG B	19	1	31	11S	-0.77
SG B	19	9	18	10S	-0.71
SG B	19	9	15	14S	-0.79
SG B	19	9	12	14S	0.21
SG B	19	10	8	10S	0.34
SG B	19	42	12	08S	0.4
SG B	19	49	6	08S	-0.66
SG B	19	80	20	10S	0.43
SG B	19	83	11	11S	-0.73
SG B	19	83	14	11S	0.28
SG B	19	85	10	12S	0.37
SG B	19	86	11	11S	-0.72
SG B	19	86	11	12S	0.37
SG B	19	87	13	10S	0.43
SG B	20	2	27	11S	-0.88
SG B	20	7	13	10S	-0.75
SG B	20	9	8	14S	-0.9
SG B	20	11	8	10S	0.39
SG B	20	15	10	10S	0.38
SG B	20	18	15	14S	0.24
SG B	20	19	11	10S	0.32
SG B	20	29	11	08S	0.38
SG B	20	50	12	07S	-0.69
SG B	20	51	10	07S	-0.68
SG B	20	51	9	08S	-0.68
SG B	20	51	14	08S	0.38
SG B	20	51	8	09S	-0.75
SG B	20	54	8	08S	0.41
SG B	20	55	11	08S	0.39



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	20	80	7	14S	0.3
SG B	20	81	11	10S	0.43
SG B	20	81	11	11S	0.38
SG B	20	81	7	13S	-0.8
SG B	20	81	10	14S	-0.7
SG B	20	82	9	10S	0.4
SG B	20	83	18	11S	0.33
SG B	20	84	8	13S	-0.82
SG B	20	84	10	13S	0.32
SG B	20	85	10	04S	-0.7
SG B	20	85	10	08S	-0.72
SG B	20	86	12	12S	0.34
SG B	20	87	13	12S	0.38
SG B	21	2	15	11S	-0.8
SG B	21	3	11	11S	-0.78
SG B	21	7	30	10S	-0.77
SG B	21	8	10	10S	-0.75
SG B	21	21	16	14S	0.21
SG B	21	33	8	08S	0.41
SG B	21	42	6	08S	0.42
SG B	21	47	9	08S	0.43
SG B	21	47	10	09S	-0.71
SG B	21	47	11	09S	0.36
SG B	21	48	7	08S	0.4
SG B	21	57	8	08S	0.43
SG B	21	58	13	08S	0.39
SG B	21	60	6	07S	0.45
SG B	21	82	14	10S	0.41
SG B	21	83	9	10S	0.43
SG B	21	84	10	04S	-0.64
SG B	21	86	11	12S	-0.72
SG B	21	89	8	10S	-0.73
SG B	22	2	28	12S	0
SG B	22	3	20	11S	-0.77
SG B	22	4	11	11S	-0.81
SG B	22	8	11	10S	-0.74
SG B	22	10	16	10S	-0.79
SG B	22	11	6	10S	0.34
SG B	22	12	11	10S	0.36
SG B	22	26	10	14S	0.19

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	22	36	11	08S	-0.68
SG B	22	36	10	08S	0.38
SG B	22	38	7	07S	0.43
SG B	22	38	8	08S	0.4
SG B	22	41	9	06S	-0.68
SG B	22	41	6	08S	-0.77
SG B	22	41	12	08S	0.38
SG B	22	56	7	07S	0.4
SG B	22	57	10	08S	0.41
SG B	22	58	7	08S	0.42
SG B	22	59	11	08S	0.43
SG B	22	60	7	08S	0.43
SG B	22	62	7	08S	0.36
SG B	22	63	9	08S	0.41
SG B	22	66	11	08S	0.4
SG B	22	86	11	11S	0.38
SG B	22	89	14	12S	-0.77
SG B	22	89	16	13S	-0.75
SG B	22	89	13	13S	0.26
SG B	22	92	13	13S	-0.8
SG B	22	93	13	10S	-0.73
SG B	22	93	14	11S	-0.73
SG B	23	2	18	11S	-0.77
SG B	23	4	11	11S	-0.75
SG B	23	5	8	10S	-0.77
SG B	23	8	30	10S	-0.75
SG B	23	14	11	10S	0.34
SG B	23	19	13	14S	-0.88
SG B	23	24	10	14S	0.19
SG B	23	38	7	08S	0.34
SG B	23	45	18	08S	0.39
SG B	23	51	10	08S	0.41
SG B	23	56	8	08S	0.38
SG B	23	59	12	08S	0.38
SG B	23	80	11	13S	-0.83
SG B	23	85	8	09S	-0.64
SG B	23	88	16	11S	0.38
SG B	23	92	22	12S	0.38
SG B	24	1	15	11S	-0.79
SG B	24	2	15	11S	-0.79

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	24	5	14	10S	-0.77
SG B	24	10	12	10S	-0.75
SG B	24	11	6	10S	0.36
SG B	24	15	15	14S	0.19
SG B	24	19	10	14S	-0.89
SG B	24	41	11	08S	0.43
SG B	24	43	12	08S	0.4
SG B	24	44	13	08S	0.4
SG B	24	45	10	08S	-0.68
SG B	24	45	18	08S	0.36
SG B	24	49	5	08S	-0.77
SG B	24	49	10	08S	0.36
SG B	24	51	9	08S	0.43
SG B	24	84	14	11S	0.36
SG B	24	84	11	13S	-0.76
SG B	24	85	11	10S	0.4
SG B	25	1	21	10S	-0.8
SG B	25	2	14	10S	-0.79
SG B	25	3	15	11S	-0.75
SG B	25	4	16	11S	-0.83
SG B	25	5	11	11S	-0.78
SG B	25	7	23	10S	-0.75
SG B	25	15	18	14S	0.21
SG B	25	16	10	10S	0.34
SG B	25	22	10	10S	0.34
SG B	25	31	8	08S	0.36
SG B	25	33	9	08S	0.39
SG B	25	34	11	08S	0.4
SG B	25	35	6	08S	0.41
SG B	25	36	13	08S	0.4
SG B	25	41	7	08S	-0.79
SG B	25	44	7	07S	0.55
SG B	25	52	14	08S	0.36
SG B	25	53	7	07S	0.43
SG B	25	53	11	08S	0.41
SG B	25	55	6	08S	0.43
SG B	25	72	7	08S	0.4
SG B	25	84	8	13S	-0.85
SG B	25	96	12	10S	0.43
SG B	25	96	14	12S	0.38

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	26	3	10	11S	-0.83
SG B	26	4	15	11S	-0.83
SG B	26	5	17	11S	-0.81
SG B	26	7	13	10S	-0.75
SG B	26	8	12	10S	-0.77
SG B	26	13	11	10S	0.34
SG B	26	15	16	14S	0.19
SG B	26	24	9	10S	0.32
SG B	26	28	7	08S	0.38
SG B	26	31	8	08S	0.41
SG B	26	33	8	08S	0.36
SG B	26	34	5	08S	0.43
SG B	26	36	6	08S	0.38
SG B	26	39	11	06S	0.38
SG B	26	45	8	07S	0.58
SG B	26	45	9	08S	0.41
SG B	26	46	6	07S	0.4
SG B	26	46	9	08S	0.43
SG B	26	91	12	10S	0.36
SG B	26	92	10	10S	0.41
SG B	27	2	32	11S	-0.75
SG B	27	4	12	11S	-0.74
SG B	27	4	11	12S	0.21
SG B	27	5	21	11S	-0.81
SG B	27	13	15	14S	-0.79
SG B	27	19	9	10S	0.34
SG B	27	27	10	08S	0.38
SG B	27	30	10	08S	0.38
SG B	27	34	6	07S	0.4
SG B	27	47	10	08S	0.41
SG B	27	48	6	07S	0.45
SG B	27	48	9	08S	0.41
SG B	27	56	12	08S	0.39
SG B	27	67	13	08S	0.43
SG B	27	68	4	08S	0.41
SG B	28	2	15	11S	-0.81
SG B	28	3	19	11S	-0.83
SG B	28	4	11	11S	-0.81
SG B	28	5	12	11S	-0.81
SG B	28	42	9	08S	0.41

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	28	49	8	08S	0.4
SG B	28	61	13	08S	0.43
SG B	28	62	7	08S	0.41
SG B	28	66	7	08S	0.41
SG B	28	67	8	08S	0.43
SG B	28	68	5	08S	0.39
SG B	28	78	7	08S	0.41
SG B	28	82	6	08S	0.45
SG B	28	97	10	04S	-0.68
SG B	29	2	11	10S	-0.81
SG B	29	2	15	11S	-0.75
SG B	29	3	14	11S	-0.83
SG B	29	3	10	11S	0.41
SG B	29	14	16	14S	0.15
SG B	29	31	8	08S	0.36
SG B	29	33	8	08S	0.38
SG B	30	2	12	11S	-0.77
SG B	30	3	10	11S	-0.83
SG B	30	14	11	14S	-0.9
SG B	30	32	7	08S	0.34
SG B	30	33	9	08S	0.41
SG B	30	34	5	08S	0.45
SG B	30	36	8	08S	0.39
SG B	30	37	11	08S	0.41
SG B	30	76	10	08S	0.43
SG B	30	77	5	07S	0.43
SG B	30	77	7	08S	0.43
SG B	30	79	5	08S	0.45
SG B	30	82	10	08S	0.41
SG B	30	99	11	13S	-0.75
SG B	30	102	11	04S	-0.66
SG B	30	102	8	13S	-0.79
SG B	30	103	19	12S	-0.68
SG B	31	2	8	10S	-0.75
SG B	31	2	16	11S	-0.77
SG B	31	2	10	11S	0.37
SG B	31	3	19	11S	-0.79
SG B	31	23	8	08S	0.36
SG B	31	33	19	08S	0.41
SG B	31	33	8	10S	-0.71

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	31	34	12	08S	0.41
SG B	31	36	12	08S	0.41
SG B	31	36	6	10S	-0.73
SG B	31	37	10	06S	-0.64
SG B	31	37	16	08S	0.35
SG B	31	73	10	08S	0.43
SG B	31	77	7	07S	0.47
SG B	31	77	11	08S	-0.75
SG B	31	77	12	08S	0.41
SG B	31	78	10	08S	0.39
SG B	31	79	9	08S	0.36
SG B	31	98	6	08S	-0.66
SG B	31	100	8	10S	0.43
SG B	32	1	20	11S	-0.77
SG B	32	3	12	11S	-0.79
SG B	32	13	14	14S	-0.94
SG B	32	30	13	08S	0.39
SG B	32	32	7	08S	-0.75
SG B	32	32	8	08S	0.36
SG B	32	32	8	09S	0.36
SG B	32	34	9	10S	0.32
SG B	32	36	9	08S	0.39
SG B	32	77	11	08S	0.43
SG B	32	100	11	10S	0.41
SG B	32	103	10	12S	0.38
SG B	33	1	23	11S	-0.79
SG B	33	2	19	11S	-0.81
SG B	33	28	6	08S	0.36
SG B	33	52	10	08S	0.45
SG B	33	79	11	08S	0.41
SG B	33	87	9	08S	0.47
SG B	33	88	6	07S	0.45
SG B	33	89	8	08S	0.38
SG B	33	103	12	13S	-0.75
SG B	33	106	11	12S	-0.72
SG B	33	106	10	12S	0.38
SG B	34	1	14	11S	-0.77
SG B	34	2	28	11S	-0.84
SG B	34	3	16	11S	-0.76
SG B	34	4	11	12S	0.26

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	34	6	10	14S	-0.96
SG B	34	85	7	08S	0.36
SG B	34	90	9	08S	0.45
SG B	34	107	11	13S	-0.68
SG B	35	1	17	11S	-0.75
SG B	35	2	21	11S	-0.79
SG B	35	2	10	12S	0.19
SG B	35	3	13	11S	-0.77
SG B	35	89	8	08S	0.47
SG B	35	107	15	13S	-0.7
SG B	35	109	10	12S	-0.7
SG B	36	2	13	11S	-0.81
SG B	36	3	11	11S	-0.78
SG B	36	37	4	07S	0.57
SG B	36	38	5	08S	0.38
SG B	36	40	5	08S	0.41
SG B	36	90	12	08S	-0.68
SG B	36	97	5	08S	0.43
SG B	36	108	12	09S	-0.71
SG B	36	110	22	12S	0.34
SG B	36	111	11	12S	-0.68
SG B	36	111	10	13S	-0.72
SG B	36	111	12	13S	0.34
SG B	37	2	15	11S	-0.74
SG B	37	10	14	14S	0.19
SG B	37	24	7	08S	0.4
SG B	37	27	6	08S	0.4
SG B	37	31	10	08S	0.4
SG B	37	31	8	09S	0.38
SG B	37	83	6	08S	0.41
SG B	37	91	7	08S	0.47
SG B	37	93	11	08S	-0.66
SG B	37	110	8	10S	0.51
SG B	37	111	14	13S	-0.7
SG B	37	112	10	12S	-0.68
SG B	37	112	12	12S	0.39
SG B	37	112	12	13S	-0.71
SG B	37	112	13	13S	0.36
SG B	37	114	6	11S	-0.64
SG B	38	1	9	10S	0.38

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	38	2	13	11S	-0.85
SG B	38	38	7	08S	0.42
SG B	38	39	5	08S	0.45
SG B	38	69	8	04S	0.53
SG B	38	110	12	13S	-0.73
SG B	38	111	13	10S	0.38
SG B	38	113	12	13S	-0.71
SG B	38	115	5	10S	-0.53
SG B	39	25	7	08S	0.42
SG B	39	27	7	08S	0.4
SG B	39	28	4	07S	0.51
SG B	39	28	4	08S	0.45
SG B	39	113	14	12S	0.44
SG B	39	114	12	12S	0.42
SG B	39	114	14	13S	-0.72
SG B	40	1	12	11S	-0.73
SG B	40	3	11	11S	0.38
SG B	40	31	5	08S	0.38
SG B	40	93	8	08S	-0.67
SG B	40	112	10	10S	-0.66
SG B	40	113	10	10S	-0.66
SG B	40	113	11	12S	0.42
SG B	40	113	12	13S	-0.72
SG B	41	22	6	08S	0.36
SG B	41	22	10	09S	-0.83
SG B	41	25	6	08S	-0.75
SG B	41	97	10	08S	0.46
SG B	41	111	16	13S	-0.72
SG B	41	113	8	10S	0.5
SG B	41	114	9	11S	-0.68
SG B	41	114	8	14S	-0.65
SG B	41	115	12	12S	-0.74
SG B	41	115	22	13S	-0.72
SG B	41	116	13	12S	0.38
SG B	42	2	17	11S	-0.79
SG B	42	24	8	08S	0.34
SG B	42	25	4	08S	0.41
SG B	42	112	15	13S	-0.72
SG B	43	100	10	08S	0.44
SG B	43	114	7	09S	0.5



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	43	114	13	13S	-0.74
SG B	43	115	10	13S	-0.7
SG B	44	1	6	10S	0.36
SG B	44	2	11	11S	-0.76
SG B	44	3	8	10S	0.09
SG B	44	4	10	10S	0.17
SG B	44	25	4	08S	0.45
SG B	44	98	10	09S	0.48
SG B	44	100	8	08S	0.46
SG B	44	113	12	09S	-0.7
SG B	44	114	15	13S	-0.7
SG B	44	115	13	12S	0.4
SG B	44	116	22	13S	-0.68
SG B	44	117	14	11S	-0.68
SG B	45	3	11	11S	0.38
SG B	45	5	9	10S	0.04
SG B	45	29	4	08S	0.47
SG B	45	113	18	09S	-0.56
SG B	45	113	7	09S	0.5
SG B	45	114	14	09S	-0.67
SG B	45	114	11	13S	-0.69
SG B	45	115	9	10S	0.54
SG B	45	115	10	13S	-0.61
SG B	45	116	8	10S	0.54
SG B	45	116	16	13S	-0.69
SG B	45	118	17	13S	-0.72
SG B	46	2	8	10S	0.4
SG B	46	6	8	10S	0.06
SG B	46	103	8	07S	0.53
SG B	46	103	5	08S	0.49
SG B	46	114	14	13S	-0.7
SG B	46	115	7	10S	0.51
SG B	46	117	13	13S	-0.66
SG B	46	118	12	13S	-0.66
SG B	46	119	11	11S	-0.66
SG B	46	119	17	13S	-0.68
SG B	46	119	14	13S	0.38
SG B	47	1	13	11S	0.45
SG B	47	2	7	10S	0.38
SG B	47	7	12	10S	0.11

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	47	111	19	09S	-0.64
SG B	47	114	10	10S	0.53
SG B	47	117	11	13S	-0.68
SG B	48	1	13	11S	0.43
SG B	48	20	4	09S	-0.72
SG B	48	38	4	08S	0.43
SG B	48	113	14	09S	-0.64
SG B	48	114	14	09S	-0.64
SG B	48	116	12	13S	-0.66
SG B	48	121	10	11S	0.56
SG B	48	121	13	12S	-0.66
SG B	48	121	24	13S	-0.69
SG B	49	1	12	11S	-0.79
SG B	49	1	10	12S	0.26
SG B	49	2	13	11S	-0.77
SG B	49	2	12	11S	0.43
SG B	49	7	5	13S	0.24
SG B	49	8	9	10S	0.11
SG B	49	20	4	08S	0.39
SG B	49	84	12	04S	-0.69
SG B	49	85	7	06S	0.47
SG B	49	102	5	08S	0.49
SG B	49	113	13	09S	-0.66
SG B	49	113	8	09S	0.45
SG B	49	115	11	13S	-0.7
SG B	49	122	16	13S	-0.66
SG B	50	1	10	10S	-0.75
SG B	50	1	15	11S	-0.79
SG B	50	8	5	13S	0.2
SG B	50	20	4	08S	0.36
SG B	50	105	7	08S	0.49
SG B	50	113	13	09S	-0.66
SG B	50	114	9	10S	0.49
SG B	50	116	8	10S	0.51
SG B	51	6	10	13S	0.21
SG B	51	118	11	12S	0.43
SG B	52	4	11	10S	-0.75
SG B	52	4	9	13S	0.24
SG B	52	76	11	07S	0.51
SG B	52	83	13	04S	-0.66

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	52	93	12	08S	0.49
SG B	52	114	10	09S	0.51
SG B	52	116	11	10S	0.45
SG B	52	120	9	13S	-0.64
SG B	52	121	10	10S	0.63
SG B	52	121	18	13S	-0.67
SG B	53	1	5	06S	0.47
SG B	53	1	10	11S	-0.72
SG B	53	3	14	14S	-0.92
SG B	53	104	7	08S	0.49
SG B	53	116	16	13S	-0.66
SG B	53	117	10	10S	0.49
SG B	53	117	17	13S	-0.7
SG B	53	118	14	10S	0.51
SG B	53	118	13	13S	-0.68
SG B	53	119	14	10S	0.51
SG B	53	120	11	10S	0.56
SG B	53	121	18	10S	0.57
SG B	53	122	12	10S	0.66
SG B	53	122	10	12S	0.43
SG B	53	124	12	13S	-0.64
SG B	54	1	12	12S	0.21
SG B	54	1	15	14S	-0.79
SG B	54	22	5	08S	0.36
SG B	54	23	12	08S	-0.68
SG B	54	23	10	08S	0.38
SG B	54	23	10	09S	-0.74
SG B	54	92	14	03S	-0.66
SG B	54	118	16	13S	-0.7
SG B	54	119	12	09S	-0.68
SG B	54	119	8	10S	0.49
SG B	54	120	11	09S	-0.66
SG B	54	120	7	10S	0.53
SG B	54	121	11	09S	-0.66
SG B	54	122	11	09S	-0.66
SG B	54	122	7	10S	0.53
SG B	54	123	9	10S	0.6
SG B	54	123	9	11S	0.51
SG B	54	123	23	13S	-0.64
SG B	54	124	17	12S	-0.68

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	54	124	11	12S	0.49
SG B	54	124	24	13S	-0.64
SG B	54	125	8	12S	0.45
SG B	55	4	6	13S	-0.76
SG B	55	26	8	08S	0.34
SG B	55	124	9	09S	0.51
SG B	55	125	13	10S	0.65
SG B	55	125	10	12S	-0.7
SG B	55	125	16	12S	0.43
SG B	56	25	5	08S	0.39
SG B	56	112	7	08S	0.53
SG B	56	125	10	10S	0.6
SG B	56	125	15	12S	-0.66
SG B	56	126	10	10S	0.7
SG B	56	126	12	12S	-0.68
SG B	56	127	12	12S	-0.66
SG B	57	1	10	11S	-0.81
SG B	57	17	7	08S	0.36
SG B	57	20	8	08S	0.38
SG B	57	22	8	08S	0.36
SG B	57	124	11	09S	-0.64
SG B	57	126	19	12S	0.43
SG B	57	126	15	13S	-0.64
SG B	57	127	12	10S	0.68
SG B	58	18	5	09S	-0.77
SG B	58	99	16	03S	-0.64
SG B	58	108	6	09S	0.49
SG B	58	126	9	11S	0.55
SG B	58	126	13	12S	-0.64
SG B	58	126	15	13S	-0.64
SG B	58	127	12	12S	-0.66
SG B	58	127	12	13S	-0.71
SG B	59	110	10	09S	-0.66
SG B	59	124	12	09S	0.53
SG B	59	125	9	11S	0.64
SG B	59	127	11	10S	0.66
SG B	59	128	10	13S	-0.64
SG B	60	1	10	11S	-0.77
SG B	60	4	16	11S	0.3
SG B	60	19	8	08S	0.34

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	60	124	12	09S	-0.64
SG B	60	125	10	09S	-0.56
SG B	60	125	10	09S	0.51
SG B	60	125	9	10S	0.49
SG B	60	125	7	11S	0.6
SG B	60	125	14	14S	0.54
SG B	60	127	9	10S	0.63
SG B	61	1	14	11S	-0.79
SG B	61	6	12	11S	0.34
SG B	61	125	10	09S	0.55
SG B	61	126	7	10S	0.53
SG B	61	127	8	10S	0.64
SG B	61	128	12	13S	-0.66
SG B	61	129	7	12S	-0.6
SG B	61	130	9	10S	0.66
SG B	62	5	8	14S	-0.89
SG B	62	110	6	08S	0.58
SG B	62	122	13	09S	-0.51
SG B	62	124	7	10S	0.59
SG B	62	124	10	12S	0.43
SG B	63	3	13	11S	0.32
SG B	63	4	26	11S	0.31
SG B	63	125	9	09S	-0.62
SG B	63	125	13	09S	0.53
SG B	63	126	8	10S	0.62
SG B	63	128	13	12S	0.49
SG B	63	128	14	13S	-0.62
SG B	63	129	10	12S	0.49
SG B	64	5	10	12S	0.23
SG B	64	111	10	09S	-0.7
SG B	64	123	9	10S	-0.66
SG B	64	124	6	09S	0.57
SG B	64	125	11	10S	0.6
SG B	64	129	12	10S	0.64
SG B	65	110	9	09S	-0.59
SG B	65	110	11	09S	0.47
SG B	65	110	8	10S	0.42
SG B	65	114	11	08S	0.51
SG B	65	118	10	09S	0.53
SG B	65	128	6	12S	0.51

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	66	37	6	08S	0.49
SG B	66	109	7	08S	0.57
SG B	66	119	6	09S	0.51
SG B	66	124	14	12S	0.45
SG B	67	5	8	10S	0.21
SG B	67	6	6	13S	-0.83
SG B	67	121	10	11S	0.51
SG B	67	125	6	09S	-0.58
SG B	67	126	10	13S	-0.62
SG B	67	129	7	10S	0.61
SG B	67	130	10	12S	0.51
SG B	67	130	9	13S	-0.64
SG B	67	130	12	13S	0.51
SG B	68	5	11	12S	0.23
SG B	68	7	13	14S	0.19
SG B	68	110	10	08S	0.53
SG B	68	111	6	08S	0.53
SG B	68	113	7	08S	0.53
SG B	68	114	6	08S	0.55
SG B	68	117	7	09S	0.49
SG B	68	124	7	09S	0.58
SG B	68	126	8	09S	-0.56
SG B	68	126	7	09S	0.53
SG B	68	129	10	12S	0.45
SG B	68	130	6	12S	0.53
SG B	68	131	12	10S	-0.55
SG B	68	131	12	10S	0.6
SG B	68	131	17	13S	0.49
SG B	69	4	13	11S	0.36
SG B	69	4	11	12S	0.25
SG B	69	6	11	14S	0.15
SG B	69	8	16	14S	-0.91
SG B	69	13	16	14S	-0.36
SG B	69	16	14	14S	-0.46
SG B	69	112	11	09S	-0.64
SG B	69	113	11	09S	-0.64
SG B	69	114	7	08S	0.55
SG B	69	128	9	13S	-0.64
SG B	69	130	10	12S	0.47
SG B	69	131	14	12S	0.48

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	69	131	19	13S	0.47
SG B	70	5	10	12S	0.25
SG B	70	5	12	14S	-0.93
SG B	70	6	8	13S	0.24
SG B	70	20	5	08S	0.38
SG B	70	116	11	09S	0.49
SG B	70	118	11	09S	0.51
SG B	70	124	10	09S	-0.6
SG B	70	124	7	09S	0.51
SG B	70	128	16	12S	0.44
SG B	70	130	6	12S	0.51
SG B	71	1	8	12S	-0.87
SG B	71	5	9	10S	0.06
SG B	71	116	5	08S	0.55
SG B	71	121	7	09S	0.53
SG B	71	132	11	10S	-0.62
SG B	72	67	10	13S	-0.71
SG B	72	67	10	13S	0.43
SG B	72	125	25	11S	0.45
SG B	72	128	7	12S	0.55
SG B	72	129	12	12S	-0.64
SG B	72	129	14	12S	0.49
SG B	72	130	7	11S	0.55
SG B	72	130	16	12S	0.44
SG B	72	131	10	10S	-0.6
SG B	72	131	11	11S	0.56
SG B	72	131	12	12S	0.6
SG B	73	7	12	14S	-0.92
SG B	73	108	9	08S	0.45
SG B	73	120	9	09S	0.53
SG B	73	125	10	09S	-0.55
SG B	73	126	13	09S	-0.55
SG B	73	131	12	09S	-0.53
SG B	73	131	9	12S	0.55
SG B	73	131	30	13S	0.45
SG B	73	132	9	08S	-0.64
SG B	73	132	7	08S	0.64
SG B	73	132	25	10S	-0.59
SG B	73	132	8	12S	0.66
SG B	74	114	8	08S	0.57

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	74	117	12	09S	-0.64
SG B	74	124	7	13S	-0.6
SG B	74	125	11	09S	-0.64
SG B	74	127	10	12S	0.48
SG B	74	127	10	13S	-0.63
SG B	74	128	8	09S	-0.51
SG B	74	130	11	10S	0.53
SG B	74	131	13	11S	-0.58
SG B	74	131	10	12S	0.64
SG B	74	131	13	13S	0.51
SG B	75	2	10	11S	-0.9
SG B	75	5	9	10S	-0.09
SG B	75	125	20	14S	0.47
SG B	75	126	9	09S	-0.57
SG B	75	126	6	09S	0.51
SG B	75	127	17	13S	-0.63
SG B	75	128	13	13S	-0.64
SG B	75	129	8	12S	0.55
SG B	75	131	5	11S	0.64
SG B	75	131	8	12S	0.51
SG B	75	132	12	11S	-0.58
SG B	75	132	9	12S	0.58
SG B	75	132	14	13S	0.53
SG B	76	1	11	11S	-0.77
SG B	76	1	13	12S	-0.79
SG B	76	4	4	10S	-0.04
SG B	76	110	12	09S	0.51
SG B	76	123	11	09S	-0.57
SG B	76	123	10	09S	0.59
SG B	76	123	22	14S	0.45
SG B	76	124	11	09S	-0.62
SG B	76	124	9	14S	0.53
SG B	76	127	17	11S	0.6
SG B	77	1	18	11S	-0.79
SG B	77	2	12	12S	-0.83
SG B	77	4	11	12S	0.26
SG B	77	18	5	08S	0.4
SG B	77	108	15	08S	0.49
SG B	77	116	17	09S	0.49
SG B	77	118	20	09S	0.51



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	77	120	12	09S	0.6
SG B	77	126	18	09S	-0.6
SG B	77	126	15	09S	0.6
SG B	77	127	10	09S	-0.47
SG B	77	130	17	11S	0.53
SG B	77	130	16	12S	0.49
SG B	77	131	8	10S	0.49
SG B	77	132	14	09S	-0.55
SG B	77	132	14	12S	0.55
SG B	78	1	13	12S	-0.82
SG B	78	2	12	12S	-0.73
SG B	78	3	11	12S	0.24
SG B	78	4	9	10S	0.06
SG B	78	4	14	12S	0.28
SG B	78	4	10	13S	-0.79
SG B	78	114	9	08S	0.53
SG B	78	116	10	09S	0.53
SG B	78	118	13	08S	0.53
SG B	78	125	8	09S	-0.53
SG B	78	125	7	09S	0.53
SG B	78	126	15	09S	-0.57
SG B	78	128	13	12S	0.47
SG B	78	129	6	06S	0.55
SG B	78	129	14	13S	0.47
SG B	79	1	17	12S	-0.81
SG B	79	2	19	12S	-0.83
SG B	79	3	16	12S	0.28
SG B	79	4	11	12S	0.28
SG B	79	123	11	09S	0.51
SG B	79	126	10	09S	-0.58
SG B	79	126	11	14S	-0.66
SG B	79	126	12	14S	0.45
SG B	79	130	16	11S	0.5
SG B	79	131	12	12S	0.51
SG B	79	132	13	08S	0.57
SG B	79	132	11	10S	0.53
SG B	80	1	14	11S	-0.82
SG B	80	1	17	12S	-0.77
SG B	80	2	10	12S	-0.7
SG B	80	4	11	10S	0.02

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	80	5	10	06S	0.41
SG B	80	25	11	09S	-0.77
SG B	80	26	10	09S	-0.72
SG B	80	114	10	08S	0.59
SG B	80	115	7	08S	0.57
SG B	80	126	23	09S	-0.59
SG B	80	130	10	11S	0.51
SG B	81	2	17	12S	-0.78
SG B	81	3	14	12S	0.3
SG B	81	5	14	10S	0.09
SG B	81	6	5	14S	0.19
SG B	81	112	18	08S	0.55
SG B	81	113	12	07S	-0.55
SG B	81	113	9	08S	0.55
SG B	81	114	12	09S	0.51
SG B	81	118	18	11S	-0.7
SG B	81	120	11	09S	0.51
SG B	81	125	16	11S	0.45
SG B	81	126	14	09S	-0.57
SG B	81	126	17	09S	0.57
SG B	81	127	11	13S	-0.62
SG B	81	130	12	13S	-0.53
SG B	81	131	17	12S	0.49
SG B	81	132	16	09S	-0.64
SG B	82	1	16	12S	-0.74
SG B	82	2	15	12S	-0.82
SG B	82	4	12	10S	0.02
SG B	82	22	6	08S	0.51
SG B	82	112	13	08S	0.57
SG B	82	112	20	09S	-0.62
SG B	82	112	15	09S	0.53
SG B	82	114	19	09S	-0.62
SG B	82	114	11	09S	0.49
SG B	82	115	7	08S	0.53
SG B	82	115	8	09S	-0.64
SG B	82	115	10	09S	0.45
SG B	82	116	16	08S	0.55
SG B	82	116	13	09S	0.51
SG B	82	119	9	09S	0.53
SG B	82	120	9	08S	0.55

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	82	122	14	09S	0.55
SG B	82	126	15	09S	0.51
SG B	82	126	15	11S	0.49
SG B	82	126	15	12S	0.4
SG B	83	1	11	12S	-0.81
SG B	83	2	19	12S	-0.71
SG B	83	4	5	10S	0.02
SG B	83	4	13	12S	0.28
SG B	83	5	12	10S	0.09
SG B	83	23	9	08S	0.4
SG B	83	25	7	08S	0.4
SG B	83	112	13	09S	0.49
SG B	83	116	11	08S	0.59
SG B	83	116	16	09S	0.51
SG B	83	117	14	09S	0.47
SG B	83	127	6	09S	-0.53
SG B	83	128	18	13S	-0.64
SG B	84	1	20	12S	-0.75
SG B	84	2	17	12S	-0.75
SG B	84	2	15	12S	0.3
SG B	84	4	13	10S	0.06
SG B	84	4	11	12S	0.26
SG B	84	18	11	08S	-0.74
SG B	84	112	7	08S	0.61
SG B	84	115	5	08S	0.56
SG B	84	116	12	09S	0.51
SG B	84	117	10	09S	0.47
SG B	84	120	14	09S	0.53
SG B	84	126	16	09S	0.53
SG B	84	130	12	12S	0.47
SG B	85	1	11	08S	-0.73
SG B	85	2	12	11S	-0.73
SG B	85	2	14	12S	-0.77
SG B	85	29	7	08S	0.4
SG B	85	111	7	08S	0.59
SG B	85	112	13	09S	0.51
SG B	85	114	17	09S	0.49
SG B	85	116	15	09S	0.51
SG B	85	118	13	09S	0.51
SG B	85	124	11	12S	0.47

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	85	125	7	09S	-0.52
SG B	85	125	6	09S	0.53
SG B	85	125	8	14S	0.55
SG B	85	129	10	07S	-0.55
SG B	85	129	7	09S	-0.53
SG B	86	1	13	12S	-0.8
SG B	86	1	14	12S	0.28
SG B	86	4	14	10S	0.11
SG B	86	20	6	08S	-0.79
SG B	86	20	6	08S	0.36
SG B	86	25	12	08S	0.4
SG B	86	114	12	09S	0.51
SG B	86	115	12	09S	0.55
SG B	87	1	12	12S	-0.84
SG B	87	3	12	06S	-0.7
SG B	87	3	15	10S	0.11
SG B	87	3	19	12S	0.3
SG B	87	25	7	08S	0.41
SG B	87	119	11	09S	0.53
SG B	88	1	11	12S	-0.76
SG B	88	2	12	05S	-0.71
SG B	88	2	13	12S	-0.75
SG B	88	2	12	12S	0.34
SG B	88	4	11	10S	0.13
SG B	88	110	6	08S	0.58
SG B	88	110	10	09S	0.49
SG B	88	112	6	08S	0.53
SG B	88	113	12	09S	0.55
SG B	88	114	11	09S	0.47
SG B	88	115	17	09S	0.53
SG B	88	116	8	09S	0.51
SG B	89	4	8	10S	0.11
SG B	89	111	11	08S	0.59
SG B	89	111	21	14S	0.36
SG B	89	119	29	14S	-0.66
SG B	89	122	11	09S	0.57
SG B	89	125	11	11S	0.51
SG B	89	126	12	10S	0.51
SG B	89	126	9	14S	0.53
SG B	90	5	10	10S	0.02

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	90	6	11	12S	0.32
SG B	90	105	10	08S	0.55
SG B	90	107	11	09S	0.49
SG B	90	109	11	08S	0.59
SG B	90	112	10	09S	0.51
SG B	90	113	14	09S	0.47
SG B	90	116	10	09S	0.51
SG B	90	123	11	14S	0.47
SG B	90	124	7	14S	0.55
SG B	91	5	12	11S	-0.77
SG B	91	5	10	12S	-0.81
SG B	91	110	11	08S	0.59
SG B	91	111	9	08S	0.53
SG B	91	112	14	08S	0.57
SG B	91	112	11	09S	0.53
SG B	91	114	14	09S	0.49
SG B	91	116	21	09S	0.53
SG B	91	118	20	09S	0.53
SG B	91	126	7	14S	0.51
SG B	92	24	8	08S	-0.81
SG B	92	109	13	08S	0.57
SG B	92	111	12	09S	0.49
SG B	92	112	11	08S	0.56
SG B	92	112	10	09S	0.51
SG B	92	113	13	09S	0.51
SG B	92	115	15	09S	0.51
SG B	92	116	12	09S	0.49
SG B	92	117	12	09S	0.51
SG B	92	118	8	09S	0.49
SG B	93	4	13	11S	-0.75
SG B	93	4	17	12S	-0.76
SG B	93	4	16	12S	0.32
SG B	93	23	5	08S	0.49
SG B	93	107	5	08S	0.51
SG B	93	108	13	08S	0.59
SG B	93	111	7	08S	0.56
SG B	93	111	10	15S	0.36
SG B	93	112	18	09S	0.51
SG B	93	116	13	09S	0.51
SG B	93	125	13	09S	0.55

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	93	125	6	14S	0.62
SG B	93	128	20	12S	-0.59
SG B	94	11	12	14S	0.21
SG B	94	107	10	08S	0.57
SG B	94	109	17	08S	0.53
SG B	94	111	14	08S	0.57
SG B	94	112	6	08S	0.55
SG B	94	114	11	09S	0.49
SG B	94	115	13	09S	0.51
SG B	94	116	11	09S	0.53
SG B	94	117	12	09S	0.51
SG B	94	121	13	09S	0.53
SG B	94	125	18	09S	-0.59
SG B	94	126	11	12S	0.49
SG B	94	127	17	12S	0.49
SG B	95	4	18	14S	-0.89
SG B	95	5	15	10S	-0.71
SG B	95	104	14	08S	0.59
SG B	95	106	13	08S	0.53
SG B	95	107	9	08S	0.55
SG B	95	108	9	08S	0.53
SG B	95	108	11	09S	0.49
SG B	95	109	6	08S	0.53
SG B	95	109	8	09S	0.51
SG B	95	111	6	08S	0.59
SG B	95	112	11	08S	0.57
SG B	95	112	12	09S	0.51
SG B	95	113	10	09S	0.49
SG B	95	114	15	09S	0.53
SG B	95	115	10	09S	0.49
SG B	95	116	11	09S	0.55
SG B	95	117	10	09S	0.54
SG B	95	118	15	09S	0.57
SG B	95	119	10	09S	0.53
SG B	95	120	12	09S	0.51
SG B	95	121	10	09S	0.53
SG B	95	126	14	12S	0.49
SG B	96	1	22	12S	-0.79
SG B	96	108	10	09S	0.53
SG B	96	109	7	08S	0.58

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	96	110	10	09S	0.49
SG B	96	111	6	08S	0.56
SG B	96	112	11	09S	0.51
SG B	96	114	15	09S	0.51
SG B	96	116	14	09S	0.53
SG B	96	118	17	09S	0.53
SG B	96	119	12	11S	-0.64
SG B	96	120	7	09S	0.55
SG B	96	124	12	12S	0.45
SG B	96	124	9	14S	0.53
SG B	96	126	12	12S	0.51
SG B	97	8	10	14S	-0.9
SG B	97	9	15	14S	-0.85
SG B	97	22	5	08S	0.38
SG B	97	23	11	08S	0.36
SG B	97	26	7	08S	0.44
SG B	97	96	5	08S	0.51
SG B	97	109	7	08S	0.58
SG B	97	112	11	09S	0.53
SG B	97	114	11	09S	0.49
SG B	97	116	11	09S	-0.64
SG B	97	116	20	09S	0.53
SG B	97	117	9	09S	-0.56
SG B	97	117	11	09S	0.56
SG B	97	119	9	09S	0.62
SG B	97	122	17	12S	0.43
SG B	97	123	11	11S	-0.64
SG B	97	123	16	12S	0.47
SG B	97	124	12	12S	0.47
SG B	97	124	9	14S	0.57
SG B	97	126	10	11S	0.55
SG B	98	1	14	12S	0.32
SG B	98	6	7	10S	0.24
SG B	98	107	13	08S	0.55
SG B	98	107	11	09S	-0.66
SG B	98	108	7	08S	-0.53
SG B	98	108	8	08S	0.51
SG B	98	109	11	08S	-0.55
SG B	98	109	12	08S	0.55
SG B	98	109	11	09S	0.53

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	98	110	6	08S	0.53
SG B	98	113	11	09S	0.53
SG B	98	115	18	09S	-0.63
SG B	98	116	9	09S	0.53
SG B	98	117	8	09S	0.53
SG B	98	117	13	11S	-0.66
SG B	98	118	7	11S	-0.67
SG B	98	120	6	11S	-0.69
SG B	98	122	9	11S	-0.64
SG B	98	122	10	14S	0.57
SG B	98	125	12	12S	-0.61
SG B	99	1	12	12S	0.28
SG B	99	1	12	14S	0.19
SG B	99	2	13	12S	-0.74
SG B	99	4	6	10S	0.11
SG B	99	4	10	14S	-0.83
SG B	99	6	9	10S	0
SG B	99	7	11	10S	-0.02
SG B	99	105	9	08S	0.53
SG B	99	106	11	09S	0.49
SG B	99	107	9	08S	-0.53
SG B	99	107	7	08S	0.53
SG B	99	108	10	09S	0.51
SG B	99	110	13	09S	0.45
SG B	99	112	10	09S	0.51
SG B	99	113	9	09S	0.49
SG B	99	114	11	09S	-0.62
SG B	99	114	10	09S	0.51
SG B	99	115	10	09S	-0.6
SG B	99	115	9	09S	0.56
SG B	99	115	14	11S	-0.66
SG B	99	116	13	11S	-0.57
SG B	99	116	13	13S	-0.68
SG B	99	118	10	11S	0.55
SG B	99	119	18	14S	0.45
SG B	99	121	15	12S	0.49
SG B	99	124	8	12S	0.55
SG B	99	124	12	13S	0.51
SG B	100	1	11	12S	0.41
SG B	100	3	12	10S	0.23



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	100	3	10	12S	0.28
SG B	100	4	13	14S	-0.76
SG B	100	5	8	10S	0.02
SG B	100	7	14	10S	0.06
SG B	100	8	10	10S	0.06
SG B	100	8	25	14S	0
SG B	100	21	11	08S	0.38
SG B	100	99	12	08S	0.57
SG B	100	105	11	08S	0.53
SG B	100	108	6	08S	0.55
SG B	100	109	11	09S	0.47
SG B	100	114	9	09S	-0.6
SG B	100	114	12	09S	0.54
SG B	100	114	13	11S	-0.66
SG B	100	115	13	09S	0.59
SG B	100	115	14	11S	-0.62
SG B	100	118	6	14S	0.55
SG B	101	7	9	10S	0.02
SG B	101	20	8	08S	0.4
SG B	101	22	6	08S	0.4
SG B	101	23	11	08S	0.38
SG B	101	104	7	08S	0.68
SG B	101	106	7	08S	0.55
SG B	101	107	12	09S	0.53
SG B	101	108	11	09S	0.53
SG B	101	109	11	09S	0.5
SG B	101	111	10	09S	-0.62
SG B	101	111	10	09S	0.54
SG B	101	112	18	11S	-0.62
SG B	101	117	7	14S	0.63
SG B	101	120	14	12S	0.56
SG B	101	120	8	13S	0.64
SG B	102	5	12	14S	-0.87
SG B	102	7	15	10S	0.02
SG B	102	29	11	09S	-0.74
SG B	102	104	11	09S	0.57
SG B	102	108	10	09S	0.57
SG B	102	112	10	09S	0.47
SG B	102	113	18	11S	-0.61
SG B	102	114	12	11S	-0.66

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	103	7	9	10S	0.11
SG B	103	8	11	10S	0
SG B	103	107	10	09S	0.51
SG B	103	110	9	08S	0.62
SG B	103	113	8	09S	-0.55
SG B	103	113	12	09S	0.47
SG B	103	121	11	07S	-0.72
SG B	104	1	10	12S	-0.7
SG B	104	1	29	12S	0.4
SG B	104	6	15	04S	-0.7
SG B	104	6	14	10S	0.04
SG B	104	7	11	10S	0.04
SG B	104	99	11	09S	0.49
SG B	104	99	7	10S	0.47
SG B	104	104	10	08S	0.6
SG B	104	105	8	08S	0.62
SG B	104	105	9	09S	0.48
SG B	104	106	7	08S	0.58
SG B	104	107	12	09S	0.51
SG B	104	108	7	08S	0.53
SG B	104	112	8	09S	0.57
SG B	104	113	17	11S	-0.64
SG B	104	114	9	11S	-0.68
SG B	104	118	15	12S	0.45
SG B	104	118	8	14S	0.7
SG B	104	119	11	11S	0.49
SG B	104	121	9	12S	0.54
SG B	105	1	16	12S	0.32
SG B	105	5	11	10S	0.11
SG B	105	29	7	08S	0.42
SG B	105	104	7	08S	0.52
SG B	105	104	10	09S	0.53
SG B	105	105	10	09S	0.51
SG B	105	106	7	08S	0.59
SG B	105	110	12	09S	0.53
SG B	105	114	8	12S	0.56
SG B	105	115	11	10S	0.43
SG B	105	116	12	11S	0.51
SG B	105	117	13	12S	-0.64
SG B	106	2	27	12S	-0.72

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	106	2	25	12S	0.38
SG B	106	2	10	13S	-0.75
SG B	106	2	18	13S	0.23
SG B	106	3	12	14S	-0.75
SG B	106	4	11	10S	0.13
SG B	106	102	8	08S	0.59
SG B	106	106	11	08S	0.57
SG B	106	112	9	09S	0.55
SG B	106	114	8	14S	0.59
SG B	106	116	12	12S	0.49
SG B	107	3	11	10S	0.08
SG B	107	4	15	14S	-0.75
SG B	107	100	6	08S	0.55
SG B	107	101	8	08S	0.52
SG B	107	102	7	08S	0.55
SG B	107	104	7	08S	0.55
SG B	107	113	17	11S	0.51
SG B	107	114	12	14S	0.4
SG B	107	115	14	12S	0.47
SG B	107	116	16	12S	0.49
SG B	107	117	8	11S	-0.66
SG B	107	117	17	11S	0.56
SG B	107	117	13	12S	-0.6
SG B	107	117	9	12S	0.53
SG B	108	2	5	10S	0
SG B	108	5	17	14S	-0.83
SG B	108	101	10	09S	0.51
SG B	109	3	15	14S	-0.83
SG B	109	23	9	08S	0.4
SG B	109	26	6	08S	0.43
SG B	109	97	10	09S	0.49
SG B	109	98	4	08S	0.54
SG B	109	99	8	08S	0.56
SG B	109	101	12	09S	0.43
SG B	109	115	8	12S	0.49
SG B	110	1	19	12S	-0.74
SG B	110	6	12	14S	-0.79
SG B	110	22	10	08S	-0.7
SG B	110	22	10	08S	0.38
SG B	110	24	9	08S	0.38

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	110	25	8	08S	0.41
SG B	110	98	12	09S	0.51
SG B	110	100	13	09S	0.49
SG B	110	109	6	14S	0.59
SG B	111	1	19	12S	-0.74
SG B	111	19	6	08S	0.38
SG B	111	98	6	08S	0.53
SG B	111	111	12	11S	-0.61
SG B	111	114	12	12S	0.45
SG B	111	116	11	11S	0.49
SG B	112	28	7	08S	0.38
SG B	112	98	6	08S	0.54
SG B	112	111	13	10S	0.47
SG B	112	113	13	11S	0.51
SG B	113	1	17	12S	-0.72
SG B	113	7	14	14S	-0.79
SG B	113	7	10	14S	0.23
SG B	113	9	14	14S	-0.89
SG B	113	11	11	14S	-0.89
SG B	113	24	8	08S	0.36
SG B	113	95	5	08S	0.51
SG B	113	96	9	08S	0.45
SG B	113	98	10	09S	-0.64
SG B	113	99	10	09S	0.45
SG B	114	1	35	12S	-0.68
SG B	114	1	16	12S	0.36
SG B	114	22	6	08S	0.38
SG B	114	97	14	11S	-0.74
SG B	114	99	11	09S	0.51
SG B	114	110	9	11S	-0.64
SG B	114	115	8	13S	0.51
SG B	115	1	42	12S	-0.7
SG B	115	2	11	05S	-0.7
SG B	115	6	10	14S	-0.85
SG B	115	7	17	14S	-0.77
SG B	115	23	15	08S	-0.74
SG B	115	83	10	08S	0.51
SG B	115	88	15	06S	-0.64
SG B	115	93	5	08S	0.58
SG B	115	95	7	08S	0.6

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	115	97	5	08S	0.51
SG B	116	2	10	12S	-0.75
SG B	116	6	15	14S	-0.85
SG B	116	7	11	14S	-0.83
SG B	116	9	10	14S	-0.89
SG B	116	27	9	08S	0.38
SG B	116	86	11	08S	0.51
SG B	116	87	6	08S	0.51
SG B	116	91	11	09S	0.45
SG B	116	113	20	10S	0.54
SG B	116	113	13	11S	0.59
SG B	117	2	41	12S	-0.72
SG B	117	3	10	12S	-0.79
SG B	117	91	8	08S	0.53
SG B	117	112	18	10S	-0.53
SG B	117	112	5	11S	-0.55
SG B	117	112	13	11S	0.59
SG B	118	1	17	12S	-0.74
SG B	118	2	44	12S	-0.72
SG B	118	3	15	12S	-0.75
SG B	118	9	13	14S	-0.79
SG B	118	28	5	08S	0.38
SG B	118	31	10	08S	0.41
SG B	118	86	7	08S	0.49
SG B	118	87	13	08S	-0.61
SG B	118	93	6	08S	0.51
SG B	118	97	11	09S	-0.6
SG B	118	97	14	15S	-0.64
SG B	118	106	10	09S	0.51
SG B	118	106	12	11S	-0.58
SG B	118	109	18	11S	-0.7
SG B	118	109	10	11S	0.66
SG B	118	111	11	10S	-0.62
SG B	118	111	10	11S	0.59
SG B	118	111	5	13S	-0.43
SG B	118	111	16	13S	0.62
SG B	119	6	12	14S	-0.77
SG B	119	7	13	14S	-0.85
SG B	119	10	10	14S	-0.95
SG B	119	26	10	08S	-0.77

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	119	26	7	08S	0.36
SG B	119	78	10	08S	0.45
SG B	119	79	8	08S	0.52
SG B	119	79	13	09S	-0.63
SG B	119	86	25	08S	-0.57
SG B	119	86	18	08S	0.57
SG B	119	87	10	08S	-0.53
SG B	119	87	10	08S	0.51
SG B	119	88	8	08S	0.57
SG B	119	107	9	11S	0.58
SG B	120	1	30	12S	-0.77
SG B	120	2	15	12S	-0.74
SG B	120	9	12	14S	0.19
SG B	120	22	8	08S	0.38
SG B	120	30	8	08S	0.38
SG B	120	32	10	08S	0.41
SG B	120	50	6	08S	0.47
SG B	120	80	17	06S	-0.61
SG B	120	80	10	08S	0.53
SG B	120	82	10	08S	-0.64
SG B	120	82	10	08S	0.53
SG B	120	89	7	08S	0.54
SG B	120	100	15	11S	-0.66
SG B	120	104	10	11S	0.58
SG B	121	1	10	11S	-0.79
SG B	121	1	18	12S	-0.77
SG B	121	2	20	12S	-0.73
SG B	121	7	11	14S	-0.79
SG B	121	9	13	14S	0.22
SG B	121	83	7	08S	0.55
SG B	121	101	11	10S	0.21
SG B	121	105	7	11S	0.53
SG B	121	105	12	12S	-0.7
SG B	121	106	9	11S	0.62
SG B	122	1	25	12S	-0.81
SG B	122	2	28	12S	-0.72
SG B	122	6	10	06S	0.36
SG B	122	69	11	10S	-0.73
SG B	122	78	13	10S	-0.72
SG B	122	79	7	08S	0.51

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	122	89	7	08S	0.56
SG B	122	99	7	09S	-0.49
SG B	122	99	26	11S	-0.66
SG B	122	104	25	11S	0.54
SG B	122	104	9	12S	-0.57
SG B	122	104	7	12S	0.47
SG B	122	105	14	10S	-0.66
SG B	122	105	25	11S	0.54
SG B	122	105	27	12S	-0.61
SG B	123	1	31	12S	-0.81
SG B	123	2	31	12S	-0.77
SG B	123	10	16	14S	-0.89
SG B	123	21	5	08S	0.39
SG B	123	31	8	08S	-0.68
SG B	123	31	10	08S	0.36
SG B	123	54	12	08S	0.44
SG B	123	78	5	08S	0.53
SG B	123	88	9	09S	0.49
SG B	123	98	6	09S	-0.51
SG B	123	103	19	11S	0.53
SG B	123	103	13	12S	-0.68
SG B	124	1	29	12S	-0.77
SG B	124	2	34	12S	-0.79
SG B	124	3	13	12S	-0.75
SG B	124	8	12	14S	0.21
SG B	124	9	11	14S	-0.87
SG B	124	9	10	15S	0.16
SG B	124	10	13	14S	-0.81
SG B	124	11	16	14S	-0.8
SG B	124	11	11	14S	0.19
SG B	124	30	9	08S	0.36
SG B	124	32	7	08S	0.43
SG B	124	40	10	08S	0.41
SG B	124	71	19	09S	-0.66
SG B	124	77	7	08S	0.56
SG B	124	98	12	11S	-0.66
SG B	124	101	10	11S	-0.68
SG B	124	101	8	11S	0.51
SG B	124	101	11	12S	-0.66
SG B	124	102	21	11S	0.63

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	124	102	14	12S	-0.65
SG B	124	102	9	12S	0.58
SG B	124	103	11	09S	-0.68
SG B	124	103	20	10S	-0.64
SG B	125	1	9	11S	-0.84
SG B	125	1	24	12S	-0.76
SG B	125	1	8	12S	0.35
SG B	125	2	23	12S	-0.76
SG B	125	3	10	10S	-0.79
SG B	125	3	24	12S	-0.79
SG B	125	31	10	08S	0.38
SG B	125	39	9	08S	0.36
SG B	125	68	10	08S	0.49
SG B	125	70	17	08S	-0.67
SG B	125	70	18	08S	0.51
SG B	125	71	9	08S	0.45
SG B	125	73	7	08S	0.49
SG B	125	86	15	08S	-0.53
SG B	125	86	11	08S	0.51
SG B	125	86	13	09S	-0.62
SG B	125	96	7	09S	-0.57
SG B	125	96	16	11S	-0.64
SG B	125	97	9	11S	-0.64
SG B	125	98	10	10S	0.32
SG B	125	100	16	11S	-0.7
SG B	125	100	14	12S	-0.7
SG B	125	101	13	12S	-0.57
SG B	125	101	14	12S	0.55
SG B	126	7	19	12S	-0.81
SG B	126	7	15	12S	0.3
SG B	126	11	13	14S	-0.91
SG B	126	15	11	14S	-0.93
SG B	126	40	5	08S	0.41
SG B	126	62	11	08S	0.47
SG B	126	73	7	08S	0.53
SG B	126	76	11	08S	-0.62
SG B	126	76	10	08S	0.51
SG B	126	93	16	11S	-0.66
SG B	126	94	14	11S	-0.7
SG B	126	95	10	11S	-0.66



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	126	96	11	10S	0.38
SG B	126	98	17	12S	-0.7
SG B	126	99	8	11S	0.62
SG B	126	99	8	12S	0.6
SG B	127	1	39	12S	-0.74
SG B	127	2	13	11S	-0.83
SG B	127	2	10	12S	-0.81
SG B	127	3	12	12S	-0.83
SG B	127	4	11	12S	-0.85
SG B	127	7	18	12S	0.3
SG B	127	10	14	14S	-0.91
SG B	127	12	14	14S	-0.91
SG B	127	63	8	08S	0.49
SG B	127	65	11	08S	0.45
SG B	127	69	7	08S	0.51
SG B	127	74	7	08S	0.51
SG B	127	75	7	08S	0.51
SG B	127	80	12	08S	-0.64
SG B	127	93	17	11S	-0.66
SG B	127	96	13	11S	-0.6
SG B	127	96	6	11S	0.53
SG B	127	96	22	12S	-0.68
SG B	127	97	19	11S	-0.75
SG B	127	97	22	12S	-0.68
SG B	127	98	7	07S	0.47
SG B	127	98	19	11S	0.49
SG B	127	98	14	12S	-0.61
SG B	127	98	12	12S	0.59
SG B	128	1	34	12S	-0.79
SG B	128	6	17	10S	-0.72
SG B	128	28	4	07S	0.47
SG B	128	28	6	08S	0.43
SG B	128	53	5	08S	0.38
SG B	128	58	8	08S	0.43
SG B	128	60	9	08S	0.51
SG B	128	64	8	08S	0.45
SG B	128	66	6	08S	0.43
SG B	128	68	8	08S	0.47
SG B	128	70	9	08S	0.47
SG B	128	81	8	11S	-0.64

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	128	86	14	11S	-0.7
SG B	128	87	14	11S	-0.75
SG B	128	88	9	10S	0.28
SG B	128	90	11	11S	-0.7
SG B	128	91	15	12S	-0.7
SG B	128	91	8	12S	0.49
SG B	129	1	37	12S	-0.76
SG B	129	4	10	12S	-0.79
SG B	129	28	7	08S	0.41
SG B	129	29	8	08S	0.38
SG B	129	38	6	08S	0.38
SG B	129	83	6	09S	0.52
SG B	129	84	8	09S	0.52
SG B	129	86	11	14S	0.42
SG B	129	87	16	11S	-0.66
SG B	129	89	11	11S	-0.68
SG B	129	90	5	14S	0.43
SG B	129	93	12	12S	-0.7
SG B	129	93	8	12S	0.6
SG B	129	94	16	12S	0.53
SG B	130	1	17	12S	-0.81
SG B	130	2	22	11S	-0.26
SG B	130	2	27	12S	-0.77
SG B	130	2	15	14S	-0.82
SG B	130	3	13	12S	-0.85
SG B	130	9	17	14S	0.19
SG B	130	32	6	08S	0.36
SG B	130	34	6	10S	-0.79
SG B	130	38	7	06S	0.47
SG B	130	38	12	08S	0.36
SG B	130	41	9	08S	0.38
SG B	130	48	8	08S	0.41
SG B	130	49	14	08S	0.38
SG B	130	49	10	10S	-0.79
SG B	130	63	8	08S	0.39
SG B	130	69	7	08S	-0.68
SG B	130	69	6	08S	0.47
SG B	130	85	12	12S	-0.68
SG B	130	86	7	11S	0.57
SG B	130	86	14	12S	-0.68

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	130	86	12	12S	0.53
SG B	130	88	9	10S	0.23
SG B	130	93	11	11S	0.53
SG B	131	1	32	12S	-0.77
SG B	131	7	14	12S	0.3
SG B	131	7	12	15S	0.21
SG B	131	8	12	10S	-0.82
SG B	131	13	13	14S	0.19
SG B	131	15	12	14S	0.21
SG B	131	59	8	08S	0.39
SG B	131	82	9	09S	-0.66
SG B	131	83	6	09S	0.52
SG B	131	83	14	11S	-0.64
SG B	131	84	13	11S	-0.64
SG B	131	86	12	12S	-0.65
SG B	131	86	13	12S	0.53
SG B	131	87	11	12S	0.53
SG B	131	88	15	11S	-0.68
SG B	131	88	12	12S	-0.65
SG B	131	89	10	11S	-0.7
SG B	131	89	11	12S	-0.73
SG B	131	90	16	12S	-0.68
SG B	131	90	10	14S	-0.66
SG B	132	1	27	12S	-0.79
SG B	132	2	14	12S	-0.79
SG B	132	3	11	12S	-0.81
SG B	132	7	9	06S	-0.73
SG B	132	7	15	14S	-0.94
SG B	132	38	5	08S	0.42
SG B	132	82	12	09S	0.51
SG B	132	82	20	11S	-0.64
SG B	132	83	11	14S	0.37
SG B	132	86	11	13S	0.62
SG B	132	87	11	11S	-0.66
SG B	132	87	13	12S	-0.73
SG B	132	88	5	09S	0.47
SG B	132	88	15	11S	-0.63
SG B	132	88	21	12S	-0.59
SG B	132	88	8	12S	0.52
SG B	132	88	11	13S	-0.45

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	132	88	9	13S	0.62
SG B	132	89	22	10S	-0.54
SG B	132	89	16	11S	0.54
SG B	132	89	12	12S	-0.63
SG B	133	8	17	13S	0.17
SG B	133	9	10	06S	0.36
SG B	133	9	9	07S	-0.77
SG B	133	9	10	13S	0.19
SG B	133	14	13	14S	-0.89
SG B	133	50	11	06S	-0.7
SG B	133	80	9	14S	0.39
SG B	133	81	17	12S	-0.65
SG B	133	82	16	12S	-0.7
SG B	133	84	8	10S	-0.66
SG B	133	84	12	12S	-0.68
SG B	133	85	13	12S	-0.64
SG B	133	86	10	11S	0.47
SG B	133	86	21	12S	-0.73
SG B	133	86	10	13S	-0.66
SG B	133	87	13	11S	0.53
SG B	133	87	24	12S	-0.57
SG B	133	87	14	13S	0.64
SG B	133	88	7	11S	0.51
SG B	133	88	20	12S	-0.62
SG B	134	1	19	12S	-0.85
SG B	134	1	7	12S	0.24
SG B	134	4	24	12S	-0.76
SG B	134	4	14	12S	0.32
SG B	134	78	7	09S	0.54
SG B	134	78	13	11S	-0.7
SG B	134	79	11	11S	-0.71
SG B	134	79	13	13S	0.49
SG B	134	82	13	12S	-0.68
SG B	134	83	21	12S	-0.7
SG B	134	84	7	08S	0.51
SG B	134	84	5	09S	0.54
SG B	134	84	12	10S	-0.59
SG B	134	84	21	11S	-0.64
SG B	134	84	9	11S	0.54
SG B	134	84	30	12S	-0.59

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	134	85	12	10S	-0.73
SG B	134	85	21	12S	-0.66
SG B	134	85	6	13S	0.6
SG B	135	7	10	12S	0.32
SG B	135	9	12	10S	-0.79
SG B	135	9	10	13S	-0.79
SG B	135	15	17	14S	-0.85
SG B	135	32	15	14S	0.15
SG B	135	51	10	15S	0.29
SG B	135	70	11	11S	-0.68
SG B	135	77	8	09S	0.53
SG B	135	78	14	11S	-0.62
SG B	135	78	9	14S	0.41
SG B	135	81	12	11S	-0.66
SG B	135	81	20	12S	-0.63
SG B	135	82	11	11S	-0.61
SG B	135	82	14	12S	-0.61
SG B	135	82	17	12S	0.54
SG B	135	83	14	11S	-0.66
SG B	135	83	11	11S	0.55
SG B	135	83	24	12S	-0.67
SG B	135	83	16	13S	-0.6
SG B	135	83	17	13S	0.67
SG B	135	84	16	12S	-0.66
SG B	135	84	14	13S	-0.58
SG B	136	7	14	13S	0.23
SG B	136	7	10	14S	0.23
SG B	136	8	15	12S	-0.81
SG B	136	8	16	12S	0.27
SG B	136	17	21	14S	-0.79
SG B	136	65	11	09S	-0.71
SG B	136	66	13	11S	0.44
SG B	136	67	9	11S	-0.73
SG B	136	68	16	11S	-0.72
SG B	136	69	11	14S	-0.71
SG B	136	71	20	14S	-0.7
SG B	136	73	10	14S	0.41
SG B	136	76	15	11S	-0.68
SG B	136	76	9	14S	0.5
SG B	136	77	14	12S	0.58

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	136	77	7	13S	0.55
SG B	136	78	13	12S	-0.68
SG B	136	79	21	12S	-0.64
SG B	136	79	10	13S	-0.64
SG B	136	80	5	07S	0.49
SG B	136	80	10	11S	0.54
SG B	136	80	24	12S	-0.59
SG B	136	80	13	13S	-0.45
SG B	136	80	10	13S	0.62
SG B	136	81	13	10S	-0.73
SG B	136	81	9	11S	-0.69
SG B	136	81	15	11S	0.45
SG B	136	81	18	12S	-0.64
SG B	136	81	12	13S	-0.55
SG B	136	81	16	13S	0.58
SG B	137	1	7	12S	0.3
SG B	137	3	15	12S	-0.78
SG B	137	7	18	14S	-0.34
SG B	137	8	6	11S	-0.81
SG B	137	8	10	12S	0.3
SG B	137	9	15	13S	0.28
SG B	137	10	11	12S	0.28
SG B	137	10	19	14S	0.17
SG B	137	63	11	11S	-0.7
SG B	137	65	13	09S	-0.68
SG B	137	65	17	11S	-0.7
SG B	137	66	10	10S	0.24
SG B	137	66	13	11S	-0.77
SG B	137	67	14	11S	-0.7
SG B	137	69	32	11S	-0.11
SG B	137	70	35	11S	-0.14
SG B	137	70	13	12S	0.43
SG B	137	71	15	11S	-0.68
SG B	137	73	11	11S	-0.7
SG B	137	75	10	11S	-0.68
SG B	137	75	12	12S	-0.68
SG B	137	75	10	12S	0.52
SG B	137	77	18	10S	-0.66
SG B	137	77	12	11S	-0.7
SG B	137	77	11	13S	-0.67

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	137	77	13	13S	0.47
SG B	137	78	29	12S	-0.72
SG B	137	79	14	11S	-0.65
SG B	137	79	22	12S	-0.64
SG B	137	79	26	13S	-0.54
SG B	137	80	5	11S	0.49
SG B	137	80	10	12S	-0.66
SG B	138	7	13	13S	0.21
SG B	138	7	14	14S	0.17
SG B	138	8	11	12S	0.32
SG B	138	9	12	13S	0.24
SG B	138	9	12	14S	-0.86
SG B	138	9	13	14S	0.15
SG B	138	12	14	13S	-0.74
SG B	138	13	12	13S	-0.8
SG B	138	14	13	13S	-0.73
SG B	138	60	11	09S	-0.68
SG B	138	61	15	11S	-0.75
SG B	138	62	23	11S	-0.7
SG B	138	63	21	11S	-0.75
SG B	138	64	11	10S	0.15
SG B	138	64	15	11S	-0.7
SG B	138	66	13	11S	-0.7
SG B	138	67	6	13S	0.47
SG B	138	68	12	10S	0.17
SG B	138	69	14	11S	-0.64
SG B	138	70	14	11S	-0.7
SG B	138	72	12	11S	-0.7
SG B	138	74	18	11S	-0.68
SG B	138	75	14	11S	-0.62
SG B	138	75	29	12S	-0.66
SG B	138	75	15	13S	-0.71
SG B	138	76	14	11S	-0.7
SG B	138	76	22	12S	-0.68
SG B	138	76	21	13S	-0.58
SG B	138	77	6	11S	0.47
SG B	139	7	6	10S	-0.71
SG B	139	10	17	12S	0.34
SG B	139	10	10	15S	0.21
SG B	139	11	10	11S	-0.82

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	139	11	11	14S	0.17
SG B	139	15	11	10S	-0.77
SG B	139	57	8	09S	0
SG B	139	58	11	11S	-0.76
SG B	139	59	26	11S	-0.68
SG B	139	59	10	11S	0.42
SG B	139	60	14	11S	-0.77
SG B	139	64	12	11S	-0.75
SG B	139	64	10	12S	-0.62
SG B	139	64	8	12S	0.49
SG B	139	67	13	10S	0.23
SG B	139	68	12	11S	-0.75
SG B	139	71	14	12S	-0.64
SG B	139	72	14	12S	-0.62
SG B	139	72	13	12S	0.52
SG B	139	73	15	11S	-0.7
SG B	139	73	20	12S	-0.68
SG B	139	73	13	13S	-0.66
SG B	139	74	25	12S	-0.57
SG B	139	74	11	12S	0.61
SG B	139	74	11	13S	-0.57
SG B	140	3	11	13S	-0.78
SG B	140	7	18	13S	-0.81
SG B	140	9	11	14S	0.19
SG B	140	10	11	13S	0.26
SG B	140	10	11	14S	0.23
SG B	140	10	15	15S	0.21
SG B	140	11	12	13S	0.24
SG B	140	11	10	14S	0.24
SG B	140	12	10	14S	0.23
SG B	140	12	8	15S	0.21
SG B	140	15	15	13S	0.17
SG B	140	18	13	14S	-0.82
SG B	140	55	9	11S	-0.73
SG B	140	55	12	13S	0.43
SG B	140	56	13	10S	0.16
SG B	140	56	28	11S	-0.07
SG B	140	56	11	12S	0.4
SG B	140	59	12	13S	-0.61
SG B	140	59	20	14S	0.43



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	140	60	14	14S	-0.77
SG B	140	61	11	11S	-0.7
SG B	140	61	11	12S	0.42
SG B	140	61	10	14S	0.45
SG B	140	62	13	14S	0.41
SG B	140	65	10	11S	-0.68
SG B	140	65	15	14S	-0.66
SG B	140	65	8	14S	0.49
SG B	140	67	23	12S	-0.68
SG B	140	69	14	11S	-0.7
SG B	140	69	23	12S	-0.64
SG B	140	69	12	13S	-0.57
SG B	141	2	17	12S	-0.74
SG B	141	4	22	12S	-0.72
SG B	141	6	10	11S	-0.81
SG B	141	6	11	13S	-0.72
SG B	141	9	16	15S	0.16
SG B	141	10	10	12S	0.36
SG B	141	10	11	13S	0.25
SG B	141	10	10	15S	0.23
SG B	141	12	10	15S	-0.87
SG B	141	13	9	10S	-0.83
SG B	141	14	8	12S	0.3
SG B	141	16	15	10S	-0.72
SG B	141	16	13	12S	0.33
SG B	141	16	10	14S	-0.78
SG B	141	17	18	14S	-0.83
SG B	141	27	16	14S	0.15
SG B	141	54	9	11S	-0.66
SG B	141	55	10	11S	-0.66
SG B	141	56	16	10S	0.25
SG B	141	56	13	14S	-0.71
SG B	141	58	8	13S	-0.62
SG B	141	59	12	13S	-0.58
SG B	141	60	9	14S	0.45
SG B	141	61	12	12S	0.45
SG B	141	61	7	13S	-0.57
SG B	141	61	10	14S	0.45
SG B	141	62	10	12S	0.49
SG B	141	62	6	13S	-0.56

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	141	62	6	14S	0.58
SG B	141	63	10	12S	-0.66
SG B	141	63	11	12S	0.49
SG B	141	63	13	13S	-0.57
SG B	141	63	8	14S	0.51
SG B	141	64	7	12S	0.54
SG B	141	66	10	12S	-0.64
SG B	141	67	17	11S	-0.68
SG B	141	67	13	12S	-0.66
SG B	141	67	16	13S	-0.66
SG B	141	68	14	12S	-0.58
SG B	141	68	15	13S	-0.64
SG B	142	2	10	12S	-0.76
SG B	142	3	15	12S	-0.79
SG B	142	4	13	11S	-0.79
SG B	142	14	13	13S	-0.75
SG B	142	16	16	12S	0.31
SG B	142	16	14	14S	0.19
SG B	142	17	12	14S	0.2
SG B	142	23	13	14S	-0.88
SG B	142	52	10	11S	-0.66
SG B	142	53	18	11S	-0.7
SG B	142	54	7	10S	0.33
SG B	142	54	14	14S	0.38
SG B	142	56	11	12S	-0.64
SG B	142	56	12	12S	0.4
SG B	142	56	21	14S	0.43
SG B	142	60	11	12S	-0.68
SG B	142	62	14	11S	-0.7
SG B	142	63	10	12S	-0.65
SG B	142	64	10	11S	-0.02
SG B	142	64	15	12S	-0.59
SG B	142	64	20	12S	0.59
SG B	142	65	8	10S	-0.62
SG B	142	65	7	11S	-0.6
SG B	142	65	11	12S	-0.62
SG B	142	65	10	13S	-0.7
SG B	143	2	11	11S	-0.81
SG B	143	2	32	12S	-0.74
SG B	143	3	12	11S	-0.83

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	143	3	15	14S	0.17
SG B	143	4	18	12S	-0.72
SG B	143	4	14	12S	0.38
SG B	143	7	8	13S	-0.81
SG B	143	12	10	13S	0.32
SG B	143	12	18	14S	-0.79
SG B	143	13	14	13S	0.24
SG B	143	13	13	14S	0.22
SG B	143	15	10	10S	-0.76
SG B	143	21	11	11S	-0.79
SG B	143	21	12	14S	-0.84
SG B	143	50	12	11S	0.45
SG B	143	51	15	14S	0.41
SG B	143	55	15	12S	-0.64
SG B	143	55	12	12S	0.43
SG B	143	56	5	13S	-0.58
SG B	143	56	10	13S	0.49
SG B	143	57	13	11S	-0.66
SG B	143	57	13	12S	-0.66
SG B	143	59	14	11S	-0.68
SG B	143	60	11	12S	-0.62
SG B	143	60	15	13S	-0.67
SG B	144	3	10	11S	-0.83
SG B	144	9	11	15S	-0.92
SG B	144	11	10	12S	0.32
SG B	144	11	12	13S	-0.77
SG B	144	11	10	14S	-0.81
SG B	144	11	14	14S	0.11
SG B	144	12	10	10S	-0.72
SG B	144	13	18	10S	-0.72
SG B	144	13	15	12S	0.34
SG B	144	14	12	10S	-0.75
SG B	144	16	11	12S	-0.83
SG B	144	38	11	09S	-0.7
SG B	144	40	20	09S	-0.68
SG B	144	47	11	11S	-0.73
SG B	144	48	9	13S	-0.52
SG B	144	48	13	13S	0.43
SG B	144	51	13	11S	-0.66
SG B	144	51	22	13S	-0.64

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	144	51	14	13S	0.45
SG B	144	51	14	14S	-0.68
SG B	144	51	19	14S	0.36
SG B	144	52	11	12S	-0.68
SG B	144	52	11	13S	-0.49
SG B	144	52	9	13S	0.45
SG B	144	53	13	13S	0.47
SG B	144	54	12	12S	-0.64
SG B	145	2	13	08S	-0.7
SG B	145	2	12	11S	-0.83
SG B	145	9	10	10S	-0.75
SG B	145	10	15	10S	-0.72
SG B	145	11	16	11S	-0.81
SG B	145	11	11	14S	-0.79
SG B	145	13	17	12S	-0.81
SG B	145	13	11	12S	0.3
SG B	145	13	11	14S	-0.88
SG B	145	15	22	10S	-0.76
SG B	145	16	12	11S	-0.81
SG B	145	18	14	14S	0.23
SG B	145	28	12	12S	0.36
SG B	145	28	13	14S	0.32
SG B	145	28	10	15S	0.34
SG B	145	30	11	13S	0.36
SG B	145	30	12	14S	-0.8
SG B	145	33	10	13S	0.3
SG B	145	34	12	11S	-0.7
SG B	145	34	10	12S	0.34
SG B	145	35	7	10S	0.3
SG B	145	36	14	11S	-0.72
SG B	145	37	11	11S	-0.72
SG B	145	46	10	10S	0.11
SG B	145	46	10	14S	0.38
SG B	145	47	9	13S	-0.52
SG B	145	47	33	14S	0
SG B	145	48	14	12S	0.45
SG B	145	48	18	13S	0.5
SG B	145	48	10	14S	0.43
SG B	145	49	15	14S	0.36
SG B	145	50	13	12S	-0.66

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	145	50	10	13S	0.56
SG B	146	1	14	11S	-0.85
SG B	146	6	10	13S	-0.75
SG B	146	7	15	12S	-0.72
SG B	146	9	14	14S	-0.75
SG B	146	10	10	10S	-0.79
SG B	146	12	13	10S	-0.71
SG B	146	12	9	12S	0.38
SG B	146	13	12	12S	-0.72
SG B	146	13	11	12S	0.34
SG B	146	14	10	10S	-0.77
SG B	146	16	11	14S	0.21
SG B	146	18	10	11S	-0.75
SG B	146	20	5	10S	-0.09
SG B	146	20	17	14S	-0.85
SG B	146	22	10	11S	-0.79
SG B	146	24	12	11S	-0.77
SG B	146	25	18	11S	-0.72
SG B	146	30	11	13S	-0.68
SG B	146	32	10	10S	0.11
SG B	146	33	10	10S	0.21
SG B	146	36	13	10S	0.17
SG B	146	37	10	10S	0.17
SG B	146	40	12	11S	-0.7
SG B	146	44	10	10S	0.13
SG B	146	44	11	14S	-0.72
SG B	146	44	16	14S	0.41
SG B	146	46	17	12S	-0.63
SG B	146	46	10	14S	0.48
SG B	146	47	11	12S	-0.66
SG B	146	47	13	12S	0.49
SG B	146	47	17	13S	0.43
SG B	147	1	20	13S	-0.77
SG B	147	1	12	13S	0.28
SG B	147	4	16	12S	-0.68
SG B	147	5	18	12S	-0.75
SG B	147	6	13	10S	-0.72
SG B	147	6	18	12S	-0.72
SG B	147	7	14	13S	-0.78
SG B	147	7	10	13S	0.26

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	147	8	17	10S	-0.68
SG B	147	9	11	10S	-0.77
SG B	147	12	11	14S	0.28
SG B	147	13	13	14S	-0.83
SG B	147	15	14	14S	0.22
SG B	147	17	14	14S	-0.81
SG B	147	18	11	14S	0.27
SG B	147	21	17	14S	-0.86
SG B	147	22	12	10S	-0.72
SG B	147	26	10	11S	-0.72
SG B	147	26	15	13S	-0.72
SG B	147	27	5	10S	0.11
SG B	147	28	9	10S	0.13
SG B	147	28	11	14S	-0.68
SG B	147	29	13	10S	0.19
SG B	147	40	14	13S	-0.66
SG B	147	40	17	13S	0.4
SG B	147	40	20	14S	-0.74
SG B	147	40	17	14S	0.44
SG B	147	41	10	13S	0.45
SG B	147	41	11	14S	0.34
SG B	147	42	11	11S	-0.66
SG B	147	42	11	12S	-0.64
SG B	147	42	10	13S	0.52
SG B	147	42	11	14S	-0.73
SG B	147	42	14	14S	0.38
SG B	148	1	12	13S	-0.77
SG B	148	3	11	11S	-0.74
SG B	148	3	30	13S	-0.68
SG B	148	4	17	10S	-0.79
SG B	148	4	13	11S	-0.83
SG B	148	4	44	12S	-0.73
SG B	148	4	18	13S	-0.77
SG B	148	5	22	12S	-0.7
SG B	148	5	17	13S	-0.68
SG B	148	6	14	11S	-0.79
SG B	148	6	28	12S	-0.77
SG B	148	6	10	13S	-0.79
SG B	148	7	30	12S	-0.7
SG B	148	8	17	12S	-0.79

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	148	8	10	13S	-0.75
SG B	148	9	15	13S	-0.7
SG B	148	23	12	12S	0.4
SG B	148	25	12	10S	0.11
SG B	148	26	7	10S	0.15
SG B	148	26	9	12S	0.39
SG B	148	32	6	13S	0.49
SG B	148	37	13	13S	-0.66
SG B	148	38	13	14S	-0.66
SG B	148	38	15	14S	0.34
SG B	148	39	22	14S	0.38
SG B	149	2	12	13S	-0.77
SG B	149	5	13	11S	-0.71
SG B	149	5	28	12S	-0.71
SG B	149	5	19	13S	-0.69
SG B	149	7	24	12S	-0.71
SG B	149	8	25	12S	-0.7
SG B	149	9	17	12S	-0.77
SG B	149	14	7	10S	0.42
SG B	149	17	7	13S	0.32
SG B	149	21	12	13S	-0.7
SG B	149	24	11	11S	-0.72
SG B	149	27	14	11S	-0.7
SG B	149	31	18	11S	-0.7
SG B	149	33	16	13S	-0.66
SG B	149	36	13	12S	-0.64
SG B	150	1	13	12S	-0.73
SG B	150	2	12	12S	-0.7
SG B	150	3	18	12S	-0.69
SG B	150	6	26	12S	-0.71
SG B	150	6	12	13S	-0.69
SG B	150	7	15	10S	0.39
SG B	150	7	19	12S	-0.77
SG B	150	7	13	13S	-0.75
SG B	150	8	14	12S	-0.7
SG B	150	9	11	11S	-0.71
SG B	150	9	21	12S	-0.69
SG B	150	9	9	12S	0.38
SG B	150	10	12	13S	-0.78
SG B	150	12	13	10S	-0.73

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	150	14	11	12S	-0.77
SG B	150	15	10	12S	-0.7
SG B	150	16	19	10S	-0.73
SG B	150	16	13	12S	-0.69
SG B	150	16	6	12S	0.43
SG B	150	17	17	11S	-0.72
SG B	150	17	21	12S	-0.72
SG B	150	17	11	13S	-0.68
SG B	150	17	11	13S	0.38
SG B	150	18	19	11S	-0.72
SG B	150	18	21	12S	-0.68
SG B	150	19	15	11S	-0.71
SG B	150	19	17	12S	-0.7
SG B	150	19	11	13S	-0.71
SG B	150	20	18	11S	-0.72
SG B	150	20	25	12S	-0.7
SG B	150	20	11	12S	0.4
SG B	150	21	11	11S	-0.69
SG B	150	21	11	12S	-0.7
SG B	150	21	13	12S	0.43
SG B	150	21	11	13S	-0.73
SG B	150	22	18	11S	-0.68
SG B	150	22	28	12S	-0.7
SG B	150	23	14	11S	-0.72
SG B	150	23	17	12S	-0.7
SG B	150	23	11	12S	0.43
SG B	150	23	10	13S	-0.71
SG B	150	24	22	11S	-0.69
SG B	150	24	23	12S	-0.66
SG B	150	25	28	11S	-0.71
SG B	150	25	19	12S	-0.61
SG B	150	25	14	12S	0.45
SG B	150	25	16	13S	-0.68
SG B	150	25	12	13S	0.45
SG B	150	26	11	08S	-0.66
SG B	150	26	21	11S	-0.66
SG B	150	26	14	12S	-0.64
SG B	150	26	18	12S	0.47
SG B	150	26	10	13S	-0.66
SG B	150	26	13	13S	0.45



<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	150	27	25	11S	-0.68
SG B	150	27	22	12S	-0.64
SG B	150	27	24	12S	0.47
SG B	150	27	17	13S	-0.66
SG B	150	28	8	11S	-0.68
SG B	150	29	17	11S	-0.71
SG B	150	29	11	13S	-0.62
SG B	150	30	18	12S	-0.66
SG B	150	30	13	12S	0.51
SG B	150	31	10	12S	-0.68
SG B	151	1	10	10S	0.36
SG B	151	1	20	12S	-0.78
SG B	151	2	13	11S	-0.73
SG B	151	2	25	12S	-0.73
SG B	151	2	9	12S	0.35
SG B	151	3	12	10S	0.42
SG B	151	3	26	12S	-0.7
SG B	151	3	17	13S	-0.73
SG B	151	4	27	10S	0.45
SG B	151	4	21	11S	0.4
SG B	151	4	14	12S	-0.69
SG B	151	5	18	10S	0.45
SG B	151	5	29	12S	-0.7
SG B	151	6	9	10S	0.47
SG B	151	6	23	12S	-0.69
SG B	151	7	21	12S	-0.79
SG B	151	7	8	13S	0.32
SG B	151	8	7	10S	0.45
SG B	151	8	12	11S	-0.71
SG B	151	8	21	12S	-0.73
SG B	151	9	21	10S	-0.75
SG B	151	9	15	12S	-0.81
SG B	151	9	12	13S	-0.79
SG B	151	9	13	13S	0.32
SG B	151	10	11	08S	-0.69
SG B	151	10	23	12S	-0.72
SG B	151	10	19	13S	-0.7
SG B	151	11	22	12S	-0.69
SG B	151	11	13	13S	-0.69
SG B	151	12	19	12S	-0.75

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	151	12	8	12S	0.34
SG B	151	12	10	13S	-0.75
SG B	151	13	11	11S	-0.74
SG B	151	13	13	12S	-0.7
SG B	151	13	11	13S	-0.7
SG B	151	14	12	12S	-0.75
SG B	151	14	10	13S	-0.73
SG B	151	15	15	11S	-0.71
SG B	151	15	10	11S	0.43
SG B	151	15	33	12S	-0.66
SG B	151	15	23	12S	0.4
SG B	151	15	20	13S	-0.71
SG B	151	15	16	13S	0.4
SG B	151	16	21	11S	-0.7
SG B	151	16	27	12S	-0.7
SG B	151	16	9	12S	0.45
SG B	151	16	20	13S	-0.66
SG B	151	16	14	13S	0.42
SG B	151	17	12	11S	-0.73
SG B	151	17	26	12S	-0.69
SG B	151	17	17	13S	-0.69
SG B	151	17	12	13S	0.4
SG B	151	18	9	11S	-0.7
SG B	151	18	12	12S	-0.68
SG B	151	18	20	13S	-0.67
SG B	151	19	19	11S	-0.7
SG B	151	19	23	12S	-0.69
SG B	151	19	14	12S	0.43
SG B	151	19	15	13S	-0.66
SG B	151	20	18	12S	-0.66
SG B	151	20	15	13S	-0.7
SG B	151	21	22	12S	-0.66
SG B	151	24	10	12S	0.49

**Enclosure to 1CAN102104**

**Attachment 3**

**Location of Service Induced Indications**

**SG A TSP Wear (Drilled)**

**Location of Service Induced Indications  
SG A TSP Wear (Drilled)**

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	8	53	13	15S	0.3
SG A	58	129	13	15S	0.11

**Enclosure to 1CAN102104**

**Attachment 4**

**Location of Service Induced Indications**

**SG A TTW**

**Location of Service Induced Indications  
SG A TTW**

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	29	58	10	08S	18.08
SG A	29	59	10	08S	17.93
SG A	42	22	10	08S	18.9
SG A	43	22	11	08S	19.04
SG A	45	88	8	08S	18.47
SG A	46	21	9	08S	18.69
SG A	46	89	10	08S	18.58
SG A	47	21	8	08S	18.81
SG A	47	94	9	08S	18.61
SG A	48	96	8	08S	18.67
SG A	50	22	8	08S	17.82
SG A	50	23	10	08S	17.82
SG A	51	39	8	10S	17.71
SG A	52	104	9	08S	18.74
SG A	53	104	9	08S	18.8
SG A	57	23	9	08S	19.87
SG A	58	24	10	08S	19.43
SG A	61	30	14	08S	19.54
SG A	62	29	15	08S	18.96
SG A	65	31	10	08S	19.05
SG A	66	30	9	08S	19.1
SG A	68	30	8	08S	18.9
SG A	69	30	7	08S	18.39
SG A	69	31	11	08S	18.32
SG A	70	30	11	08S	18.88
SG A	71	30	8	08S	18.93
SG A	71	109	9	08S	18.72
SG A	71	110	13	08S	18.8
SG A	72	29	9	08S	19.34
SG A	72	107	11	08S	18.57
SG A	72	108	11	08S	18.83
SG A	72	109	8	08S	18.85
SG A	72	110	12	08S	18.67
SG A	73	22	8	08S	17.96
SG A	73	23	9	08S	17.98
SG A	73	32	8	08S	18.06
SG A	74	22	9	08S	18.37
SG A	74	23	8	08S	18.9

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	74	31	11	08S	18.55
SG A	74	108	9	08S	18.68
SG A	74	109	15	08S	18.31
SG A	74	110	17	08S	18.29
SG A	75	108	10	08S	18.48
SG A	75	109	12	08S	18.22
SG A	76	24	9	08S	19.52
SG A	77	22	9	08S	17.28
SG A	77	24	10	08S	18.69
SG A	77	25	11	08S	19.08
SG A	77	108	11	08S	17.5
SG A	77	109	13	08S	18.5
SG A	78	21	10	08S	17.83
SG A	78	111	6	06S	19.52
SG A	79	111	9	06S	19.6
SG A	79	111	9	07S	19.33
SG A	80	110	7	07S	20.13
SG A	81	21	11	08S	18.7
SG A	81	110	12	08S	18.36
SG A	81	111	16	08S	18.49
SG A	81	112	9	07S	21
SG A	82	20	10	08S	18.88
SG A	82	110	11	08S	18.78
SG A	82	111	9	07S	20.58
SG A	87	113	6	06S	20.39
SG A	88	27	11	08S	19.1
SG A	88	28	9	08S	19.04
SG A	88	112	8	06S	19.81
SG A	89	27	10	08S	19.18
SG A	89	28	9	08S	18.5
SG A	90	106	13	07S	18.99
SG A	91	108	13	07S	18.46
SG A	99	101	11	08S	18.2
SG A	100	100	11	08S	18.36
SG A	107	87	9	08S	18.53
SG A	107	88	10	08S	18.99
SG A	117	35	13	08S	18.69
SG A	117	60	8	07S	20.18
SG A	117	61	8	07S	20.09

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	117	88	9	08S	18.74
SG A	117	90	9	07S	20.06
SG A	118	35	12	08S	18.5
SG A	118	80	10	08S	18.4
SG A	118	86	10	07S	21.56
SG A	118	87	10	08S	18.83
SG A	118	89	8	07S	19.68
SG A	118	89	8	08S	19.17
SG A	118	90	9	07S	20.14
SG A	119	44	12	08S	18.13
SG A	119	45	10	08S	18.11
SG A	119	70	11	08S	18.42
SG A	119	71	11	08S	18.51
SG A	119	78	9	08S	17.76
SG A	119	84	8	07S	19.7
SG A	119	87	8	08S	18.91
SG A	119	88	9	07S	20.16
SG A	120	44	8	08S	17.77
SG A	120	45	8	08S	18.25
SG A	120	73	11	08S	17.58
SG A	121	73	12	08S	17.6
SG A	124	47	10	08S	17.75
SG A	124	62	9	06S	20.57
SG A	124	63	9	06S	20
SG A	125	46	9	08S	18.03
SG A	125	54	8	07S	19.58
SG A	125	55	9	07S	19.81
SG A	126	47	9	08S	18.45
SG A	126	48	10	08S	18.58
SG A	126	52	12	08S	17.81
SG A	127	12	9	06S	17.36
SG A	127	51	11	08S	17.93



**Enclosure to 1CAN102104**

**Attachment 5**

**Location of Service Induced Indications**

**SG B TTW**

**Location of Service Induced Indications  
SG B TTW**

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	20	51	13	08S	18.79
SG B	20	52	12	08S	18.98
SG B	21	47	12	08S	18.56
SG B	21	48	8	08S	18.94
SG B	21	50	14	07S	20.14
SG B	21	50	11	08S	19.06
SG B	21	51	15	07S	20
SG B	21	52	10	08S	19.75
SG B	21	53	7	08S	18.35
SG B	22	48	9	08S	18.84
SG B	22	49	12	08S	18.59
SG B	22	51	12	08S	18.71
SG B	22	62	12	08S	18.83
SG B	22	63	15	08S	18.81
SG B	23	59	10	08S	17.98
SG B	24	56	11	08S	18.39
SG B	25	71	13	08S	18.09
SG B	25	72	16	08S	18.06
SG B	26	39	10	08S	18.47
SG B	26	40	11	08S	18.46
SG B	26	67	11	08S	18.09
SG B	26	72	11	08S	18.18
SG B	26	73	11	08S	17.29
SG B	27	69	13	08S	17.97
SG B	28	43	13	08S	19.54
SG B	28	67	12	07S	20.94
SG B	28	68	13	07S	20.16
SG B	28	68	12	08S	18.26
SG B	28	69	12	08S	18.73
SG B	28	76	15	08S	17.94
SG B	28	77	17	08S	18.89
SG B	29	44	11	08S	19.26
SG B	29	62	10	08S	18.27
SG B	29	63	9	08S	19.16
SG B	29	68	10	08S	18.12
SG B	29	76	12	08S	18.63
SG B	29	77	11	08S	18.72
SG B	30	69	9	08S	18.53

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	30	71	8	08S	19.06
SG B	30	72	9	08S	19.06
SG B	31	34	14	08S	18.39
SG B	31	35	13	08S	19.06
SG B	31	38	8	08S	18.78
SG B	31	39	10	08S	19.1
SG B	31	61	9	07S	19.34
SG B	31	62	11	07S	19.95
SG B	31	62	12	08S	19.09
SG B	31	63	13	08S	19.56
SG B	31	74	10	08S	18.51
SG B	32	33	11	08S	18.85
SG B	32	36	10	08S	17.67
SG B	32	43	9	08S	19.25
SG B	32	74	10	08S	18.38
SG B	33	32	11	08S	19.02
SG B	33	34	9	08S	19.09
SG B	33	38	10	08S	17.66
SG B	33	44	9	08S	19.59
SG B	33	80	10	08S	20.57
SG B	33	82	9	08S	19.11
SG B	34	27	12	08S	19.56
SG B	34	33	9	08S	18.7
SG B	34	55	21	08S	18.99
SG B	34	56	20	08S	19.01
SG B	34	82	8	08S	19.8
SG B	34	84	8	08S	19.56
SG B	34	89	9	08S	18.52
SG B	34	90	10	08S	18.06
SG B	35	28	11	08S	19.59
SG B	36	31	9	08S	18.72
SG B	37	32	8	08S	18.28
SG B	38	29	10	08S	19.74
SG B	38	86	13	08S	20.34
SG B	38	87	12	08S	19.75
SG B	39	29	10	08S	19.42
SG B	39	37	12	08S	18.43
SG B	39	53	20	08S	19.28
SG B	39	54	22	08S	18.56

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	39	91	11	08S	19.6
SG B	39	92	12	08S	19.86
SG B	40	36	12	08S	18.52
SG B	42	65	8	08S	20.48
SG B	43	25	12	08S	18.17
SG B	43	67	9	08S	19.93
SG B	44	25	10	08S	18.98
SG B	44	26	12	08S	18.21
SG B	45	26	10	08S	19.22
SG B	46	21	12	08S	18.13
SG B	46	22	8	08S	18.61
SG B	46	23	9	08S	18.52
SG B	46	98	9	02S	19.34
SG B	46	100	15	08S	19.13
SG B	47	21	10	08S	18.22
SG B	47	99	15	08S	19.18
SG B	55	21	10	08S	18.14
SG B	55	22	8	08S	19.05
SG B	57	26	11	08S	19.7
SG B	58	26	9	08S	19.58
SG B	59	20	10	08S	19.01
SG B	60	21	10	08S	18.74
SG B	66	21	11	08S	18.29
SG B	66	22	10	08S	18.34
SG B	67	22	9	08S	18.38
SG B	67	23	6	08S	18.46
SG B	67	108	12	08S	19.09
SG B	68	110	10	08S	18.54
SG B	74	114	9	08S	17.9
SG B	75	114	10	08S	18.67
SG B	77	20	7	08S	19
SG B	78	20	9	08S	18.7
SG B	89	25	13	08S	18.69
SG B	90	25	12	08S	18.93
SG B	94	24	9	08S	18.41
SG B	94	25	8	08S	18.25
SG B	96	109	7	08S	18.13
SG B	97	109	9	08S	18.59
SG B	102	102	9	08S	16.93

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	103	21	10	08S	17.42
SG B	103	22	9	08S	17.56
SG B	105	23	11	08S	19.25
SG B	106	24	11	08S	18.61
SG B	109	97	8	08S	18.39
SG B	109	98	9	08S	18.21
SG B	114	82	14	08S	19.09
SG B	114	83	13	08S	18.62
SG B	115	30	13	08S	18.44
SG B	115	31	14	08S	18.26
SG B	116	29	23	07S	20.44
SG B	117	29	24	07S	21
SG B	117	89	10	08S	18.75
SG B	118	28	11	08S	18.78
SG B	118	29	9	08S	18.12
SG B	118	88	10	08S	18.61
SG B	119	25	16	07S	21.12
SG B	119	26	8	08S	18.86
SG B	119	27	11	08S	18.61
SG B	119	28	12	07S	20.58
SG B	119	29	11	07S	20.26
SG B	120	25	16	07S	20.62
SG B	122	30	10	08S	18.65
SG B	122	31	8	08S	18.69
SG B	123	32	11	08S	18.53
SG B	124	32	8	08S	18.65
SG B	126	35	10	08S	19.39
SG B	126	36	8	08S	19.46
SG B	126	72	9	08S	19.87
SG B	126	73	10	08S	20.11
SG B	128	44	10	07S	20.63
SG B	128	45	11	07S	20.04
SG B	128	45	8	08S	18.86
SG B	128	59	9	08S	18.94
SG B	128	60	9	08S	18.59
SG B	129	29	11	08S	18.25
SG B	129	30	11	08S	18.3
SG B	129	46	6	08S	18.81

**Enclosure to 1CAN102104**

**Attachment 6**

**Location of Service Induced Indications**

**SG A TRW**

**Location of Service Induced Indications**  
**SG A TRW**

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG A	51	39	8	10S	17.71

**Enclosure to 1CAN102104**

**Attachment 7**

**Location of Service Induced Indications**

**SG B TRW**



**Location of Service Induced Indications**  
**SG B TRW**

<b>SG</b>	<b>Row</b>	<b>Col</b>	<b>%TW</b>	<b>Elev</b>	<b>Offset</b>
SG B	46	98	9	02S	19.34