

July 18, 2003

MEMORANDUM TO: William D. Travers
Executive Director for Operations

FROM: Brian W. Sheron, Associate Director */RA/*
for Project Licensing and Technical Analysis
Office of Nuclear Reactor Regulation

SUBJECT: JUNE 2003 REPORT ON THE STATUS OF PUBLIC PETITIONS
UNDER TITLE 10 OF THE *CODE OF FEDERAL REGULATIONS*,
SECTION 2.206

The attached reports give the status of petitions submitted under Title 10 of the *Code of Federal Regulations*, Section 2.206. As of June 30, 2003, there were four open petitions, which were accepted for review under the 2.206 process: three in the Office of Nuclear Reactor Regulation and one in the Office of Nuclear Materials Safety and Safeguards.

Attachment 1 provides a detailed status of the open petitions.

Attachment 2 provides the status of incoming letters that the staff has been reviewing to determine if they meet the criteria for review under the 2.206 process.

Attachment 3 shows the age statistics for the open 2.206 petitions as of June 30, 2003.

Attachment 4 shows the age trend of closed petitions for the last 3 years.

This report, Director's Decisions, and other 2.206-related documents are placed in the Agencywide Documents Access and Management System. In making these readily accessible to the public, the staff has identified another vehicle to address one of our performance goals, i.e., to enhance public confidence.

Attachments: As stated

CONTACT: Robert Clark, NRR
415-2297

July 18, 2003

MEMORANDUM TO: William D. Travers
Executive Director for Operations

FROM: Brian W. Sheron, Associate Director */RA/*
for Project Licensing and Technical Analysis
Office of Nuclear Reactor Regulation

SUBJECT: JUNE 2003 REPORT ON THE STATUS OF PUBLIC PETITIONS
UNDER TITLE 10 OF THE *CODE OF FEDERAL REGULATIONS*,
SECTION 2.206

The attached reports give the status of petitions submitted under Title 10 of the *Code of Federal Regulations*, Section 2.206. As of June 30, 2003, there were four open petitions, which were accepted for review under the 2.206 process: three in the Office of Nuclear Reactor Regulation and one in the Office of Nuclear Materials Safety and Safeguards.

Attachment 1 provides a detailed status of the open petitions.

Attachment 2 provides the status of incoming letters that the staff has been reviewing to determine if they meet the criteria for review under the 2.206 process.

Attachment 3 shows the age statistics for the open 2.206 petitions as of June 30, 2003.

Attachment 4 shows the age trend of closed petitions for the last 3 years.

This report, Director's Decisions, and other 2.206-related documents are placed in the Agencywide Documents Access and Management System. In making these readily accessible to the public, the staff has identified another vehicle to address one of our performance goals, i.e., to enhance public confidence.

Attachments: As stated

CONTACT: Robert Clark, NRR
415-2297

DISTRIBUTION: See next page

Accession No.: ML031830263

OFFICE	PM:PDI-1	LA:PDI-1	D:PDII	D:DLPM	NMSS	ADPT:NRR
NAME	RClark	SLittle	HBerkow	TMarsh	CAbrams for PGoldberg	BSheron
DATE	7/7/03	7/7/03	7/15/03	7/15/03	7/16/03	7/16/03

OFFICIAL RECORD COPY

DISTRIBUTION FOR JUNE 2003 REPORT ON THE STATUS OF PUBLIC PETITIONS
UNDER TITLE 10 OF THE *CODE OF FEDERAL REGULATIONS*, SECTION 2.206

Dated: July 18, 2003

PUBLIC

WKane, DEDR/OEDO
CPaperillo, DEDMRS/EDP
PNorry, DEDM/OEDO
JCraig, AO/OEDO
JShea, ODEO
PAnderson, OEDO
EJulian
SCollins, NRR
RLauffer
CHolden
RBorchardt, NRR
BSheron, NRR
CMohrwinkel, NRR
KCyr, OGC
LChandler, OGC
JGoldberg, OGC
JCordes, Jr., OCAA
FCongel, OE
PLohaus, STP
MVirgilio, NMSS
PGoldberg, NMSS
FBrown, NMSS
BBoger, NRR
MStein, OE
GCaputo, OI
DSkay, NRR
LMarsh, NRR
HBerkow, NRR
RClark, NRR
OCA
OPA
Regional Administrators
PDI-1 Reading
SLittle

Attachment 1

Status of Open Petitions

<u>Facility</u>	<u>Petitioner/EDO No.</u>	<u>Page No.</u>
Waltz Mill Pennsylvania Site	Viacom, Inc. G20020629.....	1
Davis-Besse Nuclear Power Station	Congressman Dennis Kucinich G20030048.....	3
Indian Point Units 2 and 3	Richard Blumenthal, Attorney General of the State of Connecticut G20030216.....	5
Watts Bar Nuclear Plant	David Lochbaum, Union of Concerned Scientists G20030298.....	7

Attachment 1

Report on Status of Public Petitions Under 10 CFR 2.206

Facility: Waltz Mill Pennsylvania Site
Petitioner: Viacom, Inc.
Date of Petition: October 30, 2002
Director's Decision to be Issued by: NMSS
EDO Number: G20020629
Proposed DD Issuance: 06/18/03
Final DD Issuance-scheduled: 08/26/03
Last Contact with Petitioner: 06/18/03
Petition Manager: Patrick Isaac (NRR) / Derek Widmayer (NMSS)
Case Attorney: Jack Goldberg

Issues/Actions requested:

That the NRC issue an order to Westinghouse Electric Company LLC, the holder of license SNM-770 on the Waltz Mill, Pennsylvania Site, which would require Westinghouse's cooperation in the decommissioning of the Westinghouse Test Reactor (WTR) license TR-2. In particular, the order would require Westinghouse to:

(1) provide certain radiological survey data to NRC which NRC has requested. The survey data in question determines what residual radioactivity remains in-situ.

(2) accept under SNM-770 certain residual byproduct materials now held under Viacom license TR-2 and located at the WTR.

Background:

Viacom is the current holder of NRC facility license TR-2 which authorizes possession, but not operation, of the WTR. To complete the Final Decommissioning Plan, two provisions still need to be accomplished. These are determining the residual radioactivity remaining in-situ and preparing the necessary amendments for and requesting the transfer of the remaining residual radioactivity and WTR facilities to the SNM-770 license.

At the time the decommissioning plan was approved, Westinghouse was the NRC licensee under both TR-2 and SNM-770, and so the transfer of the residual radioactive material from one materials license to another, held by the same licensee on the same site, was straightforward. Viacom now holds the TR-2 license while Westinghouse holds the SNM-770 license. Westinghouse's and Viacom's decommissioning responsibilities to each other at the Waltz Mill Site are set forth in an Asset Purchase Agreement. By refusing to accept the transfer to the SNM-770 license, Viacom alleges that Westinghouse is in violation of 10 CFR 50.5.

Westinghouse submitted a response to the petition on December 20, 2002.

On February 20, 2003, a public PRB meeting was held in Rockville, Maryland with the petitioner and both licensees (Viacom and Westinghouse Electric Company). During the meeting, lawyers and staff personnel from both companies provided additional information to support their position.

At the March 6, 2003, closed PRB meeting, the staff agreed to accept the petition for review under 2.206. On March 13, 2003, a letter was sent to the petitioner and both licensees (Viacom and Westinghouse Electric Company) informing them that the petition met the acceptance criteria for review under 2.206 and would be reviewed in accordance with Management Directive 8.11. A *Federal Register* notice was published on March 27, 2003.

On May 20, 2003, Westinghouse submitted a supplement to its December 20, 2003, response to the Viacom Petition. This supplement informed the NRC that the radiological survey data referred to in the first of the requested actions in the Viacom Petition would be made available to Viacom on May 27, 2003. Although Viacom's letter dated May 23, 2003, complained that Westinghouse was not forthcoming with this data, the NRC staff determined that the availability of this data was immaterial to the decisions being made pursuant to the 2.206 process.

Current Status:

The proposed DD was issued on June 18, 2003.

The staff is currently evaluating comments received from Viacom and Westinghouse on July 11, 2003.

Facility:	<u>Davis-Besse Nuclear Power Station</u>
Petitioner:	Congressman Dennis Kucinich
Date of Petition:	February 3, 2003
Director's Decision to be Issued by:	NRR
EDO Number:	G20030048
Proposed DD Issuance:	06/05/03
Final DD Issuance- scheduled:	8/22/03
Last Contact with Petitioner:	06/06/03
Petition Manager:	Dan Collins (NRR)
Case Attorney:	Jack Goldberg

Issues/Actions requested:

That the Nuclear Regulatory Commission (NRC) immediately revoke FirstEnergy Nuclear Operating Company's (FirstEnergy) license to operate the Davis-Besse Nuclear Power Station (DBNPS) for the reasons given in the background.

Background:

In response to the licensee's identification of extensive corrosion to the pressure boundary material of the RPV head on March 5, 2002, the NRC dispatched an Augmented Inspection Team (AIT), issued a Confirmatory Action Letter (CAL) , and enhanced monitoring of corrective actions as described in NRC Inspection Manual Chapter 0350, "Oversight of Operating Reactor Facilities in a Shutdown Condition with Performance Problems."

Using information from various publicly available documents (such as NRC inspection reports, newspaper articles, and reports published by the Union of Concerned Scientists) to support his case, the Petitioner offers the following five basic arguments, in various forms, on why the Davis-Besse operating license must be revoked:

1. NRC regulations and guidelines require revocation of the Davis-Besse license.
2. Revocation of the Davis-Besse license is necessary to hold FirstEnergy accountable for its violations of NRC regulations and its own operating license.
3. If the NRC doesn't revoke the Davis-Besse license, NRC isn't appropriately using the authority granted it by Congress.
4. Revocation of the Davis-Besse license is necessary in order to ensure that FirstEnergy is complying with all NRC regulations and guidelines.
5. Revocation of the Davis-Besse license is required in order for there to be consistency in the manner that the NRC enforces its regulations.

The staff issued an acknowledgment letter on February 10, 2003, to inform the Congressman that the PRB has determined that the petition meets the acceptance

criteria for review under 2.206. The acknowledgment letter also informed the Petitioner that, pending completion of the NRC's investigative process, the NRC does not have sufficient basis to immediately revoke the Davis-Besse operating license. Thus, the Petitioner's request for immediate revocation of the license was denied.

The petitioner informed the staff on March 12, 2003, that a supplement would be issued in lieu of a presentation to the PRB. The petitioner submitted a supplement to the original petition on March 27, 2003, to address the following additional concerns:

- a. boric acid dust may have corroded electrical systems & cable trays
- b. as-built design may not conform to design or licensing bases
- c. training of personnel may not meet licensing basis
- d. DBNPS does not have ability to detect 1 gpm leakage within 1 hour
- e. procedures instituted by NRC may not uncover or address other systems that may be degraded i.e., RCP seal gasket leakage
- f. The O350 Panel will end and the plant will return to normal monitoring under the ROP before Lessons Learned Task Force recommendations regarding the ROP are implemented
- g. The OI investigation must be completed before NRC allows DBNPS to restart

A closed PRB meeting was held on April 2, 2003, to discuss the additional information provided by the petitioner's March 27, 2003, supplement. The staff decided that no immediate action was warranted, that the supplement should be consolidated with the existing petition, that no new allegations were presented by the petitioner, and that an acknowledgment letter was not necessary.

On April 11, 2003, the staff received the licensee's response to the petitioner's supplement dated March 27, 2003. The information provided supported the staff's early conclusion that the supplement should be consolidated with the existing petition, and that no new allegations were presented by the petitioner.

Current Status:

The proposed DD was issued on June 6, 2003. Comments were received from Congressman Kucinich, the licensee, and Billie Garde and are currently being evaluated.

Facility:	<u>Indian Point Units 2 and 3</u>
Petitioner:	Richard Blumenthal, Attorney General of the State of Connecticut
Date of Petition:	April 23, 2003
Director's Decision to be Issued by:	NRR
EDO Number:	G20030216
Proposed DD Issuance:	October 31, 2003
Final DD Issuance:	TBD
Last Contact with Petitioner:	06/19/03
Petition Manager:	John Eads (NRR)
Case Attorney:	Jack Goldberg

Issues/Actions requested:

That the Nuclear Regulatory Commission (NRC):

1. Order the licensee to conduct full review of vulnerabilities, security measures, and evacuation plans and to suspend operations, revoke the operating license, or adopt other measures resulting in temporary shutdown of Indian Point Units 2 and 3.
2. Require the licensee to provide sufficient information to document the existing security measures which provide protection against terrorist attacks.
3. Modify the licensee's operating license to mandate specifically a defense and security system sufficient to protect the entire facility, including electric equipment, containment, spent fuel storage, and the control room from a land or water based terrorist attack.
4. Order the revision of the licensee's Emergency Response Plan and the Radiological Emergency Response Plans of the State of New York and nearby counties to account and prepare for terrorist attacks. These revisions must contemplate not only the full range of realistic effects of a terrorist attack on the Indian Point facility, but also a comprehensive response to multiple attacks on the region's infrastructure that could affect execution of the evacuation plans.
5. If, after taking the above actions, the NRC cannot adequately ensure the security of the Indian Point facility against terrorist threats, or cannot ensure the safety of New York and Connecticut citizens from terrorist attacks, that it take prompt action to permanently retire the facility.

Background:

A closed PRB meeting was held on May 8, 2003, to discuss whether the petition satisfies the criteria for review under 10 CFR 2.206.

During this meeting the PRB decided that no immediate action was necessary. The PRB also recommended that security issues regarding potential terrorist attacks be handled separately from the issues associated with the emergency response plan by addressing the security issues in a partial Director's Decision.

Current Status:

By letter dated June 3, 2003, the Petitioner filed a supplement to his original 2.206 Petition dated April 23, 2003. The supplement provided additional information in support of the petition in three major areas: (1) shadow evacuation effects, (2) family separation, and (3) recent design basis threat changes.

On June 19, 2003, the PRB held a conference call with the petitioner's representative (Assistant Attorney General, Robert Snook) to afford the petitioner the opportunity to provide additional information or clarification with regards to the original petition and the recently submitted supplement.

Following the conference call, the PRB determined that the petition satisfied the criteria for review under 10 CFR 2.206.

The acknowledgment letter was issued on July 3, 2003.

Facility:	<u>Watts Bar Nuclear Power Plant</u>
Petitioner:	David Lochbaum, Union of Concerned Scientists
Date of Letter:	May 30, 2003
Director's Decision to be Issued by:	NRR
EDO Number:	G20030298
Proposed DD Issuance:	11/02/03
Final DD Issuance:	TBD
Last Contact with Petitioner:	06/16/03
Petition Manager:	Margaret Chernoff (NRR)
Case Attorney:	Jack Goldberg

Issues/Actions requested:

That the NRC issue a Demand for Information that would require the Tennessee Valley Authority (TVA) to provide the NRC with information regarding possible corrosion of the reactor coolant pressure boundary at the Watts Bar Nuclear Power Plant due to defects in the stainless steel cladding applied to the interior surface of the carbon steel reactor pressure vessel.

Background:

The interior of the reactor pressure vessel at Watts Bar is clad with stainless steel to protect the carbon steel from corrosion due to borated water. But as the photographs in the petition illustrate, there are defects in the stainless steel cladding in the area of the cold leg nozzles which permit constant exposure of the carbon steel to borated water. The NRC was aware of these cladding defects at the time of licensing and found them acceptable in its Safety Evaluation Report of June of 1982. The safety evaluation concluded that inservice inspection was not required because experience, to date, indicated that the corrosion rates in this reactor coolant environment will not be of concern. Other cladding defects were later found in the No. 3 Safety Injection Accumulator near a sample line nozzle. The Safety Evaluation Report dated November 30, 1993, indicated that it was not acceptable to leave the defect "as-is" and the defect was repaired by adding at least one layer of stainless steel cladding over the carbon steel components that made up the reactor coolant pressure boundary.

Current Status:

In a closed PRB meeting on June 9, 2003, the PRB determined that the petition meets the criteria for review under 10 CFR 2.206. Subsequently, the petition manager contacted the licensee. TVA indicated that it would respond formally to the petition. The acknowledgment letter was issued on July 2, 2003. The petitioner's four specific requests pertaining to administrative procedures for this petition will be addressed in a separate correspondence.

Attachment 2

Status of Potential Petitions Under Consideration

Facility: Maine Yankee
Petitioner: Randall Speck, Special Counsel for the State of Maine
Date of Letter: November 15, 2002
Responsible Office: NMSS
PRB meeting: To be scheduled

Issues/Actions requested:

That the NRC conduct a hearing on the efficacy of indefinite, long-term spent fuel storage at Maine Yankee.

Resolution:

The petitioner has also requested a hearing, pursuant to 10 CFR 2.202, regarding the October 16, 2002, safeguards order and interim compensatory measures. On December 10, 2002, the staff sent a letter to the petitioner stating that a decision on the acceptability of the 2.206 petition will be held in abeyance until the staff makes a determination on the hearing request.

Attachment 3

AGE STATISTICS FOR AGENCY 2.206 PETITIONS

ASSIGNED ACTION OFFICE	FACILITY	Incoming petition	PRB meeting ¹	Acknowledgment letter / days from incoming ²	Proposed DD issuance Date/ age ³	Scheduled date for final DD/ age ⁴	Comments if not meeting the Agency's Completion Goals
NMSS	Waltz Mill Site	10/30/02	02/20/03	02/28/03 118	06/18/03 110	8/26/03	PRB meeting couldn't be held until 2/20/03 due to submittal and evaluation of petitioner's and licensee's responses and availability of both parties for a meeting.
NRR	Davis-Besse	02/03/03	02/05/03	02/10/03 7	06/06/03 116	08/10/03	
NRR	Indian Pont	04/23/03	05/08/03	7/03/03	10/31/03	TBD	
NRR	Watts Bar	05/30/03	06/09/03	7/02/03 32	11/02/03 scheduled	TBD	

- 1) Goal is to hold a PRB meeting, which the petitioner is invited to participate in, within 2 weeks of receipt of petition (there is often a delay of up two weeks from the date that the letter is issued until it is received by the reviewing organization).
- 2) Goal is to issue acknowledgment letter within 5 weeks of the date of incoming petition.
- 3) Goal is to issue proposed DD within 120 days of the acknowledgment letter.
- 4) Goal is to issue final DD within 45 days of the end of the comment period.

Attachment 4

Average Days to Issuance of Proposed Directors Decisions

