

October 31, 2009

Thomas Sieger, MS
Deputy Administrator
Division of Public Health
Wisconsin Department of Health Services
1 West Wilson Street, Room 250
P. O. Box 2659
Madison, WI 53701-2659

Dear Mr. Sieger:

On October 6, 2009, the Management Review Board (MRB) met to consider the proposed final Integrated Materials Performance Evaluation Program (IMPEP) report on the Wisconsin Agreement State Program. The MRB found the Wisconsin Agreement State Program adequate to protect public health and safety and compatible with the U.S. Nuclear Regulatory Commission's program.

Section 5.0, page 10, of the enclosed final report contains a summary of the IMPEP review team's findings. Based on the results of the current IMPEP review, the next full review of the Wisconsin Agreement State Program will take place in approximately 4 years, with a periodic meeting tentatively scheduled for July 2011.

I appreciate the courtesy and cooperation extended to the IMPEP team during the review. I also wish to acknowledge your continued support for the Agreement State Program. I look forward to our agencies continuing to work cooperatively in the future.

Sincerely,

/RA/

Martin J. Virgilio
Deputy Executive Director for Materials, Waste,
Research, State, Tribal, and Compliance Programs
Office of the Executive Director for Operations

Enclosure:
Wisconsin Final IMPEP Report

cc w/encl.: See next page

T. Sieger

- 2 -

cc w/encl: Charles Warzecha, Director
Bureau of Environmental
and Occupational Health

Paul Schmidt, Chief
Radiation Protection Division

Shawn Seeley, Maine
Organization of Agreement States
Liaison to the MRB

October 31, 2009

Thomas Sieger, MS
Deputy Administrator
Division of Public Health
Wisconsin Department of Health Services
1 West Wilson Street, Room 250
P. O. Box 2659
Madison, WI 53701-2659

Dear Mr. Sieger:

On October 6, 2009, the Management Review Board (MRB) met to consider the proposed final Integrated Materials Performance Evaluation Program (IMPEP) report on the Wisconsin Agreement State Program. The MRB found the Wisconsin Agreement State Program adequate to protect public health and safety and compatible with the U.S. Nuclear Regulatory Commission's program.

Section 5.0, page 10, of the enclosed final report contains a summary of the IMPEP review team's findings. Based on the results of the current IMPEP review, the next full review of the Wisconsin Agreement State Program will take place in approximately 4 years, with a periodic meeting tentatively scheduled for July 2011.

I appreciate the courtesy and cooperation extended to the IMPEP team during the review. I also wish to acknowledge your continued support for the Agreement State Program. I look forward to our agencies continuing to work cooperatively in the future.

Sincerely,

/RA/

Martin J. Virgilio
Deputy Executive Director for Materials, Waste,
Research, State, Tribal, and Compliance Programs
Office of the Executive Director for Operations

Enclosure:
Wisconsin Final IMPEP Report

cc w/encl.: See next page

Distribution: See next page.

ML092800232

EDATS: FSME-2009-0037

OFFICE	FSME/MSSA	FSME/MSSA	FSME/MSSA	FSME/MSSA
NAME	ATMcCraw:knm1	ADWhite	TReis	RJLewis
DATE	10/07/09	10/13/09	10/13/09	10/14/09
OFFICE	Tech Editor	FSME	DEDMRT	
NAME	CPoland	GCPangburn	MJVirgilio	
DATE	10/15/09	10/20/09	10/31/09	

OFFICIAL RECORD COPY

Letter to Thomas Sieger from Martin J. Virgilio dated: October 31, 2009

Distribution: FSME-2009-0037

MSSA RF

EDO RF

RidsFsmeOd

RidsSecyCorrespondenceMailCenter

MBeardsley, FSME/MSSA

JDeCicco, FSME/MSSA

JLynch, RIII/RSAO

MLaFranzo, RIII

James Harris, Kansas

MFranovich, OEDO

APowell, OCA (2 copies)

JGray, OGC

BJones, OGC

CCasto, RIV

TReis, FSME/MSSA

DCD (SP01)

Chairman Jaczko

Commissioner Klein

Commissioner Svinicki

SECY



INTEGRATED MATERIALS PERFORMANCE EVALUATION PROGRAM

REVIEW OF THE WSCONSIN AGREEMENT STATE PROGRAM

JULY 13-17, 2009

FINAL REPORT

Enclosure

1.0 INTRODUCTION

This report presents the results of the review of the Wisconsin Agreement State Program. The review was conducted during the period of July 13-17, 2009, by a review team composed of technical staff members from the U.S. Nuclear Regulatory Commission (NRC) and the State of Kansas. Team members are identified in Appendix A. The review was conducted in accordance with the "Implementation of the Integrated Materials Performance Evaluation Program and Rescission of Final General Statement of Policy," published in the *Federal Register* on October 16, 1997, and NRC Management Directive 5.6, "Integrated Materials Performance Evaluation Program (IMPEP)," dated February 26, 2004. Preliminary results of the review, which covered the period of August 26, 2005, to July 17, 2009, were discussed with Wisconsin managers on the last day of the review.

A draft of this report was issued to Wisconsin for factual comment on August 6, 2009. The State responded by e-mail dated August 31, 2009, from Cheryl Rogers, Supervisor, Radioactive Materials Licensing and Inspection Unit. A copy of the State's response is included as the Attachment to this report. The Management Review Board (MRB) met on October 6, 2009, to consider the proposed final report. The MRB found the Wisconsin Agreement State Program adequate to protect public health and safety and compatible with NRC's program.

The Wisconsin Agreement State Program is administered by the Radiation Protection Section (the Section). The Section is part of the Bureau of Environmental and Occupational Health within the Division of Public Health (the Division). Organization charts for the State, the Department, and the Division are included as Appendix B.

At the time of the review, the Wisconsin Agreement State Program regulated 330 specific licenses authorizing byproduct, source, and certain special nuclear materials. The review focused on the radioactive materials program as it is carried out under the Section 274b. (of the Atomic Energy Act of 1954, as amended) Agreement between NRC and the State of Wisconsin.

In preparation for the review, a questionnaire addressing the common and applicable non-common performance indicators was sent to the Section on April 9, 2009. The Section provided its response to the questionnaire on June 11, 2009, with an update dated July 16, 2009. A publicly available version of the questionnaire response can be found in NRC's Agencywide Documents Access and Management System (ADAMS) using the Accession Number ML092180388.

The review team's general approach for conduct of this review consisted of: (1) examination of the Section's response to the questionnaire; (2) review of applicable Wisconsin statutes and regulations; (3) analysis of quantitative information from the Section's databases; (4) technical review of selected regulatory actions; (5) field accompaniments of four inspectors; and (6) interviews with staff and managers. The review team evaluated the information gathered against the established criteria for each common and the applicable non-common performance indicator and made a preliminary assessment of the Wisconsin Agreement State Program's performance.

Section 2.0 of this report covers the State's actions in response to any recommendations made during previous reviews. Results of the current review of the common performance indicators

are presented in Section 3.0. Section 4.0 details the results of the review of the applicable non-common performance indicators, and Section 5.0 summarizes the review team's findings.

2.0 STATUS OF ITEMS IDENTIFIED IN PREVIOUS REVIEWS

During the previous IMPEP review, which concluded on August 25, 2005, the review team made no recommendations in regard to program performance.

3.0 COMMON PERFORMANCE INDICATORS

Five common performance indicators are used to review NRC Regional and Agreement State radioactive materials programs. These indicators are: (1) Technical Staffing and Training, (2) Status of Materials Inspection Program, (3) Technical Quality of Inspections, (4) Technical Quality of Licensing Actions, and (5) Technical Quality of Incident and Allegation Activities.

3.1 Technical Staffing and Training

Issues central to the evaluation of this indicator include the Section's staffing level and staff turnover, as well as the technical qualifications and training histories of the staff. To evaluate these issues, the review team examined the Section's questionnaire response relative to this indicator, interviewed managers and staff, reviewed job descriptions and training records, and considered any workload backlogs.

The Section, headed by the Section Chief, devotes approximately 9 full time equivalents (FTE) to the radioactive materials program, of which 5.8 are allotted for licensing and inspection. The remaining 3.2 FTE include program management, administrative support and a half-time training coordinator who assists the program with training needs. The training coordinator conducts in-house courses and coordinates participation in outside training courses.

Since the last review, six individuals left the program, one of which transferred to a different position in the Section. During the review period, five new staff members were hired, three of which are still with the program. At the time of the review, the radioactive materials program had two vacancies. One position became vacant December 2008 and the other was a new position that was recently transferred to the Section. The position under which licensing and inspection efforts are hired is entitled Nuclear Engineer; after 3 years of experience, an individual is designated a Senior Nuclear Engineer. Currently, there are three Nuclear Engineers, and four Senior Nuclear Engineers in the Unit. Two recently hired staff members were not fully qualified to independently perform licensing or inspection activities at the time of the review; however, applications for required courses were submitted to complete their full qualification.

The Section has a documented training plan for technical staff that is consistent with the requirements in the NRC/Organization of Agreement States Training Working Group Report and NRC's Inspection Manual Chapter (IMC) 1246, "Formal Qualification Programs in the Nuclear Material Safety and Safeguards Program Area." The Section also has on-the-job training to supplement the coursework so that individuals may broaden their work areas. Newer staff members are assigned increasingly complex licensing duties under the direction of the Radioactive Materials Licensing and Inspection Unit Supervisor (the Unit Supervisor) and

accompany more experienced inspectors during increasingly complex inspections. Inspectors are assigned independent inspections after demonstrating competence during accompaniment evaluations by the Supervisor. The review team confirmed the qualifications of all staff through review of qualification journals, training records, and documentation of supervisory accompaniments.

The review team noted that Section managers encourage and support training opportunities, based on program needs and funding. The review team concluded that the Section's staffing and training is adequate to carry out its regulatory duties.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Wisconsin's performance with respect to the indicator, Technical Staffing and Training, was satisfactory.

3.2 Status of Materials Inspection Program

The review team focused on five factors while reviewing this indicator: inspection frequency, overdue inspections, initial inspections of new licenses, timely dispatch of inspection findings to licensees, and performance of reciprocity inspections. The review team's evaluation was based on the Section's questionnaire response relative to this indicator, data gathered from the Section's database, examination of completed inspection casework, and interviews with the Unit Supervisor and staff members.

The review team verified that Wisconsin's inspection frequencies for all types of radioactive material licenses are at least the same frequency as NRC's inspection frequencies, listed in IMC 2800, "Materials Inspection Program." Some categories of licenses were assigned inspection frequencies that prescribe a more frequent inspection schedule than those prescribed in IMC 2800, such as remote afterloader units and nuclear pharmacies.

The Section conducted a total of 251 inspections of Priority 1, 2, and 3 licensees during the review period. The review team identified 11 of these inspections that were conducted overdue by more than 25 percent of the inspection frequency prescribed by IMC 2800. The review team did not identify any inspections that were overdue at the time of the review. The review team also evaluated the Section's timeliness for conducting initial inspections. The review team noted that the Section conducted 16 initial inspections during the review period, of which 2 were conducted greater than 12 months after license issuance. As required by IMC 2800, initial inspections should be conducted within 12 months of license issuance. One of the Section's overdue initial inspections was conducted 3 months late; the other 1 month late. The review team verified that there were no overdue initial inspections at the time of the review. Overall, the review team calculated that the Section performed 6 percent of all Priority 1, 2, and 3 and initial inspections overdue during the review period.

The Section has a policy of completing inspection reports within 30 days of the final date of the inspection. At the conclusion of each inspection, inspectors have the option to send inspection findings from the office or to issue a form similar to NRC's Form 591 that can be left with the licensee at the conclusion of the inspection. The Section uses this form to document both clear inspections and inspections identifying infractions, deficiencies, or recommendations. The inspector can require a written response from the licensee describing corrective actions to

address any infractions, deficiencies, or recommendations. The review team determined that inspection findings were usually issued within 30 days of the inspection. Of the 25 inspection files reviewed by the review team, one inspection summary was issued beyond the 30-day goal.

During the review period, the Section received requests for reciprocity from 78 Priority 1, 2 and 3 licensees, and performed inspections of 49 percent of those licensees. The Section exceeded the criterion in IMC 1220 "Processing of NRC Form 241 and Inspection of Agreement State Licensees Operating Under 10 CFR 150.20," that requires on-site inspection of 20 percent of candidate licensees operating under reciprocity in each of the 4 years covered by the review period.

The review team determined that the Section adequately planned for, and performed, the initial set of Increased Controls inspections of affected licensees. The review team evaluated the Section's prioritization methodology and found it acceptable. The Section identified 27 licensees that were subject to the Increased Controls and performed all of the initial inspections in a timely manner. The Section adequately evaluated the pertinent aspects of the security measures, including changes in licensee personnel or operations, during subsequent routine inspections of Increased Controls licensees.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Wisconsin's performance with respect to the indicator, Status of Materials Inspection Program, was satisfactory.

3.3 Technical Quality of Inspections

The review team evaluated inspection reports, enforcement documentation, and inspection notes, and interviewed the responsible inspectors for 26 radioactive materials inspections conducted during the review period. The casework examined included a cross-section of inspections conducted by nine current and former inspectors and covered a wide variety of inspection types involving both initial and routine inspections. The casework included inspection of various types of programs, including: service providers, nuclear medicine, high dose-rate remote afterloader, medical broad scope, industrial radiography, self-shielded irradiator, gamma knife, portable gauge, reciprocity, and Increased Controls. Appendix C lists the inspection casework files reviewed and includes case-specific comments.

Based on the evaluation of casework, the review team determined that, in almost all cases, inspections covered all aspects of the licensees' radiation safety and security programs. The review team noted four instances, during reciprocity inspections, that the Increased Controls requirements were not fully evaluated to ensure licensee compliance with fundamental security aspects of the Increased Controls requirements. In interviews with the Unit Supervisor, the Supervisor provided an explanation regarding the lack of Increased Controls inspections, which included a lack of time, and dispatching inspectors that were not properly trained to inspect the licensees' implementation of the Increased Controls. The Unit Supervisor indicated that more inspectors are being trained. The Unit Supervisor committed to reinforce expectations that will require aspects of the Increased Controls to be inspected, when possible. The review team verified that the Section is also reviewing aspects of the National Source Tracking System (NSTS) program.

With the exception stated in the above paragraph, the review team noted that inspection reports were thorough, complete, consistent, and of high quality with sufficient documentation to ensure that licensees' performances with respect to health, safety, and security were acceptable.

Inspection report documentation supported violations, recommendations made to licensees, unresolved safety issues, and discussions held with licensees during exit interviews. The Section requires licensees to respond to violations within 30 days of report issuance. Violations are considered the most severe type of finding and are usually only dispatched from the office after management review and approval. During the review of the Increased Controls inspection casework, the review team noted that the Section did not issue violations of the Increased Controls requirements. If deficiencies were identified during the first inspection, the Section performed several inspections of the same facility and followed up on those deficiencies until full compliance was achieved. For subsequent inspections, the Section issued violations if deficiencies were identified.

While on site, the review team evaluated the Section's handling and storing of sensitive information. The Section maintains two separate color-coded files for licensees subject to the Increased Controls: one that contains the routine licensing and inspection information and a second file that pertains to the inspection of the licensee's implementation of the Increased Controls. The Section implemented this policy for better control of potential security-related information, as the second file is stored in a locked file cabinet. Documents observed were sufficiently marked as sensitive information to be withheld from public disclosure.

The Section has a policy to accompany all staff performing radioactive materials inspections on an annual basis. The review team verified that the Unit Supervisor performed staff accompaniments annually of all staff performing materials inspections. A record of each accompaniment was noted on the inspection report and placed in the staff member's training record.

The review team verified that the Section maintains an adequate supply of appropriately calibrated survey instruments to support the inspection program, as well as to respond to radioactive materials incidents and emergency conditions. Instruments used to support the materials inspection program are sent to an authorized entity for calibration. The Section recently purchased a mobile laboratory that can be used for routine inspections or emergency events.

The review team accompanied four of the Section's inspectors in April and June 2009. The inspectors conducted inspections at a source material manufacturer, an industrial radiographer, a nuclear medicine clinic, and a research facility. The inspectors demonstrated appropriate performance-based inspection techniques and knowledge of the regulations. The inspectors were well trained, prepared for the inspections, and thorough in their audits of the licensees' radiation safety programs. The inspectors conducted interviews with appropriate personnel, observed licensed operations, conducted confirmatory measurements, and utilized good health physics practices. The inspectors held entrance and exit meetings with the appropriate level of licensee management. The review team determined that the inspections were adequate to assess radiological health, safety, and security at the licensed facilities.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Wisconsin's performance with respect to the indicator, Technical Quality of Inspection, was satisfactory.

3.4 Technical Quality of Licensing Actions

The review team interviewed license reviewers, evaluated the licensing process, and examined licensing casework for 35 licensing actions for 21 specific licenses. Licensing actions were reviewed for completeness, consistency, proper radioisotopes and quantities, qualifications of authorized users, adequacy of facilities and equipment, adherence to good health physics practices, financial assurance, operating and emergency procedures, appropriateness of the license conditions, and overall technical quality. The review team also reviewed casework files for timeliness, use of appropriate deficiency letters and cover letters, reference to appropriate regulations, product certifications, supporting documentation, consideration of enforcement history, pre-licensing visits, peer/supervisory review, and proper signatures.

The review team selected licensing casework to provide a representative sample of licensing actions that were completed during the review period. Licensing actions selected for evaluation included 3 new licenses, 10 renewals, 20 amendments, and 2 license terminations. Files reviewed included a cross-section of license types, including: medical and academic broad scope, medical institution - limited, private practice, mobile nuclear medicine, nuclear pharmacy, permanent radiography, radiography - temporary jobsite, portable gauge, fixed gauge, and self-shielded irradiator. A listing of the licensing casework reviewed can be found in Appendix D.

Overall, the review team found that the licensing actions were thorough, complete, consistent, and of high quality with health, safety, and security issues properly addressed. License tie-down conditions were stated clearly, backed by information contained in the file, and were inspectible. Deficiency letters clearly stated regulatory positions, were used at the proper time, and identified substantive deficiencies in the licensees' documents. Terminated licensing actions were well documented, showing appropriate transfer and survey records.

The administrative staff receives all licensing actions and enters all pertinent information into the Section's database (named RAMPROD). The status of all actions is tracked by RAMPROD. The Supervisor assigns each action to one of seven reviewers based on workload and experience. For reviewers with less experience in a given area, the Supervisor provides additional oversight and/or assigns another experienced reviewer as a mentor. Deficiency letters are reviewed and signed by the reviewers. When the reviewer completes a licensing action, a second technical review is performed by another reviewer or the Supervisor. All completed actions are reviewed and signed by the Supervisor. The administrative staff conducts an administrative review and final processing before mailing out to the licensee. New and renewed licenses are issued for a 5-year term. After the 5-year term, licensees are required to submit a complete renewal application to maintain current information in the file.

The Section uses templates to generate most correspondence and licenses, and there are standard formats and license conditions for each license type. The Section utilizes licensing guides based on NRC licensing guides (NUREG-1556 series), as appropriate, and maintains other licensing guidance (i.e., Technical Assistance Requests, regulatory guides) that are the same or similar to those used by NRC.

The review team examined the Section's licensing practices in regard to the Increased Controls and Fingerprinting requirements. The review team noted that the Section added legally binding license conditions to the licenses that met the criteria for implementing the Increased Controls, including fingerprinting, as appropriate. The review team analyzed the Section's methodology for identifying those licenses and found the rationale was thorough and accurate. The review team verified that the Section has a process in place for identifying new or amended licenses that meet the criteria to implement the Increased Controls.

The review team evaluated the Section's efforts to impose the National Source Tracking System (NSTS) requirements on certain licensees. The Section amended affected licenses by adding legally binding license conditions, which were approved by NRC in September 2008. Most sealed source inventories were loaded into the system by the January 31, 2009 deadline. Staff demonstrated proficiency in using the NSTS database.

The review team noted the use of a pre-licensing checklist and that the Section follows the implementation guidance provided in NRC's Office of Federal and State Materials and Environmental Management Programs (FSME) Letter RCPD-08-020, dated September 22, 2008, to enhance the basis for confidence that radioactive materials will be used as specified on a license. The review team observed that pre-licensing site visits were documented on the license review sheet. If a pre-licensing site visit was not required, the Section included a description of why a visit was not performed (e.g., the applicant was not a new entity or they were licensed in another state) on the license review sheet.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Wisconsin's performance with respect to the indicator, Technical Quality of Licensing Actions, was satisfactory.

3.5 Technical Quality of Incident and Allegation Activities

In evaluating the effectiveness of the Section's actions in responding to incidents and allegations, the review team examined the Section's response to the questionnaire relative to this indicator, evaluated selected incidents reported for Wisconsin in the Nuclear Material Events Database (NMED) against those contained in the Section's files, and evaluated the casework for 21 of 48 reported radioactive materials incidents. A listing of the casework examined, with case-specific comments, can be found in Appendix E. The review team also evaluated the Section's response to five allegations involving radioactive materials, including the two allegations that NRC forwarded to the State during the review period.

When notified of an incident or an allegation, the Unit Supervisor and staff discuss the initial response and the need for an on-site investigation, based on the safety significance. The Section maintains a database for tracking the status of all incidents and allegations. If the incident meets the reportability thresholds, as established in the NRC's Office of Federal and State Materials and Environmental Management Programs (FSME) Procedure SA-300 "Reporting Material Events," the Section promptly notifies the NRC Headquarters Operations Center and NRC Region III. If the investigation is complex and extends over a period of time, NMED is appropriately updated, using the NMED software. Of the incidents evaluated by the review team, all had been reported to the NRC within the required time frame and been properly completed in NMED.

The incidents selected for review included medical events, lost or stolen radioactive material, contamination events, a leaking source, a transportation event, and equipment failures. The review team determined that the Section's responses to incidents were thorough, complete, and comprehensive. Initial responses were prompt and well coordinated, and the level of effort was commensurate with the health and safety significance. The Section immediately dispatched inspectors to the site when the possibility of an immediate threat to public health and safety existed. When no immediate threat was present and the Section determined that the licensee had qualified, competent individuals investigating the incident, the Section generally responded telephonically with an on-site follow-up inspection at a later date. The review team noted that at the conclusion of investigations, inspectors generated narrative reports that thoroughly documented the investigations. Records were stored in the Section's license files and electronic filing system and were marked appropriately.

In evaluating the effectiveness of the Section's response to allegations, the review team evaluated the casework for five allegations. The review team concluded that the Section consistently took prompt and appropriate action in response to concerns raised. The review team noted that the Section thoroughly documented the investigations and retained all necessary documentation to appropriately close the allegations. The Section notified the allegers of the conclusion of the investigations. The review team determined that the Section adequately protected the identity of allegers.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Wisconsin's performance with respect to the indicator, Technical Quality of Incident and Allegation Activities, was satisfactory.

4.0 NON-COMMON PERFORMANCE INDICATORS

IMPEP identifies four non-common performance indicators to be used in reviewing Agreement State Programs: (1) Compatibility Requirements; (2) Sealed Source and Device Evaluation Program; (3) Low-Level Radioactive Waste Disposal Program; and (4) Uranium Recovery Program. NRC's Agreement with the State of Wisconsin does not relinquish authority to evaluate sealed sources and devices or to regulate a low-level waste disposal site or uranium recovery activities, so only the first non-common performance indicator applied to this review.

4.1 Compatibility Requirements

4.1.1 Legislation

Wisconsin became an Agreement State on August 11, 2003. Legislative authority to create an agency is granted in Wisconsin Statute, Section 253.34; and the legislative authority to enter into an Agreement with NRC is granted in Wisconsin Statute, Section 254.335. Current effective legislation that affects the radiation control program is contained in Sections 254.31 through 254.45.

Chapter DHS 157, Wisconsin Administrative Code, details the licensing requirements and fees. DHS 157 is divided into 14 subchapters, relating to the regulation of radioactive materials and other sources of radiation. Along with their response to the questionnaire, the Section provided

the review team with the opportunity to review copies of proposed legislation that affects the radiation control program.

4.1.2 Program Elements Required for Compatibility

The Wisconsin regulations governing radiation protection requirements are found in various subchapters of the Department of Health Services Section 157 of the Wisconsin Administrative Code. These rules apply to all ionizing radiation, whether emitted from radioactive materials or produced by machines. Section 254.365 of the Wisconsin Statutes requires a license for the possession, use, manufacture, transport, storage or transfer of radioactive material.

For each rulemaking initiative, Division staff develops a rulemaking plan that provides overview information (reason for rule changes, potential cost, stakeholder involvement, goals in completing rulemaking, etc), and details of the changes of the existing rule. The Division staff then submits all rulemaking documents, which include the rulemaking change language, to the Office of Legal Counsel for review. Upon completion of the Office of Legal Counsel review, the rulemaking document is submitted to the Office of the Secretary for release to the public for comment. At the time of publication for public comment, the Section sends the proposed rule to NRC for compatibility review. Regulatory action takes between 1 to 2 years to process and incorporate changes to DHS 157, the Chapter on Radiation Protection. The Section Chief is responsible for the entire radiation protection rule process. The Section has the authority to issue legally binding requirements (e.g., license conditions) in lieu of regulations until compatible regulations become effective.

The review team evaluated Wisconsin's response to the questionnaire relative to this indicator, reviewed the status of regulations required to be adopted by the State under the Commission's adequacy and compatibility policy, and verified the adoption of regulations with data obtained from the State Regulation Status Sheet that FSME maintains.

Current NRC policy requires that Agreement States adopt certain equivalent regulations or legally binding requirements no later than 3 years after the effective date of NRC's regulations. At the time of the on-site portion of the review, the following four amendments were overdue:

- "Requirements for Certain Generally Licensed Industrial Devices Containing Byproduct Material," 10 CFR Parts 30, 31, 32 amendment (65 FR 79162), that was due for Agreement State implementation on February 16, 2004.
- "Compatibility with IAEA Transportation Safety Standards and Other Transportation Safety Amendments," 10 CFR Part 71 amendment (69 FR 3697), that was due for Agreement State implementation on October 10, 2007.
- "Medical Byproduct Material – Recognition of Specialty Boards," 10 CFR Part 35 amendment (70 FR 16336), that was due for Agreement State implementation on April 29, 2008.
- "Minor Amendments," 10 CFR Parts 20, 30, 32, 35, 40, and 70 amendment (71 FR 15005), that was due for Agreement State implementation on March 27, 2009.

Subsequent to the on-site portion of the review, the State completed a rulemaking package that addressed the four overdue regulation amendments and four other regulation amendments. With this package, the State is up to date on all NRC regulation amendments. The Section submitted the rulemaking package to NRC on August 27, 2009, for a compatibility review. NRC staff identified 15 comments that were transmitted to the State via letter on September 23, 2009.

The following regulation amendment that will need to be addressed by the State in the future:

- “Medical Use Of Byproduct Material – Authorized User Clarification,” 10 CFR Part 35 amendment (72 FR 45147, 54207), that is due for Agreement State adoption by September 28, 2012.

Based on the IMPEP evaluation criteria, the review team recommends that Wisconsin’s performance with respect to the indicator, Compatibility Requirements, be found satisfactory.

5.0 SUMMARY

As noted in Sections 3.0 and 4.0 above, Wisconsin’s performance was found satisfactory for all performance indicators reviewed. Overall, the review team recommended, and the MRB agreed, that the Wisconsin Agreement State Program is adequate to protect public health and safety and compatible with NRC's program. Based on the results of the current IMPEP review, the review team recommended, and the MRB agreed, that the next full IMPEP review take place in approximately 4 years.

LIST OF APPENDIXES AND ATTACHMENT

Appendix A	IMPEP Review Team Members
Appendix B	Wisconsin Organization Charts
Appendix C	Inspection Casework Reviews
Appendix D	License Casework Reviews
Appendix E	Incident Casework Reviews
Attachment	August 31, 2009 E-mail from Cheryl Rogers Wisconsin's Response to Draft IMPEP Report

APPENDIX A

IMPEP REVIEW TEAM MEMBERS

Name	Area of Responsibility
Joseph DeCicco, FSME	Team Leader Compatibility Requirements
James Harris, KS	Technical Staffing and Training Technical Quality of Licensing Actions
James Lynch, Region III	Status of Materials Inspection Program Technical Quality of Incident and Allegation Activities Inspector Accompaniments
Michael LaFranzo, Region III	Technical Quality of Inspections

APPENDIX B

WISCONSIN ORGANIZATION CHARTS

ADAMS ACCESSION NO.: ML092100344

APPENDIX C

INSPECTION CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1 Licensee: Metaltek International Inspection Type: Routine/Special, Unannounced Inspection Dates: 3/27/07, 4/19/07, 7/18/07	License No.: 133-1181-01 Priority: 1 Inspectors: PC, CR
File No.: 2 Licensee: Aurora Health Care Metro, Inc. Inspection Type: Routine/Special, Unannounced Inspection Dates: 6/12/07, 8/13/07	License No.: 079-1281-01 Priority: 1 Inspector: JH
File No.: 3 Licensee: Great Lakes Testing, Inc. Inspection Type: Routine/Special, Unannounced Inspection Dates: 6/19-20/06, 8/31/06	License No.: 009-1116-01 Priority: 1 Inspectors: MW, JH
File No.: 4 Licensee: Community Blood Center, Inc. Inspection Type: Routine/Special, Unannounced Inspection Date: 10/4/06	License No.: 087-1067-01 Priority: 5 Inspectors: JH, PC
File No.: 5 Licensee: Shaw Pipeline Services, Inc. Inspection Type: Routine/Special, Unannounced Inspection Date: 6/27/08	License No.: 035-1236-01 Priority: 1 Inspectors: CR, CD
File No.: 6 Licensee: Metaltek International Inspection Type: Routine, Unannounced Inspection Date: 6/8/09	License No.: 133-1181-01 Priority: 1 Inspector: KP
File No.: 7 Licensee: Conam Inspections Inspection Type: Reciprocity, Initial Inspection Date: 7/13/06	License No.: NRC 12-16559-02 Priority: 1 Inspectors: MW, MM

File No.: 8

Licensee: Great Lakes Testing
Inspection Type: Routine, Unannounced
Inspection Date: 7/9/08

License No.: 009-1116-01
Priority: 1
Inspector: PC

File No.: 9

Licensee: Cardinal Health
Inspection Type: Routine, Unannounced
Inspection Date: 11/26/08

License No.: 141-1306-01
Priority: 1
Inspectors: CT, JH

File No.: 10

Licensee: Mercy Hospital
Inspection Type: Routine, Unannounced
Inspection Date: 1/29/09

License No.: 105-1176-01
Priority: 1
Inspectors: DS, JH

File No.: 11

Licensee: Lafayette Testing Services
Inspection Type: Routine, Unannounced
Inspection Date: 4/1/08

License No.: 079-1147-01
Priority: 2
Inspector: PJC

File No.: 12

Licensee: Aurora Health Care Southern Lakes, Inc.
Inspection Type: Routine, Unannounced
Inspection Date: 4/3/08

License No.: 127-1023-01
Priority: 3
Inspector: JH

File No.: 13

Licensee: CERAC, Inc.
Inspection Type: Routine, Unannounced
Inspection Date: 6/9/09

License No.: 079-1055-01
Priority: 3
Inspector: MS

File No.: 14

Licensee: St. Michael's Hospital
Inspection Type: Routine, Unannounced
Inspection Date: 7/6/09

License No.: 097-1301-01
Priority: 3
Inspector: LD

File No.: 15

Licensee: Team Industrial Services
Inspection Type: Routine, Unannounced
Inspection Date: 1/31/07

License No.: 079-2005-01
Priority: 1
Inspector: MM

File No.: 16

Licensee: Wisconsin Medical Cyclotron
Inspection Type: Routine, Unannounced
Inspection Date: 3/14/08

License No.: 079-1366-01
Priority: 1
Inspector: RS

File No.: 17

Licensee: Dane Co. Sanitary Landfill Site No. 2
Inspection Type: Routine, Announced
Inspection Date: 7/11/07

License No.: 025-1082-01
Priority: 5
Inspector: SM

File No.: 18

Licensee: Varian Medical Systems
Inspection Type: Reciprocity, Announced
Inspection Date: 5/11/09

License No.: 45-30957-01
Priority: 1
Inspector: DS

File No.: 19

Licensee: Mayo Clinic
Inspection Type: Reciprocity, Announced
Inspection Date: 5/25/07

License No.: MN-1047-201-55
Priority: 3
Inspector: RS

File No.: 20

Licensee: JANX
Inspection Type: Reciprocity, Unannounced
Inspection Date: 7/16/08

License No.: 21-16560-01
Priority: 1
Inspector: KP

File No.: 21

Licensee: JANX
Inspection Type: Reciprocity, Unannounced
Inspection Date: 4/23/07

License No.: 21-16560-01
Priority: 1
Inspector: MM

File No.: 22

Licensee: Dean Medical Center
Inspection Type: Routine, Unannounced
Inspection Date: 3/22/06

License No.: 025-1083-01
Priority: 3
Inspector: MW

File No.: 23

Licensee: St. Mary's Hospital
Inspection Type: Routine, Unannounced
Inspection Date: 4/4/07

License No.: 025-1293-01
Priority: 3
Inspector: RS

File No.: 24

Licensee: AITEC USA Investments, Inc.
Inspection Type: Reciprocity, Announced
Inspection Date: 4/4/07

License No.: TX L05718
Priority: 1
Inspector: MM

File No.: 25

Licensee: Seaman Nuclear Corporation
Inspection Type: Routine, Unannounced
Inspection Date: 1/29/08

License No.: 079-1257-01
Priority: 3
Inspectors: MS, PC

File No.: 26

Licensee: University of Wisconsin
Madison Safety Department

Inspection Type: Routine, Unannounced
Inspection Dates: 11/13-20/07

License No.: 025-1323-01

Priority: 1
Inspectors: MS, LD, JH, SM

INSPECTOR ACCOMPANIMENTS

The following inspector accompaniments were performed prior to the on-site IMPEP review:

Accompaniment No.: 1

Licensee: Molecular Biology Resources, Inc.
Inspection Type: Routine, Unannounced
Inspection Date: 4/27/09

License No.: 079-1195-01
Priority: 5
Inspector: CT

Accompaniment No.: 2

Licensee: Wheaton Franciscan Medical Group, Inc.
Inspection Type: Routine, Unannounced
Inspection Date: 4/28/09

License No.: 079-1352-01
Priority: 5
Inspector: DS

Accompaniment No.: 3

Licensee: MetalTek International
Inspection Type: Special, Unannounced
Inspection Date: 6/8/09

License No.: 133-1181-01
Priority: 1
Inspector: KP

Accompaniment No.: 4

Licensee: CERAC, Inc.
Inspection Type: Routine, Unannounced
Inspection Date: 6/9/09

License No.: 079-1055-01
Priority: 3
Inspector: MS

APPENDIX D

LICENSE CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1

Licensee: Great Lakes Testing
Type of Actions: Renewal, Amendment
Dates Issued: 5/12/08, 11/14/08, 12/10/08

License No.: 009-1116-01
Amendment Nos.: 04, 05, 06
License Reviewer: MS

File No.: 2

Licensee: Community Blood Center
Types of Action: Renewal, Amendment
Dates Issued: 10/09/07, 5/12/08, 11/14/08, 12/23/08

License No.: 087-1067-01
Amendment Nos.: 03, 04, 05, 06
License Reviewers: LD,MS

File No.: 3

Licensee: Aurora Health Care Metro
Type of Action: Amendment
Dates Issued: 9/30/05, 12/22/08

License No.: 079-1281-01
Amendment Nos.: 08, 14
License Reviewers: PC, LD

File No.: 4

Licensee: Shaw Pipeline Service
Type of Action: New
Date Issued: 12/18/07

License No.: 035-1236-01
Amendment No.: 0
License Reviewer: KP

File No.: 5

Licensee: BayCare Clinic
Types of Action: Renewal, Amendment
Dates Issued: 11/5/07, 5/29/09

License No.: 139-1309-01
Amendment Nos.: 02, 03
License Reviewers: KP, LD

File No.: 6

Licensee: Appleton Medical Center
Type of Action: Amendment
Dates Issued: 10/14/05, 10/27/06, 10/6/08

License No.: 087-1014-01
Amendment Nos.: 06, 08, 12
License Reviewers: MW, RS, MS

File No.: 7

Licensee: Northern Shared Medical Service
Type of Action: Amendment
Dates Issued: 1/22/07, 7/1/08, 4/1/09

License No.: 025-1209-01
Amendment Nos.: 24, 30, 31
License Reviewers: RS, JH, DS

File No.: 8

Licensee: Community Memorial Hospital
Types of Action: Renewal, Amendment
Dates Issued: 12/12/08, 1/21/09

License No.: 133-1069-01
Amendment Nos.: 16, 17
License Reviewer: DS

File No.: 9

Licensee: ECS Illinois

Type of Action: New

Date Issued: 2/4/08

License No.: 105-1221-01

Amendment No.: 0

License Reviewer: KP

File No.: 10

Licensee: Community Memorial Hospital

Type of Action: Renewal

Date Issued: 2/7/07

License No.: 083-1068-01

Amendment No.: 01

License Reviewer: MS

File No.: 11

Licensee: Chosen Valley Testing

Type of Action: Amendment

Date Issued: 5/19/08

License No.: 063-2009-01

Amendment No.: 04

License Reviewer: LD

File No.: 12

Licensee: CGC

Type of Action: Renewal, Amendment

Dates Issued: 2/28/08, 9/24/08

License No.: 025-1056-01

Amendment Nos.: 06, 07

License Reviewers: MW, PC

File No.: 13

Licensee: Standard Imaging

Type of Action: Amendment

Date Issued: 12/17/07

License No.: 025-1304-01

Amendment No.: 06

License Reviewer: LD

File No.: 14

Licensee: Ripon College

Type of Action: Termination

Date Issued: 7/19/06

License No.: 039-1240-01

Amendment No.: 02

License Reviewer: MW

File No.: 15

Licensee: Medi-Physics

Type of Action: Amendment

Dates Issued: 5/29/07, 3/4/09

License No.: 079-1168-01

Amendment Nos.: 09, 18

License Reviewer: LD

File No.: 16

Licensee: Kenosha County Div. of Health

Type of Action: Renewal

Date Issued: 8/13/08

License No.: 059-1140-01

Amendment No.: 04

License Reviewer: KP

File No.: 17

Licensee: Domtar A.W.

Type of Action: Renewal

Date Issued: 6/29/09

License No.: 141-1086-01

Amendment No.: 04

License Reviewer: CT

File No.: 18

Licensee: Community Housing Initiative
Type of Action: Termination
Date Issued: 12/6/07

License No.: 133-1098-01
Amendment No.: 03
License Reviewer: KP

File No.: 19

Licensee: The Wisconsin Heart Hospital
Type of Action: Renewal
Date Issued: 1/29/09

License No.: 079-1359-01
Amendment No.: 05
License Reviewer: CT

File No.: 20

Licensee: R H Batterman & Co.
Type of Action: Renewal
Date Issued: 1/21/09

License No.: 105-1233-01
Amendment No.: 05
License Reviewer: CT

File No.: 21

Licensee: Road Runner Consulting
Type of Action: New
Date Issued: 7/17/07

License No.: 025-1336-01
Amendment No.: 0
License Reviewer: SM

APPENDIX E

INCIDENT CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1
Licensee: Cardinal Health
Date of Incident: 2/24/06
Investigation Date: 2/27/06
License No.: 079-1311-01
NMED Log No.: 060172
Type of Incident: Contamination Event
Type of Investigation: Telephone

File No.: 2
Licensee: Cardinal Health
Date of Incident: 3/3/06
Investigation Date: 3/9/06
License No.: 079-1311-01
NMED Log No.: 060175
Type of Incident: Contamination Event
Type of Investigation: Telephone

File No.: 3
Licensee: Elmbrook Memorial Hospital
Date of Incident: 5/16/06
Investigation Date: 5/17/06
License No.: 079-1092-01
NMED Log No.: 060610
Type of Incident: Lost Sources
Type of Investigation: Telephone

File No.: 4
Licensee: University of Wisconsin
Date of Incident: 12/27/06
Investigation Date: 1/8/07
License No.: 025-1323-01
NMED Log No.: 070015
Type of Incident: Medical Event
Type of Investigation: Site

File No.: 5
Licensee: Bristol-Myers Squibb Medical Imaging
Date of Incident: 1/14/07
Investigation Date: 1/17/07
License No.: Non-licensee
NMED Log No.: 070027
Type of Incident: Lost Sources
Type of Investigation: Site

File No.: 6
Licensee: Miller Compressing
Date of Incident: 2/22/07
Investigation Date: 2/22/07
License No.: Non-licensee
NMED Log No.: 070132
Type of Incident: Lost Sources
Type of Investigation: Telephone

File No.: 7
Licensee: Saint Vincent Hospital
Date of Incident: 4/4/07
Investigation Date: 4/6/07
License No.: 09-1303-01
NMED Log No.: 070211
Type of Incident: Medical Event
Type of Investigation: Site

File No.: 8

Licensee: Roofing Consultants, Ltd.

Date of Incident: 4/24/07

Investigation Date: 4/24/07

License No.: Non-license

NMED Log No.: 070250

Type of Incident: Stolen Sources

Type of Investigation: Telephone

File No.: 9

Licensee: Aurora Saint Luke's Medical Center

Date of Incident: 5/31/07

Investigation Date: 5/31/07

License No.: 079-1281-01

NMED Log No.: 070350

Type of Incident: Medical Event

Type of Investigation: Telephone

File No.: 10

Licensee: Wheaton Franciscan Healthcare-St. Francis

Date of Incident: 8/28/07

Investigation Date: 8/28/07

License No.: 079-1285-01

NMED Log No.: 070562

Type of Incident: Lost Source

Type of Investigation: Telephone

File No.: 11

Licensee: Wheaton Franciscan Healthcare-St. Francis

Date of Incident: 9/19/07

Investigation Date: 9/21/07

License No.: 079-1285-01

NMED Log No.: 070689

Type of Incident: Leaking Source

Type of Investigation: Site

File No.: 12

Licensee: Aurora Saint Luke's Medical Center

Date of Incident: 1/31/08

Investigation Date: 1/31/08

License No.: 079-1281-01

NMED Log No.: 080070

Type of Incident: Equipment Failure

Type of Investigation: Telephone

Comment:

The Section did not perform a reactive inspection, as planned.

File No.: 13

Licensee: Marshfield Clinic Minocqua Center

Date of Incident: 3/4/08

Investigation Date: 3/4/08

License No.: 141-1162-01

NMED Log No.: 080144

Type of Incident: Lost Sources

Type of Investigation: Telephone

File No.: 14

Licensee: Appleton Medical Center

Date of Incident: 3/6/08

Investigation Date: 3/17/08

License No.: 087-1014-01

NMED Log No.: 080156

Type of Incident: Medical Event

Type of Investigation: Site

File No.: 15

Licensee: Team Industrial Services, Inc.

Date of Incident: 4/15/08

Investigation Date: 5/22/08

License No.: 079-2005-01

NMED Log No.: 080238

Type of Incident: Equipment Failure

Type of Investigation: Site

File No.: 16

Licensee: University of Wisconsin

Date of Incident: 7/14/08

Investigation Date: 7/17/08

License No.: 025-1323-01

NMED Log No.: 080406

Type of Incident: Medical Event

Type of Investigation: Site

File No.: 17

Licensee: University of Wisconsin

Date of Incident: 8/18/08

Investigation Date: 8/20/08

License No.: 025-1323-01

NMED Log No.: 080493

Type of Incident: Contamination Event

Type of Investigation: Site

File No.: 18

Licensee: GE Healthcare

Date of Incident: 12/15/08

Investigation Date: 12/15/08

License No.: Non-licensee

NMED Log No.: 090156

Type of Incident: Contaminated Equipment

Type of Investigation: Telephone

File No.: 19

Licensee: Aurora Health Care Central

Date of Incident: 3/9/09

Investigation Date: 3/12/09

License No.: 117-1022-01

NMED Log No.: 090385

Type of Incident: Medical Event

Type of Investigation: Site

File No.: 20

Licensee: University of Wisconsin

Date of Incident: 3/18/09

Investigation Date: 3/20/09

License No.: 025-1323-01

NMED Log No.: 090398

Type of Incident: Transportation

Type of Investigation: Site

File No.: 21

Licensee: Wheaton Franciscan Healthcare-St. Joseph

Date of Incident: 6/25/09

Investigation Date: 6/29/09

License No.: 079-1288-01

NMED Log No.: 090571

Type of Incident: Medical Event

Type of Investigation: Site

ATTACHMENT

August 31, 2009 E-mail from Cheryl Rogers
Wisconsin's Response to Draft IMPEP Report

ADAMS Accession No.: ML092600596