Total Restoration and Reclamation Cost Estimate		
I.	**GROUNDWATER RESTORATION COST**	$9,529,297
II.	**EQUIPMENT REMOVAL & DISPOSAL COST**	$332,739
III.	**BUILDING DEMOLITION AND DISPOSAL COST**	$1,153,431
IV.	**WELLFIELD BUILDINGS & EQUIPMENT REMOVAL & DISPOSAL COST**	$526,559
V.	**WELL ABANDONMENT COST**	$1,566,870
VI.	**WELLFIELD AND SATELLITE SURFACE RECLAMATION COST**	$76,387
VII.	**TOTAL MISCELLANEOUS RECLAMATION COST**	$942,638
	SUBTOTAL RECLAMATION AND RESTORATION COST ESTIMATE	$14,127,921
	SUBTOTAL	$14,127,921
	ADMINISTRATIVE, OVERHEAD, AND CONTINGENCY ITEMS (25%)	$3,531,980
	TOTAL	$17,659,901
	TOTAL CALCULATED SURETY (IN 2006 DOLLARS)	**$17,659,900**

Ground Water Restoration	Mine Unit-1	Mine Unit-2	Mine Unit-3	Mine Unit-3 2nd Comp.	Mine Unit- 4	Mine Unit-4A	Mine Unit-4 Extension	Mine Unit-15	Mine Unit-15A	Mine Unit K	Mine Unit 9
PV Assumptions											
Wellfield Area (ft2)	1,115,229	2,260,172	1,622,462	782,800	1,334,798	1,050,576	340,421	2,000,000	1,600,000	1,620,000	1,200,000
Wellfield Area (acres)	25.6	51.9	37.2	18.0	30.6	24.1	7.8	45.9	36.7	37.2	27.5
Affected Ore Zone Area (ft2)	1,115,229	2,260,172	1,622,462	782,800	1,334,798	1,050,576	340,421	2,000,000	1,600,000	1,620,000	1,200,000
Avg. Completed Thickness	18	24	20	14	18	17	18	19	19	20	20
Porosity	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27
Flare Factor	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Affected Volume (ft3)	30,111,183	81,366,192	48,673,860	16,438,800	36,039,546	26,789,688	9,191,367	57,000,000	45,600,000	48,600,000	36,000,000
Kgallons per Pore Volume	60,813	164,327	98,302	33,200	72,785	54,104	18,563	115,117	92,094	98,153	72,706
Number of Patterns in Unit(s)											
Current	116	146	162	76	128	101	35	251	0	0	0
Estimated next report period	0	0	0	0	0	0	0		60	100	54
Total Estimated	116	146	162	76	128	101	35	251	60	100	54
Number of Wells in Unit(s)											
Production Wells											
Current	115	146	145	Wells	124	101	Wells	251	0	0	0
Estimated next report period	0	0	0	included	0	0	included	0	60	100	54
Total Estimated	115	146	145	under	124	101	under	251	60	100	54
Injection Wells				Wellfield 3			Wellfield 4				
Current	210	262	251		219	175	and	502	0	0	0
Estimated next report period	0	0	0		0	0	Wellfield 4A	0	120	200	107
Total Estimated	210	262	251		219	175		502	120	200	107
Monitoring Wells											
Current	49	50	40		51	39		105	60	61	0
Estimated next report period	0	0	0		0	0		0	0	0	80
Total Estimated	49	50	40		51	39		105	60	61	80
Number of Wells per Wellfield	374	458	436		394	315		858	240	361	241
Total Number of Wells	2835										
Average Well Depth (ft)	500	850	750		850	750		450	500	950	950
I. Ground Water Sweep Costs											
PV's Required	1	1	1	1	1	1	1	1	1	1	1
Total Kgals for Treatment	60,813	164,327	98,302	33,200	72,785	54,104	18,563	115,117	92,094	98,153	72,706
Ground Water Sweep Unit Cost ($/Kgal)	$1.35	$1.35	$1.35	$1.35	$1.35	$1.35	$1.35	$1.35	$1.35	$1.35	$1.35
Subtotal Ground Water Sweep Costs per Wellfield	$82,133	$221,940	$132,766	$44,840	$98,304	$73,073	$25,071	$155,477	$124,382	$132,565	$98,196
Total Ground Water Sweep Costs	**$1,188,747**										
II. Reverse Osmosis Costs											
PV's Required	4	4	4	4	4	4	4	4	4	4	4
Total Kgals for Treatment	243,250	657,309	393,207	132,799	291,142	216,418	74,252	460,469	368,375	392,610	290,822
Reverse Osmosis Unit Cost ($/Kgal)	$0.60	$0.60	$0.60	$0.60	$0.60	$0.60	$0.60	$0.60	$0.60	$0.60	$0.60
Subtotal Reverse Osmosis Costs per Wellfield	$145,464	$393,071	$235,138	$79,414	$174,103	$129,418	$44,402	$275,360	$220,288	$234,781	$173,912
Total Reverse Osmosis Costs	**$2,105,351**										
III. Chemical Reductant Costs											
Total Kgals for Treatment (2 Pore Volumes)	121625	328654	196603	66400	145571	108209	37126	230234	184188	196305	145411
Chemical Reductant Unit Cost ($/Kgal)	$0.32	$0.32	$0.32	$0.32	$0.32	$0.32	$0.32	$0.32	$0.32	$0.32	$0.32

Ground Water Restoration	Mine Unit-1	Mine Unit-2	Mine Unit-3	Mine Unit-3 2nd Comp.	Mine Unit- 4	Mine Unit-4A	Mine Unit-4 Extension	Mine Unit-15	Mine Unit-15A	Mine Unit K	Mine Unit 9
Subtotal Chemical Reductant Costs per Wellfield	$38,920	$105,169	$62,913	$21,248	$46,583	$34,627	$11,880	$73,675	$58,940	$62,818	$46,532
Total Chemical Reductant Costs	**$563,305**										
IV. Monitoring and Sampling Costs											
A. Active Restoration Period											
Estimated Restoration Period (Years)	5	5	5		5	5		5	5	5	5
1. UCL Sampling											
# of Wells	49	51	43		55	36		108	60	61	80
$/sample	$50	$50	$50	$50	$50	$50	$50	$50	$50	$50	$50
Samples/Year	6	6	6		6	6		6	6	6	6
Sub-total Restoration Analyses	$73,500	$76,500	$64,500		$82,500	$54,000		$162,000	$90,000	$91,500	$120,000
B. Stability Period											
Estimated Stabilization Period (Years)	1	1	1		1	1		1	1	1	1
1. Full Suite Analyses											
# of Wells	17	31	24		20	10		61	34	34	56
Samples/Year	3	3	3		3	3		3	3	3	3
$/sample	$200	$200	$200	$200	$200	$200	$200	$200	$200	$200	$200
2. Short List Analyses											
# of Wells	17	31	24		20	10		61	34	34	56
Samples/Year	9	9	9		9	9		9	9	9	9
$/sample	$70	$70	$70	$70	$70	$70	$70	$70	$70	$70	$70
Sub-total Stability Analyses	$20,910	$38,130	$29,520		$24,600	$12,300		$75,030	$41,820	$41,820	$68,880
Subtotal Monitoring and Sampling Costs per Wellfield	$94,410	$114,630	$94,020		$107,100	$66,300		$237,030	$131,820	$133,320	$188,880
Total Monitoring and Sampling Costs	**$1,167,510**										
V. Mechanical Integrity Test (MIT) Costs											
Five Year MIT Unit Cost ($/well)	$180	$180	$180	$180	$180	$180	$180	$180	$180	$180	$180
Number of Wells (30% of Inj. and Rest. Wells)	63	79	75		66	53		151	36	60	32
Subtotal Mechanical Integrity Testing Costs per Wellfield	$11,340	$14,148	$13,554		$11,826	$9,450		$27,108	$6,480	$10,800	$5,778
Total Mechanical Integrity Testing Cost	**$110,484**										
TOTAL RESTORATION COSTS PER WELLFIELD	$372,267	$848,958	$538,391	$145,502	$437,916	$312,868	$81,353	$768,650	$541,910	$574,284	$513,298
TOTAL WELLFIELD RESTORATION COST	**$5,135,397**										
VI. Building Utility Costs	**Central Plant**	**Main Office**	**Satellite SR-1**	**Satellite SR-2**							
Electricity ($/Month)	$8,500	$1,825	$8,500	$8,500							
Number of Months	48	60	36	36							
Subtotal Utility Costs per Building	$408,000	$109,500	$306,000	$306,000							
Total Building Utility Costs	**$1,129,500**										
VII. Vehicle Operation Costs											
Number of Pickup Trucks/Pulling Units (Gas)	10										
Unit Cost in $/hr (WDEQ Guideline No.12, Table D-1)	$20.21										
Average Operating Time (Hrs/Year)	1000										
Total Number of Years (Average)	4										
Total Vehicle Operation Costs	**$808,400**										
VIII. Labor Costs											
Number of Environmental Managers/RSOs	0.5										

POWER RESOURCES INC SMITH RANCH URANIUM PROJECT
SURETY ESTIMATE REVISION

Ground Water Restoration			Mine Unit-1	Mine Unit-2	Mine Unit-3	Mine Unit-3 2nd Comp.	Mine Unit- 4	Mine Unit-4A	Mine Unit-4 Extension	Mine Unit-15	Mine Unit-15A	Mine Unit K	Mine Unit 9
		$/Year (1/2 costs to Smith Ranch, 1/2 costs to Highland)	$100,000										
		Number of Restoration Managers	0.5										
		$/Year (1/2 costs to Smith Ranch, 1/2 costs to Highland)	$80,000										
		Number of Environmental Technicians	2										
		$/Year	$34,000										
		Number of Operators/Laborers	7										
		$/Year	$34,000										
		Number of Maintenance Technicians	2										
		$/Year	$34,000										
		Number of Years	4										
	Total Labor Costs		**$1,856,000**										
IX.	**Capital Costs**												
		Purchase RO Units (1X400 gpm Units)	$600,000										
	Total Capital Costs		**$600,000**										
TOTAL GROUND WATER RESTORATION COSTS			**$9,529,297**										

ipment Removal and Loading	CPP Ion Ex. Plant	Central Plant	Dryer Building	Satellite SR-1	Pilot ISL	Water Pumphouse	Bone Yard	Satellite SR-2
Removal and Loading Costs								
A. Tankage								
Number of Tanks	13	51	0	10	15	3	30	10
Volume of Tank Construction Material (ft^3)	835	1340	300	397	260	164	1648	397
1. Labor								
Number of Persons	3	3	3	3	3	3	3	3
Ft^3/Day	25	25	25	25	25	25	25	25
Number of Days	33	54	12	16	10	7	66	16
$/Day/Person	$120	$120	$120	$120	$120	$120	$120	$120
Subtotal Labor Costs	$12,030	$19,296	$4,320	$5,760	$3,744	$2,362	$23,731	$5,760
2. Equipment								
Number of Days	33	54	12	16	10	7	66	16
$/Day	$338	$338	$338	$338	$338	$338	$338	$338
Subtotal Equipment Costs	$11,295	$18,117	$4,056	$5,408	$3,515	$2,217	$22,281	$5,408
Subtotal Tankage Removal and Loading Costs	$23,325	$37,413	$8,376	$11,168	$7,259	$4,579	$46,012	$11,168
B. PVC/Steel Pipe								
PVC Pipe Footage	2800	5000		4000	1500	0	0	4000
Average PVC Pipe Diameter (inches	3	3	3	3	3	3	0	3
Shredded PVC Pipe Volume Reduction (ft^3/ft)	0.016	0.016	0.016	0.016	0.016	0.016	0	0.016
Volume of Shredded PVC Pipe (ft^3)	45	80	0	64	24	0	0	64
Steel Pipe Footage	1100	0	0	0	0	80	0	0
Average Steel Pipe Diameter (inches	6	0	0	0	0	8	0	0
Volume (ft^2)	216	0	0	0	0	30	0	0
1. Labor								
Number of Persons	2	2	2	2	2	2	2	2
Ft/Day	300	300	300	300	300	300	300	300
Number of Days	13	17	0	13	5	0	0	13
$/Day/Person	$120	$120	$120	$120	$120	$120	$120	$120
Subtotal PVC/Steel Pipe Labor Costs	$3,120	$4,000	$0	$3,120	$1,200	$64	$0	$3,120
Subtotal PVC/Steel Pipe Removal and Loading Costs	$3,120	$4,000	$0	$3,120	$1,200	$64	$0	$3,120
C. Pumps								
Number of Pumps	21	43	0	13	12	2	0	13
Average Volume (ft^3/pump)	4.93	4.93	0	4.93	4.93	4.93	4.93	4.93
Volume of Pumps (ft^3)	103.53	211.99	0	64.09	59.16	9.86	0	64.09
1. Labor								
Number of Persons	1	1	1	1	1	1	0	1
Pumps/Day	2	2	2	2	2	2	0	2
Number of Days	10.5	21.5	0	7	6	1	0	7
$/Day/Person	$120	$120	$120	$120	$120	$120	$120	$120
Subtotal Labor Costs	$1,260	$2,580	$0	$840	$720	$120	$0	$840
Subtotal Pump Removal and Loading Costs	$1,260	$2,580	$0	$840	$720	$120	$0	$840
D. Dryer								
Dryer Volume (ft^3)			200					
1. Labor								
Number of Persons	0	0	5	0	0	0	0	0
Ft^3/Day	0	0	175	0	0	0	0	0
Number of Days	0	0	2	0	0	0	0	0
$/Day/Person	$120	$120	$120	$120	$120	$120	$120	$120
Total Labor Cost	$0	$0	$1,200	$0	$0	$0	$0	$0
Total Dryer Dismantling and Loading Cos	$0	$0	$1,200	$0	$0	$0	$0	$0
Subtotal Equipment Removal and Loading Costs per Facility	$39,735	$63,289	$13,896	$20,888	$12,923	$7,125	$69,743	$20,888
Total Equipment Removal and Loading Costs	**$248,487**							
Transportation and Disposal Costs (NRC-Licensed Facility)								
A. Tankage								
Volume of Tank Construction Material (ft^3)	835	1340	300	397	260	164	1648	
Volume for Disposal Assuming 10% Void Space (ft^3)	919	1474	330	436	286	180	1813	
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal Tankage Transportation and Disposal Costs	$11,028	$17,688	$3,960	$5,232	$3,432	$2,160	$21,756	$0
B. PVC / Steel Pipe								
Volume of Shredded PVC Pipe (ft^3)	44.8	80	0	64	24	0	0	
Volume for Disposal Assuming 10% Void Space (ft^3)	49	88	0	70	26	0	0	
Volume of Steel Pipe (ft^3)	296	0	0	0	0	30	30	
Volume for Disposal Assuming 10% Void Space (ft^3)	326	0	0	0	0	33	33	
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal PVC Pipe Transportation and Disposal Costs	$4,500	$1,056	$0	$840	$312	$396	$396	$0
C. Pumps								
Volume of Pumps (ft^3)	103.53	271	0	64	59	9.86	0	
Volume for Disposal Assuming 10% Void Space (ft^3)	114	298	0	70	65	11	0	
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal Pump Transportation and Disposal Costs	$1,368	$3,576	$0	$840	$780	$132	$0	$0
D. Dryer								
Dryer Volume (ft^3)	0	0	400	0	0	0	0	0
Volume for Disposal Assuming Dryer Remains Intact (ft^3)	0	0	400	0	0	0	0	0
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Total Dryer Transportation and Disposal Costs	$0	$0	$4,800	$0	$0	$0	$0	$0
Subtotal Equipment Transportation and Disposal Costs per Facility	$16,896	$22,320	$8,760	$6,912	$4,524	$2,688	$22,152	$0
Total Equipment Transportation and Disposal Costs	**$84,252**							
Health and Safety Costs								
Radiation Safety Equipment — Accounted for on BLDGS workbook, Section IV	$0	$0	$0	$0	$0	0	$0	$0
Total Health and Safety Costs	**$0**							
TOTAL EQUIPMENT REMOVAL AND DISPOSAL COSTS PER FACILITY	$56,631	$85,609	$22,656	$27,800	$17,447	$9,813	$91,895	$20,888
AL EQUIPMENT REMOVAL AND DISPOSAL COSTS	**$332,739**							

Building Demolition and Disposal	CPP Ion Ex. Plant	Central Plant	Dryer Building	Office Building	Storage Building	Water Treat Plant	Shop Building	Pilot ISL Building	Fresh Water Pumphouse	DDW Buildings
I. Decontamination Costs										
A. Wall Decontamination										
Area to be Decontaminated (ft^2)	10,810	15,900	0	0	1,152	576	4,826	12,000	0	0
HCl Acid Wash, including labor ($/$ft^2$) LR	$0.63	$0.63	$0.63	$0.63	$0.63	$0.63	$0.63	$0.63	$0.63	$0.63
Subtotal Wall Decontamination Costs	$6,810	$10,017	$0	$0	$726	$363	$3,040	$7,560	$0	$0
B. Concrete Floor Decontamination										
Area to be Decontaminated (ft^2)	11,550	16,500	3,500	0	1,678	839	7,028	17,477	0	0
HCl Acid Wash, including labor ($/$ft^2$) LR	$0.47	$0.47	$0.47	$0.47	$0.47	$0.47	$0.47	$0.47	$0.47	$0.47
Subtotal Concrete Floor Decontamination Costs	$5,429	$7,755	$1,645	$0	$789	$394	$3,303	$8,214	$0	$0
C. Deep Well Injection Costs										
Total Kgals for Injection	22.36	32.4	3.5	0	2.83	1.415	11.854	29.477	0	0
Deep Well Injection Unit Cost ($/Kgals)	$1.40	$1.40	$1.40	$1.40	$1.40	$1.40	$1.40	$1.40	$1.40	$1.40
Subtotal Deep Well Injection Costs	$31	$45	$5	$0	$4	$2	$17	$41	$0	$0
Subtotal Decontamination Costs per Building	$12,270	$17,817	$1,650	$0	$1,519	$759	$6,360	$15,815	$0	$0
Total Decontamination Costs	**$63,687**									
II. Demolition Costs										
A. Building										
Assumptions:										
Dryer bldg. demolition unit cost of $0.73/$ft^3$ for additional										
radiation safety equipment										
Volume of Building (ft^3)	346,500	577,500	122,500	0	16,780	8,390	175,700	314,586	8,320	660.3
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^3$)	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178
Subtotal Building Demolition Costs	$61,677	$102,795	$21,805	$0	$2,987	$1,493	$31,275	$55,996	$1,481	$118
B. Concrete Floor										
Area of Concrete Floor (ft^2)	11,550	16,500	3500	0	1678	839	7028	17477	832	0
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^3$)	$3.40	$3.40	$3.40	$3.40	$3.17	$3.17	$3.17	$3.17	$3.17	$3.17
Subtotal Concrete Floor Demolition Costs	$39,270	$56,100	$11,900	$0	$5,319	$2,660	$22,279	$55,402	$2,637	$0
C. Concrete Footing										
Length of Concrete Footing (ft)	430	514	237	0	164	116	335	529	115	0
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^3$)	$12.22	$12.22	$12.22	$12.22	$12.22	$12.22	$12.22	$12.22	$12.22	$12.22
Subtotal Concrete Footing Demolition Costs	$5,253	$6,279	$2,892	$0	$2,002	$1,416	$4,098	$6,462	$1,405	$0
Subtotal Demolition Costs per Building	$106,200	$165,174	$36,597	$0	$10,308	$5,569	$57,652	$117,860	$5,523	$118
Total Demolition Costs	**$761,910**									
III. Disposal Costs										
A. Building										
Volume of Building (cy)	12833	21389	4537	0	621	311	6507	11651	308	24
1. On-Site										
Assumptions:										
On-site disposal cost of $1.25/cy										
Percentage (%)	100	100	100	100	100	100	100	100	100	100
Volume for Disposal (cubic yards)	12833	21389	4537	0	621	311	6507	11651	308	24
Disposal Unit Cost ($/cy)	$1.25	$1.25	$1.25	$1.25	$1.25	$1.25	$1.25	$1.25	$1.25	$1.25
Subtotal On-Site Disposal Costs	$16,042	$26,736	$5,671	$0	$777	$388	$8,134	$14,564	$385	$31

Building Demolition and Disposal	CPP Ion Ex. Plant	Central Plant	Dryer Building	Office Building	Storage Building	Water Treat Plant	Shop Building	Pilot ISL Building	Fresh Water Pumphouse	DDW Buildings
2. NRC-Licensed Facility										
Percentage (%)	0	0	0	0	0	0	0	0	0	0
Volume for Disposal (ft^3)	0	0	0	0	0	0	0	0	0	0
Volume for Disposal Assuming 10% Void Space (ft^3)	0	0	0	0	0	0	0	0	0	0
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal NRC-Licensed Facility Disposal Costs	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
Subtotal Building Disposal Costs	$16,042	$26,736	$5,671	$0	$777	$388	$8,134	$14,564	$385	$31
B. Concrete Floor										
Area of Concrete Floor (ft^2)	11550	16500	3500	0	1678	839	7028	17477	1186	0
Average Thickness of Concrete Floor (ft)	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
Volume of Concrete Floor (ft^3)	8662.5	12375	2625	0	1258.5	629.25	5271	13107.75	889.5	0
Volume of Concrete Floor (cy)	321	458	97	0	47	23	195	485	33	0
1. On-Site										
Percentage (%)	75	75	75	100	100	100	100	75	100	0
Volume for Disposal (cy)	241	344	73	0	47	23	195	364	33	0
Disposal Unit Cost per WDEQ Guideline No.12,App.K ($/cy)	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39
Subtotal On-Site Disposal Costs	$1,538	$2,197	$466	$0	$298	$149	$1,247	$2,327	$211	$0
2. NRC-Licensed Facility										
Assumptions:										
Additional $2.60/cy for segregation of concrete										
Percentage (%)	25	25	25	0	0	0	0	25	0	0
Volume for Disposal (ft^3)	2888	3094	656	0	0	0	0	3277	0	0
Segregation and Loading Unit Cost ($/$ft^3$)	$2.60	$2.60	$2.60	$2.60	$2.60	$2.60	$2.60	$2.60	$2.60	$2.60
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal NRC-Licensed Facility Disposal Costs	$42,165	$45,169	$9,581	$0	$0	$0	$0	$47,843	$0	$0
Subtotal Concrete Floor Disposal Costs	$43,703	$47,366	$10,047	$0	$298	$149	$1,247	$50,170	$211	$0
C. Concrete Footing										
Length of Concrete Footing (ft)	430	514	237	0	164	116	335	529	124	0
Average Depth of Concrete Footing (ft)	4	4	4	4	4	4	4	4	4	4
Average Width of Concrete Footing (ft)	1	1	1	1	1	1	1	1	1	1
Volume of Concrete Footing (ft^3)	1720	2055	947	0	655	463	1341	2115	496	0
Volume of Concrete Footing (cy)	64	76	35	0	24	17	50	78	18	0
Disposal Unit Cost per WDEQ Guideline No.12,App.K ($/cy)	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39
Subtotal Concrete Footing Disposal Costs	$407	$486	$224	$0	$155	$110	$317	$501	$117	$0
Subtotal Disposal Costs per Building	$60,152	$74,588	$15,942	$0	$1,230	$647	$9,698	$65,235	$713	$31
Total Disposal Costs	**$317,224**									
IV. Health and Safety Costs										
Radiation Safety Equipment RSO removed per item cost and generated	$0	$0	$0	$0	$0	$0	$0	$0	$0	$0
one lump sum cost!										
Total Health and Safety Costs	**$10,610**									
SUBTOTAL BUILDING DEMOLITION AND DISPOSAL COSTS	$178,622	$257,579	$54,189	$0	$13,057	$6,975	$73,710	$198,910	$6,236	$149
TOTAL BUILDING DEMOLITION AND DISPOSAL COSTS	**$1,153,431**									

Building Demolition and Disposal	Satellite SR-1	Yellowcake Warehouse	Satellite SR-2
I. Decontamination Costs			
A. Wall Decontamination			
Area to be Decontaminated (ft^2)	0	3100	
HCl Acid Wash, including labor ($/$ft^2$) LR	$0.63	$0.63	$0.63
Subtotal Wall Decontamination Costs	$0	$1,953	$0
B. Concrete Floor Decontamination			
Area to be Decontaminated (ft^2)	9000	2750	0
HCl Acid Wash, including labor ($/$ft^2$) LR	$0.47	$0.47	$0.47
Subtotal Concrete Floor Decontamination Costs	$4,230	$1,293	$0
C. Deep Well Injection Costs			
Total Kgals for Injection	9	5.85	0
Deep Well Injection Unit Cost ($/Kgals)	$1.40	$1.40	$1.40
Subtotal Deep Well Injection Costs	$13	$8	$0
Subtotal Decontamination Costs per Building	$4,243	$3,254	$0
Total Decontamination Costs			
II. Demolition Costs			
A. Building			
Assumptions:			
Dryer bldg. demolition unit cost of $0.73/$ft^3$ for additional radiation safety equipment			
Volume of Building (ft^3)	402,000	55,000	402,000
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^3$)	$0.178	$0.178	$0.178
Subtotal Building Demolition Costs	$71,556	$9,790	$71,556
B. Concrete Floor			
Area of Concrete Floor (ft^2)	13400	2750	13400
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^3$)	$3.05	$3.05	$3.05
Subtotal Concrete Floor Demolition Costs	$40,870	$8,388	$40,870
C. Concrete Footing			
Length of Concrete Footing (ft)	463	210	463
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^3$)	$12.22	$12.22	$12.22
Subtotal Concrete Footing Demolition Costs	$5,658	$2,563	$5,658
Subtotal Demolition Costs per Building	$118,084	$20,741	$118,084
Total Demolition Costs			
III. Disposal Costs			
A. Building			
Volume of Building (cy)	14889	2037	14889
1. On-Site			
Assumptions:			
On-site disposal cost of $1.25/cy			
Percentage (%)	100	100	100
Volume for Disposal (cubic yards)	14889	2037	14889
Disposal Unit Cost ($/cy)	$1.25	$1.25	$1.25
Subtotal On-Site Disposal Costs	$18,611	$2,546	$18,611

Building Demolition and Disposal	Satellite SR-1	Yellowcake Warehouse	Satellite SR-2
2. NRC-Licensed Facility			
Percentage (%)	0	0	0
Volume for Disposal (ft^3)	0	0	0
Volume for Disposal Assuming 10% Void Space (ft^3)	0	0	0
Transportation and Disposal Unit Cost ($\$/ft^3$)	$12.00	$12.00	$12.00
Subtotal NRC-Licensed Facility Disposal Costs	$0	$0	$0
Subtotal Building Disposal Costs	$18,611	$2,546	$18,611
B. Concrete Floor			
Area of Concrete Floor (ft^2)	13400	2750	13400
Average Thickness of Concrete Floor (ft)	0.75	0.75	0.75
Volume of Concrete Floor (ft^3)	10050	2062.5	10050
Volume of Concrete Floor (cy)	372	76	372
1. On-Site			
Percentage (%)	75	75	75
Volume for Disposal (cy)	279	57	279
Disposal Unit Cost per WDEQ Guideline No.12,App.K ($/cy)	$6.39	$6.39	$6.39
Subtotal On-Site Disposal Costs	$1,784	$366	$1,784
2. NRC-Licensed Facility			
Assumptions:			
Additional $2.60/cy for segregation of concrete			
Percentage (%)	25	25	
Volume for Disposal (ft^3)	2513	516	
Segregation and Loading Unit Cost ($\$/ft^3$)	$2.60	$2.60	$2.60
Transportation and Disposal Unit Cost ($\$/ft^3$)	$12.00	$12.00	$12.00
Subtotal NRC-Licensed Facility Disposal Costs	$36,683	$7,528	$0
Subtotal Concrete Floor Disposal Costs	$38,467	$7,894	$1,784
C. Concrete Footing			
Length of Concrete Footing (ft)	463	210	463
Average Depth of Concrete Footing (ft)	4	4	4
Average Width of Concrete Footing (ft)	1	1	1
Volume of Concrete Footing (ft^3)	1852	839	1852
Volume of Concrete Footing (cy)	69	31	69
Disposal Unit Cost per WDEQ Guideline No.12,App.K ($/cy)	$6.39	$6.39	$6.39
Subtotal Concrete Footing Disposal Costs	$438	$199	$438
Subtotal Disposal Costs per Building	$57,516	$10,639	$20,833
Total Disposal Costs			
IV. **Health and Safety Costs**			
Radiation Safety Equipment RSO removed per item cost and generated	$0	$0	$0
one lump sum cost!			
Total Health and Safety Costs			
SUBTOTAL BUILDING DEMOLITION AND DISPOSAL COSTS	$179,843	$34,634	$138,917
TOTAL BUILDING DEMOLITION AND DISPOSAL COSTS			

Wellfield Buildings and Equipment Removal and Disposal	Mine Unit-1	Mine Unit-2	Mine Unit-3	Mine Unit-4	Mine Unit-4A	Mine Unit-15	Mine Unit-15A	Mine Unit-K	Mine Unit-9
I. Wellfield Piping									
Assumptions:									
Number of Header Houses per Wellfield	6	5	8	6	5	13	4	5	3
Length of Piping per Header House (ft)	2000	2000	2000	2000	2000	2000	2000	2000	2000
Total Length of Piping (ft)	12000	10000	16000	12000	10000	26000	8000	10000	6000
A. Removal and Loading									
Wellfield Piping Removal Unit Cost ($/ft of pipe)	$0.42	$0.42	$0.42	$0.42	$0.42	$0.42	$0.42	$0.42	$0.42
Subtotal Wellfield Piping Removal and Loading Costs	$5,040	$4,200	$6,720	$5,040	$4,200	$10,920	$3,360	$4,200	$2,520
B. Transport and Disposal Costs (NRC-Licensed Facility)									
Average Diameter of Piping (inches)	2	2	2	2	2	2	2	2	2
Chipped Volume Reduction (ft^3/ft)	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005
Chipped Volume per Wellfield (ft^3)	60	50	80	60	50	130	40	50	30
Volume for Disposal Assuming 10% Void Space (ft^3)	66	55	88	66	55	143	44	55	33
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal Wellfield Piping Transport and Disposal Costs	$792	$660	$1,056	$792	$660	$1,716	$528	$660	$396
Wellfield Piping Costs per Wellfield	$5,832	$4,860	$7,776	$5,832	$4,860	$12,636	$3,888	$4,860	$2,916
C. Capitol Costs									
Fiberglass/ poly / PVC Pipe Shredder	$50,000								
BFI Containers (2@$7,800.00 each)	$15,600								
Total Wellfield Piping Costs	**$119,060**								
II. Well Pumps and Tubing									
Assumptions:									
Pump and tubing removal costs included under ground water restoration labor costs									
60% of production/injection wells contain pumps and/or tubing									
A. Pump and Tubing Transportation and Disposal									
Number of Production Wells	115	146	145	124	101	251	60	100	54
Number of Injection Wells	210	262	251	219	175	502	120	200	107
1. Pump Volume									
Number of Production Wells with Pumps	69	88	87	74	61	151	36	60	32
Average Pump Volume (ft^3)	1	1	1	1	1	1	1	1	2
Pump Volume per Wellfield (ft^3)	69	88	87	74	61	151	36	60	64
2. Tubing Volume									
Assumptions:									
Average tubing length/wellfield based on average well depth minus 25 ft									
Number of Production Wells with Tubing	69	88	87	74	61	151	36	60	32
Number of Injection Wells with Tubing	126	157	151	131	105	301	72	120	64
Average Tubing Length per Well (ft)	475	825	725	825	725	425	475	925	925
Tubing Length per Wellfield (ft)	92625	202125	172550	169125	120350	192100	51300	166500	88800
Diameter of Production Well Fiberglass Tubing (inches)	2	2	2	2	2	2	2	2	2
Diameter of Injection Well HDPE Tubing (inches)	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.25

Wellfield Buildings and Equipment Removal and Disposal	Mine Unit-1	Mine Unit-2	Mine Unit-3	Mine Unit-4	Mine Unit-4A	Mine Unit-15	Mine Unit-15A	Mine Unit-K	Mine Unit-9
Chipped Volume Reduction (ft^3/ft)	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005	0.005
Chipped Volume per Wellfield (ft^3)	463	1011	863	846	602	961	257	833	444
Volume of Pump and Tubing (ft^3)	532	1099	950	920	663	1112	293	893	508
Volume for Disposal Assuming 10% Void Space (ft^3)	585	1209	1045	1012	729	1223	322	982	559
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal Pump and Tubing Transport and Disposal Costs	$7,020	$14,508	$12,540	$12,144	$8,748	$14,676	$3,864	$11,784	$6,708
Pump and Tubing Costs per Wellfield	$7,020	$14,508	$12,540	$12,144	$8,748	$14,676	$3,864	$11,784	$6,708
Total Pump and Tubing Costs	**$91,992**								
III. Buried Trunkline									
Assumptions:									
Length of Trunkline Trench (ft)	5075	7600	4790	7105	5460	10000	0	0	7000
A. Removal and Loading									
Main Pipeline Removal Unit Cost ($/ft of trench)	$0.89	$0.89	$0.89	$0.89	$0.89	$0.89	$0.89	$0.89	$0.89
Subtotal Trunkline Removal and Loading Costs	$4,517	$6,764	$4,263	$6,323	$4,859	$8,900	$0	$0	$6,230
B. Transport and Disposal Costs (NRC-Licensed Facility)									
1. 1" Carbon Steel Trunkline									
Piping Length (ft)						10000	0	0	0
Volume (ft^3)						218	0	0	0
2. 1" HDPE Trunkline									
Piping Length (ft)						10000	0	0	0
Chipped Volume Reduction (ft^3/ft)						0.005	0.005	0.005	0.005
Chipped Volume (ft^3)						50	0	0	0
3. 3" HDPE Trunkline									
Piping Length (ft)	5075	7600	4790	7105	5460	0	0	0	0
Chipped Volume Reduction (ft^3/ft)	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022	0.022
Chipped Volume (ft^3)	111.65	167.2	105.38	156.31	120.12	0	0	0	0
4. 6" HDPE Trunkline									
Piping Length (ft)	2410	10000	4820	3520	3800	20000	0	0	0
Chipped Volume Reduction (ft^3/ft)	0.078	0.078	0.078	0.078	0.078	0.078	0.078	0.078	0.078
Chipped Volume (ft^3)	187.98	780	375.96	274.56	296.4	1560	0	0	0
5. 8" HDPE Trunkline									
Piping Length (ft)	4100		1100	2400	1840	0	0	0	0
Chipped Volume Reduction (ft^3/ft)	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15
Chipped Volume (ft^3)	615	0	165	360	276	0	0	0	0
6. 10" HDPE Trunkline									
Piping Length (ft)	0	5200	3660	2280	2400	0	0	0	0
Chipped Volume Reduction (ft^3/ft)	0.277	0.277	0.277	0.277	0.277	0.277	0.277	0.277	0.277
Chipped Volume (ft^3)	0	1440.4	1013.82	631.56	664.8	0	0	0	0
7. 12" HDPE Trunkline									
Piping Length (ft)	1460	0	0	3210	2060	0	0	0	0
Chipped Volume Reduction (ft^3/ft)	0.293	0.293	0.293	0.293	0.293	0.293	0.293	0.293	0.293

Wellfield Buildings and Equipment Removal and Disposal	Mine Unit-1	Mine Unit-2	Mine Unit-3	Mine Unit-4	Mine Unit-4A	Mine Unit-15	Mine Unit-15A	Mine Unit-K	Mine Unit-9
Chipped Volume (ft^3)	427.78	0	0	940.53	603.58	0	0	0	0
8. 14" HDPE Trunkline									
Piping Length (ft)	740	0	0	0	0	0	0	0	0
Chipped Volume Reduction (ft^3/ft)	0.359	0.359	0.359	0.359	0.359	0.359	0.359	0.359	0.359
Chipped Volume (ft^3)	265.66	0	0	0	0	0	0	0	0
9. 16" HDPE Trunkline									
Piping Length (ft)	1440	0	0	2800	820	0	0	0	0
Chipped Volume Reduction (ft^3/ft)	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Chipped Volume (ft^3)	576	0	0	1120	328	0	0	0	0
Total Trunkline Chipped Volume (ft^3)	2184.07	2387.6	1660.16	3482.96	2288.9	1560	0	0	0
Volume for Disposal Assuming 10% Void Space (ft^3)	2402	2626	1826	3831	2518	1716	0	0	0
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal Trunkline Transport and Disposal Costs	$28,824	$31,512	$21,912	$45,972	$30,216	$20,592	$0	$0	$0
Trunkline Decommissioning Costs per Wellfield	$33,341	$38,276	$26,175	$52,295	$35,075	$29,492	$0	$0	$6,230
Total Trunkline Decommissioning Costs	**$220,884**								
IV. Well Houses									
Total Quantity	315	408	396	343	276	392	0	50	120
Average Well House Volume (ft^3)	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5
A. Removal									
Total Volume (ft^3)	3937.5	5100	4950	4287.5	3450	4900	0	625	1500
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^3$)	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178
Subtotal Well House Demolition Costs	$701	$908	$881	$763	$614	$872	$0	$111	$267
B. Survey and Decontamination									
Assumptions:									
Cost per Well House	4.49	4.49	4.49	4.49	4.49	4.49	4.49	4.49	4.49
Subtotal Survey and Decontamination Costs	$1,414	$1,832	$1,778	$1,540	$1,239	$1,760	$0	$225	$539
C. Disposal at NRC licensed Facility									
Total Volume (cy)	146	189	183	159	128	181	0	23	56
Volume for Disposal Assuming 10% Void Space (cy)	160	208	202	175	141	200	0	25	61
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00	$12.00
Subtotal NRC Licensed Facility Disposal Costs	$1,920	$2,496	$2,424	$2,100	$1,692	$2,400	$0	$300	$732
Well House Removal and Disposal Costs per Wellfield	$4,035	$5,236	$5,083	$4,403	$3,545	$5,032	$0	$636	$1,538
Total Well House Removal and Disposal Costs	**$29,508**								
V. Header Houses (Includes Booster Stations)									
Total Quantity	6	5	8	6	5	13	4	5	3
Average Header House Volume (ft^3)	2700	2700	2700	2700	2700	2700	2700	2700	2700
A. Removal									
Total Volume (ft^3)	16200	13500	21600	16200	13500	35100	10800	13500	8100
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^3$)	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178	$0.178
Subtotal Building Demolition Costs	$2,884	$2,403	$3,845	$2,884	$2,403	$6,248	$1,922	$2,403	$1,442

Wellfield Buildings and Equipment Removal and Disposal	**Mine Unit-1**	**Mine Unit-2**	**Mine Unit-3**	**Mine Unit-4**	**Mine Unit-4A**	**Mine Unit-15**	**Mine Unit-15A**	**Mine Unit-K**	**Mine Unit-9**
B. Survey and Decontamination									
Assumptions:									
Cost per Header House	$284	$284	$284	$284	$284	$284	$284	$284	$284
Subtotal Survey and Decontamination Costs	$1,704	$1,420	$2,272	$1,704	$1,420	$3,692	$1,136	$1,420	$852
C. Disposal									
Total Volume (cy)	600	500	800	600	500	1300	400	500	300
Volume for Disposal Assuming 10% Void Space (cy)	660	550	880	660	550	1430	440	550	330
Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/ft^3)	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39	$6.39
Subtotal On-Site Disposal Costs	$4,217	$3,515	$5,623	$4,217	$3,515	$9,138	$2,812	$3,515	$2,109
Header House Removal and Disposal Costs per Wellfield	$8,805	$7,338	$11,740	$8,805	$7,338	$19,078	$5,870	$7,338	$4,403
Total Header House Removal and Disposal Costs	**$80,715**								
TOTAL REMOVAL AND DISPOSAL COSTS PER WELLFIELD	$59,033	$70,218	$63,314	$83,479	$59,566	$80,914	$13,622	$24,618	$21,795
TOTAL WELLFIELD BUILDINGS AND EQUIPMENT REMOVAL AND DISPOSAL COSTS	**$526,559**								

Well Abandonment	Mine Unit-1	Mine Unit-2	Mine Unit-3	Mine Unit-3 2nd Comp.	Mine Unit-4	Mine Unit-4A	Mine Unit-15	Mine Unit-15A	Mine Unit-K	Mine Unit-9
I. Well Abandonment (Wellfields)										
# of Production Wells	115	146	145	Wells	124	101	251	60	100	54
# of Injection Wells	210	262	251	included	219	175	502	120	200	107
# of Monitoring Wells	49	50	40	under	51	39	105	60	61	80
Total Number of Wells	374	458	436		394	315	858	240	361	241
Average Diameter of Casing (inches)	5	5	5		5	5	4.5	4.5	4.5	4.5
Average Depth (ft)	500	850	750		850	750	450	500	950	950
Well Abandonment Unit Cost ($/well)	$359	$396	$386		$396	$386	$354	$354	$354	$396
Subtotal Abandonment Cost per Wellfield	$134,360	$181,395	$168,096		$156,047	$121,446	$303,725	$84,958	$127,791	$95,450
Total Wellfield Abandonment Costs	**$1,373,268**									
II. Waste Disposal Well Abandonment	**DDW#1**	**DDW#2**	**SW DDW**							
A. Well Plugging										
All lump sum costs										
Subtotal Well Plugging Costs per Well	$71,342	$71,342	$31,655							
B. Pump Dismantling and Decontamination										
Number of Persons	2	2	2							
Number of Pumps	2	2	2							
Pumps/Day	0.5	0.5	0.5							
Number of Days	4	4	4							
$/Day/Person	$120	$120	$120							
Subtotal Dismantling and Decon Costs per Well	$960	$960	$960							
C. Tubing String Disposal (NRC-Licensed Facility)										
Length of Tubing String (ft)	10100	10100	10100							
Diameter of Tubing String (inches)	2.875	2.875	2.875							
Volume of Tubing String (ft^3)	455	455	455							
Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00	$12.00							
Subtotal Tubing String Disposal Costs per Well	$5,461	$5,461	$5,461							
Subtotal Waste Disposal Well Abandonment Costs per Well	$77,763	$77,763	$38,076							
Total Waste Disposal Well Abandonment Costs	**$193,602**									
TOTAL WELL ABANDONMENT COSTS	**$1,566,870**									

Wellfield and Satellite Surface Reclamation	Mine Unit-1	Mine Unit-2	Mine Unit-3	Mine Unit-3 2nd Comp.	Mine Unit-4	Mine Unit-4A	Mine Unit-15	Mine Unit-15A	Mine Unit-K	Mine Unit-9
I. Wellfield Pattern Area, Laydown Area, and Road Reclamation										
Area (acres)	27.1	53.24	38.72	18	31.43	29.6	66.8	1	5	7
Disking/Seeding Unit Cost ($/acre)	$235	$235	$235	$235	$235	$235	$235	$235	$235	$235
Subtotal Pattern Area, Laydown Area, and Road Reclamation Costs	$6,369	$12,511	$9,099	$4,230	$7,386	$6,956	$15,698	$235	$1,175	$1,645
Total Wellfield Area Reclamation Costs	**$65,304**									
III. Satellite Area Reclamation	**SR-1**	**SR-2**								
Assumptions:										
Area of Disturbance (acres)	2.05	3								
Average Depth of Stripped Topsoil (ft)	1	1								
Surface Grade: Level Ground										
Average Length of Topsoil Haul (ft)	1000	500								
A. Ripping Overburden with Dozer										
Ripping Unit Cost per WDEQ Guideline No.12, App.I1 ($/acre)	$814.22	$814.22								
Subtotal Ripping Costs	$1,669	$2,443								
B. Topsoil Application with Scraper										
Volume of Topsoil Removed (cy)	3307	4840								
Ripping Unit Cost per WDEQ Guideline No.12, App.I1 ($/acre)	$0.71	$0.71								
Subtotal Topsoil Application Costs	$2,348	$3,436								
C. Discing and Seeding										
Discing/Seeding Unit Cost ($/acre)	$235	$235								
Subtotal Discing/Seeding Costs	$482	$705								
Subtotal Surface Reclamation Costs per Satellite	$4,499	$6,584								
Total Satellite Building Area Reclamation Costs	**$11,083**	**$6,584**								
TOTAL WELLFIELD AND SATELLITE SURFACE RECLAMATION COSTS	**$76,387**									

Miscellaneous Reclamation										
I.	**CPP/Office Area/Pilot Plant/Maint. Shop/Chem. Storage/Yard Reclamation**									
		Assumptions								
		Concrete Pad= 0.3 acres								
		Total Area = 10.57 acres								
	A.	Concrete Pad								
		Area of Concrete Pad (ft^2)				13068				
		Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^2$)				$3.40				
		Average Thickness of Concrete Floor (ft)				0.50				
		Volume of Concrete Floor (ft^3)				6,534				
		Volume of Concrete Floor (cy)				242				
		On-Site Disposal Unit Cost per WDEQ Guideline No.12,App.K ($/cy)				$5.00				
		Subtotal Concrete Pad Demolition and Disposal Costs				$45,641				
	B.	Gravel Road Base Removal								
		Assumptions								
		Average haul distance (ft)				1000				
		Gravel Road Base Width (ft)								
		Gravel Road Base Area (acres)				8.0				
		Average Road Base Depth (ft)				0.5				
		Volume of Road Base (cy)				6453				
		Removal Unit Cost per WDEQ Guideline No.12, App.C ($/cy)				$0.87				
		Subtotal Gravel Road Base Removal Costs				$5,589				
	B.	Ripping Overburden with Dozer								
		Overburden Surface Area (acres)				10.6				
		Ripping Unit Cost per WDEQ Guideline No.12, App.I1 ($/acre)				$814.22				
		Subtotal Ripping Overburden Costs				$8,606				
	C.	Topsoil Application								
		Assumptions:								
		Area of surface disturbance (ft^2)				460426				
		Average thickness of topsoil (ft)				1				
		Average haul distance (ft)				2000				
		Surface grade (%)				0%				
		Volume of Topsoil (cy)				17,053				
		Topsoil Unit Cost per WDEQ Guideline No.12, App.C ($/cy)				$1.12				
		Subtotal Topsoil Application Costs				$19,150				
	D.	Discing/Seeding								
		Assumptions								
		Surface Area (acres)				10.57				
		Discing/Seeding Unit Cost ($/acre)				$235				
		Total Discing/Seeding Costs				$2,484				
	Total CPF/Office/Yard Area Reclamation					**$75,881**				
II.	**Access Road Reclamation**					**CPP Access Rd.**	**CPP to SAT 3**	**Access to WF**	**MU-15 Access**	**SR2 Access**
	A.	Assumptions								
		Surface grade				1%	5%	5%	0%	5%
		Length of Road (ft)				5173	15827	15557	10560	8500
		Width of Road (ft)				40	30	14	30	30
		Area of road (acres)				4.75	10.9	5	7.27	5.85
	B.	Gravel Road Base Removal								
		Assumptions								
		Average haul distance (ft)				1000	1000	1000	1000	1000
		Gravel Road Base Width (ft)				30	20	10	20	20
		Gravel Road Base Area (acres)				3.56	7.27	3.57	4.85	3.90
		Average Road Base Depth (ft)				0.5	0.5	0.5	0.5	0.5
		Volume of Road Base (cy)				2874	5862	2881	3911	3148
		Removal Unit Cost per WDEQ Guideline No.12, App.C ($/cy)				$0.87	$0.87	$0.87	$0.87	$0.87
		Subtotal Gravel Road Base Removal Costs				$2,489	$5,076	$2,495	$3,387	$2,726
	C.	Ripping Overburden with Dozer								
		Overburden Surface Area (acres)				4.8	10.9	5.0	7.3	5.9
		Ripping Unit Cost per WDEQ Guideline No.12, App.I1 ($/acre)				$814.22	$814.22	$814.22	$814.22	$814.22
		Subtotal Ripping Overburden Costs				$3,868	$8,875	$4,071	$5,922	$4,766
	D.	Topsoil Application								
		Assumptions								
		Average haul distance (ft)				1500	1500	1500	1500	1500
		Topsoil Surface Area (ft^2)				206910	474804	217800	316800	255000
		Depth of Topsoil (ft)				0.5	0.5	0.5	0.5	0.5
		Volume of Topsoil (cy)				3832	8793	4033	5867	4722
		Topsoil Unit Cost per WDEQ Guideline No.12, App.C ($/cy)				$1.50	$1.50	$0.82	$0.82	$0.82
		Subtotal Topsoil Application Costs				$5,748	$13,189	$3,307	$4,811	$3,872
	E.	Discing/Seeding								
		Assumptions								

Miscellaneous Reclamation									
			Surface Area (acres)	4.8	10.9	5.0	7.3	5.9
			Discing/Seeding Unit Cost ($/acre)	$235	$235	$235	$235	$200
		Subtotal Discing/Seeding Costs		$1,116	$2,562	$1,175	$1,709	$1,171
	Subtotal Reclamation Costs per Access Road			$13,221	$29,702	$11,048	$15,829	$12,535
	Total Access Road Reclamation Costs			**$82,335**				
III.	**Trunk Lines**			**Trunk Line #1 (To MU-4)**	**Trunk Line #2 (To SR-1)**	**Trunk Line #3 (MU-15 to SR-1)**	**Trunk Line #4 (O-Sand Pilot)**	**Trunk Line to SR-2**
			Length of Trench (ft)	7750	8500	21250	5500	2500
	A.	Removal and Loading						
			Main Pipeline Removal Unit Cost ($/ft of trench)	$0.89	$0.89	$0.89	$0.89	$0.89
		Subtotal Trunkline Removal and Loading Costs		$6,898	$7,565	$18,913	$4,895	$2,225
	B.	Transport and Disposal Costs (NRC-Licensed Facility)						
		1	2" HDPE Trunkline					
			Piping Length (ft)	7750	42500	21250	22000	22000
			Chipped Volume Reduction (ft^3/ft)	0.005	0.005	0.005	0.005	0.005
			Chipped Volume (ft^3)	38.75	212.5	106.25	110	110
		1.	3" HDPE Trunkline					
			Piping Length (ft)	0	0	0	0	0
			Chipped Volume Reduction (ft^3/ft)	0.022	0.022	0.022	0.022	0.022
			Chipped Volume (ft^3)	0	0	0	0	0
		2.	6" HDPE Trunkline					
			Piping Length (ft)	7750	17000	42500	0	0
			Chipped Volume Reduction (ft^3/ft)	0.078	0.078	0.078	0.078	0.078
			Chipped Volume (ft^3)	604.5	1326	3315	0	0
		3.	8" HDPE Trunkline					
			Piping Length (ft)	0	0	0	0	0
			Chipped Volume Reduction (ft^3/ft)	0.15	0.15	0.15	0.15	0.15
			Chipped Volume (ft^3)	0	0	0	0	0
		3.	10" HDPE Trunkline					
			Piping Length (ft)	0	0	0	0	0
			Chipped Volume Reduction (ft^3/ft)	0.277	0.277	0.277	0.277	0.277
			Chipped Volume (ft^3)	0	0	0	0	0
		4.	12" HDPE Trunkline					
			Piping Length (ft)	0	9000	0	0	0
			Chipped Volume Reduction (ft^3/ft)	0.293	0.293	0.293	0.293	0.293
			Chipped Volume (ft^3)	0	2637	0	0	0
		5.	14" HDPE Trunkline					
			Piping Length (ft)	0	0	0	0	0
			Chipped Volume Reduction (ft^3/ft)	0.359	0.359	0.359	0.359	0.359
			Chipped Volume (ft^3)	0	0	0	0	0
		5.	16" HDPE Trunkline					
			Piping Length (ft)	15500	11000	21120	15500	15500
			Chipped Volume Reduction (ft^3/ft)	0.4	0.4	0.4	0.4	0.4
			Chipped Volume (ft^3)	6200	4400	8448	6200	6200
		6	18" HDPE Trunkline					
			Piping Length (ft)	0	31500	0	0	0
			Chipped Volume Reduction (ft^3/ft)	0.47	0.47	0.47	0.47	0.47
			Chipped Volume (ft^3)	0	14805	0	0	0
		Total Pipeline Disposal Volume		6804.5	23168	11763	6200	6200
			Volume for Disposal Assuming 10% Void Space (ft^3)	7485	25485	12939	6820	6820
			Transportation and Disposal Unit Cost (NRC-Licensed Facility) ($/$ft^3$)	$12.00	$12.00	$12.00	$12.00	$12.00
				$89,820	$305,820	$155,268	$81,840	$81,840
	C.	Discing/Seeding						
			Assumptions:					
			Width of Pipeline Trench (ft)	4	4	4	4	4
			Area of Pipeline Trench (acres)	0.7	0.8	2.0	0.5	0.2
			Discing/Seeding Unit Cost ($/acre)	$235	$235	$235	$235	$235
		Subtotal Discing/Seeding Costs		$167	$183	$459	$119	$54
	Subtotal Reclamation Costs per Pipeline			$96,885	$313,568	$174,640	$86,854	$84,119
	Total Pipeline Reclamation Costs			**$756,066**				
IV.	**Settling Basin/Evap. Pond Reclamation**			**Evaporation Pond**	**SettlingPond**			
	A.	Soil Sampling and Monitoring						
			Number of Soil Samples	0	15			
			$/Sample	$75	$75			
		Subtotal Soil Sampling and Monitoring Costs		$0	$1,125			

Miscellaneous Reclamation			
B.	Liner/Subsoil Removal and Disposal		
	Assumptions:		
	Clay liner and subsoil constitute by-product material		
	Thickness of clay liner (ft)	0.5	0.5
	Thickness of contaminated subsoil (ft)	0.5	0.5
	Removal and Loading Unit Cost based on engineer's design report and Cat Performance Handbook		
	Width of Pond (ft)	200	252
	Length of Pond (ft)	100	432
	Depth of Pond (ft)	10	20
	Surface area of pond (ft^2)	20000	108864
1.	Removal and Loading (Settling Pond is not By-Product, therefore can stay in place)		
	Volume of Clay Liner (cy)	741	0
	Clay Liner Removal and Loading Unit Cost ($/cy)	$2.58	$2.58
	Subtotal Liner Removal and Loading Costs	$1,911	$0
2.	Transportation and Disposal		
	Volume of Clay Liner (ft^3)	0	0
	Volume of Geotextile Liner (ft^3)	50	0
	Volume of Geotextile Liner @ 40% void (ft^3)	83	0
	Transportation and Disposal Unit Cost ($/$ft^3$)	$12.00	$12.00
	Subtotal Liner Transportation and Disposal Costs	$1,000	$0
	Subtotal Liner Removal and Disposal Costs	$2,911	$0
C.	Grade and Contour		
	Volume of Embankment Material (CY)	7,407	80,640
	Average Grade (%)	0	0
	Distance (ft)	50	100
	Material Moving Unit Cost per WDEQ Guideline No.12, App.E ($/cy)	$0.092	$0.161
	Subtotal Grade and Contour Costs	$681	$12,983
C.	Topsoil Application		
	Assumptions:		
	Area of surface disturbance (ft^2)	20000	108899
	Average thickness of topsoil (ft)	1	1
	Average haul distance (ft)	1000	1000
	Surface grade (%)	0%	3%
	Volume of Topsoil (cy)	741	4,033
	Topsoil Unit Cost per WDEQ Guideline No.12, App.C ($/cy)	$1.12	$1.12
	Subtotal Topsoil Application Costs	$832	$4,529
D.	Discing/Seeding		
	Assumptions:		
	Area of surface disturbance (acres)	0.5	2.5
	Discing/Seeding Unit Cost ($/acre)	$235	$235
	Subtotal Discing/Seeding Costs	$118	$588
	Subtotal Reclamation Costs per Pond	$4,542	$19,225
	Total Settling Basin/Evap. Ponds Reclamation Costs	**$23,768**	
V.	**Miscellaneous Structures**		
A.	Potable Water Wells		
	Total Depth (ft) (5- 5-inch Diameter Wells, @ 750 ft)	3,750	
	Well Abandonment Unit Cost ($/100 ft)	$63.10	
	Subtotal Potable Water Wells Abandonment Costs	$2,366.25	
B.	Fuel Area		
	Concrete Floor		
	Area of Concrete Floor (ft^2)	375	
	Demolition Unit Cost per WDEQ Guideline No.12,App.K ($/$ft^2$)	$3.40	
	Subtotal Concrete Floor Demolition Costs	$1,275	
	Concrete Footing		
	Length of Concrete Footing (ft)	77	
	Demolition Unit Cost per WDEQ Guide. No.12,App.K ($/lin. ft)	$12.22	
	Subtotal Concrete Footing Demolition Costs	$947	
	Subtotal Fuel Area Costs	$2,222	
	Total Miscellaneous Structures Reclamation Costs	**$4,588.25**	
TOTAL MISCELLANEOUS RECLAMATION COSTS		**$942,638**	

RADIUM TREATMENT					
	HUP SURETY ONLY!!				
Assumptions:					
1.	Based on actual 1998 operating costs from Satellite No. 2				
Radium Treatment Costs per 1000 Gallons					
	Chemical	= $	0.177		
	Filtration	= $	0.021		
	Electricity	= $	0.048		
	By Product Disposal of Sludge	= $	0.097		
TOTAL RADIUM TREATMENT COSTS PER 1000 GALLONS		**= $**	**0.34**		

GROUNDWATER SWEEP (GWS)

Assumptions:

1. All pumps are 5 hp pumping at 5.0 gpm
2. Cost of electricity = $0.048/kwh
3. All water pumped is disposed at WDW with a 20 hp pump
4. Repair and maintenance costs estimated at $0.50/1000 gallons
5. Process sampling and analysis costs estimated at $0.03/1000 gallons
6. Labor costs are not included

Wellfield Pumping Costs per 1000 Gallons

$$\frac{1000\ \text{gal}}{} \times \frac{5\ \text{hp}}{5\ \text{gpm}} \times \frac{1\ \text{hr}}{60\ \text{min}} \times \frac{0.746\ \text{kwh}}{\text{hp}} \times \frac{\$\ 0.05}{\text{kwh}} = \$\ 0.60$$

Pumping to WDW Costs per 1000 Gallons

$$\frac{1000\ \text{gal}}{} \times \frac{75\ \text{hp}}{200\ \text{gpm}} \times \frac{1\ \text{hr}}{60\ \text{min}} \times \frac{0.746\ \text{kwh}}{\text{hp}} \times \frac{\$\ 0.05}{\text{kwh}} = \$\ 0.22$$

Repair and Maintenance Costs per 1000 Gallons = $ 0.5

Process Sampling and Analysis Costs per 1000 Gallons = $ 0.03

TOTAL GWS COSTS PER 1000 GALLONS **= $ 1.35**

REVERSE OSMOSIS (RO)			
Assumptions:			
1.	Based on actual 1998 operating costs at Satellite No. 1. Verified by Hydranautics RO System Design Software, Version 6.0 (1995)		
2.	Cost of electricity = $0.048/kwh		
3.	75% permeate/25% reject split		
4.	Membrane life of 5 years with a cost of $700 per membrane element		
5.	Includes cost of pumping from wellfield to RO Unit		
6.	Process sampling and analysis costs estimated at $0.03/1000 gallons		
7.	Labor costs are not included		
Reverse Osmosis Costs per 1000 Gallons			
	Electricity	= $	0.048
	Chemicals	= $	0.23
	Membrane Replacement	= $	0.03
	Repair and Maintenance	= $	0.26
	Items Removed		
	Process Sampling and Analysis	= $	0.03
TOTAL RO COSTS PER 1000 GALLONS		**= $**	**0.60**

CHEMICAL REDUCTANT			
Assumptions:			
1.	Bioremediation is utilized		
2.	Based on actual 2003-2004 operating costs during restoration activities		
3.	Added the cost of using cheese whey		
TOTAL CHEMICAL REDUCTANT COSTS PER Kgal		**= $**	**0.3**

DEEP WELL INJECTION

Assumptions:

1. Pump 150 hp pumping at 100 gpm
2. Cost of electricity = $0.048/kwh
3. Repair and maintenance costs based on average injection volume of 8,000,000 gallons per year
4. Repair and maintenance costs estimated at $.50/1000 gallons
5. Chemical costs based on average injection volume of 8,000,000 gallons per year
6. Labor costs are not included

Waste Disposal Pumping Costs per 1000 Gallons

$$\frac{1000\ \text{gal}}{} \times \frac{150\ \text{hp}}{100\ \text{gpm}} \times \frac{1\ \text{hr}}{60\ \text{min}} \times \frac{0.746\ \text{kwh}}{\text{hp}} \times \frac{\$\ 0.048}{\text{kwh}} = \$\ 0.90$$

Repair and Maintenance Costs per 1000 Gallons = $ 0.5

TOTAL DEEP WELL INJECTION COSTS PER 1000 GALLONS **= $ 1.40**

WELL ABANDONMENT													
Assumptions:													
1	**Typical 8 hour working day**												
2	Backhoe for 8.0 hr/day to dig and reclaim pit at cost of $65/hr.												
3	Use hose reel for 8 hr/day to pull equipment from well at cost of $45/hr.												
4	Use cementer for 8.0 hr/day to pump cement/plug gel at cost of $45/hr.												
5	Use tow vehicle for 8.0 hr/day to tow hose reel and cementer from well to well at cost of $40/hr.												
6	Labor for backhoe, hose reel, cementer will require 3 workers at 8.0 hr/day at cost of $35/hr.												
	Materials include 7.5 sacks of cement/100 ft and 1 sack of plug gel/100 ft of 5" well casing.												
	Cost of cement is $7.62and plug gel cost is $5.95/sack.												
	Fixed Costs												
	Backhoe												
		8	hours	X	$	65	per hour			=$	520.00		
	Hose Reel/Tow Vehicle												
		8	hours	X	$	35	per hour			=$	280.00		
	Cementer												
		8	hours	X	$	45	per hour			=$	360.00		
	Tow Vehicle												
		8	hours	X	$	40	per hour			=$	320.00		
	Labor												
3	men=	24	man	X	$	15.00	per man			=$	360.00		
			hours				hour						
			Total Fixed Costs per 8.0 hr/day							=$	1840.00		
	Variable Costs				(per 100 ft of well depth)								
	Materials												
		7.5	sack cement			X	$	7.62	per	=$	57.15		
			per 100 feet						sack				
		1	sack plug gel			X	$	5.95	per ho	=$	5.95		
			per 100 feet						plug				

WELL ABANDONMENT Page 2														
	Total materials Cost (per 100 ft of well depth)									$	63.10			
	Total number of wells completed per/day													
			6											
	Cost per Well per Unit of Average Depth													
					Well Depth (ft)									
						450				**=$**	**354**			
						500				**=$**	**359**			
						550				**=$**	**365**			
						600				**=$**	**370**			
						650				**=$**	**375**			
						700				**=$**	**380**			
						750				**=$**	**386**			
						800				**=$**	**391**			
						850				**=$**	**396**			
						900				**=$**	**401**			
						950				**=$**	**407**			

FIVE YEAR MECHANICAL INTEGRITY TESTS (MIT)															
Assumptions:															
1	Pulling Unit for 8.0 hr/day at cost of $45/hr.														
2	MIT Unit for 8.0 hr/day at cost of $45/hr.														
3	Labor for operation of pulling unit will require 2 workers at $15/hr														
4	Labor for operation of MIT Unit will require 1 worker at $15/hr														
5	Average wells plugged per day is 6														
MIT Costs per Well															
Equipment:															
	Pulling Unit														
		8	hours	X	$	45	per hour					=$	360.00		
	MIT Unit														
		8	hours	X	$	45	per hour					=$	360.00		
Labor:															
	Pulling Unit														
		8	hours	X	$	15	per hour	X	2	workers		=$	$240.00		
	MIT Unit														
		8	hours	X	$	15	per hour					=$	120.00		
							TOTAL MIT COST PER DAY					**=$**	**1080.00**		
	Wells Completed					6	per day								
							MIT COSTS PER WELL					**=$**	**180.00**		

MAIN PIPELINE REMOVAL														
Assumptions:														
1.	Trenching with trackhoe at 750 ft/day													
2.	Pipeline extraction and backfilling with trackhoe at 750 ft/day													
3.	Trackhoe rental: $1,125/week													
4.	Fuel cost: $10/operating hour													
5.	Trackhoe operation requires 1 worker at $15/hour													
6.	Pipeline extraction requires 2 workers at $15/hour (in addition to trackhoe operator)													
7.	Pipelines removed simutaneously													
8.	Includes removal of manholes													
9.	Operating schedule: 8 hrs/day, 5 days/week													
Main Pipeline Removal Costs per ft of Trench														
Equipment														
	Trackhoe													
		$	1125	X	1	week	X	1	days	=$	0.30			
		week			5	days		750	ft					
	Fuel													
		$	10	X	8	hrs	X	1	days	=$	0.11			
		hour			1	day		750	ft					
Labor														
	Trackhoe Operation													
		$	15	X	8	man hrs	X	1	days	=$	0.16			
		man hr			1	day		750	ft					
	Pipeline Extraction													
		$	15	X	16	man hrs	X	1	day	=$	0.32			
		man hr			1	day		750	ft					
MAIN PIPELINE REMOVAL COST PER FT OF TRENCH										**=$**	**0.89**			

WELLFIELD PIPING REMOVAL														
Assumptions:														
1.	Trenching with backhoe at 1500 ft/day													
2.	Pipeline extraction and backfilling with backhoe at 1500/day													
3.	Backhoe rental: $1,000/week													
4.	Fuel cost: $10/operating hour													
5.	Backhoe operation requires 1 worker at $15/hour													
6.	Pipeline extraction requires 2 workers at $15/hour (in addition to trackhoe operator)													
7.	Operating schedule: 8 hrs/day, 5 days/week													
Main Pipeline Removal Costs per ft of Pipe														
Equipment														
	Backhoe													
		$	1000	X	1	week	X	1	days	=$	0.13			
		week			5	days		1500	ft					
	Fuel													
		$	10	X	8	hrs	X	1	days	=$	0.05			
		hour			1	day		1500	ft					
Labor														
	Backhoe Operation													
		$	15	X	8	man hrs	X	1	days	=$	0.08			
		man hr			1	day		1500	ft					
	Pipeline Extraction													
		$	15	X	16	man hrs	X	1	day	=$	0.16			
		man hr			1	day		1500	ft					
	MAIN PIPELINE REMOVAL COST PER FT OF PIPE									**=$**	**0.420**			

WELLFIELD ROAD RECLAMATION

Assumptions (Roads constructed before January 1, 1997):

1. Gravel road base removed at cost of $0.86/cy/1000 ft (WDEQ Guideline No. 12, App. C, Level Ground, 500 ft haul)
2. Gravel road base: average depth = 0.25 ft, average width = 10 ft
3. Roads scarified prior to topsoil application at cost of $41.87/acre (WDEQ Guideline No. 12, Appendix P)
4. Grading of scarified roads prior to topsoil application at cost of $45.65/acre (WDEQ Guideline No. 12, Appendix G)
5. Topsoil applied at cost of $0.866/cy/1000 ft (WDEQ Guideline No. 12, App. C, Level Ground, 500 ft haul)
6. Stripped topsoil: average depth = 0.67 ft, average width = 25 ft
7. Discing/seeding cost of $235/acre is based on actual contractor costs

Gravel Road Base Removal Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{0.25\ \text{ft}}{} \times \frac{10\ \text{ft}}{} \times \frac{1\ \text{cy}}{27\ \text{ft}^3} \times \frac{\$0.87}{\text{cy}} = \$\ 80$$

Scarification Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{25\ \text{ft}}{} \times \frac{1\ \text{acre}}{4.356\text{E+04}\ \text{ft}^2} \times \frac{\$41.87}{\text{acre}} = \$\ 24$$

Grading Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{25\ \text{ft}}{} \times \frac{1\ \text{acre}}{4.356\text{E+04}\ \text{ft}^2} \times \frac{\$45.65}{\text{acre}} = \$\ 26$$

Topsoil Application Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{0.67\ \text{ft}}{} \times \frac{25\ \text{ft}}{} \times \frac{1\ \text{cy}}{27\ \text{ft}^3} \times \frac{\$0.87}{\text{cy}} = \$\ 537$$

Discing/Seeding Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{25\ \text{ft}}{} \times \frac{1\ \text{acre}}{4.356\text{E+04}\ \text{ft}^2} \times \frac{\$235}{\text{acre}} = \$\ 135$$

TOTAL WELLFIELD ROAD RECLAMATION COSTS PER 1000 FT OF ROAD (BEFORE JANUARY 1, 1997) = $ 802

Assumptions (Roads constructed after January 1, 1997):

1. Gravel road base will not be removed
2. Roads scarified prior to topsoil application at cost of $41.87/acre (WDEQ Guideline No. 12, Appendix P)
3. Grading of scarified roads prior to topsoil application at cost of $45.65/acre (WDEQ Guideline No. 12, Appendix G)
4. Topsoil applied at cost of $0.86/cy/1000 ft (WDEQ Guideline No. 12, App. C, Level Ground, 500 ft haul)
5. Stripped topsoil: average depth = 0.4 ft, average width = 20 ft
6. Discing/seeding cost of $235/acre is based on actual contractor costs

Scarification Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{20\ \text{ft}}{} \times \frac{1\ \text{acre}}{4.356\text{E+04}\ \text{ft}^2} \times \frac{\$41.87}{\text{acre}} = \$\ 19$$

Grading Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{20\ \text{ft}}{} \times \frac{1\ \text{acre}}{4.356\text{E+04}\ \text{ft}^2} \times \frac{\$45.65}{\text{acre}} = \$\ 21$$

Topsoil Application Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{0.40\ \text{ft}}{} \times \frac{20\ \text{ft}}{} \times \frac{1\ \text{cy}}{27\ \text{ft}^3} \times \frac{\$0.86}{\text{cy}} = \$\ 255$$

Discing/Seeding Costs per 1000 ft of Road

$$\frac{1000\ \text{ft}}{} \times \frac{20\ \text{ft}}{} \times \frac{1\ \text{acre}}{4.356\text{E+04}\ \text{ft}^2} \times \frac{\$235}{\text{acre}} = \$\ 108$$

TOTAL WELLFIELD ROAD RECLAMATION COSTS PER 1000 FT OF ROAD (AFTER JANUARY 1, 1997) = $ 403

BYPRODUCT MATERIAL TRANSPORTATION AND DISPOSAL											
Assumptions:											
1.	Based on actual 2001-2002 contracted costs for transportation to and disposal at an										
	NRC-licensed disposal facility.										
2.	Includes profit for transporter and disposal facility.										
3.	All types of waste shipped vi bulk container (30-yd^3 dumpster or 30-yd^3 dump truck).										
4.	Each shipment contains 30,000 lbs of material.										
		Transportation Cost				**Disposal Cost**			**Total**		
			$ 1.00	/ft^3	+	$ 11.00	/ft^3	=	$ 12.00	/ft^3	
								=	**$ 12.00**	**/ft^3**	

DISKING/SEEDING									
Assumptions:									
1.	Based on actual contractor costs in 2006								
2.	Discking cost $55/Acre								
3.	Seeding cost based on drill seeding - seed cost based on type,								
	availability, over all cost of $180.00/Acre								
TOTAL DISKING/SEEDING COSTS PER ACRE					**= $**	**235**			

Abbreviations/Acronyms						
$	Dollars					
$/Kgal	Dollars per 1000 gallons					
avg	average					
ft	feet					
ft2	square feet					
ft3	cubic feet					
gal	gallon					
gpm	gallons per minute					
H&S	Health and Safety					
H2S	Hydrogen Sulfide					
H2SO4	Sulfuric Acid					
HCl	Hydrochloric Acid					
Hp	Horsepower					
Kgal	1000 gallons					
Kwh	Kilowatt-hours					
NaOH	Caustic Soda					
OD	Outside Diameter					
PPE	personal protective equipment					
PV	Pore Volume Estimate					
reqm't	requirement					
RO	Reverse Osmosis					
WDW	Waste Disposal Well					
yd3	cubic yards					
yr	year					