PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE -- PNO-IV-04-012A

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information is as initially received without verification or evaluation, and is basically all that is known by the Region IV, Arlington, Texas, staff on this date.

<u>Facility</u>	<u>Licensee Emergency Classification</u>
Palo Verde Nuclear Generating Station	Notification of Unusual Event
Units 1, 2, and 3	Alert
Arizona Public Service Company	Site Area Emergency
Phoenix, Arizona 85072	General Emergency
Dockets: 50-528, 529, and 530	X Not Applicable
License Nos.NPF-41, 51, and 74	• •

SUBJECT: AUGMENTED INSPECTION TEAM (AIT) DISPATCHED TO PALO VERDE

DESCRIPTION:

An AIT was dispatched to Palo Verde on June 15, 2004, in response to the event documented in Preliminary Notification PNO-IV-04-012 for June 14, 2004, regarding loss of offsite power and the tripping of all three units of the Palo Verde Nuclear Generating Station.

There was no impact to public health and safety associated with this event. However, the NRC evaluated the event using the guidance of Management Directive 8.3, "NRC Incident Investigation Program." Based on our evaluation of this significant operational event involving multiple failures of systems used to mitigate an actual event, and our preliminary risk assessment, it was decided that an Augmented Inspection Team (AIT) is the appropriate response.

The AIT arrived on site today, and will conduct an entrance meeting with the licensee. The documentation of the inspection will be issued within 30 days of the completion of inspection activities.

The state of Arizona has been informed. Region IV informed the offices of EDO, NRR, and PA.

The information presented herein has been discussed with the licensee and is current as of 11:00 a.m. MST on June 15, 2004.

This preliminary notification is for information only.

ADAMS ACCESSION NUMBER: ML041670656

CONTACTS: Jeff Clark, 817-860-8185, jac@nrc.gov