



Reprocessing And Recycling: Environmental Protection

U.S. Nuclear Regulatory Commission
Reprocessing Workshop
September 7th and 8th
Rockville, MD



Several Aspects To Environmental Protection

- NEPA Requirements
 - EIS required for rulemaking
 - May generate a topical report or BTP as a precursor
- Effluents/Emissions (current focus)
- Other aspects
 - For example, confinement/containment, filters/types

Effluents And Emissions

- Limits established by the EPA in 40 CFR 190
 - NRC regulates to the EPA limit via Part 20
- Dose Limits relatively low
 - Based upon individual health impact
 - 25/75/25 mrem/yr whole body/thyroid/other organs
 - 1 chest x-ray is about 10 mrem
 - moving to Denver from Washington DC is about 200 mrem/yr
 - Easily met by modern, commercial reprocessing facilities
- Quantity (radioactive – curie) limits more difficult to ascertain and meet
 - Based upon collective exposure of populations
 - Very small doses to very large populations
 - This “microdoses to megapopulations” may overstate the impacts

EPA 40 CFR 190 Limits Apply To Entire Fuel Cycle And Power Reactors

**Essentially all of the releases would
 come from reprocessing operations**

Annual Dose Equivalent Limit, mrem/yr		Isotope	Limit	Potential Emission
Whole body dose	25	Kr-85	50,000 Ci/Gwe-yr	300,000
Thyroid	75	I-129	5 milliCi/Gwe-yr	1,000
Any other organ	25	Pu-239 and other alpha-emitting TRU	0.5 milliCi/Gwe-yr	< 0.5 (met)

Basis For EPA Quantity (curie) Limits

- Population (Collective) dose
- 1,000 GWe nuclear power (10 times actual value)
- 25 1,500 MTIHM/yr reprocessing plants (actual value is zero)
- Relatively short cooling times before reprocessing (1-5 years; current practice is 4-5 years)
- Land-locked site (current practice is coast-based)

Analysis

- Some emission control technologies add potential hazards (e.g., voloxidation, krypton and tritium capture)
 - Do benefits outweigh the risks?
- Use of old SNF reduces Kr and T significantly
 - Significant quantity of SNF > 30 years after discharge
 - Reduces Kr and T by circa 90%
 - Loses fuel value of Pu-241 and increases Am-241 (recycle/disposal)
- Iodine limit based upon many assumptions, some of which may not be valid today

Any Specific Requirements For Environmental Protection?

- Technologies
 - Confinement/containment
 - Filtration
- Performance-based
 - Minimum decontamination factors
- ALARA

Potential Points For Discussion

- Specific environmental topics or topical reports
- Potential sources of data and analyses
- Approaches, assessments, or methodologies to use
- Siting attributes (e.g., coast vs desert, humid vs arid)
- SNF time, aging, or other requirements
- Technology or performance requirements