

Advisory Committee on Reactor Safeguards

Fuels, Materials, and Structures

Subcommittee

DANU-ISG-2023-01

Material Compatibility for non-Light Water Reactors Draft Interim Staff Guidance

Open

August 23, 2023

***This will be a hybrid meeting with both in-person and remote capability. Members of the public may observe open portions of the meeting by using the MSTeams link below or using the bridgeline number. All times are Eastern.**

If you would like the MSTeams link forwarded to you, please contact the Designated Federal Officer as follows: Christopher.Brown@nrc.gov

Cognizant Staff Engineer: Christopher L. Brown (301)-415-7111

Item	Topic	Presenter(s)	Time
1	Opening Remarks and Objectives	Dr. Professor Ronald Ballinger, ACRS Subcommittee Chair	1:00 - 1:05 p.m.
2	Staff Opening Remarks	Branch Chief, NRR	1:05 - 1:10 p.m.
3	Discussion of ISG and Public Comments	Meg Audrain, NRR	1:10 - 3:00 p.m.
4	Break		3:00 - 3:15 p.m.
5	Discussion of ISG and Public Comments	Meg Audrain, NRR	3:15 - 4:15 p.m.
6	Public Comments		4:15 - 4:20 p.m.
7	Committee Discussion	Professor Ballinger	4:20 - 4:25 pm
8	Adjourn		4:30 p.m.

*** Breaks at discretion of the Chairman ***

NOTES:

Participants on this line will be muted except when the Chairman opens the meeting to public comment. When appropriate, members of the public and representatives of the nuclear industry may provide their views during the briefings. Presentation time should not exceed 50 percent of the total time allocated for a given item. The remaining 50 percent of the time is reserved for discussion. One (1) electronic copy of the presentation materials should be provided to the ACRS in advance of the briefing.

Microsoft Teams meeting

Join on your computer, mobile app or room device

[Click here to join the meeting](#)

Meeting ID: 236 862 127 124

Passcode: pLp7Kj

[Download Teams](#) | [Join on the web](#)

Or call in (audio only)

+1 301-576-2978,,103629911# United States, Silver Spring

Phone Conference ID: 103 629 911#

[Find a local number](#) | [Reset PIN](#)