

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 37

National Average: 30

2x National Average: 60

National Median: 18

Average for Selected Dockets: 37

---

**Facility Name: Susquehanna 1 Docket (050- 00387)**

Details	Department	Work Type	Docket/Report
<b>Human-System Interface &amp; Environmnt / IR</b>			
171 - Simulator fidelity LTA	O - Operations	O - Control Room Ops	050-00387/2009-005
171 - Simulator fidelity LTA	T - Training	N - Training	050-00387/2009-005
172 - Simulator use LTA	O - Operations	O - Control Room Ops	050-00387/2009-005
172 - Simulator use LTA	T - Training	N - Training	050-00387/2009-005
<b>Number of Items for this Docket: 4</b>			
<b>Percent of Total for this Docket: 11</b>			
<hr/>			
<b>Training / IR</b>			
101 - Training process problem	O - Operations	O - Control Room Ops	050-00387/2009-005
101 - Training process problem	T - Training	N - Training	050-00387/2009-005
103 - Simulator training LTA	O - Operations	O - Control Room Ops	050-00387/2009-005
103 - Simulator training LTA	T - Training	N - Training	050-00387/2009-005
<b>Number of Items for this Docket: 4</b>			
<b>Percent of Total for this Docket: 11</b>			
<hr/>			
<b>Work Planning &amp; Practices / IR</b>			
185 - Procedural adherence LTA	H - Health Physics	H - Health Physics	050-00387/2009-005
186 - Failure to take action / meet requirements	D - Emergency Planning	Q - Fire Protection	050-00387/2009-005
186 - Failure to take action / meet requirements	D - Emergency Planning	O - Control Room Ops	050-00387/2009-005
186 - Failure to take action / meet requirements	H - Health Physics	H - Health Physics	050-00387/2009-005
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00387/2009-005
193 - Non-conservative action	Z - Other / Unknown	Z - Other / Unknown	050-00387/2010-002
197 - Self-check LTA	D - Emergency Planning	Q - Fire Protection	050-00387/2009-005
<b>Number of Items for this Docket: 7</b>			
<b>Percent of Total for this Docket: 19</b>			
<hr/>			
<b>Procedures &amp; Reference Document / LER</b>			
111 - Procedure / reference document technical content	M - Mechanical	M - Maintenance / Repair	050-00387/2010-003-02
111 - Procedure / reference document technical content	M - Mechanical	M - Maintenance / Repair	050-00387/2010-003-03
111 - Procedure / reference document technical content	O - Operations	O - Control Room Ops	050-00387/2010-003-02
111 - Procedure / reference document technical content	O - Operations	O - Control Room Ops	050-00387/2010-003-03
<b>Number of Items for this Docket: 4</b>			
<b>Percent of Total for this Docket: 11</b>			
<hr/>			
<b>Problem Identification &amp; Resolution / LER</b>			
142 - Operating experience (OE) review LTA	G - Engineering	G - Design	050-00387/2010-002-02

**U.S. Nuclear Regulatory Commission  
Human Factors Information System (HFIS)  
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 37

National Average: 30

2x National Average: 60

National Median: 18

Average for Selected Dockets: 37

---

**Facility Name: Susquehanna 1 Docket (050- 00387)**

Details	Department	Work Type	Docket/Report
<b>Problem Identification &amp; Resolution / LER</b>			
142 - Operating experience (OE) review LTA	M - Mechanical	M - Maintenance / Repair	050-00387/2010-003-02
142 - Operating experience (OE) review LTA	M - Mechanical	M - Maintenance / Repair	050-00387/2010-003-03
142 - Operating experience (OE) review LTA	G - Engineering	G - Design	050-00387/2010-002-02
145 - Causal development LTA	S - Specialized task force	W - Assessment	050-00387/2010-002-02
146 - Evaluation LTA	M - Mechanical	M - Maintenance / Repair	050-00387/2010-003-02
146 - Evaluation LTA	M - Mechanical	M - Maintenance / Repair	050-00387/2010-003-03
146 - Evaluation LTA	S - Specialized task force	W - Assessment	050-00387/2010-002-02
<b>Number of Items for this Docket: 8</b>			
<b>Percent of Total for this Docket: 22</b>			

**Training / LER**

103 - Simulator training LTA	O - Operations	T - Testing	050-00387/2010-002-02
103 - Simulator training LTA	O - Operations	T - Testing	050-00387/2010-002-02
<b>Number of Items for this Docket: 2</b>			
<b>Percent of Total for this Docket: 5</b>			

**Work Planning & Practices / LER**

185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00387/2010-003-02
185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00387/2010-003-03
187 - Action implementation LTA	G - Engineering	G - Design	050-00387/2010-002-02
187 - Action implementation LTA	G - Engineering	G - Design	050-00387/2010-002-02
189 - Recognition of adverse condition / questioning attitude LTA	G - Engineering	G - Design	050-00387/2010-002-02
189 - Recognition of adverse condition / questioning attitude LTA	B - Management	G - Design	050-00387/2010-002-02
189 - Recognition of adverse condition / questioning attitude LTA	G - Engineering	G - Design	050-00387/2010-002-02
189 - Recognition of adverse condition / questioning attitude LTA	B - Management	G - Design	050-00387/2010-002-02
<b>Number of Items for this Docket: 8</b>			
<b>Percent of Total for this Docket: 22</b>			

---

**Total Items for this Docket: 37**

---