

File Center

Mr. Gregg R. Overbeck
Senior Vice President, Nuclear
Arizona Public Service Company
P. O. Box 52034
Phoenix, AZ 85072-2034

December 29, 1999

SUBJECT: PALO VERDE NUCLEAR GENERATING STATION UNITS 1, 2, AND 3 -
ISSUANCE OF AMENDMENTS RE: CHANGES RELATED TO DOUBLE
SEQUENCING AND DEGRADED VOLTAGE INSTRUMENTATION
(TAC NOS. MA4406, MA4407, AND MA4408)

Dear Mr. Overbeck:

The Commission has issued the enclosed Amendment No. 123 to Facility Operating License Nos. NPF-41, NPF-51, and NPF-74 for the Palo Verde Nuclear Generating Station, Units 1, 2, and 3, respectively. The amendments consist of changes to the Technical Specifications in response to your application dated December 16, 1998, as supplemented July 16, September 29, and December 21, 1999. The amendments (1) change Condition G of TS 3.8.1 to ensure that the appropriate actions will be taken to prevent double sequencing of safety-related loads, and (2) change TS 3.3.7 to ensure that the setpoint allowable values for the degraded voltage relays reflect the required function of the relays. As requested by your letter dated December 16, 1999, we are issuing these amendments with the same amendment number for all three units. Future amendments common to all three units will also use a single amendment number.

A copy of the related Safety Evaluation is also enclosed. The Notice of Issuance will be included in the Commission's next biweekly *Federal Register* notice.

Sincerely,

/s/
Mel Fields, Project Manager, Section 2
Project Directorate IV & Decommissioning
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. STN 50-528, STN 50-529,
and STN 50-530

- Enclosures:
1. Amendment No. 123 to NPF-41
 2. Amendment No. 123 to NPF-51
 3. Amendment No. 123 to NPF-74
 4. Safety Evaluation

FILE CENTER

cc w/encls: See next page

DISTRIBUTION

File Center	WBeckner	SRichards (clo)	P Harrell, RIV
PUBLIC	RScholl (email SE)	PDIV-2 Rdg	LHurley, RIV
OGC	JKilcrease, RIV	GHill (6), T5C3	JLazevnik
ACRS			

DF01

*See previous concurrence

To receive a copy of this document, indicate "C" in the box							
OFFICE	PDIV-2/PM	C	PDIV-D/LA	C	EEIB/SC*	OGC*	PDIV-2/SC
NAME	M. Fields: AM		C. Jamerson		D. Thatcher	R. Weisman	S. Dembek
DATE	12/28/99		12/28/99		11/24/99	12/16/99	12/29/99

DOCUMENT NAME: G:\PDIV-2\PaloVerde\Amda4406.wpd
OFFICIAL RECORD COPY

PDR A 12/29 0500528



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20545

December 29, 1999

Mr. Gregg R. Overbeck
Senior Vice President, Nuclear
Arizona Public Service Company
P. O. Box 52034
Phoenix, AZ 85072-2034

SUBJECT: PALO VERDE NUCLEAR GENERATING STATION UNITS 1, 2, AND 3 -
ISSUANCE OF AMENDMENTS RE: CHANGES RELATED TO DOUBLE
SEQUENCING AND DEGRADED VOLTAGE INSTRUMENTATION
(TAC NOS. MA4406, MA4407, AND MA4408)

Dear Mr. Overbeck:

The Commission has issued the enclosed Amendment No. 123 to Facility Operating License Nos. NPF-41, NPF-51, and NPF-74 for the Palo Verde Nuclear Generating Station, Units 1, 2, and 3, respectively. The amendments consist of changes to the Technical Specifications in response to your application dated December 16, 1998, as supplemented July 16, September 29, and December 21, 1999. The amendments (1) change Condition G of TS 3.8.1 to ensure that the appropriate actions will be taken to prevent double sequencing of safety-related loads, and (2) change TS 3.3.7 to ensure that the setpoint allowable values for the degraded voltage relays reflect the required function of the relays. As requested by your letter dated December 16, 1999, we are issuing these amendments with the same amendment number for all three units. Future amendments common to all three units will also use a single amendment number.

A copy of the related Safety Evaluation is also enclosed. The Notice of Issuance will be included in the Commission's next biweekly *Federal Register* notice.

Sincerely,

A handwritten signature in cursive script, appearing to read "Mel Fields".

Mel Fields, Project Manager, Section 2
Project Directorate IV & Decommissioning
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. STN 50-528, STN 50-529,
and STN 50-530

Enclosures: 1. Amendment No. 123 to NPF-41
2. Amendment No. 123 to NPF-51
3. Amendment No. 123 to NPF-74
4. Safety Evaluation

cc w/encls: See next page

Palo Verde Generating Station, Units 1, 2, and 3

cc:

Mr. Steve Olea
Arizona Corporation Commission
1200 W. Washington Street
Phoenix, AZ 85007

Douglas Kent Porter
Senior Counsel
Southern California Edison Company
Law Department, Generation Resources
P.O. Box 800
Rosemead, CA 91770

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P. O. Box 40
Buckeye, AZ 85326

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
Harris Tower & Pavillion
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

Chairman
Maricopa County Board of Supervisors
301 W. Jefferson, 10th Floor
Phoenix, AZ 85003

Mr. Aubrey V. Godwin, Director
Arizona Radiation Regulatory Agency
4814 South 40 Street
Phoenix, AZ 85040

Ms. Angela K. Krainik, Director
Regulatory Affairs
Arizona Public Service Company
P.O. Box 52034
Phoenix, AZ 85072-2034

Mr. John C. Horne
Vice President, Power Generation
El Paso Electric Company
2702 N. Third Street, Suite 3040
Phoenix, AZ 85004

Mr. David Summers
Public Service Company of New Mexico
414 Silver SW, #1206
Albuquerque, NM 87102

Mr. Jarlath Curran
Southern California Edison Company
5000 Pacific Coast Hwy Bldg DIN
San Clemente, CA 92672

Mr. Robert Henry
Salt River Project
6504 East Thomas Road
Scottsdale, AZ 85251

Terry Bassham, Esq.
General Counsel
El Paso Electric Company
123 W. Mills
El Paso, TX 79901

Mr. John Schumann
Los Angeles Department of Water & Power
Southern California Public Power Authority
P.O. Box 51111, Room 1255-C
Los Angeles, CA 90051-0100