

DLD (SPD3)

Rev: SP-99-074

From: "Craig Jones" <cjones@deq.state.ut.us>
To: OWFN_DO.owf1_po(TJO)
Date: Fri, Nov 5, 1999 11:23 AM
Subject: SP-99-074 Reply

I have been asked by William Sinclair, Director of the Utah Division of Radiation Control, to respond to the request for technical information that was dated November 2, 1999 (See SP-99-074).

For question 42, the State of Utah Radiation Control Rules contain definitions for the following: "waste," "disposal," and "byproduct material." Please refer to the attached file for these definitions. They have been marked with bold print.

In response to question 43, we have made use of guidance and license authorizations for radiological criteria pertaining to the unrestricted release of solid materials. For objects with superficial contamination, we have used the values contained in NRC Regulatory Guide 1.86. Our experience with volumetric contamination in materials, other than soils, is limited to flue dust from an electric arc furnace and splash condenser dross residue from a high temperature sinter process. In both cases, the contaminant was cesium-137. The unrestricted release level we approved, before the NRC Technical Position on Incident Related Material, was 5.0 picocuries per gram.

The request for technical information also seeks information on our current Agreement State program practices. There are six questions and they are answered in the same order as presented.

1. We have used criteria developed by NRC. As stated above, we have used NRC Regulatory Guide 1.86. The limits for surface contamination have been applied to diverse items such as earth moving equipment; process vessels, bins or hoppers; laboratory equipment and counter tops; and protective clothing.
2. The criteria has been applied through either guidance letters and documents, or licensing actions. The method used has been specific to each case where application of release criteria was necessary.
3. The state has used NUREG-CR-5849 in the past. Future cases may be based upon MARSSIM.
4. This has been very case specific. Most circumstances involving alpha contamination have been evaluated through the use of alpha scintillation probes connected to scalers. When rate meters are used, the minimum sensitivity is 10 cpm unless there is an audio output and then the sensitivity is 1 cpm. Beta surveys have been performed through the use of GM counters with beta pancake probes. Since the background is high, these have been most effective for surface scanning of areas likely to be affected. More precise measurements have been obtained by use of gas-flow proportional probes connected to scalers. Laboratory designs of gas-flow proportional counters and liquid scintillation counters have been used to analyze swipe samples. Gamma ray surveys have been performed by use of energy compensated GM probes connected to either rate meters or scalers, pressurized ion chambers (hand-held and tripod mounted spheres), sodium iodide probes (both thin and thick crystal from 1 to 3 inch diameter) connected to scalers, gamma ray spectrometry through both sodium iodide detectors and intrinsic germanium semiconductors.
5. Not applicable.
6. Not applicable.

CC: "Bill Sinclair" <BSINCLAI.EQRAD.EQDOMAIN@deq.state...

11-5-99

SP-A-4
SP-AG-28

PDR STORR UTAH

USE FILE CENTER COPY 84

12-3

UTAH RADIATION CONTROL RULES**R313. Environmental Quality, Radiation Control.****R313-12. General Provisions.****R313-12-3. Definitions.**

As used in these rules, these terms shall have the definitions set forth below. Additional definitions used only in a certain chapter will be found in that chapter.

"A₁" means the maximum activity of special form radioactive material permitted in a Type A package.

"A₂" means the maximum activity of radioactive material, other than special form radioactive material, permitted in a Type A package. These values are either listed in R313-19-100, Table 4, or may be derived in accordance with the procedures prescribed in R313-19-100(19).

"Absorbed dose" means the energy imparted by ionizing radiation per unit mass of irradiated material. The units of absorbed dose are the gray (Gy) and the rad.

"Accelerator produced material" means a material made radioactive by a particle accelerator.

"Act" means Utah Radiation Control Act, Title 19, Chapter 3.

"Activity" means the rate of disintegration or transformation or decay of radioactive material. The units of activity are the becquerel (Bq) and the curie (Ci).

"Adult" means an individual 18 or more years of age.

"Agreement State" means a state with which the United States Nuclear Regulatory Commission has entered into an effective agreement under Section 274 b. of the Atomic Energy Act of 1954, as amended (73 Stat. 689).

"Airborne radioactive material" means a radioactive material dispersed in the air in the form of dusts, fumes, particulates, mists, vapors, or gases.

"Airborne radioactivity area" means: a room, enclosure, or area in which airborne radioactive material exists in concentrations:

- (a) In excess of the derived air concentrations (DACs), specified in R313-15, or
- (b) To such a degree that an individual present in the area without respiratory protective equipment could exceed, during the hours an individual is present in a week, an intake of 0.6 percent of the annual limit on intake (ALI), or 12 DAC hours.

12-3

UTAH RADIATION CONTROL RULES

"As low as reasonably achievable" (ALARA) means making every reasonable effort to maintain exposures to radiation as far below the dose limits as is practical, consistent with the purpose for which the licensed or registered activity is undertaken, taking into account the state of technology, the economics of improvements in relation to state of technology, the economics of improvements in relation to benefits to the public health and safety, and other societal and socioeconomic considerations, and in relation to utilization of nuclear energy and licensed or registered sources of radiation in the public interest.

"Area of use" means a portion of an address of use that has been set aside for the purpose of receiving, using, or storing radioactive material.

"Background radiation" means radiation from cosmic sources; naturally occurring radioactive materials, including radon, except as a decay product of source or special nuclear material, and including global fallout as it exists in the environment from the testing of nuclear explosive devices.

"Background radiation" does not include sources of radiation from radioactive materials regulated by the Department under the Radiation Control Act or Rules.

"Becquerel" (Bq) means the SI unit of activity. One becquerel is equal to one disintegration or transformation per second.

"Bioassay" means the determination of kinds, quantities or concentrations, and in some cases, the locations of radioactive material in the human body, whether by direct measurement, in vivo counting, or by analysis and evaluation of materials excreted or removed from the human body. For purposes of these rules, "radiobioassay" is an equivalent term.

"Board" means the Radiation Control Board created under Section 19-1-106.

"Byproduct material" means:

- (a) **a radioactive material, with the exception of special nuclear material, yielded in or made radioactive by exposure to the radiation incident to the process of producing or utilizing special nuclear material; and**
- (b) **the tailings or wastes produced by the extraction or concentration of uranium or thorium from any ore processed primarily for its source material content, including discrete surface wastes resulting from uranium or thorium solution extraction processes. Underground ore bodies depleted by these solution extraction operations do not constitute "byproduct material" within this definition.**

12-3

UTAH RADIATION CONTROL RULES

"Calendar quarter" means not less than 12 consecutive weeks nor more than 14 consecutive weeks. The first calendar quarter of the year shall begin in January, and subsequent calendar quarters shall be arranged so that no day is included in more than one calendar quarter and no day in any one year is omitted from inclusion within a calendar quarter. The method observed by the licensee or registrant for determining calendar quarters shall only be changed at the beginning of a year.

"Calibration" means the determination of:

- (a) the response or reading of an instrument relative to a series of known radiation values over the range of the instrument; or
- (b) the strength of a source of radiation relative to a standard.

"CFR" means Code of Federal Regulations.

"Chelating agent" means a chemical ligand that can form coordination compounds in which the ligand occupies more than one coordination position. The agents include beta diketones, certain proteins, amine polycarboxylic acids, hydroxycarboxylic acids, gluconic acid, and polycarboxylic acids.

"Collective dose" means the sum of the individual doses received in a given period of time by a specified population from exposure to a specified source of radiation.

"Committed dose equivalent" ($H_{T,50}$), means the dose equivalent to organs or tissues of reference (T), that will be received from an intake of radioactive material by an individual during the 50-year period following the intake.

"Committed effective dose equivalent" ($H_{E,50}$), is the sum of the products of the weighting factors applicable to each of the body organs or tissues that are irradiated and the committed dose equivalent to each of these organs or tissues.

"Controlled area" means an area, outside of a restricted area but inside the site boundary, access to which can be limited by the licensee or registrant for any reason.

"Curie" means a unit of measurement of activity. One curie (Ci) is that quantity of radioactive material which decays at the rate of 3.7×10^{10} disintegrations or transformations per second (dps or tps).

"Deep dose equivalent" (H_d), which applies to external whole body exposure, means the dose

12-3

UTAH RADIATION CONTROL RULES

equivalent at a tissue depth of one centimeter (1000 mg/cm²).

"Department" means the Utah State Department of Environmental Quality.

"Depleted uranium" means the source material uranium in which the isotope uranium-235 is less than 0.711 weight percent of the total uranium present. Depleted uranium does not include special nuclear material.

"Dose" is a generic term that means absorbed dose, dose equivalent, effective dose equivalent, committed dose equivalent, committed effective dose equivalent, or total effective dose equivalent. For purposes of these rules, "radiation dose" is an equivalent term.

"Dose equivalent" (H_T), means the product of the absorbed dose in tissue, quality factor, and other necessary modifying factors at the location of interest. The units of dose equivalent are the sievert (Sv) and rem.

"Dose limits" means the permissible upper bounds of radiation doses established in accordance with these rules. For purpose of these rules, "limits" is an equivalent term.

"Effective dose equivalent" (H_E), means the sum of the products of the dose equivalent to each organ or tissue (H_T), and the weighting factor (w_T), applicable to each of the body organs or tissues that are irradiated.

"Embryo/fetus" means the developing human organism from conception until the time of birth.

"Entrance or access point" means an opening through which an individual or extremity of an individual could gain access to radiation areas or to licensed or registered radioactive materials. This includes entry or exit portals of sufficient size to permit human entry, irrespective of their intended use.

"Executive Secretary" means the executive secretary of the board.

"Explosive material" means a chemical compound, mixture, or device which produces a substantial instantaneous release of gas and heat spontaneously or by contact with sparks or flame.

"EXPOSURE" when capitalized, means the quotient of dQ by dm where " dQ " is the absolute value of the total charge of the ions of one sign produced in air when all the electrons, both negatrons and positrons, liberated by photons in a volume element of air having a mass of " dm " are completely stopped in air. The special unit of EXPOSURE is the roentgen (R). See R313-12-20 Units of exposure and dose for the SI equivalent. For purposes of these rules, this

12-3

UTAH RADIATION CONTROL RULES

term is used as a noun.

"Exposure" when not capitalized as the above term, means being exposed to ionizing radiation or to radioactive material. For purposes of these rules, this term is used as a verb.

"EXPOSURE rate" means the EXPOSURE per unit of time, such as roentgen per minute and milliroentgen per hour.

"External dose" means that portion of the dose equivalent received from a source of radiation outside the body.

"Extremity" means hand, elbow, arm below the elbow, foot, knee, and leg below the knee.

"Eye dose equivalent" means the external dose equivalent to the lens of the eye at a tissue depth of 0.3 centimeter (300 mg/cm²).

"Former United States Atomic Energy Commission (AEC) or United States Nuclear Regulatory Commission (NRC) licensed facilities" means nuclear reactors, nuclear fuel reprocessing plants, uranium enrichment plants, or critical mass experimental facilities where AEC or NRC licenses have been terminated.

"Generally applicable environmental radiation standards" means standards issued by the U.S. Environmental Protection Agency under the authority of the Atomic Energy Act of 1954, as amended, that impose limits on radiation exposures or levels, or concentrations or quantities of radioactive material, in the general environment outside the boundaries of locations under the control of persons possessing or using radioactive material.

"Gray" (Gy) means the SI unit of absorbed dose. One gray is equal to an absorbed dose of one joule per kilogram.

"Hazardous waste" means those wastes designated as hazardous by the U.S. Environmental Protection Agency rules in 40 CFR Part 261.

"Healing arts" means the disciplines of medicine, dentistry, osteopathy, chiropractic, and podiatry.

"High radiation area" means an area, accessible to individuals, in which radiation levels could result in an individual receiving a dose equivalent in excess of one mSv (0.1 rem), in one hour at 30 centimeters from a source of radiation or from a surface that the radiation penetrates. For purposes of these rules, rooms or areas in which diagnostic x-ray systems are used for healing arts purposes are not considered high radiation areas.

12-3

UTAH RADIATION CONTROL RULES

"Human use" means the intentional internal or external administration of radiation or radioactive material to human beings.

"Individual" means a human being.

"Individual monitoring" means the assessment of:

- (a) dose equivalent, by the use of individual monitoring devices or, by the use of survey data; or
- (b) committed effective dose equivalent by bioassay or by determination of the time weighted air concentrations to which an individual has been exposed, that is, DAC-hours.

"Individual monitoring devices" means devices designated to be worn by a single individual for the assessment of dose equivalent. For purposes of these rules, individual monitoring equipment and personnel monitoring equipment are equivalent terms. Examples of individual monitoring devices are film badges, thermoluminescent dosimeters (TLD's), pocket ionization chambers, and personal air sampling devices.

"Inspection" means an official examination or observation including, but not limited to, tests, surveys, and monitoring to determine compliance with rules, orders, requirements and conditions applicable to radiation sources.

"Interlock" means a device arranged or connected requiring the occurrence of an event or condition before a second condition can occur or continue to occur.

"Internal dose" means that portion of the dose equivalent received from radioactive material taken into the body.

"License" means a license issued by the Executive Secretary in accordance with the rules adopted by the Board.

"Licensee" means a person who is licensed by the Department in accordance with these rules and the Act.

"Licensed or registered material" means radioactive material, received, possessed, used or transferred or disposed of under a general or specific license issued by the Executive Secretary.

"Licensing state" means a state which has been provisionally or finally designated as such by the

12-3

UTAH RADIATION CONTROL RULES

Conference of Radiation Control Program Directors, Inc., which reviews state regulations to establish equivalency with the Suggested State Regulations and ascertains whether a State has an effective program for control of natural occurring or accelerator produced radioactive material (NARM). The Conference will designate as Licensing States those states with regulations for control of radiation relating to, and an effective program for, the regulatory control of NARM.

"Limits". See "Dose limits".

"Lost or missing source of radiation" means licensed or registered sources of radiation whose location is unknown. This definition includes, but is not limited to, radioactive material that has been shipped but has not reached its planned destination and whose location cannot be readily traced in the transportation system.

"Major processor" means a user processing, handling, or manufacturing radioactive material exceeding Type A quantities as unsealed sources or material, or exceeding four times Type B quantities as sealed sources, but does not include nuclear medicine programs, universities, industrial radiographers, or small industrial programs. Type A and B quantities are defined in 10 CFR 71.4.

"Member of the public" means an individual except when that individual is receiving an occupational dose.

"Minor" means an individual less than 18 years of age.

"Monitoring" means the measurement of radiation, radioactive material concentrations, surface area activities or quantities of radioactive material, and the use of the results of these measurements to evaluate potential exposures and doses. For purposes of these rules, radiation monitoring and radiation protection monitoring are equivalent terms.

"NARM" means a naturally occurring or accelerator-produced radioactive material. It does not include byproduct, source or special nuclear material.

"NORM" means a naturally occurring radioactive material.

"Natural radioactivity" means radioactivity of naturally occurring nuclides.

"Nuclear Regulatory Commission" (NRC) means the U.S. Nuclear Regulatory Commission or its duly authorized representatives.

"Occupational dose" means the dose received by an individual in the course of employment in which the individual's assigned duties for the licensee or registrant involve exposure to sources of

12-3

UTAH RADIATION CONTROL RULES

radiation, whether or not the sources of radiation are in the possession of the licensee, registrant, or other person. Occupational dose does not include doses received from background radiation, from any medical administration the individual has received, from exposure to individuals administered radioactive material and released in accordance with R313-32-75, from voluntary participation in medical research programs, or as a member of the public.

"Package" means the packaging together with its radioactive contents as presented for transport.

"Particle accelerator" means a machine capable of accelerating electrons, protons, deuterons, or other charged particles in a vacuum and of discharging the resultant particulate or other radiation into a medium at energies usually in excess of one MeV.

"Person" means an individual, corporation, partnership, firm, association, trust, estate, public or private institution, group, agency, political subdivision of this state, or another state or political subdivision or agency thereof, and a legal successor, representative, agent or agency of the foregoing.

"Personnel monitoring equipment," see individual monitoring devices.

"Pharmacist" means an individual licensed by this state to practice pharmacy. See Sections 58-17-1 through 58-17-27.

"Physician" means an individual licensed by this state to practice medicine and surgery in all its branches. See Sections 58-12-26 through 58-12-43.

"Practitioner" means an individual licensed by this state in the practice of a healing art. Examples would be, physician, dentist, podiatrist, osteopath, and chiropractor.

"Protective apron" means an apron made of radiation-attenuating materials used to reduce exposure to radiation.

"Public dose" means the dose received by a member of the public from sources of radiation from licensed or registered operations. Public dose does not include occupational dose or doses received from background radiation, from any medical administration the individual has received, from exposure to individuals administered radioactive material and released in accordance with R313-32-75, or from voluntary participation in medical research programs.

"Pyrophoric material" means any liquid that ignites spontaneously in dry or moist air at or below 130 degrees Fahrenheit (54.4 degrees Celsius) or any solid material, other than one classed as an explosive, which under normal conditions is liable to cause fires through friction, retained heat from manufacturing or processing, or which can be ignited and, when ignited, burns so

12-3

UTAH RADIATION CONTROL RULES

vigorously and persistently as to create a serious transportation, handling, or disposal hazard. Included are spontaneously combustible and water-reactive materials.

"Qualified expert" means an individual having the knowledge and training to measure ionizing radiation, to evaluate safety techniques, and to advise regarding radiation protection needs, for example, individuals certified in the appropriate field by the American Board of Radiology or the American Board of Health Physics, or those having equivalent qualifications. With reference to the calibration of radiation therapy equipment, an individual having, in addition to the above qualifications, training and experience in the clinical applications of radiation physics to radiation therapy, for example, individuals certified in Therapeutic Radiological Physics or X-Ray and Radium Physics by the American Board of Radiology, or those having equivalent qualifications.

"Quality factor" (Q) means the modifying factor, listed in Tables 1 and 2 of R313-12-20 that is used to derive dose equivalent from absorbed dose.

"Rad" means the special unit of absorbed dose. One rad is equal to an absorbed dose of 100 erg per gram or 0.01 joule per kilogram

"Radiation" means alpha particles, beta particles, gamma rays, x-rays, neutrons, high speed electrons, high speed protons, and other particles capable of producing ions. For purposes of these rules, ionizing radiation is an equivalent term. Radiation, as used in these rules, does not include non-ionizing radiation, like radiowaves or microwaves, visible, infrared, or ultraviolet light.

"Radiation area" means an area, accessible to individuals, in which radiation levels could result in an individual receiving a dose equivalent in excess of 0.05 mSv (0.005 rem), in one hour at 30 centimeters from the source of radiation or from a surface that the radiation penetrates.

"Radiation machine" means a device capable of producing radiation except those devices with radioactive material as the only source of radiation.

"Radiation safety officer" means an individual who has the knowledge and responsibility to apply appropriate radiation protection rules and has been assigned such responsibility by the licensee or registrant.

"Radiation source." See "Source of radiation."

"Radioactive material" means a solid, liquid, or gas which emits radiation spontaneously.

"Radioactivity" means the transformation of unstable atomic nuclei by the emission of radiation.

12-3

UTAH RADIATION CONTROL RULES

"Radiobioassay". See "Bioassay".

"Registrant" means any person who is registered with respect to radioactive materials or radiation machines with the Executive Secretary or is legally obligated to register with the Executive Secretary pursuant to these rules and the Act.

"Registration" means registration with the Department in accordance with the rules adopted by the Board.

"Regulations of the U.S. Department of Transportation" means 49 CFR 100 through 189.

"Rem" means the special unit of any of the quantities expressed as dose equivalent. The dose equivalent in rem is equal to the absorbed dose in rad multiplied by the quality factor. One rem equals 0.01 sievert (Sv).

"Research and development" means:

- (a) theoretical analysis, exploration, or experimentation; or
- (b) the extension of investigative findings and theories of a scientific or technical nature into practical application for experimental and demonstration purposes, including the experimental production and testing of models, devices, equipment, materials, and processes. Research and development does not include the internal or external administration of radiation or radioactive material to human beings.

"Restricted area" means an area, access to which is limited by the licensee or registrant for the purpose of protecting individuals against undue risks from exposure to sources of radiation. A "Restricted area" does not include areas used as residential quarters, but separate rooms in a residential building may be set apart as a restricted area.

"Roentgen" (R) means the special unit of EXPOSURE. One roentgen equals 2.58×10^{-4} coulombs per kilogram of air. See EXPOSURE.

"Sealed source" means radioactive material that is permanently bonded or fixed in a capsule or matrix designed to prevent release and dispersal of the radioactive material under the most severe conditions which are likely to be encountered in normal use and handling.

"Shallow dose equivalent" (H_s) which applies to the external exposure of the skin or an extremity, means the dose equivalent at a tissue depth of 0.007 centimeter (seven mg per cm^2),

Rev. 3/98

12-3

UTAH RADIATION CONTROL RULES

averaged over an area of one square centimeter.

"SI" means an abbreviation of the International System of Units.

"Sievert" (Sv) means the SI unit of any of the quantities expressed as dose equivalent. The dose equivalent in sievert is equal to the absorbed dose in gray multiplied by the quality factor. One Sv equals 100 rem.

"Site boundary" means that line beyond which the land or property is not owned, leased, or otherwise controlled by the licensee or registrant.

"Source container" means a device in which sealed sources are transported or stored.

"Source material" means:

- (a) uranium or thorium, or any combination thereof, in any physical or chemical form, or
- (b) ores that contain by weight one-twentieth of one percent (0.05 percent), or more of, uranium, thorium, or any combination of uranium and thorium. Source material does not include special nuclear material.

"Source material milling" means any activity that results in the production of byproduct material as defined by (b) of "byproduct material".

"Source of radiation" means any radioactive material, or a device or equipment emitting or capable of producing ionizing radiation.

"Special form radioactive material" means radioactive material which satisfies the following conditions:

- (a) it is either a single solid piece or is contained in a sealed capsule that can be opened only by destroying the capsule;
- (b) the piece or capsule has at least one dimension not less than five millimeters (0.197 inch); and
- (c) it satisfies the test requirements specified by the U.S. Nuclear Regulatory Commission. A special form encapsulation designed in accordance with the U.S. Nuclear Regulatory Commission requirements in effect on June 30, 1983, and constructed prior to July 1, 1985, may continue to be used. A special form

12-3

UTAH RADIATION CONTROL RULES

encapsulation either designed or constructed after June 30, 1985, shall meet requirements of this definition applicable at the time of its design or construction.

"Special nuclear material" means:

- (a) plutonium, uranium-233, uranium enriched in the isotope 233 or in the isotope 235, and other material that the U.S. Nuclear Regulatory Commission, pursuant to the provisions of section 51 of the Atomic Energy Act of 1954, as amended, determines to be special nuclear material, but does not include source material; or
- (b) any material artificially enriched by any of the foregoing but does not include source material.

"Special nuclear material in quantities not sufficient to form a critical mass" means uranium enriched in the isotope U-235 in quantities not exceeding 350 grams of contained U-235; uranium-233 in quantities not exceeding 200 grams; plutonium in quantities not exceeding 200 grams or a combination of them in accordance with the following formula: For each kind of special nuclear material, determine the ratio between the quantity of that special nuclear material and the quantity specified above for the same kind of special nuclear material. The sum of such ratios for all of the kinds of special nuclear material in combination shall not exceed one. For example, the following quantities in combination would not exceed the limitation and are within the formula:

$((175(\text{Grams contained U-235})/350) + (50(\text{Grams U-233}/200) + (50(\text{Grams Pu})/200))$ is equal to one.

"Survey" means an evaluation of the radiological conditions and potential hazards incident to the production, use, transfer, release, disposal, or presence of sources of radiation. When appropriate, such evaluation includes, but is not limited to, tests, physical examinations and measurements of levels of radiation or concentrations of radioactive material present.

"Test" means the process of verifying compliance with an applicable rule.

"These rules" means "Utah Radiation Control Rules".

"Total effective dose equivalent" (TEDE) means the sum of the deep dose equivalent for external exposures and the committed effective dose equivalent for internal exposures.

"Total organ dose equivalent" (TODE) means the sum of the deep dose equivalent and the committed dose equivalent to the organ receiving the highest dose as described in R313-15-1107(1)(f).

12-3

"U.S. Department of Energy" means the Department of Energy established by Public Law 95-91, August 4, 1977, 91 Stat. 565, 42 U.S.C. 7101 et seq., to the extent that the Department exercises functions formerly vested in the U.S. Atomic Energy Commission, its Chairman, members, officers and components and transferred to the U.S. Energy Research and Development Administration and to the Administrator thereof pursuant to sections 104(b), (c), and (d) of Public Law 93-438, October 11, 1974, 88 Stat. 1233 at 1237, effective January 19, 1975 known as the Energy Reorganization Act of 1974, and retransferred to the Secretary of Energy pursuant to section 301(a) of Public Law 95-91, August 14, 1977, 91 Stat. 565 at 577-578, 42 U.S.C. 7151, effective October 1, 1977 known as the Department of Energy Organization Act.

"Unrefined and unprocessed ore" means ore in its natural form prior to processing, like grinding, roasting, beneficiating or refining.

"Unrestricted area" means an area, to which access is neither limited nor controlled by the licensee or registrant. For purposes of these rules, "uncontrolled area" is an equivalent term.

"Waste" means those low-level radioactive wastes that are acceptable for disposal in a land disposal facility. For the purposes of this definition, low-level waste has the same meaning as in the Low-Level Radioactive Waste Policy Act, P.L. 96-573, as amended by P.L. 99-240, effective January 15, 1986; that is, radioactive waste:

- (a) **not classified as high-level radioactive waste, spent nuclear fuel, or byproduct material as defined in Section 11e.(2) of the Atomic Energy Act (uranium or thorium tailings and waste) and**
- (b) **classified by the U.S. Nuclear Regulatory Commission as low-level radioactive waste consistent with existing law and in accordance with (a) above.**

"Waste collector licensees" means persons licensed to receive and store radioactive wastes prior to disposal or persons licensed to dispose of radioactive waste.

"Week" means seven consecutive days starting on Sunday.

"Whole body" means, for purposes of external exposure, head, trunk including male gonads, arms above the elbow, or legs above the knees.

"Worker" means an individual engaged in work under a license or registration issued by the Executive Secretary and controlled by a licensee or registrant, but does not include the licensee or registrant.

Rev. 1/98

12-20

"Working level" (WL), means any combination of short-lived radon daughters in one liter of air that will result in the ultimate emission of 1.3×10^5 MeV of potential alpha particle energy. The short-lived radon daughters are, for radon-222: polonium-218, lead-214, bismuth-214, and polonium-214; and for radon 220: polonium-216, lead-212, bismuth-212, and polonium-212.

"Working level month" (WLM), means an exposure to one working level for 170 hours. 2,000 working hours per year divided by 12 months per year is approximately equal to 170 hours per month.

"Year" means the period of time beginning in January used to determine compliance with the provisions of these rules. The licensee or registrant may change the starting date of the year used to determine compliance by the licensee or registrant provided that the decision to make the change is made not later than December 31 of the previous year. If a licensee or registrant changes in a year, the licensee or registrant shall assure that no day is omitted or duplicated in consecutive years.

R313. Environmental Quality, Radiation Control.

R313-25. License Requirements for Land Disposal of Radioactive Waste - General Provisions.

R313-25-2. Definitions.

As used in R313-25, the following definitions apply:

"Active maintenance" means significant activity needed during the period of institutional control to maintain a reasonable assurance that the performance objectives in R313-25-19 and R313-25-20 are met. Active maintenance may include the pumping and treatment of water from a disposal unit, the replacement of a disposal unit cover, or other episodic or continuous measures. Active maintenance does not include custodial activities like repair of fencing, repair or replacement of monitoring equipment, revegetation, minor additions to soil cover, minor repair of disposal unit covers, and general disposal site upkeep.

"Buffer zone" means a portion of the disposal site that is controlled by the licensee and that lies under the disposal units and between the disposal units and the boundary of the site.

"Commencement of construction" means clearing of land, excavation, or other substantial action that could adversely affect the environment of a land disposal facility. The term does not mean disposal site exploration, necessary roads for disposal site exploration, borings to determine foundation conditions, or other preconstruction monitoring or testing to establish background

25-2

information related to the suitability of the disposal site or the protection of environmental values.

"Custodial agency" means an agency of the government designated to act on behalf of the government owner of the disposal site.

"Disposal" means the isolation of wastes from the biosphere by placing them in a land disposal facility.

"Disposal site" means that portion of a land disposal facility which is used for disposal of waste. It consists of disposal units and a buffer zone.

"Disposal unit" means a discrete portion of the disposal site into which waste is placed for disposal. For near-surface disposal, the disposal unit may be a trench.

"Engineered barrier" means a man-made structure or device intended to improve the land disposal facility's performance under R313-25.

"Hydrogeologic unit" means a soil or rock unit or zone that has a distinct influence on the storage or movement of ground water.

"Inadvertent intruder" means a person who may enter the disposal site after closure and engage in activities unrelated to post closure management, such as agriculture, dwelling construction, or other pursuits which could, by disturbing the site, expose individuals to radiation.

"Intruder barrier" means a sufficient depth of cover over the waste that inhibits contact with waste and helps to ensure that radiation exposures to an inadvertent intruder will meet the performance objectives set forth in R313-25, or engineered structures that provide equivalent protection to the inadvertent intruder.

"Land disposal facility" means the land, buildings and structures, and equipment which are intended to be used for the disposal of radioactive waste.

"Monitoring" means observing and making measurements to provide data to evaluate the performance and characteristics of the disposal site.

"Near-surface disposal facility" means a land disposal facility in which waste is disposed of within approximately the upper 30 meters of the earth's surface.

"Site closure and stabilization" means those actions that are taken upon completion of operations that prepare the disposal site for custodial care, and that assure that the disposal site will remain

25-3

stable and will not need ongoing active maintenance.

"Stability" means structural stability.

"Surveillance" means monitoring and observation of the disposal site to detect needs for maintenance or custodial care, to observe evidence of intrusion, and to ascertain compliance with other license and regulatory requirements.

"Treatment" means the stabilization or the reduction in volume of waste by a chemical or a physical process.

"Waste" means those low-level radioactive wastes as defined in Section 19-3-102 that are acceptable for disposal in a land disposal facility. For the purposes of this definition, low-level waste has the same meaning as it does in the Low-Level Radioactive Waste Policy Act, Pub.L. 96-573, 94 Stat. 3347; thus, the term denotes radioactive waste not classified as high-level radioactive waste, transuranic waste, spent nuclear fuel, waste does not mean byproduct material as defined in 42 U.S.C. 2011(e)(2) of the Atomic Energy Act, uranium or thorium tailings and waste.