



DEPARTMENT OF THE NAVY
NAVAL SEA SYSTEMS COMMAND DETACHMENT
RADIOLOGICAL AFFAIRS SUPPORT OFFICE (RASO)
NWS P.O. DRAWER 260
YORKTOWN, VA 23691-0260

ENTER INTO DATABASE _____
FILE: LICENSE: _____
PERMIT: _____
YEARLY: _____
COPY TO PDR
OTHER _____

5104/66120
Ser 02B/0656
20 September 1999

From: Officer in Charge, Naval Sea Systems Command Detachment,
Radiological Affairs Support Office (RASO)
To: Officer in Charge, U.S. Space and Naval Warfare Systems
Facility Pacific, Yokosuka, Japan
Subj: RADIOLOGICAL AFFAIRS SUPPORT PROGRAM (RASP) INSPECTION OF
U.S. SPACE AND NAVAL WARFARE SYSTEMS FACILITY PACIFIC,
YOKOSUKA, JAPAN ON 26 MARCH 1999
Ref: (a) CNO ltr 5104 Ser N455C/9U595552 of 3 Jun 99
(b) SPAWARSYFAC PAC Yokosuka ltr 9492 Ser D9241MH/090 of
3 Aug 99

1. Reference (a) reported deficiencies as a result of the subject inspection of calibration operations authorized by Naval Radioactive Materials Permit (NRMP) No. 80-66120-C1NP. Your response to these deficiencies, reference b, has been reviewed and is considered satisfactory.

2. Corrective actions will be verified during the next inspection of calibration operations. This letter serves as final closing action for administrative purposes.

3. NAVSEADET RASO point of contact is Mr. Timothy P. Hart or Mr. Richard W. Lowman at DSN 953-4692, commercial (757) 887-4692 or commercial fax (757) 887-3235.


S. W. DOREMUS

Copy to:
CNO (OPNAV N455)
NRC Region II
SPAWARSYSCOM