

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of:)	
)	Docket No. 72-22-ISFSI
)	
PRIVATE FUEL STORAGE, LLC)	ASLBP No. 97-732-02-ISFSI
(Independent Spent Fuel)	
Storage Installation))	January 28, 2000

AFFIDAVIT OF JEAN BRAXTON

STATE OF UTAH)
) ss.
COUNTY OF SALT LAKE)

JEAN BRAXTON deposes on oath and says:


1. I have a Legal Assistant Certificate.
2. I am a legal assistant for the Utah Attorney General's Office, Environmental Division, and have worked for the Attorney General's Office since October of 1991.
3. On January 24, 2000, our division of the Utah Attorney General's Office received the revised Safety Evaluation Report ("SER") sent with transmittal memo dated January 7, 2000 from Mark S. Delligatti, Senior Project Manager, Nuclear Regulatory Commission.
4. I noticed that the envelope containing the SER and memo was postmarked January 11, 2000 with approximately \$1.58 in postage. The total package weighed one pound 11.55 ounces.

5. On January 28, 2000, I contacted a United States Postal Service clerk who informed me that a third class package weighing 1 lb. 11.55 oz. sent between Salt Lake City and Washington, D.C. would cost \$1.58.

6. I attest to the truth and accuracy of this information to the best of my ability.

FURTHER AFFIANT SAYETH NOT.

DATED this 28th day of January, 2000.



JEAN BRAXTON

The foregoing Affidavit was voluntarily signed and sworn to before me this 28th day of January, 2000, by the signer, whose identity is personally known to me or was proven to me on satisfactory evidence.


NOTARY PUBLIC


Residing at: Salt Lake County Utah

My commission expires: May 16, 2002





UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001



January 7, 2000

NOTE TO: PFS Service List

FROM: Mark S. Delligatti, Senior Project Manager
U.S. Nuclear Regulatory Commission 

SUBJECT: PLEASE RETURN OR DISCARD EARLIER VERSION
OF PFS SER

Due to a collation error, an incorrect version of Chapter 17 was included in the document originally distributed. Please replace that document with the attached one and either return the original version to me or discard it. If you have any questions, I can be reached at 301 415-8518.