

ROCHESTER GAS & ELECTRIC CORPORATION

DOCUMENT CONTROL

Document Transmittal

To: DOCUMENT CONTROL DESK
US NRC
ATT: ALLEN JOHNSON
PROJECT DOCTORATE 1-1
WASHINGTON DC 20555

Transmittal: 200002003 056
Date: 02/01/2000
Holder: 1217

LISTED BELOW ARE NEW OR REVISED CONTROLLED DOCUMENTS. REVIEW THE ATTACHED INSTRUCTION LETTER (IF APPLICABLE), AND UPDATE YOUR CONTROLLED DOCUMENT IN ACCORDANCE WITH EP-3-S-0901

| Doc Id | Doc Title | Rev | Rev Date | Qty |
|--------|--|-----|------------|-----|
| TRM | TECHNICAL REQUIREMENTS MANUAL FOR GINNA STATION | 012 | 02/02/2000 | 1 |

Receipt Acknowledgement and Action Taken:

Signature _____ Date _____

Return ENTIRE FORM to: Rochester Gas & Electric Corporation
Ginna Station - Records Management
1503 Lake Road
Ontario, New York 14519

A001

Rochester Gas and Electric Corporation
Inter-Office Correspondence

February 1, 2000

Subject: Improved Technical Specifications (ITS), Amendment No. 76;
ITS Bases Revision 17; and
Technical Requirements Manual (TRM) Revision 12

To: Distribution

Attached is Amendment No. 76 to the Ginna Station Improved Technical Specifications (ITS). This Amendment formally revises the ITS requirements for the RCS leakage detection system (which have been temporarily in place since December 1998). This Amendment was approved by the NRC in a safety evaluation dated January 19, 2000. This Amendment is considered effective February 2, 2000.

In addition to the Amendment, the associated changes to the ITS Bases and the Technical Requirements Manual are also included. Instructions for the necessary changes to your controlled copy of the ITS are attached.

Please contact Tom Harding (extension 3384) if you have any questions.



Thomas L. Harding

Attachment A

Please replace the following pages of your controlled copy of the ITS as follows:


| <u>Volume</u> | <u>Section</u> | <u>Remove</u> | <u>Insert</u> |
|---------------|-------------------------|---------------|---------------|
| I | Attachment A to License | First Page | First Page |
| I | Attachment A to License | LEP-ii | LEP-ii |
| I | Attachment A to License | LEP-vi | LEP-vi |
| I | Chapter 3.4 (LCO) | 3.4-38 | 3.4-38 |
| I | Chapter 3.4 (LCO) | 3.4-39 | 3.4-39 |
| I | Chapter 3.4 (LCO) | 3.4-40 | 3.4-40 |
| I | Chapter 3.4 (LCO) | 3.4-41 | 3.4-41 |
| I | Chapter 3.4 (Bases) | B 3.4-101 | B 3.4-101 |
| I | Chapter 3.4 (Bases) | B 3.4-102 | B 3.4-102 |
| I | Chapter 3.4 (Bases) | B 3.4-103 | B 3.4-103 |
| I | Chapter 3.4 (Bases) | B 3.4-104 | B 3.4-104 |
| I | Chapter 3.4 (Bases) | B 3.4-105 | B 3.4-105 |
| I | Chapter 3.4 (Bases) | B 3.4-106 | B 3.4-106 |
| I | Chapter 3.4 (Bases) | B 3.4-107 | B 3.4-107 |
| I | Chapter 3.4 (Bases) | ----- | B 3.4-107a |
| III | TRM | First Page | First Page |
| III | TRM | LEP-i | LEP-i |
| III | TRM Chapter 5.0 | TRM 5.0-2 | TRM 5.0-2 |



GINNA STATION

TRM
Revision 12

TECHNICAL REQUIREMENTS MANUAL (TRM)


Responsible Manager

2-2-2000
Effective Date

Controlled Copy No. 1247

List of Effective Pages
(TRM)

| Page | Rev. | Page | Rev. | Page | Rev. | Page | Rev. |
|--------------------|------|--------------------------------|------|--------------------------------|------|------|------|
| TOC | | Section 3.3 (con'd) | | Section 3.7 (con'd) | | | |
| i | 8 | | | | | | |
| ii | 4 | TRM 3.3-13 | 4 | TRM 3.7-10 | 6 | | |
| | | TRM 3.3-14 | 4 | TRM 3.7-11 | 10 | | |
| Section 1.0 | | TRM 3.3-15 | 4 | TRM 3.7-12 | 4 | | |
| TRM 1.0-1 | 0 | TRM 3.3-16 | 4 | TRM 3.7-13 | 10 | | |
| | | | | TRM 3.7-14 | 1 | | |
| Section 2.0 | | Section 3.4 | | TRM 3.7-15 | 4 | | |
| TRM 2.0-1 | 6 | TRM 3.4-1 | 1 | TRM 3.7-16 | 1 | | |
| | | TRM 3.4-2 | 1 | TRM 3.7-17 | 6 | | |
| Section 3.0 | | TRM 3.4-3 | 0 | TRM 3.7-18 | 1 | | |
| TRM 3.0-1 | 1 | TRM 3.4-4 | 0 | TRM 3.7-19 | 1 | | |
| | | TRM 3.4-5 | 0 | TRM 3.7-20 | 6 | | |
| Section 3.1 | | TRM 3.4-6 | 0 | TRM 3.7-21 | 6 | | |
| TRM 3.1-1 | 0 | TRM 3.4-7 | 0 | TRM 3.7-22 | 6 | | |
| TRM 3.1-2 | 1 | TRM 3.4-8 | 3 | TRM 3.7-23 | 1 | | |
| TRM 3.1-3 | 2 | TRM 3.4-9 | 3 | TRM 3.7-24 | 1 | | |
| TRM 3.1-4 | 0 | TRM 3.4-10 | 3 | TRM 3.7-25 | 8 | | |
| TRM 3.1-5 | 5 | TRM 3.4-11 | 3 | TRM 3.7-26 | 8 | | |
| TRM 3.1-6 | 1 | TRM 3.4-12 | 3 | | | | |
| TRM 3.1-7 | 2 | TRM 3.4-13 | 3 | Section 3.8 | | | |
| | | TRM 3.4-14 | 3 | TRM 3.8-1 | 0 | | |
| Section 3.2 | | | | TRM 3.8-2 | 3 | | |
| TRM 3.2-1 | 0 | Section 3.5 | | TRM 3.8-3 | 10 | | |
| | | TRM 3.5-1 | 0 | | | | |
| Section 3.3 | | | | Section 3.9 | | | |
| TRM 3.3-1 | 1 | Section 3.6 | | TRM 3.9-1 | 0 | | |
| TRM 3.3-2 | 0 | TRM 3.6-1 | 0 | TRM 3.9-2 | 8 | | |
| TRM 3.3-3 | 1 | | | TRM 3.9-3 | 8 | | |
| TRM 3.3-4 | 0 | Section 3.7 | | TRM 3.9-4 | 1 | | |
| TRM 3.3-5 | 0 | TRM 3.7-1 | 1 | TRM 3.9-5 | 10 | | |
| TRM 3.3-6 | 0 | TRM 3.7-2 | 1 | TRM 3.9-6 | 8 | | |
| TRM 3.3-7 | 1 | TRM 3.7-3 | 6 | TRM 3.9-7 | 8 | | |
| TRM 3.3-8 | 1 | TRM 3.7-4 | 4 | | | | |
| TRM 3.3-9 | 6 | TRM 3.7-5 | 1 | Section 4.0 | | | |
| TRM 3.3-10 | 10 | TRM 3.7-6 | 1 | TRM 4.0-1 | 3 | | |
| TRM 3.3-11 | 4 | TRM 3.7-7 | 3 | | | | |
| TRM 3.3-12 | 4 | TRM 3.7-8 | 4 | Section 5.0 | | | |
| | | TRM 3.7-9 | 1 | TRM 5.0-1 | 3 | | |
| | | | | TRM 5.0-2 | 12 | | |

| Table TR 5.1-1 (page 1 of 1) Temporary LCO Requirements | | | | |
|--|-----------------|--|--|-------------------------------------|
| Item | Action Report # | Temporary LCO Requirement | Required Actions If Not Met | Effective Dates |
| 5.1.1 | 97-0783 | a. Verify key switches for MOVs 852A and 852B are in "off position" every 31 days. | a. Declare associated ECCS train inoperable per LCO 3.5.2. | 6/19/97 until LCO 3.5.2 is changed |
| 5.1.2 | 97-0894 | a. Verify NaOH System tank NaOH solution concentration is \leq 35% by weight every 184 days. | a. Declare NaOH system inoperable per LCO 3.6.6. | 6/19/97 until LCO 3.6.6 is changed. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |