



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

February 11, 2000

Students in Kathy Traugott's Class
The Little School
2812 - 116th Northeast
Bellevue, WA 98004

SUBJECT: RESPONSE TO YOUR NUCLEAR POWER LEAKS REPORT

Dear Colin, Aaron, Chris, Gordon and Brian:

Thank you very much for your January 7, 2000, report titled "Nuclear Power Leaks." I think the report was well done. You must have spent a lot of time to conduct the research. My guess is that you have a good science teacher at school and supportive parents at home. Your cooperative efforts and team work to prepare the final report are definitely commendable. Team work is important at schools and at work places, as you will find out later in your life. In fact, this is precisely how we at the U.S. Nuclear Regulatory Commission (NRC) carry out our mission.

The NRC's mission is, in part, to ensure public health and safety and protection of the environment in the use of nuclear materials in the United States. We at the NRC take your safety and that of the public seriously. That's why NRC maintains a robust regulatory program to ensure nuclear safety. As a part of that regulatory program, NRC stations full-time resident inspectors at every nuclear power reactor and some nuclear fuel processing facilities in this country. These highly trained resident inspectors are NRC's "eyes and ears" in detecting and reporting inadvertent radioactive releases (leaks) from these nuclear facilities. Over the years, they have done an excellent job and we are very proud of the professionalism and dedication displayed by the men and women employed by NRC.

You are right that high level waste will remain radioactive for many years to come. Obviously the safe operations of a geological repository where the high level waste will eventually rest is critical to the safety of the general public. Another government agency, the U.S. Department of Energy (DOE) is responsible for developing and operating the repository and is currently studying a site at Yucca Mountain, Nevada. NRC is working closely with DOE to carefully evaluate the long term (more than 10,000 years) safety aspects of a repository at the Yucca Mountain site.

Your report correctly pointed out that the volume of the liquid high level waste could be reduced by a process called vitrification. DOE stores appreciable amounts of liquid high level waste at the other side of your state, in a place called the Hanford Reservation near Richland, Washington. You may be pleased to know that DOE plans to use the vitrification process to treat the Hanford liquid high level waste in the next few years. In the mean time, NRC is assisting DOE in developing its regulatory program for the Hanford vitrification project.

00-29

NRC FILE CENTER 2000

DF03

As you suggested in the report, the Canadian nuclear industry stores their spent fuel from the reactors in a pool of water for about seven years. Likewise, the U.S. power plants store the spent fuel rods in the on-site spent fuel pools for a minimum of five years before the rods are put in steel casts and transferred to dry spent fuel storage facilities. Those dry spent fuel storage facilities are also under NRC's regulatory control.


Roughly 20 percent of the U.S. electricity is produced from nuclear energy. One of your suggestions is for countries relying on nuclear energy (such as the U.S.) to slowly turn to other power sources such as renewable energy. The research of renewable energy has been the focus of this country for many years. In fact, there is a National Renewable Energy Laboratory (Golden, Colorado) that is dedicated to the research of renewable energy. Please visit their web site at <http://www.nrel.gov> to learn more about their activities.

Your third proposed solution suggests that power safety standards be raised to reduce the chance of leaks. In general, leaks from the nuclear power plants are very low (well within the safety limits). Generally speaking, a person living in the U.S. receives about 300 millirem of background radiation from all the naturally occurring sources, e.g., soil, cosmic rays, etc. A millirem is a convenient unit we use to measure radiation doses to people. On the other hand, NRC's regulations allow a person living next to a nuclear power plant to receive up to an additional 25 millirem of radiation in a year. The actual amount of radiation (excluding background radiation) a person would receive while living next to a nuclear power plant averages less than 0.5 millirem per year. So the current safety standards are quite effective in ensuring protection of the public and the environment.

Finally, you mentioned *Deinococcus radiodurans*, a bacterium that is capable of metabolizing organic solvents in the presence of a strong radiation field. Preliminary studies indicate that this type of microorganism may someday be used to clean up hazardous waste sites containing radioactive materials such as uranium or plutonium. We understand that DOE has already sponsored a number of research projects into the potential use of this bacterium to help restore the environment. You may want to visit their web site <http://www.em.doe.gov> to learn more about the on-going research efforts.

One last thought, our web site is <http://www.nrc.gov>. You'll find a wealth of nuclear safety information when you log on to our web site. But, please check with your teacher and/or your parents before you surf the net. Some of the information contained in the web sites listed here may not be easily understood and may require adult assistance. If you have any further questions, please contact me at (301) 415-7906, or by e-mail, at axw@nrc.gov.

Sincerely,



Albert Wong
Tank Waste Remediation Systems Section
Special Projects Branch
Division of Fuel Cycle Safety
and Safeguards
Office of Nuclear Material
and Safeguards

As you suggested in the report, the Canadian nuclear industry stores their spent fuel from the reactors in a pool of water for about seven years. Likewise, the U.S. power plants store the spent fuel rods in the on-site spent fuel pools for a minimum of five years before the rods are put in steel casts and transferred to dry spent fuel storage facilities. Those dry spent fuel storage facilities are also under NRC's regulatory control.

Roughly 20 percent of the U.S. electricity is produced from nuclear energy. One of your suggestions is for countries relying on nuclear energy (such as the U.S.) to slowly turn to other power sources such as renewable energy. The research of renewable energy has been the focus of this country for many years. In fact, there is a National Renewable Energy Laboratory (Golden, Colorado) that is dedicated to the research of renewable energy. Please visit their web site at <http://www.nrel.gov> to learn more about their activities.

Your third proposed solution suggests that power safety standards be raised to reduce the chance of leaks. In general, leaks from the nuclear power plants are very low (well within the safety limits). Here is a piece of information I'd like to share with you: Generally speaking, a person living in the U.S. receives about 300 mrem of radiation from all the naturally occurring sources, e.g., soil, cosmic rays, etc. (Note: "mrem" is a convenient unit we use to measure radiation.) While on the one hand, the NRC's regulations allow a person living next to a nuclear power plant to receive up to an additional 100 mrem of radiation in a year, in practice, they receive much less. So the current safety standards are pretty good in terms of radiation leak reduction and personnel protection.

Finally, you mentioned *Deinococcus radiodurans*, a bacterium that is capable of metabolizing organic solvents in the presence of a strong radiation field. Preliminary studies indicate that this type of microorganism may someday be used to clean up hazardous waste sites containing radioactive materials such as uranium or plutonium. I agree with you that more research is needed to further explore this potential opportunity. As a matter of fact, I believe a lot of the research work completed thus far has been supported by the Environmental Management Office of DOE. You may want to visit their web site <http://www.em.doe.gov> to learn more about the on-going research efforts.

One last thought, our web site is <http://www.nrc.gov>. You'll find a wealth of nuclear safety information when you log on to our web site. But, please check with your teacher and/or your parents before you surf the net. Some of the information contained in the web sites listed here may not be easily understood and may require adult assistance. If you have any further questions, please contact Albert Wong, a member of my staff, at (301) 415-7906, or by e-mail, at axw@nrc.gov.

Sincerely,

Michael F. Weber, Director
Division of Fuel Cycle Safety
and Safeguards
Office of Nuclear Material Safety
and Safeguards

Distribution: FCSS TICKET 2000-003
NRC File Center PUBLIC SPB r/f
FCSS T/F
G:\LittleSchool.wpd

FCSS r/f NMSS r/f

*See previous concurrence

OFFICE	SPB	SPB	SPB	SPB	FCSS	FCSS
NAME	AWong:bv:mm	AHoadley	MTokar	MLeach	RPerson	MWeber
DATE	2/8/2000*	2/8/2000*	2/ 1/2000	2/ 9/2000	2/ 10/2000	2/ 1/2000

put in steel casts and transferred to dry spent fuel storage facilities. Those dry spent fuel storage facilities are also under NRC's regulatory control.

Roughly 20% of the U.S. electricity is produced from nuclear energy. One of your suggestions is for countries relying on nuclear energy (such as the U.S.) to slowly turn to other power sources such as renewable energy. The research of renewable energy has been the focus of this country for many years. In fact, there is a National Renewable Energy Laboratory (Golden, Colorado) that is dedicated to the research of renewable energy. Please visit their web site at <http://www.nrel.gov> to learn more about their activities.

Your third proposed solution suggests that power safety standards be raised to reduce the chance of leaks. In general, leaks from the nuclear power plants are very low (well within the safety limits). Here is a piece of information I'd like to share with you: Generally speaking, a person living in the U.S. receives about 300 mrem of background radiation from all the naturally occurring sources, e.g., soil, cosmic rays, etc. (Note: "mrem" is a convenient unit we use to measure radiation.) On the other hand, the amount of radiation (excluding background radiation) a person would receive while living next to a nuclear power plant averages less than 0.5 mrem per year. So the current safety standards are pretty good in terms of radiation leak reduction and public protection.

Finally, you mentioned *Deinococcus radiodurans*, a bacterium that is capable of metabolizing organic solvents in the presence of a strong radiation field. Preliminary studies indicate that this type of microorganism may someday be used to clean up hazardous waste sites containing radioactive materials such as uranium or plutonium. I agree with you that more research is needed to further explore this potential opportunity. As a matter of fact, I believe a lot of the research work completed thus far has been supported by the Environmental Management Office of DOE. You may want to visit their web site <http://www.em.doe.gov> to learn more about the on-going research efforts.

One last thought, our web site is <http://www.nrc.gov>. You'll find a wealth of nuclear safety information when you log on to our web site. But, please check with your teacher and/or your parents before you surf the net. Some of the information contained in the web sites listed here may not be easily understood and may require adult assistance. If you have any further questions, please contact Albert Wong, a member of my staff, at (301) 415-7906, or by e-mail, at axw@nrc.gov.

Sincerely,

Michael F. Weber, Director
Division of Fuel Cycle Safety
and Safeguards

Distribution:

FCSS TICKET 2000-003

NRC File Center PUBLIC SPB r/f FCSS r/f NMSS r/f FCSS T/F
G:\little School.wpd *See previous concurrence

OFFICE	SPB*	SPB*	SPB*	SPB	FCSS	FCSS
NAME	AWong:mm:bv	AHoadley	MTokar	MLeach <i>ML</i>	RPierson	MWeber
DATE	2/8/2000	2/8/2000	2/8/2000	2/9/2000	2/ /2000	2/ /2000

As you suggested in the report, the Canadian nuclear industry stores their spent fuel from the reactors in a pool of water for about seven years. Likewise, the U.S. power plants store the spent fuel rods in the on-site spent fuel pools for a minimum of five years before the rods are put in steel casts and transferred to dry spent fuel storage facilities. Those dry spent fuel storage facilities are also under NRC's regulatory control.

Roughly 20 percent of the U.S. electricity is produced from nuclear energy. One of your suggestions is for countries relying on nuclear energy (such as the U.S.) to slowly turn to other power sources such as renewable energy. The research of renewable energy has been the focus of this country for many years. In fact, there is a National Renewable Energy Laboratory (Golden, Colorado) that is dedicated to the research of renewable energy. Please visit their web site at <http://www.nrel.gov> to learn more about their activities.

Your third proposed solution suggests that power safety standards be raised to reduce the chance of leaks. In general, leaks from the nuclear power plants are very low (well within the safety limits). Here is a piece of information I'd like to share with you: Generally speaking, a person living in the U.S. receives about 300 mrem of radiation from all the naturally occurring sources, e.g., soil, cosmic rays, etc. (Note: "mrem" is a convenient unit we use to measure radiation.) While on the one hand, the NRC's regulations allow a person living next to a nuclear power plant to receive up to an additional 100 mrem of radiation in a year, in practice, they receive much less. So the current safety standards are pretty good in terms of radiation leak reduction and personnel protection.

Finally, you mentioned *Deinococcus radiodurans*, a bacterium that is capable of metabolizing organic solvents in the presence of a strong radiation field. Preliminary studies indicate that this type of microorganism may someday be used to clean up hazardous waste sites containing radioactive materials such as uranium or plutonium. I agree with you that more research is needed to further explore this potential opportunity. As a matter of fact, I believe a lot of the research work completed thus far has been supported by the Environmental Management Office of DOE. You may want to visit their web site <http://www.em.doe.gov> to learn more about the on-going research efforts.

One last thought, our web site is <http://www.nrc.gov>. You'll find a wealth of nuclear safety information when you log on to our web site. But, please check with your teacher and/or your parents before you surf the net. Some of the information contained in the web sites listed here may not be easily understood and may require adult assistance. If you have any further questions, please contact Albert Wong, a member of my staff, at (301) 415-7906, or by e-mail, at axw@nrc.gov.

Sincerely,

Michael F. Weber, Director
Division of Fuel Cycle Safety
and Safeguards
Office of Nuclear Material Safety
and Safeguards

Distribution: FCSS TICKET 2000-003
NRC File Center PUBLIC SPB r/f
FCSS T/F
G:\VittleSchool.wpd

FCSS r/f NMSS r/f

*See previous concurrence

OFFICE	SPB	SPB	SPB	SPB	FCSS	FCSS
NAME	AWong:bv:mm	AHoadley	MTokar	MLeach	RPierson	MWeber
DATE	2/8/2000*	2/8/2000*	2/ 8 /2000	2/ /2000	2/ /2000	2/ /2000

As you suggested in the report, the Canadian nuclear industry stores their spent fuel from the reactors in a pool of water for about seven years. Likewise, the U.S. power plants store the spent fuel rods in the on-site spent fuel pools for a minimum of five years before the rods are put in steel casts and transferred to dry spent fuel storage facilities. Those dry spent fuel storage facilities are also under NRC's regulatory control.

Roughly 20 percent of the U.S. electricity is produced from nuclear energy. One of your suggestions is for countries relying on nuclear energy (such as the U.S.) to slowly turn to other power sources such as renewable energy. The research of renewable energy has been the focus of this country for many years. In fact, there is a National Renewable Energy Laboratory (Golden, Colorado) that is dedicated to the research of renewable energy. Please visit their web site at <http://www.nrel.gov> to learn more about their activities.

Your third proposed solution suggests that power safety standards be raised to reduce the chance of leaks. In general, leaks from the nuclear power plants are very low (well within the safety limits). Here is a piece of information I'd like to share with you: Generally speaking, a person living in the U.S. receives about 300 mrem of radiation from all the naturally occurring sources, e.g., soil, cosmic rays, etc. (Note: "mrem" is a convenient unit we use to measure radiation.) On the other hand, a person living next to a nuclear power plant receives less than an additional 100 mrem of radiation in a year. So the current safety standards are pretty good in terms of radiation leak reduction and personnel protection.

Finally, you mentioned Deinococcus radiodurans, a bacterium that is capable of metabolizing organic solvents in the presence of a strong radiation field. Preliminary studies indicate that this type of microorganism may someday be used to clean up hazardous waste sites containing radioactive materials such as uranium or plutonium. I agree with you that more research is needed to further explore this potential opportunity. As a matter of fact, I believe a lot of the research work completed thus far has been supported by the Environmental Management Office of DOE. You may want to visit their web site <http://www.em.doe.gov> to learn more about the on-going research efforts.

One last thought, our web site is <http://www.nrc.gov>. You'll find a wealth of nuclear safety information when you log on to our web site. But, please check with your teacher and/or your parents before you surf the net. Some of the information contained in the web sites listed here may not be easily understood and may require adult assistance. If you have any further questions, please contact Albert Wong a member of my staff, at (301) 415-7906, or by e-mail, at axw@nrc.gov.

Sincerely,

Michael F. Weber, Director
 Division of Fuel Cycle Safety
 and Safeguards

Distribution: FCSS TICKET 2000-003

NRC File Center PUBLIC SPB r/f FCSS r/f NMSS r/f
 FCSS T/F
 G:\littleSchool.wpd

OFFICE	SPB	SPB	SPB	SPB	FCSS	FCSS
NAME	AWong:bv:mm	AHoadley	MTokar	MLeach	RPierson	MWeber
DATE	2/6/2000	2/8/2000	2/ /2000	2/ /2000	2/ /2000	2/ /2000

As you suggested in the report, the Canadian nuclear industry stores their spent fuel from the reactors in a pool of water for about seven years. Likewise, the U.S. power plants store the spent fuel rods in the on-site spent fuel pools for a minimum of five years before the rods are put in steel casts and transferred to dry spent fuel storage facilities. Those dry spent fuel storage facilities are also under NRC's regulatory control.

Roughly 20 percent of the U.S. electricity is produced from nuclear energy. One of your suggestions is for countries relying on nuclear energy (such as the U.S.) to slowly turn to other power sources such as renewable energy. The research of renewable energy has been the focus of this country for many years. In fact, there is a National Renewable Energy Laboratory (Golden, Colorado) that is dedicated to the research of renewable energy. Please visit their web site at <http://www.nrel.gov> to learn more about their activities.

Your third proposed solution suggests that power safety standards be raised to reduce the chance of leaks. In general, leaks from the nuclear power plants are very low (well within the safety limits). Here is a piece of information I'd like to share with you: Generally speaking, a person living in the U.S. receives about 300 mrem of radiation from all the naturally occurring sources, e.g., soil, cosmic rays, etc. (Note: "mrem" is a convenient unit we use to measure radiation.) On the other hand, a person living next to a nuclear power plant receives less than an additional 100 mrem of radiation in a year. So the current safety standards are pretty good in terms of radiation leak reduction and personnel protection.

Finally, you mentioned *Deinococcus radiodurans*, a bacterium that is capable of metabolizing organic solvents in the presence of a strong radiation field. Preliminary studies indicate that this type of microorganism may someday be used to clean up hazardous waste sites containing radioactive materials such as uranium or plutonium. I agree with you that more research is needed to further explore this potential opportunity. As a matter of fact, I believe a lot of the research work completed thus far has been supported by the Environmental Management Office of DOE. You may want to visit their web site <http://www.em.doe.gov> to learn more about the on-going research efforts.

One last thought, our web site is <http://www.nrc.gov>. You'll find a wealth of nuclear safety information when you log on to our web site. But, please check with your teacher and/or your parents before you surf the net. Some of the information contained in the web sites listed here may not be easily understood and may require adult assistance. If you have any further questions, please contact Albert Wong, a member of my staff, at (301) 415-7906, or by e-mail, at axw@nrc.gov.

Sincerely,

Michael F. Weber, Director
Division of Fuel Cycle Safety
and Safeguards

Distribution: FCSS TICKET 2000-003

NRC File Center PUBLIC SPB r/f FCSS r/f NMSS r/f

FCSS T/F

G:\littleSchool.wpd

*See previous concurrence

OFFICE	SPB	SPB	SPB <i>E</i>	SPB	FCSS	FCSS
NAME	AWong:bv:mm	AHoadley	MTokar	MLeach	RPierson	MWeber
DATE	2/8/2000*	2/8/2000*	2/8/2000	2/ /2000	2/ /2000	2/ /2000

As you suggested in the report, the Canadian nuclear industry stores their spent fuel from the reactors in a pool of water for about seven years. Likewise, the U.S. power plants store the spent fuel rods in the on-site spent fuel pools for a minimum of five years before the rods are put in steel casts and transferred to dry spent fuel storage facilities. Those dry spent fuel storage facilities are also under NRC's regulatory control.

Roughly 20 percent of the U.S. electricity is produced from nuclear energy. One of your suggestions is for countries relying on nuclear energy (such as the U.S.) to slowly turn to other power sources such as renewable energy. The research of renewable energy has been the focus of this country for many years. In fact, there is a National Renewable Energy Laboratory (Golden, Colorado) that is dedicated to the research of renewable energy. Please visit their web site at <http://www.nrel.gov> to learn more about their activities.

Your third proposed solution suggests that power safety standards be raised to reduce the chance of leaks. In general, leaks from the nuclear power plants are very low (well within the safety limits). Generally speaking, a person living in the U.S. receives about 300 millirem of background radiation from all the naturally occurring sources, e.g., soil, cosmic rays, etc. A millirem is a convenient unit we use to measure radiation doses to people. On the other hand, NRC's regulations allow a person living next to a nuclear power plant to receive up to an additional 25 millirem of radiation in a year. The actual amount of radiation (excluding background radiation) a person would receive while living next to a nuclear power plant averages less than 0.5 millirem per year. So the current safety standards are quite effective in ensuring protection of the public and the environment.

Finally, you mentioned *Deinococcus radiodurans*, a bacterium that is capable of metabolizing organic solvents in the presence of a strong radiation field. Preliminary studies indicate that this type of microorganism may someday be used to clean up hazardous waste sites containing radioactive materials such as uranium or plutonium. We understand that DOE has already sponsored a number of research projects into the potential use of this bacterium to help restore the environment. You may want to visit their web site <http://www.em.doe.gov> to learn more about the on-going research efforts.

One last thought, our web site is <http://www.nrc.gov>. You'll find a wealth of nuclear safety information when you log on to our web site. But, please check with your teacher and/or your parents before you surf the net. Some of the information contained in the web sites listed here may not be easily understood and may require adult assistance. If you have any further questions, please contact me at (301) 415-7906, or by e-mail, at axw@nrc.gov.

Sincerely,
Original signed by:
Albert Wong
Tank Waste Remediation Systems Section
Special Projects Branch
Division of Fuel Cycle Safety
and Safeguards
Office of Nuclear Material
and Safeguards

Distribution: FCSS TICKET 2000-003

NRC File Center PUBLIC SPB r/f FCSS r/f NMSS r/f
FCSS T/F G:\littleSchool.wpd * See previous Concurrence

OFFICE	SPB *	SPB *	SPB *	SPB *	FCSS*	FCSS ✓
NAME	AWong:bv:mm <i>AW</i>	AHoadley	MTokar	MLeach	Pierson	MWeber
DATE	2/ 11 /2000	2/ /2000	2/ /00	2/ /00	2/ /00	2/11/2000