



Entergy Operations, Inc.
1448 S.R. 333
Russellville, AR 72801
Tel 501 858-5000

10CFR26.71(d)

February 18, 2000

0CAN020003

U. S. Nuclear Regulatory Commission
Document Control Desk
Mail Station OP1-17
Washington, DC 20555

Subject: Arkansas Nuclear One – Units 1 and 2
Docket Nos. 50-313 and 50-368
License Nos. DPR-51 and NPF-6
Fitness-For-Duty Performance Data

Gentlemen:

In accordance with 10CFR26.71(d), attached is the Arkansas Nuclear One (ANO) fitness-for-duty (FFD) program performance data for the period July – December 1999.

Very Truly Yours

A handwritten signature in cursive script, appearing to read "Jimmy D. Vandergrift".

Jimmy D. Vandergrift
Director, Nuclear Safety Assurance

JDV/RMC
Attachments

A021

US NRC
February 18, 2000
OCAN020003 Page 2

cc: Mr. Ellis W. Merschoff
Regional Administrator
U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

NRC Senior Resident Inspector
Arkansas Nuclear One
P.O. Box 310
London, AR 72847

Mr. Christopher Nolan
NRR Project Manager Region IV/ANO-1
U. S. Nuclear Regulatory Commission
NRR Mail Stop 04-D-03
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

Mr. Thomas W. Alexion
NRR Project Manager Region IV/ANO-2
U. S. Nuclear Regulatory Commission
NRR Mail Stop 04-D-03
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

**FITNESS FOR DUTY PROGRAM
 PERFORMANCE DATA
 PERSONNEL SUBJECT TO 10CFR26**

Entergy Operations, Inc. - Arkansas Nuclear One
 Company

December 31, 1999
 6 Month Ending

1448 S. R. 333, Russellville, AR 72802-0137
 Location

Steve Kaufmann, Coordinator, FFD
 Contact Name

(501) 858-7846
 Phone

Cutoffs: Screen/Confirmation (ng/ml)

Appendix A to 10CFR26

Marijuana	50/15	Amphetamine	1000/500	<u>N/A</u>	N/A
Cocaine	300/150	Phencyclidine	25/25	<u>N/A</u>	N/A
Opiates	300/300	Alcohol (%BAC)	0.04%	<u>N/A</u>	N/A

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Average Number with Unescorted Access	1131		N/A		499	
Pre-Access	36	0	N/A	N/A	863	4/1
For-Cause Post Accident	0	0	N/A	N/A	0	0
For-Cause Observed Behavior	0	0	N/A	N/A	0	0
Random	291	0	N/A	N/A	101	0
Follow-up	4	0	N/A	N/A	0	0
Other	0	0	N/A	N/A	0	0
Total	331	0	N/A	N/A	964	4/1

SUMMARY OF MANAGEMENT ACTIONS

General Information

During the second 6-month period of 1999, the average population granted unescorted access was 1630 individuals. A total of 392 random drug tests were performed, which yielded a random testing rate of 24.0% at the close of the 6-month testing period. However for the 12-month period, the average population granted unescorted access was 1707 individuals. The year-end total of 875 random drug tests yielded an annual random testing rate of 51.26%.

During the 6-month reporting period there were 1295 individuals tested, of which five were confirmed positive for illegal substances. The testing failure rate (% positive) was 0.62%, this included three refusals to test.

Three contractors refused drug testing during pre-access in-processing. In each case after the breathalyzer test, all three contractors did not provide an acceptable urine sample for testing and opted to sign a drug test refusal form. These individuals were not granted unescorted access to ANO.

Five other contractors tested positive during pre-badge inprocessing and were not granted unescorted access to ANO.

There were no for-cause drug tests conducted during this 6-month reporting period.

Program Initiatives

The random testing program became Y2K compliant when it was converted from MS Access 2.0 to MS Access 97.

The FFD department merged with the Access Authorization department. An overall Entergy Operations Inc. reorganization effort prompted this change.

Appeals

There were no appeals or requests for a retest during the 6-month reporting period.

NRC Reportable Events

There were no FFD events that met the NRC 24 hour telephonic reporting requirement.