

March 8, 2000

Mr. James Scarola, Vice President  
Shearon Harris Nuclear Power Plant  
Carolina Power & Light Company  
Post Office Box 165, Mail Code: Zone 1  
New Hill, North Carolina 27562-0165

SUBJECT: SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1 - CORRECTION TO  
AMENDMENT NO. 96 ISSUED ON FEBRUARY 24, 2000  
(TAC NO. MA6098)

Dear Mr. Scarola:

On February 24, 2000, the Nuclear Regulatory Commission issued Amendment No. 96 to Facility Operating License No. NPF-63 for the Shearon Harris Nuclear Power Plant (HNP), Unit No. 1, in response to your request dated July 9, 1999. This amendment revised the HNP Technical Specifications (TS) by relocating TS 3/4.3.3.3, "Seismic Instrumentation," TS 3/4.3.3.4, "Meteorological Instrumentation," TS 3/4.3.3.9, "Metal Impact Monitoring System," and TS 3/4.3.3.11, "Explosive Gas Monitoring Instrumentation," to plant procedure PLP-114, "Relocated Technical Specifications and Design Basis Requirements."

The date of the staff's Safety Evaluation was inadvertently omitted from paragraph 2 on the first page of the license amendment. A corrected license amendment page is enclosed.

We regret any inconvenience this may have caused. If you have any questions regarding this matter, please call me at (301) 415-1373.

Sincerely,

*/RA/*

Richard J. Laufer, Project Manager, Section 2  
Project Directorate II  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-400

Enclosure: As stated

cc w/encl: See next page

March 8, 2000

Mr. James Scarola, Vice President  
Shearon Harris Nuclear Power Plant  
Carolina Power & Light Company  
Post Office Box 165, Mail Code: Zone 1  
New Hill, North Carolina 27562-0165

SUBJECT: SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1 - CORRECTION TO  
AMENDMENT NO. 96 ISSUED ON FEBRUARY 24, 2000  
(TAC NO. MA6098)

Dear Mr. Scarola:

On February 24, 2000, the Nuclear Regulatory Commission issued Amendment No. 96 to Facility Operating License No. NPF-63 for the Shearon Harris Nuclear Power Plant (HNP), Unit No. 1, in response to your request dated July 9, 1999. This amendment revised the HNP Technical Specifications (TS) by relocating TS 3/4.3.3.3, "Seismic Instrumentation," TS 3/4.3.3.4, "Meteorological Instrumentation," TS 3/4.3.3.9, "Metal Impact Monitoring System," and TS 3/4.3.3.11, "Explosive Gas Monitoring Instrumentation," to plant procedure PLP-114, "Relocated Technical Specifications and Design Basis Requirements."

The date of the staff's Safety Evaluation was inadvertently omitted from paragraph 2 on the first page of the license amendment. A corrected license amendment page is enclosed.

We regret any inconvenience this may have caused. If you have any questions regarding this matter, please call me at (301) 415-1373.

Sincerely,

*/RA/*

Richard J. Laufer, Project Manager, Section 2  
Project Directorate II  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-400

Enclosure: As stated

cc w/encl: See next page

Distribution:

File Center PUBLIC PDII Reading OGC G. Hill (2) ACRS  
B. Bonser, RII H. Berkow

C:\AMD96MA6098corltr.wpd

OFFICE	PM:PDII/S2	LA:PDII/S2	SC:PDII/S2
NAME	RLaufer	EDunnington	RCorreia
DATE	3/3/00	3/2/00	3/6/00
COPY	Yes/No	Yes/No	Yes/No

OFFICIAL RECORD

CAROLINA POWER & LIGHT COMPANY, et al.  
DOCKET NO. 50-400  
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1  
AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 96  
License No. NPF-63

1. The Nuclear Regulatory Commission (the Commission) has found that:
  - A. The application for amendment by Carolina Power & Light Company, (the licensee), dated July 9, 1999, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
  - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
  - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
  - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
  - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is hereby amended to approve the relocation of certain Technical Specification requirements to licensee-controlled documents, as described in the licensee's application dated July 9, 1999, and reviewed in the staff's safety evaluation report dated February 24, 2000. This license is also hereby amended by page changes to the Technical Specifications as indicated in the attachment to this license amendment, and paragraph 2.C.(2) of Facility Operating License No. NPF-63 is hereby amended to read as follows:

Mr. James Scarola  
Carolina Power & Light Company

Shearon Harris Nuclear Power Plant  
Unit 1

cc:

Mr. William D. Johnson  
Vice President and Corporate Secretary  
Carolina Power & Light Company  
Post Office Box 1551  
Raleigh, North Carolina 27602

Mr. Chris L. Burton  
Director of Site Operations  
Carolina Power & Light Company  
Shearon Harris Nuclear Power Plant  
Post Office Box 165, MC: Zone 1  
New Hill, North Carolina 27562-0165

Resident Inspector/Harris NPS  
c/o U.S. Nuclear Regulatory Commission  
5421 Shearon Harris Road  
New Hill, North Carolina 27562-9998

Mr. Robert P. Gruber  
Executive Director  
Public Staff NCUC  
Post Office Box 29520  
Raleigh, North Carolina 27626

Ms. Karen E. Long  
Assistant Attorney General  
State of North Carolina  
Post Office Box 629  
Raleigh, North Carolina 27602

Chairman of the North Carolina  
Utilities Commission  
Post Office Box 29510  
Raleigh, North Carolina 27626-0510

Public Service Commission  
State of South Carolina  
Post Office Drawer  
Columbia, South Carolina 29211

Mr. Vernon Malone, Chairman  
Board of County Commissioners  
of Wake County  
P. O. Box 550  
Raleigh, North Carolina 27602

Mr. Mel Fry, Director  
Division of Radiation Protection  
N.C. Department of Environment  
and Natural Resources  
3825 Barrett Dr.  
Raleigh, North Carolina 27609-7721

Mr. Richard H. Givens, Chairman  
Board of County Commissioners  
of Chatham County  
P. O. Box 87  
Pittsboro, North Carolina 27312

Mr. Terry C. Morton  
Manager  
Performance Evaluation and  
Regulatory Affairs CPB 7  
Carolina Power & Light Company  
Post Office Box 1551  
Raleigh, North Carolina 27602-1551

Ms. Donna B. Alexander, Manager  
Regulatory Affairs  
Carolina Power & Light Company  
Shearon Harris Nuclear Power Plant  
P.O. Box 165, Mail Zone 1  
New Hill, NC 27562-0165

Mr. Robert J. Duncan II  
Plant General Manager  
Carolina Power & Light Company  
Shearon Harris Nuclear Power Plant  
P.O. Box 165, Mail Zone 3  
New Hill, North Carolina 27562-0165

Mr. Johnny H. Eads, Supervisor  
Licensing/Regulatory Programs  
Carolina Power & Light Company  
Shearon Harris Nuclear Power Plant  
P. O. Box 165, Mail Zone 1  
New Hill, NC 27562-0165

Mr. John H. O'Neill, Jr.  
Shaw, Pittman, Potts & Trowbridge  
2300 N Street, NW.  
Washington, DC 20037-1128