



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-8064

March 22, 2000

Shannon Claggett, Buyer/Planner
Advanced Input Devices
600 W. Wilbur Avenue
Coeur d'Alene, Idaho 83815

SUBJECT: NOTIFICATION REGARDING THE LOSS OF A GENERALLY LICENSED DEVICE

Dear Ms. Claggett:

This refers to your letter dated March 10, 2000, regarding the previously reported loss of a generally licensed Nuclecel In-Line Ionizer containing 370 megabecquerels (10 millicuries) of polonium-210. Your letter indicated that the device was found at your Coeur d'Alene, Idaho, facility and returned to the manufacturer for proper disposal. Thank you for notifying the NRC of the final disposition of the device and we require no further information regarding this incident.

Sincerely,

Mark R. Shaffer, Chief
Nuclear Materials Inspection Branch

Docket No. 999-90004
License No. General License

cc w/copy of licensee letter dated 03/10/00:
Idaho Radiation Control Program Director

E-mail report w/copy of licensee's ltr dtd 03/10/00 to Document Control Desk (DOCDESK):

bcc w/copy of licensee's ltr dtd 03/10/00 to DCD (IE07):

bcc w/copy of licensee's ltr dtd 03/10/00 distrib. by RIV:

EW Merschoff

DD Chamberlain

LL Howell

MR Shaffer

GF Sanborn

GM Vasquez

J Cruz

NMIB

MIS System

RIV Nuclear Materials File - 5th Floor

DOCUMENT NAME: s:\dnms\nmib\jc\aid-ack.wpd

To receive copy of document, indicate in box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

RIV:DNMS:NMIB	C:NMIB							
JCruz <i>JC</i>	MRShaffer <i>ms</i>							
03/21/00	03/22/00							

OFFICIAL RECORD COPY



ADVANCED INPUT DEVICES
Putting Control in Your Hands

Jeffrey Cruz
USNRC
Attention: Division of Nuclear Materials Safety
611 Ryan Plaza Drive
Suite 400
Arlington, TX 76011-8064

March 10, 2000

Dear Mr. Cruz:

Please reference our letter of January 10, 2000 regarding the loss of an NRD model # P-2021-8000 nuclear device. This device was serial numbered 066439. We have located the device at our facility, in its original packaging and condition. We have returned it to NRD, as of this date, for proper disposal.

Please feel free to contact myself at the number listed below, or Mr. Jody Plummer at 208-765-8000, ext. 1320 should you have any questions or require additional information.

Sincerely,

A handwritten signature in cursive script that reads "Shannon Claggett".

Shannon Claggett
Buyer/Planner

Cc: Jody Plummer