

United States Nuclear Regulatory Commission
Office of Public Affairs
Washington, DC 20555
Phone 301-415-8200 Fax 301-415-2234
Internet:opa@nrc.gov

No. 96-100

FOR IMMEDIATE RELEASE
(Thursday, July 11, 1996)

NOTE TO EDITORS:

The Nuclear Regulatory Commission has received the attached report from its Advisory Committee on Nuclear Waste. The report, in the form of a letter, provides comments on the health effects of low levels of ionizing radiation.

#

Attachment:
As stated

July 10, 1996

The Honorable Shirley Ann Jackson
Chairman
U.S. Nuclear Regulatory Commission
Washington DC 20555-0001

Dear Chairman Jackson:

SUBJECT: HEALTH EFFECTS OF LOW LEVELS OF IONIZING RADIATION

The health effects of ionizing radiation are central to many of the regulations that are promulgated by the Nuclear Regulatory Commission (NRC). The validity of the linear- no threshold (LNT) dose-response relationships in the area of low doses and low dose rates has been questioned. This letter supports the Commission's present course of action of a review and analysis by the National Council on Radiation Protection and Measurements (NCRP) leading to an evaluation of this important issue.

Our discussion and recommendations concerning this subject derive from the first meeting of the Joint Subcommittee of the Advisory Committee on Reactor Safeguards (ACRS) and the Advisory Committee on Nuclear Waste (ACNW) held on March 26, 1996. Presentations were made by members of the NRC staff, including the visiting medical fellow, and representatives from institutions and agencies such as the NCRP, the Health Physics Society, and the Massachusetts Emergency Management Agency. Written comments were also received from the public.

Most national and international scientific committees dealing with the subject take the view that the safest approach to regulation is one that relies on the LNT model of response to doses of ionizing radiation. This model holds that the ill health effects observed at high doses and high dose rates (mainly among atomic bomb survivors) can be extrapolated linearly to low doses and low dose rates, down to the smallest doses. The NRC staff prepares regulations on the basis of this model. One of the basic questions in this field is whether the LNT model is valid at the low doses and rates normally encountered in many of the regulatory domains. The increasing emphasis placed by the Commission on risk-informed regulation makes it imperative that the actual health risk of low levels of ionizing radiation be assessed accurately.

The NRC is currently funding a contract with the NCRP to make a critical evaluation of the LNT assumption. The ACNW has not reached conclusions on the validity of the LNT model, and will continue to study the matter. We see the NCRP study as an

opportunity to obtain an independent review of the data and their quality.

The presence of unavoidable background radiation and the need for very large samples have made it difficult in the past to obtain definitive data on the validity of the LNT model. As with all small-effects phenomena, the quality of the data and the statistical interpretation of the results govern the ability of any study to contribute to the testing of the model. However, investigators in the field have recently been able to account for the effect of such confounding factors such as variation in background radiation. Some studies in the United States, as well as in China, Sweden, Poland, and Canada, have arrived at conclusions that do not support the LNT model. Other research concludes that it is likely that at least a threshold or perhaps a corresponding zero equivalent point with beneficial risk decrements (hormesis) exists at lower doses.

A notable example of the latter is a ten-year study by Johns Hopkins University of U.S. nuclear shipyard workers which, we were told, showed lower mortality, no increase in malignancies among workers exposed to radiation when compared to those who were not exposed, and no "healthy worker effect." This study may be particularly significant since the investigators were looking for evidence to support the LNT model. Another study, of Canadian women patients in tuberculosis sanitariums who underwent repeated fluoroscopy to monitor response to therapy, is used frequently to show the validity of the LNT model, but examination of data at lower doses shows significant beneficial effects. The 1994 report of the United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR) contains an extensive appendix detailing cellular repair mechanisms (called "adaptive response mechanisms") that could contribute to an explanation of a threshold, or, if such cellular responses were stimulated by low doses of radiation, to an explanation of beneficial effects. In contrast, some of the public comments received by the Subcommittee suggested that the LNT model underestimates the harmful effects of low doses of radiation. Also NCRP Report No. 121, "Principles and Application of Collective Dose in Radiation Protection," issued November 1995 and discussed with the Joint Subcommittee at its March 26, 1996 meeting, finds that "from the point of view of the scientific bases of collective doses for radiation protection purposes, it is prudent to assume the effect per unit dose in the low-dose region following single acute exposures or low-dose fractions is a linear response."

In the face of conflicting views, the general belief of the national and international committees dealing with the matter has been that using the LNT model for regulatory purposes is a safe and conservative approach and, if there is error, it is on the side of enhanced protection. However, if there is a health benefit at low doses, this logic is incorrect. Even if there is no evident health benefit, there are significant societal costs

associated with this conservatism that could be avoided or reduced if a threshold level could be established below which no harm occurs. A basic principle of risk-informed regulation is to prevent a situation in which scarce resources are misspent to avoid negligible risks, while significant risks remain unattended for want of resources to deal with them. Owing to the potentially significant costs of the present conservatism, we conclude that a reexamination of the regulatory model is appropriate.

It is obvious that agreement on an appropriate dose-response model is made more difficult by the differing voices on this subject within the scientific community and those outside of this community, including regulators, policy makers, and members of the public. The first task required to reach such an agreement is an impartial review of the data and their quality in the face of the extensive application of the LNT model in regulations and scientific opinion.

We recommend that the need for special attention be conveyed to the NCRP regarding its study. Such attention should include: (1) assurance that the study includes scientists other than those who are "recognized experts" with a reputation built on the LNT model, (2) an evaluation of the data by an entity with expertise in statistics or information science, but no prior position on LNT - such as the National Institute of Standards and Technology (NIST) as well as the NCRP study committee, and (3) consideration of essentially all studies that could relate to the LNT.

The Committee strongly believes in the NCRP goal of critically evaluating data related to low dose health effects. We will follow the program through interaction with NRC's Office of Research and will report to the Commission on the study and its implications.

Sincerely,

/S/

Paul W. Pomeroy
Chairman, ACNW