

April 14, 2000

Mr. Robert G. Byram  
Senior Vice President-Generation  
and Chief Nuclear Officer  
PP&L, Inc.  
2 North Ninth Street  
Allentown, PA 18101

SUBJECT: NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENT TO FACILITY  
OPERATING LICENSE, PROPOSED NO SIGNIFICANT HAZARDS  
CONSIDERATION DETERMINATION, AND OPPORTUNITY FOR A HEARING -  
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2 (TAC NO. MA8622)

Dear Mr. Byram:

The Commission has requested the Office of Federal Register to publish the enclosed "Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing." This notice relates to your application for an exigent amendment dated April 10, 2000, which would revise Technical Specifications (TS) surveillance requirement 3.6.1.1.1 which specifies requirements for containment leakage rate testing. Specifically, the proposed amendment would permit deferral of testing of primary containment penetration flange o-rings on spectacle flanges 2S299A and 2S299B until the Unit 2 10th refueling outage, scheduled for spring 2001 or a prior Unit 2 outage requiring entry into Mode 4. This amendment request is a follow up to your request in a letter and telephone call on April 8, 2000, that the Commission grant enforcement discretion to permit continued plant operation until a TS change request could be processed. During the phone call, and in a subsequent letter dated April 10, 2000, the Commission noted its intention to exercise enforcement discretion for the period of time necessary to process a license amendment to change the TS requirement.

Sincerely,

*/RA/*

Robert G. Schaaf, Project Manager, Section 1  
Project Directorate I  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-388

Enclosure: Notice of Consideration

cc w/encl: See next page

Mr. Robert G. Byram  
Senior Vice President-Generation  
and Chief Nuclear Officer  
PP&L, Inc.  
2 North Ninth Street  
Allentown, PA 18101

April 14, 2000

SUBJECT: NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENT TO FACILITY OPERATING LICENSE, PROPOSED NO SIGNIFICANT HAZARDS CONSIDERATION DETERMINATION, AND OPPORTUNITY FOR A HEARING - SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2 (TAC NO. MA8622)

Dear Mr. Byram:

The Commission has requested the Office of Federal Register to publish the enclosed "Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing." This notice relates to your application for an exigent amendment dated April 10, 2000, which would revise Technical Specifications (TS) surveillance requirement 3.6.1.1.1 which specifies requirements for containment leakage rate testing. Specifically, the proposed amendment would permit deferral of testing of primary containment penetration flange o-rings on spectacle flanges 2S299A and 2S299B until the Unit 2 10th refueling outage, scheduled for spring 2001 or a prior Unit 2 outage requiring entry into Mode 4. This amendment request is a follow up to your request in a letter and telephone call on April 8, 2000, that the Commission grant enforcement discretion to permit continued plant operation until a TS change request could be processed. During the phone call, and in a subsequent letter dated April 10, 2000, the Commission noted its intention to exercise enforcement discretion for the period of time necessary to process a license amendment to change the TS requirement.

Sincerely,

*/RA/*

Robert G. Schaaf, Project Manager, Section 1  
Project Directorate I  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-388  
Enclosure: Notice of Consideration  
cc w/encl: See next page

DISTRIBUTION

PUBLIC  
PDI-1 R/F  
E. Adensam (e-mail)  
M. Gamberoni  
M. O'Brien

R. Schaaf  
OGC  
ACRS  
M. Opredek, RGN-I

ACCESSION NUMBERS: Pkg: ML003705152 Ltr: ML003705151 FRN: ML003703112

OFFICE	PDI-1/PM	PDI-2/LA	PDI-1/SC
NAME	R. Schaaf	SLittle for MO'Brien	EAdensam for MGamberoni
DATE	4/14/00	4/14/00	4/14/00

OFFICIAL RECORD COPY

Susquehanna Steam Electric Station,  
Units 1 &2

Bryan A. Snapp, Esq.  
Assoc. General Counsel  
PP&L, Inc.  
2 North Ninth Street, GENTW3  
Allentown, PA 18101-1179

Terry L. Harpster  
Manager - Nuclear Licensing  
PP&L, Inc.  
2 North Ninth Street, GENA61  
Allentown, PA 18101-1179

Senior Resident Inspector  
U.S. Nuclear Regulatory Commission  
P.O. Box 35, NUCSA4  
Berwick, PA 18603-0035

Director-Bureau of Radiation  
Protection  
Pennsylvania Department of  
Environmental Resources  
P.O. Box 8469  
Harrisburg, PA 17105-8469

Richard W. Osborne  
Allegheny Electric Cooperative, Inc.  
212 Locust Street  
P.O. Box 1266  
Harrisburg, PA 17108-1266

PP&L, Inc.  
Nuclear Records (w/enclosure)  
Attn: G. DallaPalu  
2 North Ninth Street, GENA62  
Allentown, PA 18101-1179

Regional Administrator, Region I  
U.S. Nuclear Regulatory Commission  
475 Allendale Road  
King of Prussia, PA 19406

Robert F. Saunders  
Vice President-Nuclear Site Operations  
Susquehanna Steam Electric Station  
PP&L, Inc.  
Box 467, NUCSA4  
Berwick, PA 18603-0035

Herbert D. Woodeshick  
Special Office of the President  
PP&L, Inc.  
Rural Route 1, Box 1797  
Berwick, PA 18603-0035

George T. Jones  
Vice President-Nuclear Engineering & Support  
PP&L, Inc.  
2 North Ninth Street, GENA61  
Allentown, PA 18101-1179

Dr. Judith Johnsrud  
National Energy Committee  
Sierra Club  
433 Orlando Avenue  
State College, PA 16803

Board of Supervisors  
Salem Township  
P.O. Box 405  
Berwick, PA 18603-0035