

April 27, 2000

Mr. Robert J. Barrett
Site Executive Officer
New York Power Authority
Indian Point 3 Nuclear Power Plant
Post Office Box 215
Buchanan, NY 10511

SUBJECT: CORRECTION TO INDIAN POINT UNIT 3 PLANT PERFORMANCE REVIEW
LETTER

Dear Mr. Barrett:

The purpose of this letter is to correct an error in our March 31, 1999, Plant Performance Review (PPR) letter for Indian Point 3. The characterization of two automatic trips in the last six months was incorrect. The first sentence of the fifth paragraph letter should be corrected to say the following:

The plant operated at essentially full power for the last six months of the assessment period except for the fall refueling outage, an automatic reactor shutdown (i.e. reactor trip) that occurred in August 1999, and an unscheduled maintenance shutdown in November 1999.

If you have any questions, please contact me at (610) 337-5234.

Sincerely,

/RA/

Peter W. Eselgroth, Chief
Projects Branch 2
Division of Reactor Projects

Docket No. 05000286
License No. DPR-64

cc w/encl:

C. D. Rappleyea, Chairman and Chief Executive Officer
E. Zeltmann, President and Chief Operating Officer
J. Knubel, Chief Nuclear Officer and Senior Vice President
F. Dacimo, Plant Manager
H. P. Salmon, Jr., Vice President of Engineering
W. Josiger, Vice President - Special Activities
J. Kelly, Director - Regulatory Affairs and Special Projects
T. Dougherty, Director - Nuclear Engineering
R. Patch, Director - Quality Assurance
G. C. Goldstein, Assistant General Counsel
C. D. Faison, Director, Nuclear Licensing, NYPA
K. Peters, Licensing Manager
A. Donahue, Mayor, Village of Buchanan
J. McCann, Department Manager of Nuclear Safety and Licensing
C. W. Jackson, Con Edison
C. Donaldson, Esquire, Assistant Attorney General, New York Department of Law
Chairman, Standing Committee on Energy, NYS Assembly
Chairman, Standing Committee on Environmental Conservation, NYS Assembly
T. Morra, Executive Chair, Four County Nuclear Safety Committee
Chairman, Committee on Corporations, Authorities, and Commissions
The Honorable Sandra Galef, NYS Assembly
P. D. Eddy, Electric Division, Department of Public Service, State of New York
G. T. Goering, Consultant, New York Power Authority
E. S. Beckjord, Consultant, New York Power Authority
F. William Valentino, President, New York State Energy Research
and Development Authority
J. Spath, Program Director, New York State Energy Research
and Development Authority
C. Terry, Niagara Mohawk Power Corporation
R. Toole
R. Schwarz
C. Hehl, Inc.
County Clerk, West Chester County Legislature
Rockland County Executive
Orange County Executive
T. Judson, Central NY Citizens Awareness Network
Putnam County Executive
M. Elie, Citizens Awareness Network
Westchester County Executive

Distribution w/encl: **(VIA E-MAIL)**

P. Eselgroth, DRP

S. Barber, DRP

L. Harrison, DRP

R. Junod, DRP

Region I Docket Room (with concurrences)

Nuclear Safety Information Center (NSIC)

PUBLIC

NRC Resident Inspector

W. Lanning, DRS

B. Holian, DRS

DRS Branch Chiefs

L. Scholl, DRS

J. McFadden, DRS

P. Frechette, DRS

D. Silk, DRS

M. Oprendeck, DRP

H. Miller, RA/J. Wiggins, DRA

J. Shea, RI EDO Coordinator

E. Adensam, NRR (RIDSNNRDIPMLPDI)

G. Wunder, NRR

J. Harold, NRR

Inspection Program Branch, NRR (IPAS)

J. Wilcox, NRR

D. Screnci, PAO

N. Sheehan, PAO

DOCUMENT NAME: C:\IP3_PPR_Erratta_Letter.wpd

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RI/DRP		RI/DRP			
NAME	SBarber/meo/SB		PEselgroth/PE			
DATE	4/27/00		4/27/00			

OFFICIAL RECORD COPY