

U. S. Nuclear Regulatory Commission  
Region II  
101 Marietta Street, N.W.  
Suite 2900  
Atlanta, GA 30323

No: II-96-95  
RELEASE

FOR IMMEDIATE

Contact: Ken Clark or Roger Hannah  
14, 1996)

(Thursday, November

Telephone: (404) 331-5503 or 331-7878

**NRC INSPECTION TEAM TO DISCUSS PRELIMINARY FINDINGS  
ON APPARENT RADIATION OVEREXPOSURE OF WORKER**

Meeting Friday at 3:00 P.M. At Bristol  
Is Open To Observation By Public and Press

The leader of a special Nuclear Regulatory Commission inspection team which has been looking into circumstances associated with an apparent radiation overexposure of an employee at a Bristol, Virginia company will discuss his group's preliminary findings with company officials Friday at 3:00 P.M.

Charles M. Hosey, a Branch Chief in the NRC's Atlanta regional office, will hold the meeting at the Bristol Quality Inn, located off Interstate 81 at Exit 74A near U.S. 1 and U.S. 11W. It will be open to observation by interested members of the public and the press. NRC officials will be available at the meeting's conclusion to answer questions from interested observers.

A special NRC Augmented Inspection Team (AIT) arrived in Bristol on November 13 after Professional Service Industries, Inc., notified the agency on November 6 that a technician who used a radioactive device to measure the density of soil at a number of temporary job sites over the past several months had reported a concern that reddening and blisters on the hand may have resulted from radiation exposure.

NRC inspectors have been interviewing company management and the employee and have participated in conducting a reenactment of how the device was used.

#