

50-324/325

NRCS BNP SELECT DOCUMENT TRANSMITTAL

TO: RECIPIENT ID 083 NRC DOCUMENT ROOM  
MAIL LOCATION: O/S WASHINGTON, DC  
FROM: BNP NUC DOC CNTRL-Z 1

DATE: 05/31/00  
TRANSMITTAL: 000531112533

QTY	MED	DOC KIND	DOCUMENT	AC/TC/ FORM-T/O	REV	EFFECTIVE	STATUS
01	T	POM	OPEP -04.6		021	05/31/00	APPROVED

COMMENTS:

A045



PLANT OPERATING MANUAL

VOLUME XIII

PLANT EMERGENCY PROCEDURE

UNIT  
0

DO NOT  
DISTRIBUTION



**OPEP-04.6**

***RADIOLOGICAL EMERGENCY KIT INVENTORIES***

REVISION 21

RECEIVED BY BNP

MAY 31 2000

NUCLEAR DOCUMENT CONTROL

## TABLE OF CONTENTS

SECTION	PAGE
1.0 PURPOSE .....	3
2.0 REFERENCES .....	3
3.0 DEFINITIONS .....	3
4.0 RESPONSIBILITIES.....	4
4.1 Manager - E&RC .....	4
4.2 Supervisor - Emergency Preparedness .....	4
4.3 Superintendent - Operations Support.....	5
5.0 PROCEDURE.....	5
 <b>ATTACHMENTS</b>	
1 Control Room Emergency Kit.....	7
2 Operational Support Center Emergency Kit .....	12
3 Technical Support Center Emergency Kit .....	16
4 Emergency Operations Facility Emergency Kit .....	21
5 PASS Sampling Emergency Kit .....	29
6 Environmental Monitoring Emergency Kit No. 1 .....	30
7 Environmental Monitoring Emergency Kit No. 2 .....	34
8 Doshier Hospital Emergency Kit.....	38
9 Vehicle Decon Kit.....	42
10 Notification to Reorder Potassium Iodide .....	45
11 Checklist for Respiratory Protection Equipment .....	46
12 Emergency Kit Replacements .....	49

## 1.0 PURPOSE

The Radiation Control group is responsible for ensuring that the emergency kits are maintained properly to provide necessary supplies and equipment during an emergency. This procedure provides the mechanism for validating the emergency kit inventories.

## 2.0 REFERENCES

- 2.1 0E&RC-0110, Personnel Monitoring and Decontamination
- 2.2 0E&RC-0220, Respiratory Protection Program
- 2.3 0PEP-03.7.6, Emergency Exposure Controls
- 2.4 0PEP-03.7.7, Onsite Radiological Controls
- 2.5 0PEP-03.9.2, First Aid and Medical Care
- 2.6 0PEP-03.9.3, Transport of Contaminated Injured Personnel
- 2.7 DOS-NGGC-0002, Dosimetry Issuance
- 2.8 DOS-NGGC-0009, Thermoluminescent Dosimeter (TLD) Badge Exchange
- 2.9 0FPP-039, SCBA Use and Maintenance

## 3.0 DEFINITIONS

### 3.1 Monthly

At least once per 31 days.

### 3.2 Quarterly

At least once per 92 days.

### 3.3 TSC

Technical Support Center

### 3.4 OSC

Operational Support Center

## 4.0 RESPONSIBILITIES

### 4.1 Manager - E&RC

- 4.1.1 The Manager of Environmental & Radiation Control is responsible for inventorying the emergency kits maintained at the following locations:

<u>KIT</u>	<u>LOCATION</u>
Control Room Emergency Kit	Control Room
Operational Support Center Emergency Kit	O&M Bldg.
Technical Support Center Emergency Kit	Training Building
Emergency Operations Facility Emergency Kit	Training Building
PASS Sampling Emergency Kit	Unit 2 Turbine Bay
Environmental Monitoring Emergency Kit No. 1	EOF Rm 165
Environmental Monitoring Emergency Kit No. 2	EOF Rm 165
Dosher Hospital Emergency Kit	Dosher Hospital
Vehicle Decon Kit	LLRW Building

- 4.1.2 Each of these kits will be inventoried on a quarterly basis and following any emergency or drill in which the kit is utilized. The monitoring instruments, and dosimetry devices contained in the kits will be checked on a quarterly basis. The emergency breathing equipment (particulate respirators) contained in the kits will be checked on a monthly basis. Completion of this procedure's attachments provides the documentation of these inventories and checks.

### 4.2 Supervisor - Emergency Preparedness

The Supervisor - Emergency Preparedness should monitor this activity and shall ensure that it is performed at the prescribed frequency.

### 4.3 Superintendent - Operations Support

The Superintendent - Operations Support is responsible for inventory and maintaining SCBAs contained in the kits. The emergency breathing equipment (SCBAs) contained in the following kits will be checked on a monthly basis in accordance with 0FPP-039.

<u>EMERGENCY KIT</u>	<u>KIT LOCATION</u>	<u>MINIMUM # SCBA UNITS</u>
Control Room Kit	Control Room (2 in CAS)	15
TSC Kit	TSC/EOF Bldg Rm 141	10
EOF Kit	TSC/EOF Bldg Rm 135	15
OSC Kit	O&M Bldg 1 <sup>st</sup> Floor	24
PASS Sampling Kit	Unit 2 Turbine Bldg Laydown	8

### 5.0 PROCEDURE

- 5.1 Record all inventory and equipment check results on Attachments 1 through 9 as required.
- 5.2 Complete Attachment 10 to reorder Potassium Iodide if the expiration date is less than eight months in the future.
- 5.3 Use Attachment 11 for monthly Respiratory Protection Equipment inspections. Attachments 1 through 9 are not to be used for inspections of breathing equipment.
- 5.4 Complete Attachment 12, Emergency Kit Replacements, to document equipment and supplies replaced in the Emergency Kits between required inspections.
- 5.5 Submit completed attachments to the Responsible Supervisor for review.
- 5.6 Notify the Supervisor - Emergency Preparedness immediately of any deficiencies found that are not easily corrected.
- 5.7 After review, transfer the original completed attachments to be filed in accordance with applicable records management instructions.

## 5.0 PROCEDURE

- 5.8 Notify the Supervisor - Emergency Preparedness when inventories have been completed.
- 5.9 Each time an inventory or equipment check is made, place a copy of each completed attachment with the respective emergency kit. (Old copies from previous inventories should be discarded.)
- 5.10 Upon completion of the monthly checks of the Emergency Breathing Equipment and quarterly inventories and checks, submit data necessary for updating the current computer schedule.

ATTACHMENT 1  
Page 1 of 5  
**Control Room Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
N/A	Container Seals	Are all seals present on containers? Yes ___ No ___ *	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Air Sampler with combination filter holder	# _____ Does it run? Yes ___ No ___ Calib. Due Date _____	
10	0-500 mR dosimeters (for special use)	Calib. Due Date _____ **	
8	Dosimetry packages containing: 1 0-5 R self-reading dosimeter 1 0-200 R self-reading dosimeter	Calib. Due Date _____ ** Calib. Due Date _____ **	
10	TLDs (for special use)	Inventory and/or change out all TLDs in accordance with DOS-NGGC-0009, Thermoluminescent Dosimeter (TLD) Badge Exchange.	
1	Copy of DOS-NGGC-0002, Dosimetry Issuance	Current revision no.: _____	

\*Inventory of containers must be checked.

\*\*All dosimeters of the same range should be due for recalibration in the same month.

ATTACHMENT 1  
Page 2 of 5  
**Control Room Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Case of potassium iodide (KI) tablets	Expiration date _____. (If expiration date is less than 8 months in the future, reorder KI tablets using Attachment 10.)	
10	Copies of OPEP-03.7.6, Emergency Exposure Controls, Attachments 3 and 4	Current Revision No. _____.	
1	Copy of OPEP-03.7.7, Onsite Radiological Controls.	Current Revision No. _____.	
10	Size X-large protective clothing packages--each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		
15	Size large protective clothing packages--each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		
5	Size medium protective clothing packages--each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		
5	Size X-large disposable clothing packages--each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		

ATTACHMENT 1  
Page 3 of 5  
**Control Room Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
15	Size large disposable clothing packages--each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		
2	Rolls of duct tape		
*15	Scott air packs		
7	Full-face particulate respirators		
1	Dosimeter charger with batteries		
2	Boxes of charcoal cartridges		
5	Silver zeolite cartridges		
200	Planchets, 2"		
1	Smear holder slide tray		
500	Paper or cloth smears		
500	Coin envelopes		
2	Boxes of 47 mm particulate filters (sealed)		
10	Flashlights		
24	D-cell batteries		
12	9-volt transistor batteries		
12	C-cell batteries		
1	Check source (approximately 8 $\mu$ Ci Cs-137)	# _____	
1	Roll of radiation rope		

\*Two of the fifteen Scott air packs are stored in the Central Alarm Station (CAS).

ATTACHMENT 1  
Page 4 of 5  
**Control Room Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
2	Rolls of radiation tape		
10	Insert style caution signs		
10	Inserts, "Radiation Area"		
10	Inserts, "High Radiation Area"		
10	Inserts, "Airborne Radioactivity"		
10	Inserts, "Contaminated Area"		
10	Adhesive labels, "Caution - Radioactive Materials"		
10	Adhesive labels, "Contaminated Waste"		
10	Step-off pads		
1	Roll of poly bags, small		
10	Poly bags, large		
5	Paper pads		
7	Pencils		
> 25	Ample supply of air survey forms		
> 25	Ample supply of radiological survey forms		
3	Clipboards		
1	Box of Ink pens		
N/A	All instruments were left in the Off Position		

ATTACHMENT 1

Page 5 of 5  
Control Room Emergency Kit

MONTH/YEAR \_\_\_\_\_

**NOTE:** If deemed necessary to install a seal on the Control Room emergency kit cabinet, install a breakaway seal to ensure quick and easy access in the event of an emergency.

Initials

Seal all containers. \_\_\_\_\_

Submit data to update computer schedule. \_\_\_\_\_

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Supervisor or Designee

ATTACHMENT 2  
Page 1 of 4  
**Operational Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

**NOTE:** The radiation control equipment routinely stored in the Service Building is available for use in the Operational Support Center.

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
N/A	Container seals	Are all seals present on containers? Yes ___ No ___ *	
1	Air Sampler with combination filter holder	# _____ Does it run? Yes ___ No ___ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	

\* Inventory of containers must be checked.

ATTACHMENT 2  
Page 2 of 4  
**Operational Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Teletector or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Teletector or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Teletector or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-7 or Equivalent with low and mid-range detectors	# _____ Response Check Reading _____ Calib. Due Date _____	
50	Protective clothing packages -- each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		

ATTACHMENT 2  
Page 3 of 4  
**Operational Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
24	Scott Air Packs		
20	Full-face particulate respirators		
> 25	Ample supply of air survey forms		
3	Rolls of duct tape		
2	Boxes of 47 mm particulate filters (sealed)		
1	Box of charcoal filters		
1	Case of potassium iodide (KI) tablets	Expiration Date _____ (If the expiration date is less than 8 months in the future, reorder KI tablets using Attachment 10.)	
1000	Paper or cloth smears		
1000	Coin envelopes		
36	C-cell batteries		
12	9-volt transistor batteries		
2	30-volt batteries		
1	Check source (approximately 8 $\mu$ Ci Cs-137)	# _____	
N/A	All instruments were left in the off position		

ATTACHMENT 2  
Page 4 of 4  
**Operational Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Initials

Seal all containers. \_\_\_\_\_

Submit data to update computer schedule. \_\_\_\_\_

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_

E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_

E&RC Supervisor or Designee

ATTACHMENT 3  
Page 1 of 5  
**Technical Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
N/A	Container Seals	Are all seals present on containers? Yes___ No ___*	
1	RM-14 with pancake type G-M probe	#_____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	#_____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	#_____ Response Check Reading _____ Calib. Due Date _____	
1	Bicron Micro R or Equivalent	#_____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	#_____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	#_____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	#_____ Response Check Reading _____ Calib. Due Date _____	

\*Inventory of containers must be checked.

ATTACHMENT 3  
Page 2 of 5  
**Technical Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	R0-7 or Equivalent with low and mid-range detectors	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Air Sampler with combination filter holder	# _____ Calib. Due Date _____ Does it run? Yes ___ No ___	
1	Continuous Air Monitor	# _____ Calib. Due Date _____ Does it run? Yes ___ No ___	
50	Check 0-500 mR self-reading dosimeters.	Calib. Due Date _____**	
10	Check 0-200 R self-reading dosimeters.	Calib. Due Date _____**	
50	TLDs	Inventory and/or change out all TLDs in accordance with DOS-NGGC-0009, Thermoluminescent Dosimeter (TLD) Badge Exchange.	
1	Copy of DOS-NGGC-0002, Dosimetry Issuance,	Current revision no.: _____.	
10	Copies of OPEP-03.7.6, Emergency Exposure Controls, Attachments 3 and 4.	Current Revision No. _____	
1	Check source (approximately 8 $\mu$ Ci Cs-137)	# _____	

\*\*All dosimeters of the same range should be due for recalibration in the same month.

ATTACHMENT 3  
Page 3 of 5  
**Technical Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
4	Cases of potassium iodide (KI) tablets.	Expiration date _____. (If expiration date is less than 8 months in the future, reorder KI tablets using Attachment 10.)	
1	Copy of OPEP-03.7.7, Onsite Radiological Controls.	Current Revision No. ____	
10	Protective clothing packages – each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		
3	Rolls of duct tape		
10	Full-face particulate respirators		
10	Scott air packs		
> 25	Ample supply of air survey forms		
> 25	Ample supply of radiological survey forms		
1000	Paper or cloth smears		
1000	Coin envelopes		
1	Dosimeter charger with batteries		
10	Inserts, "High Radiation Area"		
10	Inserts, "Airborne Radioactivity Area"		
10	Inserts, "Contaminated Area"		
10	Adhesive labels, "Radioactive Material"		

ATTACHMENT 3  
Page 4 of 5  
**Technical Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
10	Inserts, "Radiation Area"		
10	Step-off pads		
10	Insert style caution signs		
2	Boxes of surgeon's gloves		
1	Roll of radiation rope		
5	Rolls of radiation tape		
1	Roll of sheet polyethylene		
1	Roll of poly bags, small		
1	Roll of poly bags, large		
2	Grease pencils		
1	Package of Decon cloths		
5	Pair of rubber gloves		
5	Pair of glove liners		
10	Pair of disposable coveralls (size X-large)		
10	Pair of plastic shoe covers		
2	Bottles of liquid soap		
2	Soft-bristle brushes		
2	Bottles of hand lotion with Lanolin		
12	D-cell batteries		
36	9-volt transistor batteries		
24	C-cell batteries		
2	30-volt batteries		

ATTACHMENT 3  
Page 5 of 5  
**Technical Support Center Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Package of cotton swabs		
2	Boxes of tissues		
10	Bath towels		
2	Packages of disposable shoe covers		
2	Boxes of Charcoal filters		
2	Boxes of 47 mm Particulate filters (sealed)		
N/A	All instruments were left in the Off Position.		

Initials

Seal all containers.

\_\_\_\_\_

Submit data to update computer schedule.

\_\_\_\_\_

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Supervisor or Designee

ATTACHMENT 4  
Page 1 of 8  
**Emergency Operations Facility Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
N/A	Container Seals	Are all seals present on containers? Yes ___ No ___ *	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Bicron Micro R or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Bicron Micro R or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Bicron Micro R or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	

\*Inventory of containers must be checked.

ATTACHMENT 4  
Page 2 of 8  
Emergency Operations Facility Emergency Kit

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Teletector or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Teletector or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Air Sampler with combination filter holder	# _____ Does it run? Yes ___ No ___ Calib. Due Date _____	
1	Air Sampler with combination filter holder	# _____ Does it run? Yes ___ No ___ Calib. Due Date _____	

ATTACHMENT 4  
Page 3 of 8  
**Emergency Operations Facility Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Air Sampler with combination filter holder	# _____ Does it run? Yes ___ No ___ Calib. Due Date _____	
80	Check 0-500 mR self-reading dosimeters.	Calib. Due Date _____**	
40	Check 0-5 R self-reading dosimeters.	Calib. Due Date _____**	
40	Check 0-200 R self-reading dosimeters.	Calib. Due Date _____**	
80	TLDs	Inventory and/or change out all TLDs in accordance with DOS-NGGC-0009, Thermoluminescent Dosimeter (TLD) Badge Exchange.	
1	Copy of DOS-NGGC-0002, Dosimetry Issuance	Current Revision No.: _____	
1	Continuous Air Monitor with combination holder	# _____ Calib. Due Date _____ Does it run? Yes ___ No ___	
10	Copies of OPEP-03.7.6, Emergency Exposure Controls, Attachments 3 and 4.	Current Revision No. _____	
1	Copy of E&RC-0110, Personnel Monitoring and Decontamination	Current Revision No. _____.	
1	Copy of OPEP-03.7.7, Onsite Radiological Controls	Current Revision No. _____.	

\*\*All dosimeters of the same range should be due for recalibration in the same month.

ATTACHMENT 4  
Page 4 of 8  
**Emergency Operations Facility Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
25	Protective clothing packages--each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		
12	Rolls of duct tape		
16	Full-face particulate respirators		
> 25	Ample supply of air survey forms		
> 25	Ample supply of radiological survey forms		
1	Case of potassium iodide (KI) tablets	Expiration Date _____ (If the expiration date is less than 8 months in the future, reorder KI tablets using Attachment 10.)	
3000	Paper or cloth smears		
3000	Coin envelopes		
2	Dosimeter charger with batteries		
1	Check source (approximately 8 $\mu$ Ci Cs-137)	# _____	
15	Scott air packs		
2	Boxes of particulate cartridges (respirator)		
10	Magic markers		
4	Rain suits		
20	Pads of paper		

ATTACHMENT 4  
Page 5 of 8  
**Emergency Operations Facility Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
36	9-volt transistor batteries		
10	Poly zip-lock bags		
2	Forceps		
2	Boxes of Charcoal cartridges (Air Sampler)		
6	Boxes of surgeon's gloves		
6	Flashlights with batteries		
10	Silver zeolite cartridges		
2	Boxes of 47 mm glass fiber filters		
1	Roll of radiation rope		
1	Roll of sheet polyethylene		
1	Roll of poly bags, small		
1	Tool kit containing: a Phillips head screwdriver, a flat head screwdriver, and a 6" crescent wrench		
1	Roll of poly bags, large		
2	Boxes of Pens		
2	Rulers		
2	Extension cords, 50'		
1	Folding table		
1	Logbook		
1	Vacuum cleaner with absolute filter		
200	Planchets, 2"		

ATTACHMENT 4  
Page 6 of 8  
**Emergency Operations Facility Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Smear holder slide tray		
10	Insert style caution signs		
10	Inserts, "Radiation Area"		
10	Inserts, "High Radiation Area"		
10	Inserts, "Airborne Radioactivity Area"		
10	Inserts, "Contaminated Area"		
10	Adhesive labels, "Caution Radiation Material"		
10	Step-off pads		
2	Grease pencils		
5	Clipboards		
2	Packs of Broom cloths		
36	C-cell batteries		
24	D-cell batteries		
1	55-gallon drum		
10	Pairs of rubber gloves		
10	Pairs of work gloves		
10	Pairs of glove liners		
5	Pairs of coveralls		
10	Pairs of plastic shoe covers		
1	Decon broom		
1	Box of laundry detergent		

ATTACHMENT 4  
Page 7 of 8  
**Emergency Operations Facility Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
2	Packages of potassium permanganate (KMnO <sub>4</sub> )		
2	Gallon bottles of demineralized water		
2	Bottles of liquid soap		
3	Fisher Eradastain (or equivalent)		
2	Bars of hand soap		
2	Soft-bristle brushes		
2	Bottles of hand lotion with lanolin		
2	Packages of cotton swabs		
4	Boxes of tissue		
10	Cotton bath towels		
12	Disposable coveralls (X-large)		
4	Packages of disposable shoe covers		
1	50' water hose		
1	Hose adapter for connecting to rest room sink faucet		
N/A	All instruments were left in the Off Position.		

ATTACHMENT 4  
Page 8 of 8  
**Emergency Operations Facility Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Initials

Seal all containers. \_\_\_\_\_

Submit data to update computer schedule. \_\_\_\_\_

Comments: \_\_\_\_\_  
\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Supervisor or Designee

ATTACHMENT 5  
Page 1 of 1  
**Pass Sampling Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
7	Check 0-200 R self-reading dosimeters.	Calib. Due Date _____**	
7	Multi-badge protective clothing packages--each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		
2	Rolls of duct tape		
8	Scott air packs		
8	Extra air cylinders		

\*\*All dosimeters of the same range should be due for recalibration in the same month.

Initials

Seal all containers. \_\_\_\_\_

Submit data to update computer schedule. \_\_\_\_\_

Comments: \_\_\_\_\_

\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_

E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_

E&RC Supervisor or Designee

ATTACHMENT 6  
Page 1 of 4  
**Environmental Monitoring Emergency Kit No. 1**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
N/A	Container Seals	Is seal present on door? Yes ___ No ___ *	
1	Air Sampler with combination filter holder	# _____ Does it run? Yes ___ No ___ Calib. Due Date _____	
1	Portable generator	Does it run? Yes ___ No ___ Is fuel available? Yes ___ No ___ Oil level - SAT ___ UNSAT ___	
2	Check 0-500 mR self-reading dosimeters.	Calib. Due Date _____ **	
10	Check 0-5 R self-reading dosimeters.	Calib. Due Date _____ **	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Bicron Micro R Meter	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Teletector or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	

\*Inventory of kit must be checked.

\*\*All dosimeters of the same range should be due for recalibration in the same month.

ATTACHMENT 6  
Page 2 of 4  
**Environmental Monitoring Emergency Kit No. 1**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
27	TLDs (2 for team members) (25 for environmental monitoring)	Inventory and/or change out all TLDs in accordance with DOS-NGGC-0009, Thermoluminescent Dosimeter (TLD) Badge Exchange.	
2	Bottles of potassium iodide (KI) tablets.	Expiration Date _____. (If the expiration date is less than 8 months in the future, reorder KI using Attachment 10.)	
2	Copies of OPEP-03.7.6, Emergency Exposure Controls, Attachments 3 and 4.	Current Revision No. _____.	
1	Check source (approximately 8 $\mu$ Ci Cs-137)	# _____	
20	Plastic petri dishes with covers		
20	Poly ziplock bags, small		
1	Box of surgeon's gloves		
1	Siren key		
10	Silver zeolite cartridges		
2	Magic markers		
1	Box of pens		
1	Box of 47 mm air sample filters		
5	Air sample charcoal cartridges		
1	Dosimeter charger with batteries		

ATTACHMENT 6  
Page 3 of 4  
**Environmental Monitoring Emergency Kit No. 1**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Flashlight		
12	D-cell batteries		
12	9-volt transistor batteries		
12	C-cell batteries		
2	Rolls of duct tape		
2	Respirators (particulate full-face)		
2	Protective clothing packages		
1	Log book		
10	One-gallon collapsible sample bottles		
10	Shipping boxes for gallon sample bottles		
1	Funnel		
1	Hand shovel or trowel		
1	Large Tri-pour beaker (800 ml)		
1	Clipboard		
2	Pads paper		
50	Poly zip-lock bags, medium		
1	Portable 2 channel radio w/charger		
1	Pair of tweezers		
1	Map of local area		
1	Book - Brunswick County Maps		

ATTACHMENT 6  
Page 4 of 4  
Environmental Monitoring Emergency Kit No. 1

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
6	Bottles of drinking water		
N/A	All instruments were left in the Off Position.		

Initials

Seal kit. \_\_\_\_\_

Submit data to update computer schedule. \_\_\_\_\_

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Supervisor or Designee

ATTACHMENT 7  
Page 1 of 4  
**Environmental Monitoring Emergency Kit No. 2**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
N/A	Container Seals	Is seal present on door? Yes ___ No ___ *	
1	Air Sampler with combination filter holder	# _____ Does it run? Yes ___ No ___ Calib. Due Date _____	
1	Portable generator	Does it run? Yes ___ No ___ Is fuel available? Yes ___ No ___ Oil level - SAT ___ UNSAT ___	
2	Check 0-500 mR self-reading dosimeters.	Calib. Due Date _____ **	
10	Check 0-5 R self-reading dosimeters.	Calib. Due Date _____ **	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Bicron Micro R Meter	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Teletector or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	

\*Inventory of kit must be checked.

\*\*All dosimeters of the same range should be due for recalibration in the same month.

ATTACHMENT 7  
Page 2 of 4  
**Environmental Monitoring Emergency Kit No. 2**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
27	TLDs (2 for team members) (25 for environmental monitoring)	Inventory and/or change out all TLDs in accordance with DOS-NGGC-0009, Thermoluminescent Dosimeter (TLD) Badge Exchange.	
2	Bottles of potassium iodide (KI) tablets.	Expiration Date _____. (If the expiration date is less than 8 months in the future, reorder KI using Attachment 10.)	
2	Copies of OPEP-03.7.6, Emergency Exposure Controls, Attachments 3 and 4.	Current Revision No. _____.	
1	Check source (approximately 8 $\mu$ Ci Cs-137)	# _____	
20	Plastic petri dishes with covers		
20	Poly ziplock bags, small		
1	Box of surgeon's gloves		
1	Siren key		
10	Silver zeolite cartridges		
2	Magic markers		
1	Box of pens		
1	Box of 47 mm air sample filters		
5	Air sample charcoal cartridges		
1	Dosimeter charger with batteries		

ATTACHMENT 7  
Page 3 of 4  
**Environmental Monitoring Emergency Kit No. 2**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Flashlight		
12	D-cell batteries		
12	9-volt transistor batteries		
12	C-cell batteries		
2	Rolls of duct tape		
2	Respirators (particulate full-face)		
2	Protective clothing packages		
1	Log book		
10	One-gallon collapsible sample bottles		
10	Shipping boxes for gallon sample bottles		
1	Funnel		
1	Hand shovel or trowel		
1	Large Tri-pour beaker (800 ml)		
1	Clipboard		
2	Pads paper		
50	Poly zip-lock bags, medium		
1	Portable 2 channel radio w/charger		
1	Pair of tweezers		
1	Map of local area		
1	Book - Brunswick County Maps		

ATTACHMENT 7  
Page 4 of 4  
**Environmental Monitoring Emergency Kit No. 2**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
6	Bottles of drinking water		
N/A	All instruments were left in the Off Position.		

Initials

Seal kit. \_\_\_\_\_

Submit data to update computer schedule. \_\_\_\_\_

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Supervisor or Designee

ATTACHMENT 8  
Page 1 of 4  
**Dosher Hospital Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
N/A	Container Seals	Are all seals present on containers? Yes ___ No ___ *	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2 or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Air Sampler with combination filter holder	# _____ Does it run? Yes ___ No ___ Calib. Due Date _____	
20	Check 0-500 mR dosimeters	Calib. Due Date _____ **	
5	Check Five (5) 0-5 R Dosimeters.	Calib. Due Date _____ **	
20	TLDs	Inventory and/or change out all TLDs in accordance with DOS-NGGC-0009.	

\*Inventory of containers must be checked.

\*\*All dosimeters of the same range should be due for recalibration in the same month.

ATTACHMENT 8  
Page 2 of 4  
Doshier Hospital Emergency Kit

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Copy of DOS-NGGC-0002	Current Revision No. _____.	
1	Copy of OPEP-03.9.2, First Aid and Medical Care	Current Revision No. _____.	
1	Copy of OE&RC-0110, Personnel Monitoring and Decontamination	Current Revision No. _____.	
1	Copy of OPEP-03.9.3, Transport of Contaminated Injured Personnel.	Current Revision No. _____.	
10	Disposable clothing packages--each containing coveralls, shoe covers, gloves, waterproof shoe covers, and head cover		
1	Utility knife		
5	Rolls of duct tape		
1	HEPA filtration unit $\geq$ 250 scfm		
1	Dosimeter charger with batteries		
1	Check source (approximately 8 $\mu$ Ci Cs-137)	# _____	
1	Storage receptacle		
1	Decon broom		
1	Smear holder slide tray		
1	Roll of sheet polyethylene		
1	Roll of yellow poly bags		
2	Five-gallon poly buckets		
1	Pair of tweezers		
2	Magic markers		

ATTACHMENT 8  
Page 3 of 4  
**Dosher Hospital Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Box of Pens		
1	Clipboard		
> 25	Ample supply of radiological survey forms		
> 25	Ample supply of air survey forms		
500	Paper or cloth smears		
500	Coin envelopes		
50	Planchets, 2"		
2	Boxes of surgeon's gloves		
10	Step-off pads		
4	Packages of Broom cloths		
1	Box of tissues		
1	Pair of scissors		
2	Rolls of radiation tape		
1	Roll of radiation rope		
10	Insert style caution signs		
10	Inserts, "Keep Out"		
10	Inserts, "Radiation Area"		
10	Inserts, "High Radiation Area"		
10	Inserts, "Radioactive Material Area"		
50	Adhesive labels, "Caution Radioactive Material"		
5	Large yellow poly bags		

ATTACHMENT 8  
Page 4 of 4  
**Dosher Hospital Emergency Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
12	9-volt transistor batteries		
12	D-cell batteries		
12	C-cell batteries		
8	Stanchions		
10	Charcoal filter cartridges		
2	Boxes of 47 mm Particulate Filters (sealed)		
N/A	All instruments were left in the Off Position		

Initials

Seal all containers. \_\_\_\_\_

Submit data to update computer schedule. \_\_\_\_\_

Comments: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Supervisor or Designee

ATTACHMENT 9  
Page 1 of 3  
**Vehicle Decon Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
N/A	Container Seals	Are all seals present on containers? Yes ___ No ___ *	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RM-14 with pancake type G-M probe	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Bicron Micro R or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	RO-2A or Equivalent	# _____ Response Check Reading _____ Calib. Due Date _____	
1	Check source (approximately 8 $\mu$ Ci Cs-137)	# _____	
1	Copy of OPEP-03.7.7, Onsite Radiological Controls	Current Revision No. _____	
300	Feet water hose		
2	Water hose nozzle		
1	Duster cloth decon towels		
1	Case soap, liquid		
4	5 gallon plastic buckets		
6	Scrub brush		
1	Case maslin cloth		

\*Inventory of containers must be checked.

ATTACHMENT 9  
Page 2 of 3  
**Vehicle Decon Kit**

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Roll radiation rope		
25	Plastic step-off pad		
20	Insert style caution signs (3 pocket)		
20	"Contaminated Area" inserts		
20	"Radioactive Material" inserts		
15	"Enter @ SOP" inserts		
12	Stanchions		
1	Roll green Herculite (or equivalent)		
1	Roll yellow Herculite (or equivalent)		
10	PC sets (coveralls, plastic booties, rubber boots, cotton liners, rubber gloves, head cover (hood), rainsuit, face shield, tape		
2	RM-14 smear counter holder		
2	Spare HP 210 probes		
2000	Paper or cloth smears		
2000	Coin envelopes		
150	Feet 110 V elec. extension cord		
> 25	Ample supply of Radiological Survey Forms		
20	Mop heads		
2	Mop handles		

ATTACHMENT 9  
Page 3 of 3  
Vehicle Decon Kit

MONTH/YEAR \_\_\_\_\_

Minimum Quantity	Equipment/Supplies	Remarks	Verified (Initial)
1	Mop bucket w/wringer		
1	110 V elec. water pump w/10' suction and 20' discharge hoses		
5	55 gallon drums w/lids, rings, bolts (or equivalent)		
1	15/16" socket wrench		
20	Large plastic bags - yellow		
10	Black ink pens		
5	Black marker pens		
12	9-volt transistor batteries		
12	D-cell batteries		
12	C-cell batteries		
2	Flashlight w/spare batteries		
N/A	All instruments were left in the Off Position.		

Initials

Seal all containers. \_\_\_\_\_

Submit data to update computer schedule. \_\_\_\_\_

COMMENTS \_\_\_\_\_

\_\_\_\_\_

Inventory Performed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Technician

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
E&RC Supervisor or Designee

ATTACHMENT 10  
Page 1 of 1  
**Notification to Reorder Potassium Iodide**

Brunswick Nuclear Plant

Date: \_\_\_\_\_

MEMORANDUM TO: Supervisor - Emergency Preparedness  
FROM: E&RC Supervisor  
SUBJECT: Expiration of Potassium Iodide (KI)

This letter is notifying you that the Potassium Iodide in Emergency Kit(s) is going to expire as follows:

KIT	DATE	QUANTITY
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

This is your official notification to reorder an appropriate quantity of Potassium Iodide.

\_\_\_\_\_  
E&RC Technician

\_\_\_\_\_  
E&RC Supervisor

ATTACHMENT 11  
Page 1 of 3  
**Checklist for Respiratory Protection Equipment**

MONTH/YEAR \_\_\_\_\_

Initials

1. Control Room Kit

- a. Check seven (7) particulate respirators (1 small, 5 medium, 1 large) and update the inspection tags.

Resp. (S) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (L) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ \_\_\_\_\_

2. Technical Support Center Kit

- a. Check ten (10) particulate respirators (1 small, 8 medium, 1 large) and update the inspection tags.

Resp. (S) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (L) # \_\_\_\_\_ \_\_\_\_\_

ATTACHMENT 11  
Page 2 of 3  
**Checklist for Respiratory Protection Equipment**

MONTH/YEAR \_\_\_\_\_

Initials

3. Emergency Operations Facility Kit

- a. Check sixteen (16) particulate respirators (1 small, 14 medium, 1 large) and update the inspection tags.

Resp. (S) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (L) # \_\_\_\_\_

\_\_\_\_\_

ATTACHMENT 11  
Page 3 of 3  
**Checklist for Respiratory Protection Equipment**

MONTH/YEAR \_\_\_\_\_

Initials

4. Operational Support Center Kit

- a. Check twenty (20) particulate respirators (1 small, 17 medium, 2 large) and update the inspection tags.

Resp. (S) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_ Resp. (L) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_ Resp. (L) # \_\_\_\_\_

Resp. (M) # \_\_\_\_\_ Resp. (M) # \_\_\_\_\_ \_\_\_\_\_

5. Environmental Monitoring Kit No.1

- a. Check two (2) particulate respirators (medium size) and update the inspection tags.

Resp. # \_\_\_\_\_ Resp. # \_\_\_\_\_ \_\_\_\_\_

6. Environmental Monitoring Kit No. 2

- a. Check two (2) particulate respirators (medium size) and update the inspection tags.

Resp. # \_\_\_\_\_ Resp. # \_\_\_\_\_ \_\_\_\_\_

Performed By: \_\_\_\_\_ Date \_\_\_\_\_  
E&RC Technician

Reviewed By: \_\_\_\_\_ Date \_\_\_\_\_  
E&RC Supervisor or Designee



## REVISION SUMMARY

Revision 21 of OPEP-04.6 consists of the following changes:

- Changed the location of the Environmental Monitoring Kits from the Technical Training Center to EOF Room 165.
- Removed specific reference to RIMS in Section 5 for updating the computer schedule. This will allow inventory schedules to be kept on improved tracking systems such as Passport.
- Added instruction to Section 5 to notify the Supervisor-Emergency Preparedness of any deficiencies found that are not easily corrected.
- Added instruction to notify the Supervisor-Emergency Preparedness when inventories have been completed.
- Added Attachment 12, Emergency Kit Replacements, and instructions to Section 5 to complete the attachment to document equipment and supplies replaced in the kits between inventories.
- Changed Attachments 1 - 9 to a standardized table format to simplify completion and better match those in use at RNP and HNP. Changed signature requirements for all Attachments from RC Technician to E&RC Technician and RC Supervisor to E&RC Supervisor or designee to allow Chemistry to perform inventories and flexibility in reviewers. Also eliminated redundant inventory items resulting from format change.
- Added a separate row for coin envelopes to Attachments 1-4 for better inventory control.
- Deleted Plant Floor Plan Prints from Attachment 1. Similar prints are available as part of the Fire Protection Plans permanently located in the Control Room along with a copy machine.
- Deleted copies of OPEP-03.7.6 and OPEP-03.7.7 from Attachment 2. These procedures are permanently available in the O&M Library which is part of the OSC and in the OPEP-04.2 OSC emergency kit for administrative supplies. Copiers are available in the O&M Library and in the copy room where the OPEP-04.2 administrative kit is stored.

## REVISION SUMMARY

- Removed one RO-7 meter with low and mid-range detectors from the Attachment 3 TSC inventory and added to the Attachment 2 OSC inventory to ensure an RO-7 is available for missions dispatched from the OSC. The RO-7 remaining in the TSC kit is considered a backup for the RO-7 moved to the OSC kit. Also removed two of four batteries from the TSC kit and moved to the OSC kit for support of the RO-7.
- Added requirement to Attachment 3 for low and mid-range detectors for the RO-7 maintained as part of the TSC kit.
- Deleted requirement and **NOTE** to notify Security to inspect and seal containers and cabinets in Attachment 3. The TSC is no longer incorporated into the Protected Area negating the need for container searches by Security. Footnote in Attachment 11 with the same information was also deleted.
- Deleted the title "Decontamination kit containing:" from Attachment 4 for clarification. The decontamination kit is included as part of the EOF kit inventory and is extensive. The title implied the entire decontamination kit consisted of only a 55 gallon drum.
- Removed one-gallon sample bottles from the Environmental Monitoring Emergency Kits in Attachments 6 and seven. These were identified as never used by Environmental Monitoring Team members who preferred the one-gallon collapsible bottles already included in the kits.
- Added a hand shovel and large tri-pour beaker to the Environmental Monitoring Emergency Kits in Attachments 6 and 7 to facilitate collection of solid and liquid samples.
- Changed brand name for Nucon smears to cloth smears to allow generic equivalents and increased required inventory to 2000 in Attachment 9. Additional inventory added to replace 1000 paper smears which were identified as not used for the Vehicle Decon Kit.
- Changed wording in Attachment 11 from "change out" to "update" the inspection tags for respiratory protection. This reflects changes in inspection requirements and tags per OE&RC-0220. Also corrected typo in Attachment 11 changing 5 to 11 medium sized respirators in the EOF kit.