DISCLAIMER

This contractor document was prepared for the U.S. Department of Energy (DOE), but has not undergone programmatic, policy, or publication review, and is provided for information only. The document provides preliminary information that may change based on new information or analysis, and represents a conservative treatment of parameters and assumptions to be used specifically for Total System Performance Assessment analyses. The document is a preliminary lower level contractor document and is not intended for publication or wide distribution.

Although this document has undergone technical reviews at the contractor organization, it has not undergone a DOE policy review. Therefore, the views and opinions of authors expressed may not state or reflect those of the DOE. However, in the interest of the rapid transfer of information, we are providing this document for your information per your request.

NM3507

2. ⊠ Analysis Engineering 3. □ Model Conceptual Model Documentation □ Scientific Model Validation Documentation Model Validation Documentation 4. Title: Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID:U0160) Model Validation Documentation 5. Document Identifier (Including Rev. No. and Change No., If applicable): NAIL-INES-HS-000024 REV 00 T. Attachment Numbers - No. of Pages in Each: 6. Total Attachments: 7. Attachment Numbers - No. of Pages in Each: I-12, II-8, and III-13 10. Lead/Supervisor Clifford K. Ho Ulfford K. Th 1/19/2aa 10. Lead/Supervisor Clifford K. Ho Ulfford X. Th 1/19/2aa 11. Responsible Manager Clifford K. Ho Ulfford X. Th 1/19/2aa 12. Remarks: Intical Issue Intical Supervisor V/19/2aa 13. Responsible Manager Clifford K. Ho Ulfford X. Th V/19/2aa 14. Responsible Manager Clifford K. Ho Ulfford X. Th V/19/2aa 15. Remarks: Intical Issue INFORMATION COPY INFORMATION COPY 14. As VEGAS DOCUMENT CONTROL INFORMATION CONTROL INFORMATION CONTROL		OF	FICE OF CIVILIAN RAD ANALYSIS/M Complete O	ODEL	. CO\	/ER SHE	ET	IAGEMENT	1. QA: Page:	A 1	of:	30
A. Title: Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID:U0160) 5. Document Identifier (including Rev. No. and Change No., if applicable): ANL-NBS-HS-000024 REV 00 6. Total Attachments: 3 Printed Name Signature Date 8. Originator Clifford K. Ho Clifford K. Ho Clifford K. Ho Clifford X. Th I/19/2aa 10. Lead/Supervisor Clifford K. Ho Clifford X. Th I/19/2aa 11. Responsible Manager Clifford K. Ho Clifford X. Th I/19/2aa 12. Remarks: Initial Issue INFORMATION COPY	2. 🛛 Analysis	🗋 Er	ngineering	3.		Model		Conceptual Model Doc	umentati	on		
4. Title: Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID:U0160) 5. Document Identifier (including Rev. No. and Change No., if applicable): ANL-NBS-H5-000024 REV 00 6. Total Attachments: 7. Attachment Numbers - No. of Pages in Each: 1 Printed Name Signature Date Printed Name Signature Date Originator Clifford K. Ho Checker Yanyong Xiang J. K. 10. Lead/Supervisor Clifford K. Ho Ulifford K		🛛 Pe	erformance Assessment					Model Documentation				
Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID:U0160) 5. Document Identifier (including Rev. No. and Change No., if applicable): ANL-NBS-HS-000024 REV 00 6. Total Attachments: 7. Attachment Numbers - No. of Pages in Each: 3 1-12, II-8, and III-13 • Printed Name Signature 8. Originator Clifford K. Ho Ulifford X. Hr 1/19/2a 9. Checker Yanyong Xiang Y X i /1/9/2a 10. Lead/Supervisor Clifford K. Ho Ulifford X. X 1/19/2a 11. Responsible Manager Clifford K. Ho Ulifford X. X 1/19/2a 12. Remarks: Initial Issue NFORMATION COPY 1/19/2ad		⊡ so	cientific					Model Validation Docu	mentatio	n		
5. Document Identifier (including Rev. No. and Change No., if applicable): ANL-NBS-HS-000024 REV 00 6. Total Attachments: 3 17. Attachment Numbers - No. of Pages in Each: 1-12, II-8, and III-13 Printed Name Signature Date 8. Originator Clifford K. Ho Clifford K. Arr 1//9/200 9. Checker Yanyong Xiang Y:K i /1/19/200 10. Lead/Supervisor Clifford K. Ho Clifford X. The 1//19/200 11. Responsible Manager Clifford K. Ho Ulifford X. The 1//19/200 12. Remarks: Initial Issue	4. Title:			I								
ANL-NBS-HS-000024 REV 00 6. Total Attachments: 3 Printed Name Printed Name Signature Date Clifford K. Ho Cl	Analysis of Base-Ca	ase Particle	Tracking Results of the Base	e-Cas	e Flow	Fields (ID	:U01	60)				
6. Total Attachments: 7. Attachment Numbers - No. of Pages in Each: 3 I-12, II-8, and III-13 • Printed Name Signature Date 8. Originator Clifford K. Ho Clifford X. The 1//9/20 9. Checker Yanyong Xiang Y. K 1/19/20 10. Lead/Supervisor Clifford K. Ho Clifford X. The 1/19/20 11. Responsible Manager Clifford K. Ho Clifford X. The 1/19/200 12. Remarks: Initial Issue Initial Issue Initial Issue	5. Document Identi	fier (includin	g Rev. No. and Change No.	, if app	olicabl	e):						
International International 3 International 3 International 12, II-8, and III-13 6 Originator 8 Originator 9 Checker Yanyong Xiang Yet	ANL-NBS-HS-0000	24 REV 00	·		<u> </u>	<u> </u>					<u> </u>	
Printed Name Signature Date 8. Originator Clifford K. Ho Ulifford K. Hr 1/19/200 9. Checker Yanyong Xiang Y.K. 1/19/200 10. Lead/Supervisor Clifford K. Ho Ulifford X. Mr 1/19/200 11. Responsible Manager Clifford K. Ho Ulifford X. Mr 1/19/200 12. Remarks: Initial Issue Initial Issue Initial Issue	6. Total Attachmen	ts:							Each:			
8. Originator Clifford K. Ho Clifford X. Hr 1/19/2a 9. Checker Yanyong Xiang Y:X 1 / 19 / 2a 10. Lead/Supervisor Clifford K. Ho Clifford X. Th 1/19 / 2a 11. Responsible Manager Clifford K. Ho Clifford X. Th 1/19 / 2a 12. Remarks: Initial Issue Initial Issue Information COPY	3	<u></u>			1-1			3			ate	
9. Checker Yanyong Xiang Y:X i /19/5 10. Lead/Supervisor Clifford K. Ho Clifford Z. The 1/19/200 11. Responsible Manager Clifford K. Ho Clifford T. The 1/19/200 12. Remarks: Initial Issue					<u></u>	Signat		1 1 2		_	7 .	
10. Lead/Supervisor Clifford K. Ho Clifford Z. The 1/19/200 11. Responsible Manager Clifford K. Ho Difford T. The 1/19/200 12. Remarks: Initial Issue Initial Issue Initial Issue	8. Originator						m	R. M.		<u> </u>	1.01	
12. Remarks: Initial Issue INFORMATION COPY	9. Checker		Yanyong Xiang			<u> </u>	8	XX				
12. Remarks: Initial Issue INFORMATION COPY	10. Lead/Supervi	sor	Clifford K. Ho			C	1	rd X. M				
12. Remarks: Initial Issue INFORMATION COPY	11. Responsible	Manager	Clifford K. Ho			a	Į'n	1 2. 2		1	19/20	60
		· ·							OL		•	

/

OFFICE OF CIVILIAN RADIOACTIVE WASTE MANAGEMENT ANALYSIS/MODEL REVISION RECORD Complete Only Applicable Items

1. Page: 2 of: 30

2.	Anal	vsis	or	Model	Title:
----	------	------	----	-------	--------

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID:U0160)

3. Document Identifier (including Rev. No. and Change No., if applicable):

ANL-NBS-HS-000024 REV 00

5. Description of Revision/Change

4. Revision/Change No.	5. Description of Revision/Change
REV 00	Initial Issue
	· ·
	·
L	

CONTENTS

1.	PURPOSE
2.	QUALITY ASSURANCE
3.	COMPUTER SOFTWARE AND MODEL USAGE
4.	INPUTS74.1 DATA AND PARAMETERS74.2 CRITERIA84.3 CODES AND STANDARDS9
5.	ASSUMPTIONS9
6.	ANALYSIS 9 6.1 APPROACH 10 6.1.1 Development of FEHM Particle Tracking Analyses 11 6.1.2 Development of DCPT Particle Tracking Analyses 11 6.2 RESULTS 11 6.2.1 Particle Breakthrough Locations at the Water Table Using FEHM 13 6.2.2 Particle Tracking Comparison Between Two Perched Water 17 6.2.3 Particle Tracking Comparison Between Two Matrix Diffusion 20 6.2.4 Effect of Water-Table Rise on Particle Travel Times 21 6.2.5 Particle Tracking Comparison Between FEHM and DCPT 22 6.2.6 Analysis of Different Infiltration Rates on Radionuclide 23
7.	CONCLUSIONS
8.	REFERENCES 27 8.1 DOCUMENTS CITED 27 8.2 SOFTWARE 28 8.3 SOURCE DATA 28
9.	ATTACHMENTS

Page

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID: U0160)

FIGURES

Figure 1. Locations of Particle Breakthrough at the Water Table for the Mean Infiltration, Present-Day Climate Using Two Perched Water Models ('pchm1' and 'pchm2')	14
Figure 2. Locations of Particle Breakthrough at the Water Table for the Mean Infiltration, Monsoon Climate Using Two Perched Water Models ('monm1' and 'monm2')	15
Figure 3. Locations of Particle Breakthrough at the Water Table for the Mean Infiltration, Glacial-Transition Climate Using Two Perched Water Models ('glam1' and 'glam2')	16
Figure 4. Locations of Particle Breakthrough at the Water Table for the Mean Infiltration, Glacial-Transition Climate Using Two Perched Water Models ('glam1' and 'glam2') and an Elevated Water Table at 850 m	
Figure 5. Location of Elements (Denoted by '+' Symbol) That Were Modified to Have Low Permeability for Perched Water	18
Figure 6. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using Perched Water Model #1 and #2 with Tc (left) and Np (right) for Mean-Infiltration, Present-Day Climate	19
Figure 7. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using Perched Water Model #1 and #2 with Tc (left) and Np (right) for Mean-Infiltration, Monsoon Climate	19
Figure 8. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using Perched Water Model #1 and #2 with Tc (left) and Np (right) for Mean-Infiltration, Glacial-Transition Climate	20
Figure 9. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.0 and FEHM v. 2.1 with Np for Mean- Infiltration, Present-Day (left) and Glacial-Transition (right) Climates	21
Figure 10. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.1 with Np for Mean-Infiltration, Glacial- Transition (right) Climate with Two Water-Table Elevations	22
Figure 11. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.1 and DCPT with Tc (left) and Np (right) for Mean-Infiltration, Glacial-Transition Climate	23

Page

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID: U0160)

Figure 12. Effect of Infiltration (mean, upper, and lower) on Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.0 with Tc (left) and Np (right) for Present-Day Climate	25
Figure 13. Effect of Infiltration (mean, upper, and lower) on Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.0 with Tc (left) and Np (right) for Monsoon Climate	25
Figure 14. Effect of Infiltration (mean, upper, and lower) on Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.0 with Tc (left) and Np (right) for Glacial-Transition Climate	26

TABLES

Page

Table 1. Software and Routines Used in This Analysis	7
Table 2. Input Data	. 8
Table 3. Summary of Transport Properties Used in This Analysis	11
Table 4. Summary of Features Analyzed in Each Section of This Report	12

5

1. PURPOSE

The purpose of this analysis is to provide insight into the unsaturated-zone (UZ) subsystem performance through particle tracking analyses of the base-case flow fields. The particle tracking analyses will not be used directly in total-system performance-assessment (TSPA) calculations per se. The objective of this activity is to evaluate the transport of radionuclides through the unsaturated zone and to determine how different system parameters such as matrix diffusion, sorption, water-table rise, and perched water influence the transport to the water table. Plots will be generated to determine normalized cumulative breakthrough curves for selected radionuclides. The scope of this work is limited to the particle tracking analyses of "base-case" flow fields that are to be used by the code FEHM (Finite Element Heat and Mass; Zyvoloski 1997) for particle tracking simulations in *Total System Performance Assessment—Site Recommendation Report* (TSPA-SR).

Constraints and limitations of this work include the preliminary status of the input data used in the analysis (see Section 4). Once these source data are qualified, the results of this analysis can be considered qualified. Until then, the information developed from this analysis must be considered unqualified. Detailed planning of this analysis can be found in the *Development Plan*, "Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID:U0160)" (CRWMS M&O 1999a).

2. QUALITY ASSURANCE

The Quality Assurance (QA) program applies to the development of this analysis and model report (AMR). The Performance Assessment Operations (PAO) responsible manager has evaluated this activity in accordance with QAP-2-0, *Conduct of Activities*. The QAP-2-0 activity evaluation (CRWMS M&O 1999b) determined that the development of this AMR is subject to the *Quality Assurance Requirements and Description* (DOE 1998) requirements.

3. COMPUTER SOFTWARE AND MODEL USAGE

Several software codes and a software routine are used in this analysis and are summarized in Table 1. The use of these acquired software and routines comply with AP-SI.1Q Rev. 2, ICN 1 (Software Management).

FEHM v. 2.0 is qualified software and is used to perform the majority of the particle-tracking analyses in this analysis. It uses a semi-analytical semi-infinite-fracture-spacing matrix-diffusion model. FEHM v. 2.1 is being developed by Los Alamos National Laboratory and is currently unqualified. It uses a finite-fracture-spacing matrix-diffusion model. DCPT v. 1.0 is developed and used at Lawrence Berkeley National Laboratory and is currently being used as unqualified software as well (per Section 5.12 of SP-SI.1Q Rev. 2, ICN 1. PROCESS1 is a software routine that extracts information from FEHM output files to produce files of mass flow and cumulative breakthrough at the water table as a function of time. This routine is used per Section 5.1 of AP-SI.1Q Rev. 2, ICN 1. The results of this software routine have been visually inspected, and the

routine has been determined to be operating correctly for its intended use and expected range of inputs (see results in subdirectory 'process1_test' in DTN: SN9912T0581699.003).

Additional "off-the-shelf" industry-standard software was used to create the plots and graphics in this report. These software include KaleidaGraph v. 3.09 and Transform v. 3.3, which were used on a Dell OptiPlex GXa PC with Pentium II processor running Windows NT 4.00.1381.

Software	Tracking Number	Computer Platform	Comments
FEHM v. 2.0	10031-2.00-00	UNIX Sun OS 5.7	Qualified code obtained from Software Configuration Management System (SCMS).
FEHM v. 2.1	10086-2.10-00	UNIX Sun OS 5.7	Unqualified code acquired per Section 5.12 of AP-SI.1Q Rev 2, ICN 1. TBV-3980.
DCPT v. 1.0	10078-1.0-00	PC Windows 98	Unqualified code being developed and used by Lawrence Berkeley National Laboratories (LBNL) under TBV-3156. Acquired for this analysis per Section 5.12 of AP-SI.1Q Rev 2, ICN 1.
PROCESS1 v. 1.0 (Software Routine)	Accession Number: MOL.19990915.0360	UNIX Sun OS 5.7	Results of this software routine have been visually inspected as part of this analysis to ensure that it is producing correct results for its intended use (see subdirectory 'process1_test' in DTN: SN9912T0581699.003. The code listing and additional verification have been documented in CRWMS M&O (1999c).

Table 1. Software and Routines Used in This Analysis

4. INPUTS

4.1 DATA AND PARAMETERS

Table 2 summarizes the input data used in this analysis. It lists the Data Tracking Numbers (DTNs), qualification status (Q-Status), and specific information taken from each data set.

7

Table 2. Input Data

Title	Data Tracking Number (DTN)	Q-Status	Comments
FRACTURE PROPERTIES FOR THE UZ MODEL GRIDS AND UNCALIBRATED FRACTURE AND MATRIX PROPERTIES FOR THE UZ MODEL LAYERS FOR AMR U0090, "ANALYSIS OF HYDROLOGIC PROPERTIES DATA."	LB990501233129.001	Qualified TBV-3168 Submitted: 8/25/1999	Matrix and fracture porosities, fracture frequencies.
3-D UZ MODEL GRIDS FOR CALCULATION OF FLOW FIELDS FOR PA FOR AMR U0000, "DEVELOPMENT OF NUMERICAL GRIDS F OR UZ FLOW AND TRANSPORT MODELING."	LB990701233129.001	Not Qualified TBV-3167 Submitted: 9/24/1999	Dual-permeability mesh files containing the ELEME and CONNE cards for determination of fracture volume, fracture/matrix connection area, and aperture parameter
TSPA GRID FLOW SIMULATIONS FOR AMR U0050, "UZ FLOW MODELS AND SUBMODELS."	LB990801233129.003	Not Qualified TBV-3662 Submitted: 11/29/1999	Present-day, mean infiltration TOUGH2 input file for perched model #1 that contains ROCKS card for hydrologic parameters (e.g., γ parameter)
CALIBRATED FAULT PROPERTIES FOR THE UZ FLOW AND TRANSPORT MODEL FOR AMR U0035, "CALIBRATED PROPERTIES MODEL."	LB991091233129.004	Not Qualified TBV-3979 Submitted: 10/22/1999	Excel spreadsheet of calibrated fault properties-y parameter and residual fracture liquid saturation
CALIBRATED BASECASE INFILTRATION 1-D PARAMETER SET FOR THE UZ FLOW AND TRANSPORT MODEL, FY99	LB997141233129.001	Qualified TBV-3095 Submitted: 7/21/1999	Calibrated 1-D hydrologic properties for mean infiltration cases (no faults)
HEAT DECAY DATA AND REPOSITORY FOOTPRINT FOR THERMAL-HYDROLOGIC AND CONDUCTION-ONLY MODELS FOR TSPA-SR (TOTAL SYSTEM PERFORMANCE ASSESSMENT-SITE RECOMMENDATION)	SN9907T0872799.001	Not Qualified TBV-3599 Submitted: 7/27/1999	Repository outline used to define repository nodes
POST-PROCESSED FLOW FIELDS FOR RIP: DEVELOPED DATA FROM AMR U0125 (ABSTRACT FLOW FIELDS FOR RIP)	SN9910T0581699.002	Not Qualified TBV-3946 Submitted: 10/15/1999	Files for FEHM particle tracking

4.2 CRITERIA

No additional criteria govern the particle-tracking activities in this analysis beyond the scope and objectives presented in the Development Plan (CRWMS M&O 1999a). Standard requirements are specified in AP-3.10Q (*Analyses and Models*) regarding the documentation, review, and records. Although no specific criteria have been identified in project requirements documents (e.g., System Description Documents) as applicable to this activity, this analysis supports

requirements for performance assessment as required by the interim guidance from the Department of Energy pending issuance of new regulations by the Nuclear Regulatory Commission (Dyer 1999). Relevant requirements for performance assessment from Section 114 of that document are: "Any performance assessment used to demonstrate compliance with Sec. 113(b) shall: (a) Include data related to the geology, hydrology, and geochemistry ... used to define parameters and conceptual models used in the assessment. (b) Account for uncertainties and variabilities in parameter values and provide the technical basis for parameter ranges, probability distributions, or bounding values used in the performance assessment. (c) Consider alternative conceptual models of features and processes that are consistent with available data and current scientific understanding, and evaluate the effects that alternative conceptual models used in the performance of the geologic repository. ... (g) Provide the technical basis for models used in the performance assessment such as comparisons made with outputs of detailed process-level models"

4.3 CODES AND STANDARDS

No specific, formally established codes or standards have been identified as applying to this analysis activity.

5. ASSUMPTIONS

- 1. We assume deterministic transport property values for two radionuclides in this analysis. The actual values are not so important as having distinct differences in the radionuclide properties (e.g., sorbing vs. non-sorbing). The purpose of this analysis is to gain insight into the transport of radionuclides through the UZ, not to make actual predictions. Therefore, the use of assumed, deterministic values is sufficient. This assumption is applicable to Section 6.1.1 and Section 6.2.2 through Section 6.2.6.
- 2. The input files (DTN: SN9910T0581699.002) are assumed to consist of flow fields that represent the unsaturated flow system at Yucca Mountain. The basis for this assumption is provided by the rigorous development of the upstream process-models that produce the flow fields through calibration and validation against actual site properties and processes. This assumption is applicable to all of Section 6.2.
- 3. The number of particles used in both FEHM and DCPT is assumed to be adequate to represent the probabilistic distributions of particle movement. In FEHM, we use nearly 100,000 particles over the repository region. Runs with more particles do not show any differences. The DCPT does not rely on probabilistic movement of particles as much as FEHM, so the number of particles released in the repository can be less (2750 particles are used). This assumption is applicable to all of Section 6.2.

6. ANALYSIS

Several specific objectives are desired to gain insight into the behavior of radionuclide transport in the base-case UZ flow simulations using particle tracking analyses:

- 1. Identify the spatial distribution of particles that reach the water table so that proper source regions can be defined for saturated-zone flow and transport studies.
- 2. Compare the two perched water models that were used in the base-case flow simulations. Based on the results of breakthrough curves at the water table, the most conservative model will be chosen for use in TSPA-SR.
- 3. Compare two matrix diffusion models implemented in FEHM.
- 4. Evaluate the effects of water-table rise on travel times through the UZ.
- 5. Compare the results of two particle tracking methods using FEHM and DCPT.
- 6. Determine the range of travel times that are produced by the different infiltration rates (lower, mean, and upper) for each of the three climates.

This section describes the approach and parameter development for the particle tracking analyses, along with a discussion of the results. For the first five objectives, only the mean infiltration simulations are analyzed for each of the three climate scenarios (present-day, monsoon, glacial-transition) to obtain a representative distribution of particle-tracking results. For the sixth objective, the upper and lower infiltration simulations are also analyzed.

6.1 APPROACH

As described in Section 3, two software codes are used to perform the particle tracking analyses. The method implemented by FEHM for UZ transport is called the Residence Time Transfer Function (RTTF) particle-tracking technique. It employs an efficient particle-tracking algorithm that eliminates the need to interpolate velocity vectors at all particle positions. Instead, the mean residence time and the probabilities of travel to adjacent cells are computed for each cell. The fluid mass and inter-cell mass flows rates are provided in the fluid flow solution, so the method can be implemented without regard to the nature of the numerical grid (e.g., structured versus unstructured grids). The position of the particle is not resolved below the sub-element scale.

The DCPT implements a random-walk particle-tracking methodology using a Lagrangian perspective that tracks the particle positions in a continuous space. The velocity, dispersion coefficients, and other transport parameters are provided as tables of values on a discrete grid. Within each cell, the properties are uniform, but each cell has two sets of parameters corresponding to either the fracture or matrix material. Transfer between the fracture and the matrix is governed by the particle-transfer probability that should be consistent with the mass flow between the fracture and matrix for each cell.

The particle tracking code that will be used in TSPA-SR is FEHM, but the results of DCPT are included to provide insight into alternative particle tracking methods and to form a basis for future decisions regarding the use of different particle tracking methods in TSPA calculations.

6.1.1 Development of FEHM Particle Tracking Analyses

Most of the input files that are required for the FEHM particle tracking analyses are provided in a data set that was submitted to the TDMS as part of an upstream analysis (DTN: SN9910T0581699.002). The remaining input files that are required include the FEHM 'ptrk' and 'dpdp' macros that are developed as part of this analysis (see Attachment I). The 'ptrk' file contains values for transport properties such as sorption (K_d) and diffusion coefficients, and it assigns the properties to individual nodes or zones. Two radionuclides are used in this analysis, and their assumed properties are summarized in Table 3.

Radionuclide Simulated	Diffusion Coefficient (m ² /s)	Vitric Kd (cc/g)	Zeolitic Kd (cc/g)	Kd in all other units (cc/g)	Fracture Dispersivity (m)
Technetium (Tc)	3.2x10 ⁻¹¹	0	0	0	20
Neptunium (Np)	1.6x10 ⁻¹⁰	1.0	4.0	1.0	20

Table 3. Summary of Transport Properties Used in This Analysis

A previous set of 'dpdp' macros were submitted as part of the upstream data set (DTN: SN9910T0581699.002), which are sufficient for the FEHM v. 2.0 simulations. However, the use of FEHM v. 2.1 requires an additional parameter that was not included in the previous 'dpdp' files. In FEHM v. 2.1, the fracture half spacing (half the inverse of the fracture frequency) is required for all fractures that experience matrix diffusion. This value is used to calculate matrix diffusion assuming a finite fracture spacing (as opposed to an infinite fracture spacing used in FEHM v. 2.0). The fracture half-spacing values are entered following the listing of the fracture bulk porosities in the 'dpdp' macro (see Attachment I).

Other required FEHM files for the particle-tracking analyses were also taken from DTN: SN9910T0581699.002. The output files and other developed data files from this analysis have been submitted to the TDMS under DTN: SN9912T0581699.003 and DTN: SN0001T0581699.004.

6.1.2 Development of DCPT Particle Tracking Analyses

Two simulations are performed using the DCPT code for comparison to the FEHM particletracking results. The two radionuclides in Table 3 are simulated for the mean infiltration, glacial-transition-climate flow field. Ten particles are released at each of the 275 repository fracture nodes using the same transport properties listed in Table 3. Details of the input and output files for the DCPT simulations are presented in Attachment II.

6.2 RESULTS

The results of the particle tracking analyses are presented in six sections. The first presents the spatial distribution of the particles that arrive at the water table for different climate scenarios.

The second presents a comparison between the two perched water models that were used in the base-case flow fields and the results of the cumulative breakthrough curves at the water table. The third section presents a comparison between two matrix diffusion models used in FEHM, and the fourth section describes the effects of water-table rise on travel times. The fifth section presents a comparison between two particle tracking methods (FEHM and DCPT), and the sixth section present an analysis of the radionuclide transport using different infiltration simulations. A summary of these runs and the features considered are given in Table 4.

		Section					
Model Feature		6.2.1	6.2.2	6.2.3	6.2.4	6.2.5	6.2.6
Perched-Water	Model #1	x	x	x	х	x	×
Perched-Water I	Model #2	x	x	<u> </u>			
	Low Infiltration						x
Present-Day Climate	Mean Infiltration	x	x	x			x
	Upper Infiltration						x
	Low Infiltration						x
Monsoon Climate	Mean Infiltration	x	x				X
Cimale	Upper Infiltration						x
	Low Infiltration						x
Glacial- Transition	Mean Infiltration	x	x	x	x	x	x
Climate	Upper Infiltration						x
FEHM v. 2.0		x	x	x			x
FEHM v. 2.1				x	x	x	
DCPT v. 2.0						x	
Water Table Elevation ~ 730 m		x	x	x	x	X	x
Water-Table Rise (Elevation = 850 m)		x			x		
Advective Transport Only		x					
Technetium Transport			x			x	×
Neptunium Transport			x	x	x	x	x


Table 4. Summary of Features Analyzed in Each Section of This Report

6.2.1 Particle Breakthrough Locations at the Water Table Using FEHM

In this section, non-diffusing and non-sorbing particles are used in FEHM v. 2.0 to identify particle breakthrough locations at the water table (these plots can be used to determine appropriate source regions for the saturated-zone modeling studies). The advection-only particles are used to ensure that all particles leave the system within the simulated time, and the particle locations are not affected by matrix diffusion in the FEHM simulations. A total of 99,825 particles¹ are released as a pulse among 275 fracture nodes that fall within the specified repository outline (DTN: SN9907T0872799.001). The simulation lasts for one million years, and the location and number of particles that exit the bottom boundary (i.e., water table) of the domain are recorded. The simulations are performed using the mean infiltration flow field for each of the three climates (present-day, monsoon, and glacial-transition). Figure 1, Figure 2, and Figure 3 show the breakthrough concentration of particles at the water table for each of the three climates and for the two perched water models used in the UZ flow simulations. In addition, Figure 4 shows the breakthrough concentration for the glacial-transition climate with an assumed water table elevation of 850 m, which is approximately 120 m higher than the original water table elevation used in the original flow fields. The input file required for the assumed water table rise (**wt850.ini') was taken from DTN: SN9910T0581699.002, and it reflects a potentially higher water table due to wetter future climates.

All four plots show that the particles become diverted and concentrated along faults beneath the northern portion of the repository. The diversion occurs due to a low permeability zone implemented by LBNL to obtain perched water above the basal vitrophyre. Perched water model #2 shows more diversion and concentration along the faults, primarily in the southern portions of the repository (see Section 6.2.2 for more details). For both perched-water model #1 and #2, the diversion is augmented in the future climate simulations in which the infiltration and percolation is greater. As the infiltration and percolation increase, the relative amount of flow through the fracture continuum increases in the welded units, and particles are less likely to travel downward through the low-permeability "perched-water elements." Instead, the particles are carried along advective pathways that are diverted above the low-permeability perched-water elements to faults, which act as relatively high-permeability conduits to the water table.

¹ A total of 100,000 particles is specified in the 'ptrk' macro, but FEHM chooses the largest number of particles (less than the specified number of particles) that can be equally divided among the specified number of nodes.




(outlined) that Reached the Water Table

Figure 1. Locations of Particle Breakthrough at the Water Table for the Mean Infiltration, Present-Day Climate Using Two Perched Water Models ('pchm1' and 'pchm2')

ANL-NBS-HS-000024 REV 00

January 2000

C-1



Fraction of Total Particles Released at Repository (outlined) that Reached the Water Table

Figure 2. Locations of Particle Breakthrough at the Water Table for the Mean Infiltration, Monsoon Climate Using Two Perched Water Models ('monm1' and 'monm2')

ANL-NBS-HS-000024 REV 00

January 2000

C-2-





Figure 3. Locations of Particle Breakthrough at the Water Table for the Mean Infiltration, Glacial-

Transition Climate Using Two Perched Water Models ('glam1' and 'glam2')

ANL-NBS-HS-000024 REV 00

C-3



(outlined) that Reached the Water Table

Figure 4. Locations of Particle Breakthrough at the Water Table for the Mean Infiltration, Glacial-Transition Climate Using Two Perched Water Models ('glam1' and 'glam2') and an Elevated Water Table at 850 m

6.2.2 Particle Tracking Comparison Between Two Perched Water Models Using FEHM

Two alternative perched water models were used in the base-case UZ flow simulations. In the first model, additional materials were created to simulate "perched-water elements." These material names begin with 'pc' and were assigned to elements in the vicinity of the perched water. These materials consist of low permeability, matrix-like properties, even for the fractures that promote perched water. The locations of these elements for perched-water model #1 are shown in Figure 5. The UNIX command 'grep' was used to extract all elements (and associated coordinates) whose material names begin with the character string 'pc.'

ANL-NBS-HS-000024 REV 00

January 2000

17

The second perched-water model contained a similar modification in the region of perched water. All zeolitic fracture elements (denoted with a "z" in the last character of the material name) were converted to the corresponding matrix material, which has a much lower permeability. The locations of the modified Calico Hills elements (whose material names begin with "ch") are also shown in Figure 5. These plots reveal that both perched-water models create a low-permeability barrier over much of the domain except in the faulted regions. Perched-water model #1 exhibits fewer regions of low-permeability alterations in the southern portion of the repository. However, both perched water models are expected to yield a significant amount of lateral diversion to the faults. The following particle tracking simulations are intended to reveal which model yields the most conservative results for use in TSPA-SR.




Figure 5. Location of Elements (Denoted by '+' Symbol) That Were Modified to Have Low Permeability for Perched Water

FEHM v. 2.0 is used to simulate Tc and Np transport using both perched water models. Figure 6, Figure 7, and Figure 8 show a comparison of the cumulative normalized breakthrough curve for 99,825 particles released instantaneously and uniformly in the repository fracture nodes for the present-day, monsoon, and glacial-transition climates, respectively. The plots reveal that the results of the two perched water models are similar, although perched water model #1 yields slightly more conservative results, especially for early breakthrough times (via fracture transport). This may be a consequence of the shorter travel paths in the southern portion of the repository, where more particles experience vertical flow rather than lateral diversion as in

perched water model #2. As a result, particles may be experiencing less opportunity for matrix diffusion and subsequent matrix sorption in those vertical pathways. It is uncertain how much flow below the southern portion of the repository is dominated by matrix flow in the Calico Hills units, but it appears that at least some of the flow is via fractures. For conservatism, it is recommended that perched water model #1 be used in TSPA-SR calculations.




Figure 6. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using Perched Water Model #1 and #2 with Tc (left) and Np (right) for Mean-Infiltration, Present-Day Climate




Figure 7. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using Perched Water Model #1 and #2 with Tc (left) and Np (right) for Mean-Infiltration, Monsoon Climate




Figure 8. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using Perched Water Model #1 and #2 with Tc (left) and Np (right) for Mean-Infiltration, Glacial-Transition Climate

As expected, Figure 6, Figure 7, and Figure 8 show that the travel time between the repository and the water table decreases for the monsoon and glacial-transition climates, which have successively higher infiltration rates. Also, a somewhat bimodal breakthrough is observed in each curve as a result of the dual-continuum model domain that consists of high-permeability fractures and low-permeability matrix. The bimodal shape is more evident in the results of perched-water model #1 than in the results of perched-water model #2. The initial breakthrough is due to transport through fractures, which apparently accounts for approximately 30% of the particles during the present-day simulation and approximately 40% of the particles during the monsoon and glacial-transition climates (as shown in Figure 6, Figure 7, and Figure 8). Because more particles are diverted above the perched water in perched-water model #2, the early travel times via fractures are delayed due to longer travel paths and greater opportunity for diffusion into the matrix, thereby smoothing the initial "hump" in the breakthrough curve.

It should be noted that these results assume no water-table rise for future climates. Water-table rise can be incorporated into the particle-tracking simulations by using modified '*wt850.ini' files provided in DTN: SN9910T0581699.002.

6.2.3 Particle Tracking Comparison Between Two Matrix Diffusion Models Using FEHM

The matrix-diffusion model in FEHM v. 2.0 assumes that the matrix is a semi-infinite domain. The diffusive flux of radionuclides from the fractures into the matrix is maximized as a result of the imposed larger concentration gradients between the fracture and matrix elements. FEHM v. 2.1 implements a finite-fracture-spacing matrix-diffusion model that accounts for the geometric

spacing of fractures as well as the increased distance between actively flowing fractures (Liu et al. 1998; Eq. 17).

Figure 9 shows the cumulative normalized breakthrough curves at the water table using both versions of FEHM with Np and perched water model #1 for the present-day and glacial-transition climates. The plots show that the results are nearly identical between the two matrix-diffusion models. The finite-fracture-spacing model in FEHM v. 2.1 yields slightly more conservative results, and it is a more consistent representation of the conceptual flow model. Therefore, the finite-fracture-spacing model in FEHM v. 2.1 is recommended for use in TSPA-SR. The comparisons using Tc are similar, but the differences between FEHM v. 2.0 and FEHM v. 2.1 are even less.




Figure 9. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.0 and FEHM v. 2.1 with Np for Mean-Infiltration, Present-Day (left) and Glacial-Transition (right) Climates

6.2.4 Effect of Water-Table Rise on Particle Travel Times

Figure 10 shows the breakthrough curves for Np using the mean infiltration, glacial-transition climate scenario with perched-water model #1. Both the original water-table elevation (~730 m) and an increased water-table elevation² (~850 m) are simulated. As shown in Figure 3 and Figure 4, the locations of particle breakthrough at the water table are similar for the different water-table elevations, which indicates that the majority of particle paths between ~730 m and ~850 m are primarily vertical.

The higher water-table elevation decreases the median travel time by nearly a thousand years. At ten thousand years, it increases the cumulative breakthrough of particles from ~70% to ~80%.

² The file 'fm_glam1_wt850.ini' in DTN: SN9910T0581699.002 was used for this run.

These differences are not expected to be significant in TSPA calculations. Similar differences are observed for simulations using Tc and other climates as well.




Figure 10. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.1 with Np for Mean-Infiltration, Glacial-Transition (right) Climate with Two Water-Table Elevations

6.2.5 Particle Tracking Comparison Between FEHM and DCPT

This section evaluates two different methods of particle tracking. As introduced earlier, FEHM uses the RTTF method that determines a residence time for each particle in each grid cell. This residence time can incorporate advection, matrix diffusion, and sorption processes. The DCPT code uses a Lagrangian approach that interpolates the velocity field onto a continuous space in which particles can travel. A primary difference between these two methods that may impact subsystem performance is the treatment of matrix diffusion (i.e., the diffusion of particles from fracture cells to matrix cells). Because FEHM implements a residence time function for each cell, any particle that experiences matrix diffusion is retained for a sampled amount of time. The sampled time is taken from a semi-analytical solution yielding breakthrough times for advection through a fracture with matrix diffusion and sorption in a dual-porosity system. However, the "diffusing" particles do not physically enter the matrix cell. They only experience an additional residence time in the fracture cell due to the matrix diffusion and sorption. In contrast, DCPT allows the particles to physically transport into the matrix cells by diffusion. Once in the matrix, the particles may experience sorption or transport to an adjacent matrix, which could increase the overall travel time. The DCPT is more consistent with the dual-permeability conceptual model used for the flow fields, but the concept of dual-permeability matrix diffusion vs. dual-porosity matrix diffusion (as implemented in FEHM) needs to be investigated further to determine which is more representative of transport through actual fractured-rock systems.

22

Figure 11 shows a comparison of results between FEHM v. 2.1 and DCPT. The breakthrough curves for Tc reveal that FEHM 2.1 yields faster transport times with a median travel time that is several hundred years less than the median travel time for DCPT. The differences are even more remarkable for Np. The median travel time for Np using DCPT is several tens of thousands of years greater than the median travel time calculated in FEHM v. 2.1. At ten thousand years, the percentage of particles that have reached the water table is approximately 25% in DCPT, but over 70% in FEHM 2.1. We postulate that the cause for the significant discrepancy is a result of the different treatment of matrix diffusion in the two codes. With the dual-porosity matrixdiffusion concept used in FEHM, particles that experience matrix diffusion are not subject to subsequent transport within the matrix. In FEHM, particles must advect into the matrix to experience transport within the matrix. Thus, a potentially large percentage of particles that physically diffuse into the matrix in DCPT (i.e., a dual-permeability matrix-diffusion concept) may be experiencing significantly longer travel times via subsequent matrix sorption and slow advection through the matrix. It should be noted that these postulations are also supported by additional simulations that show very similar results between advection-only simulations using the dual-porosity and dual-permeability matrix-diffusion concepts with Tc and Np transport. Thus, the only aspect that appears to cause significant differences in the breakthrough curves is the simulated process of matrix diffusion.




Figure 11. Comparison of Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.1 and DCPT with Tc (left) and Np (right) for Mean-Infiltration, Glacial-Transition Climate

6.2.6 Analysis of Different Infiltration Rates on Radionuclide Breakthrough Curves

In this last analysis, breakthrough curves are produced for Np and Tc for the mean, upper, and lower infiltration simulations for each climate. FEHM v. 2.0 is used instead of v. 2.1 because v. 2.0 is qualified, and Section 6.2.3 has shown that the results between FEHM v. 2.0 and v. 2.1 are similar. The purpose is to gain insight into the range of possible results based on the different

discrete infiltration simulations. The future climates (monsoon and glacial-transition) do not use elevated water tables from current conditions for the current analysis; however, simulations in TSPA-SR will likely incorporate water-table rise in the particle-tracking simulations using future climates.

Figure 12 shows the breakthrough curves for Np and Tc using the present-day climate and three infiltration simulations. The lower infiltration yields extremely long travel times, especially for the weakly sorbing Np. The median travel time for Tc approaches a million years, and less than 40% of the Np particles reach the water table in one million years. As expected, the higher infiltration rates yield shorter breakthrough times relative to lower infiltration rates.

Figure 13 and Figure 14 show similar plots for the monsoon and glacial-transition climates, respectively. The results for the monsoon climate show less spread between the upper- and lower-infiltration breakthrough curves than the other two climates. The range of median travel times for Tc is close to a million years in the present-day climate and several thousand years in the glacial-transition climate, but it is only approximately a thousand years for the monsoon climate and approximately 40,000 years in the glacial-transition climate, but it is only approximately. Note that the results of the lower-infiltration simulations for the monsoon climate show faster breakthrough times than the lower-infiltration simulations for the glacial-transition climate. This result is likely due to the lower precipitation that was used in the analog for the lower-infiltration simulation in the glacial-transition climate.

It should be emphasized that these results do not reflect the actual breakthrough times that will be simulated in TSPA-SR. The duration of each climate period will be less than a million years, and the future climates will likely experience a water-table rise. The purpose of this analysis is to explore the possible range of results that may occur for each of the simulated flow fields.




Figure 12. Effect of Infiltration (mean, upper, and lower) on Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.0 with Tc (left) and Np (right) for Present-Day Climate




Figure 13. Effect of Infiltration (mean, upper, and lower) on Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.0 with Tc (left) and Np (right) for Monsoon Climate




Figure 14. Effect of Infiltration (mean, upper, and lower) on Cumulative Normalized Breakthrough Curves at the Water Table Using FEHM v. 2.0 with Tc (left) and Np (right) for Glacial-Transition Climate

7. CONCLUSIONS

Particle-tracking analyses have been performed on UZ base-case flow fields to gain insight into the UZ subsystem transport behavior for TSPA-SR. Results show that particle breakthrough locations at the water table are concentrated along faults in the northern part of the repository due to lateral diversion over "perched-water elements." Perched-water model #1 shows less lateral diversion in the southern portion of the repository. Comparisons between the two perched-water models show that breakthrough curves are very similar, although perched-water model #1 yields Comparisons between two matrix-diffusion models in slightly more conservative results. FEHM show that the finite-fracture-spacing matrix-diffusion model (FEHM v. 2.1) yields slightly lower residence times and slightly faster breakthrough curves relative to the infinitefracture-spacing matrix-diffusion model (FEHM v. 2.0). An evaluation of the effects of watertable rise on particle travel times show that impact of water-table rise is not significant to TSPA calculations. Comparisons between FEHM and DCPT reveal significant differences in the breakthrough curves, which are postulated to be caused by the different matrix-diffusion conceptual models used in each (dual porosity vs. dual permeability). Finally, analyses of the three different infiltration simulations (mean, upper, and lower) reveal that a significant range of breakthrough times exists for each of the three climates. The monsoon climate has the least amount of range, while the present-day climate yields the greatest range.

As a result of these analyses, it is recommended that TSPA-SR calculations use the perchedwater model #1 results with the finite-fracture-spacing model in FEHM v. 2.1. It is also recommended that the dual-permeability matrix-diffusion concept in DCPT be considered for future TSPA calculations. However, for initial (conservative) calculations, FEHM v. 2.1 should be used.

All files associated with this analysis have been submitted to the TDMS (DTN: SN9912T0581699.003 and DTN: SN0001T0581699.004) and are considered "preliminary" pending qualification of upstream source data. Consequently, any use of data from this analysis is required to be controlled as "To Be Verified (TBV)" in accordance with appropriate procedures until this analysis becomes fully qualified. However, no consequential impacts are expected from the preliminary nature of both the source data and the developed data in this report.

This document and its conclusions may be affected by technical product input information that requires confirmation. Any changes to the document or its conclusions that may occur as a result of completing the confirmation activities will be reflected in subsequent revisions. The status of the input information quality may be confirmed by review of the Document Input Reference System database.

8. REFERENCES

8.1 DOCUMENTS CITED

AP-3.10Q, Rev. 1, ICN 1. Analysis and Models. Washington, D.C.: U.S. Department of Energy, Office of Civilian Radioactive Waste Management. ACC: MOL.19991019.0467.

AP-SI.1Q, Rev. 2, ICN 1. Software Management. Washington, D.C.: U.S. Department of Energy, Office of Civilian Radioactive Waste Management. ACC: MOL.19991101.0212.

CRWMS M&O 1999a. Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID:U0160). Development Plan TDP-NBS-HS-000043 REV 00. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.19990811.0285.

CRWMS M&O 1999b. Conduct of Performance Assessment. Activity Evaluation. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.19991028.0092.

CRWMS M&O 1999c. YMP-LBNL Document Review/Comment Resolution Form for PROCESS1 v1.0, with Attached Description and Technical Data Information for DTN: SN9908T0581699.001. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.19990915.0360.

DOE 1998. Quality Assurance Requirements and Description. DOE/RW-0333P, REV 8. Washington, D.C.: U.S. Department of Energy, Office of Civilian Radioactive Waste Management. ACC: MOL.19980601.0022.

Dyer, J.R. 1999. Revised Interim Guidance Pending Issuance Of New U.S. Nuclear Regulatory Commission (NRC) Regulations (Revision 01, July 22, 1999), For Yucca Mountain, Nevada. Letter from J. Russell Dyer (DOE) to D.R. Wilkins (YMP), September 3, 1999, OL&RC:SB-1714, with enclosure, "Interim Guidance Pending Issuance of New NRC Regulations for Yucca Mountain (Revision 01)." ACC: MOL.19990910.0079.

Liu, H.H.; Doughty, C.; and Bodvarsson, G.S. 1998. "An Active Fracture Model for Unsaturated Flow and Transport in Fractured Rocks." *Water Resources Research*, 34, 2633-2646. Washington, D.C.: American Geophysical Union. TIC: 243012.

Pruess, K. 1991. TOUGH2 - A General-Purpose Numerical Simulator for Multiphase Fluid and Heat Flow. LBL-29400. Berkeley, California: Lawrence Berkeley National Laboratory. ACC: NNA 19940202.0088.

QAP-2-0, Rev. 5, ICN 0. Conduct of Activities. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.19980826.0209.

Zyvoloski, G.A.; Robinson, B.A.; Dash, Z.V.; and Trease, L.L. 1997. User's Manual for the FEHM Application - A Finite-Element Heat-and-Mass-Transfer Code. LA-13306-M. Los Alamos, New Mexico: Los Alamos National Laboratory. TIC: 235999.

8.2 SOFTWARE

(See Table 1 for more details on software and routines)

Software Code: FEHM V.2.0, STN: 10031-2.00-00. Qualified.

Software Code: FEHM V.2.1, STN: 10086-2.10-00. TBV-3980

Software Code: DCPT V.1.0, STN: 10078-1.0-00. TBV-3156.

Software Routine: PROCESS1 V.1.0. ACC: MOL.19990915.0360.

8.3 SOURCE DATA

LB990501233129.001. Fracture Properties for the UZ Model Grids and Uncalibrated Fracture and Matrix Properties for the UZ Model Layers for AMR U0090, "Analysis Of Hydrologic Properties Data." Submittal date: 08/25/1999. (TBV-3168)

LB990701233129.001. 3-D UZ Model Grids for Calculation of Flow Fields for PA for AMR U0000, "Development of Numerical Grids For UZ Flow and Transport Modeling." Submittal date: 09/24/1999. (TBV-3167)

LB990801233129.003. TSPA Grid Flow Simulations for AMR U0050, "UZ Flow Models and Submodels." Submittal date: 11/29/1999. (TBV-3662)

LB991091233129.004. Calibrated Fault Properties for the UZ Flow and Transport Model for AMR U0035, "Calibrated Properties Model." Submittal date: 10/22/1999. (TBV-3979)

LB997141233129.001. Calibrated Basecase Infiltration 1-D Parameter Set for the UZ Flow and Transport Model, FY99. Submittal date: 07/21/1999. (TBV-3095)

SN9907T0872799.001. Heat Decay Data and Repository Footprint for Thermal-Hydrologic and Conduction-Only Models for TSPA-SR (Total System Performance Assessment-Site Recommendation). Submittal date: 07/27/1999. (TBV-3599)

SN9910T0581699.002. Post-Processed Flow Fields for RIP: Developed Data from AMR U0125 (Abstract Flow Fields for Rip). Submittal date: 10/15/1999. (TBV-3946)

9. ATTACHMENTS

Attachment	Title
• 1	Input and Output Files for FEHM
Π	Input and Output Files for DCPT
Ш	Directory of Files Submitted to Technical Data Management System

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (1D: U0160)

ATTACHMENT I

Input and Output Files for FEHM

The input files that were developed for FEHM in this analysis include the 'ptrk' and 'dpdp' macros. These files complement the FEHM files that were post-processed as part of an upstream data set (DTN: SN9910T0581699.002). Additional information on input files for FEHM can be found in Zyvoloski et al. (1997). The output files that were developed as part of this analysis have been submitted to the TDMS (DTN: SN9912T0581699.003 and DTN: SN0001T0581699.004).

I.1 DEVELOPMENT OF 'ptrk' INPUT FILES

The 'ptrk' file contains transport properties and other information relevant to the particle tracking simulation in FEHM. A total of nine 'ptrk' files were created manually as part of this analysis. Different 'ptrk' files were required for two radionuclides (Np and Tc), two perched water models, two versions of FEHM, and an advection-only simulation. The different transport properties for Np and Tc are summarized in Table 3 and are reflected in the 'ptrk' macros for the respective simulations. The two perched water models that are used in the base-case flow simulations contain different rock material types that are also reflected in the 'ptrk' file. The latest version of FEHM (v. 2.1) requires additional parameter values in the 'ptrk' file that were not needed in FEHM v. 2.0, so additional 'ptrk' macros are required. Finally, a 'ptrk' macro was developed for the advection-only runs that were used to identify particle breakthrough locations at the water table. All the files can be found in the data developed from this analysis and submitted to the TDMS (DTN: SN9912T0581699.003 and DTN: SN0001T0581699.004). Samples of the 'ptrk' files are provide below (note that some of the lines are wrapped):

I.1.1 'ptrk' File for Np Simulation Using Perched Water Model #1 and FEHM v. 2.0 ('pch1_Np.ptrk')

The following 'ptrk' file was used in developing all transport simulations (including low, mean, and upper infiltration scenarios in present-day, monsoon, and glacial-transition climates) using Np (see Figure 6 through Figure 9 and Figure 12 through Figure 14):

ptrk /* Tracer simulation withdiffusion, dispersion, AND sorption 100000 204853 /* 100,000 particles, random # seed 204853 */										
0 1.e20 0. 1.e20	/* time fo	rstarting	, ending	tran	s. simulat	ion, and ti	me	for	ending,	
starting flow simultaion */										
1 0 2 -1	/* print c	ut partic]	le informa	tion	and store	e it in *.f	in	*/		
1 1.00E+00 0.00E+00	0.00E+00	0.00E+00	1.60E-10		1.10E-01	1.00E-04	#	1	tswM4	13
1 1.00E+00 0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	1.31E-01	1.00E-04	#	2	tswM5	14
1 1.00E+00 0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	1.12E-01	1.00E-04	#	3	tswM6	15
1 1.00E+00 0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	9.40E-02	1.00E-04	#	4	tswM7	16
1 1.00E+00 0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	3.70E-02	1.00E-04	#	5		
tswM8,pcM38,pcF38 17,38,86 17										
1 1.00E+00 0.00E+00		0.00E+00	1.60E-10	1	1.73E-01	1.00E-04	#	6		
tswM9, pcM39, pcF39 18, 39, 87 18										
	0.00E+00	0.00E+00	1.60E-10	1	2.73E-01	1.00E-04	#	7	ch1Mv	19
1 1.00E+00 0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	3.45E-01	1.00E-04	#	8		
ch2Mv, ch3Mv, ch4Mv, ch5Mv 20, 21, 22, 23 20										

1 4	.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	3.31E-01	1.00E-04	#	9		
ch3M	iz, ch4Mz,	ch5Mz 26,	27,28 2			_		1 000 04	-	10		
1 4	1.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	2.66E-01	1.00E-04	#	10		
ch6N	lz,pcM6z,	pcF6z 29,	43,91 29			-	3.25E-01	1.00E-04	#	11	pp4Mz	30
1 4	1.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1		1.00E-04	#	12	pp3Md	31
	1.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	3.03E-01		π #	13	pp2Md	32
-	1.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	2.63E-01	1.00E-04			pp2Ma pp1Mz	33
	4.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	2.80E-01	1.00E-04	#	14		
	1.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	1.15E-01	1.00E-04	#	15	bf3Md,tr	3MQ
	36 34										1 6014	21/-
	4.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	2.59E-01	1.00E-04	#	16	bf2Mz,tr	ZMZ
	37 35	0.002.00	••••									
	4.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	2.88E-01	1.00E-04	#	17	pcM1z,pc	Flz
	88 40	0.000.00	01002.00									
		0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	3.31E-01	1.00E-04	#	18		
1 4	4.00E+00	0.002+00	5z 41,42,89		1.002							
pcM.	2z,pcM5z,	perzz, pers	0.00E+00	0.00E+00	1.60E-10	1	3.25E-01	1.00E-04	#	19	pcM4p,pc	F4p
	1.00E+00	0.00E+00	0.005+00	0.005+00	1.001 10	-	0.000					
44,9		4		0.000.00	1.60E-10	1	8.60E-02	1.00E-04	#	20	tcwMf	45
	1.00E+00	0.00E+00	0.00E+00	0.00E+00		1	4.46E-01	1.00E-04	#	21	ptnMf	46
1 :	1.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	1.27E-01	1.00E-04	#	22	tswMf	47
1 :	1.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	_		1.00E-04	#	23	chnMf	48
1 :	1.00E+00	0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	2.59E-01		#	24	tswF4	61
4	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	1.10E-01	7.14E-04		25	tswF5	62
4	0.00E+00	2.00E+01	2.00E+01	2.00E+01		1	1.31E-01	1.13E-03	#			63
	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	1.12E-01	1.25E-03	#	26	tswF6	64
-	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	9.40E-02	1.25E-03	#	27	tswF7	
	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	3.70E-02	9.23E-04	#	28	tswF8	65
-	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	1.73E-01	1.53E-03	÷.	29	tswF9	66
-	0.00E+00	2.00E+01		2.00E+01	1.60E-10	1	2.73E-01	2.30E-03	#	30	ch1Fv	67
-	-	2.00E+01	2.00E+01	2.00E+01		1	3.45E-01	2.07E-03	#	31		
4	0.00E+00	ch4Fz,ch5I		0,71 68								
		2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	3.31E-01	1.00E-03	#	32		
	0.00E+00		,75,76 74	2.005.01	1.002 10	-						
	Fz, ch4Fz,		2.00E+01	2.00E+Ò1	1.60E-10	1	2.66E-01	1.55E-03	#	33	ch6Fz	77
	0.00E+00	2.00E+01		2.00E+01	1.60E-10	1	3.25E-01	1.00E-03	#	34	pp4Fz	78
-	0.00E+00	2.00E+01	2.00E+01			î	3.03E-01	1.80E-03	#	35	pp3Fd	79
4	0.00E+00	2.00E+01	2.00E+01	2.00E+01		î	2.63E-01	1.80E-03	#	36	pp2Fd	80
	0.00E+00	2.00E+01	2.00E+01	2.00E+01		-	2.80E-01	1.00E-03	#	37	pp1Fz	81
4	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1		1.80E-03	#	38	bf3Fd,t	
4	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	1.15E-01	1.805-03	π	50	bibiu, c	
82,	84 82							1 000 03		20	bf2Fz,t	*257
	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	2.59E-01	1.00E-03	#	39	DIZFZ, C	1252
	85 83											03
4	0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	8.60E-02	3.38E-03	#	40	tcwFf	93
4	0.00E+00			2.00E+01	1.60E-10	1	4.46E-01	1.23E-02	#	41	ptnFf	94
4	0.00E+00			2.00E+01	1.60E-10	1	1.27E-01	4.19E-03	#	42	tswFf	95
4	0.00E+00			2.00E+01		1	2.59E-01	3.40E-03	#	43	chnFf	96
-1	0.0010.00	2.002.01										
	1 0 0	1										

1	0	0	1
-13	0	0	1
-14	0	0	1 2
-15	0	0	3
-16	0	0	4
-17	0	0	5
-18	0	0	6
-19	0	0	7
-20	0	0	8
-21	0	0	8
-22	0	0	8
-23	0	0	8
-26	0	0	9
-27	0	0	9
-28	0	0	9
-29	0	0	10
-30	0	0	11
-31	0	0	12
-32	0	0	13
-33	0	0	14
-34	0	0	15
-35	0	0	16
-36	0	0	15
-37	0	0	16

I-2

$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 9 0 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 9 0 1 1 1 1 1 2 2 2 2 3 4 5 6 7 8 9 9 0 1 1 1 1 1 1 2 2 2 2 3 4 5 6 6 7 8 9 9 0 1 1 2 3 4 5 6 6 7 8 9 9 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 3 4 5 6 6 7 8 9 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
--	--

-500 0 0 -1. 0. 1.E-5 /* release particles at zone 500 *

The first line in this file indicates the name of the FEHM macro ('ptrk'). The second line contains the number of particles and a seed value. The third line contains information regarding the starting and ending times for the flow and transport simulations (because this is just a particle-tracking simulation, the end time for the flow simulation is zero). The fourth line contains information regarding the print out. The following sequence of rows before the blank line contains the transport models that are associated with each material in the model. The first number in each row specifies the transport mode, where "1" denotes advection only and "4" denotes advection, matrix diffusion, and dispersion. The second number is the K_d value (cc/g), and the third through fifth numbers are the dispersivities (m) in the x, y, and z directions. The sixth number is the diffusion coefficient (m²/sec), and the seventh number specifies whether or not fracture sorption occurs ("1" indicates no fracture sorption). The eighth number is the matrix porosity (DTNs: LB990501233129.001), and the ninth number is the aperture parameter (not used for matrix materials). The aperture parameter for each fracture material is calculated as the

ratio of the fracture volume to the fracture/matrix connection area. This ratio is only dependent on the material type, and it is calculated using the ELEME and CONNE cards in the TOUGH2 (Pruess 1991) mesh files (DTN: LB990701233129.001). An element is chosen that corresponds to a given material, and the ratio is calculated from the values in the ELEME and CONNE cards for that particular element. The use of this aperture parameter in the FEHM transport equation is consistent with the reduced fracture/matrix connection area implemented by the active-fracture model (Liu et al. 1998; Section 2.4).

The '#' symbol denotes the end of the data each line, and additional comments are provided following the symbol (i.e., transport model number, material name(s) corresponding to the transport model, and FEHM zones that correspond to the material(s)). Note that several materials (i.e., zones) share the same transport model in some instances. This was done to consolidate transport models of materials that shared the same hydrologic properties. In addition, if special materials (e.g., perched water materials beginning with 'pc') were not identified in the hydrologic property spreadsheets (DTN: LB990501233129.001), the materials were matched to proxy materials that consisted of the same hydrologic properties.

Following the blank line that concludes the list of transport models, each zone (denoted by a negative number) is assigned a transport model number. Finally, below the model assignments, the particles are specified to be released from zone 500 as a pulse. Zone 500 contains the nodes that fall within the repository outline that is described in DTN: SN9907T0872799.001. It should be noted that the nodes in zone 500 are assigned to transport model #1 per the global assignment '1 0 0 1'. Rigorously, each node in this zone should be assigned transport models that correspond to its material type. For example, the fracture nodes belonging to zone 500 should be assigned fracture transport properties corresponding to the material of each node. The use of model #1 for all repository nodes assigns matrix transport parameters (corresponding to tswM4) to the source nodes. This has no effect on Tc, but because sorption occurs for Np, the early breakthrough is slightly delayed (as demonstrated by runs not included in this analysis). It is recommended that for the actual TSPA calculations, the 'ptrk' macro should contain explicit nodel assignments for the source zones (and the SZ zones) to corresponding transport models.

It should also be noted that for perched water model #1, the perched water fracture elements (elements belonging to materials whose first three characters are 'pcF') are assigned to corresponding matrix materials because their properties are similar to those of the matrix. This was done intentionally in the development of the flow model to "perch" water at desired locations.

I.1.2 'ptrk' File for Np Simulation Using Perched Water Model #1 and FEHM v. 2.1 ('afm_pch1_Np.ptrk')

The following 'ptrk' file was used for the mean infiltration scenario with perched-water model #1 and Np as the radionuclide (see Figure 9 through Figure 11):

```
ptrk/* Tracer simulation withdiffusion, dispersion, AND sorption100000 204853/* 100,000 particles, random # seed 204853 */0 1.e20 0. 1.e20/* time for starting, ending trans. simulation, and time for ending,starting flow simultaion *//* print out particle information and store it in *.fin */afm
```

1 1.00E+00 0.00E+00 tswM4 13	0.00E+00	0.00E+00	1.60E-10	1	1.10E-01	1.00E-04	0.00	0.00	#	1
1 1.00E+00 0.00E+00	0.00E+00	0.00E+00	1.60E-10	1	1.31E-01	1.00E-04	0.00	0.00	#	2
tswM5 14 1 1.00E+00 0.00E+00 tswM6 15	0.00E+00	0.00E+00	1.60E-10	1	1.12E-01	1.00E-04	0.00	0.00	#	3
1 1.00E+00 0.00E+00 tswM7 16	0.00E+00	0.00E+00	1.60E-10	1	9.40E-02	1.00E-04	0.00	0.00	#	4
1 1.00E+00 0.00E+00 tswM8,pcM38,pcF38 17,	0.00E+00	0.00E+00	1.60E-10	1.	3.70E-02	1.00E-04	0.00	0.00	#	5
1 1.00E+00 0.00E+00 tswM9,pcM39,pcF39 18,	0.00E+00	0.00E+00	1.60E-10	1	1.73E-01	1.00E-04	0.00	0.00	#	6
1 1.00E+00 0.00E+00 chlMv 19		0.00E+00	1.60E-10	1	2.73E-01	1.00E-04	0.00	0.00	#	7
1 1.00E+00 0.00E+00 ch2Mv, ch3Mv, ch4Mv, ch5M			1.60E-10	1	3.45E-01	1.00E-04	0.00	0.00	#	8
1 4.00E+00 0.00E+00			1.60E-10	1	3.31E-01	1.00E-04	0.00	0.00	Ħ	9
ch3Mz,ch4Mz,ch5Mz 26,	27,28 2	-								
1 4.00E+00 0.00E+00 ch6Mz,pcM6z,pcF6z 29,			1.60E-10	1	2.66E-01	1.00E-04	0.00	0.00	Ħ	10
1 4.00E+00 0.00E+00 pp4Mz 30			1.60E-10	1	3.25E-01	1.00E-04	0.00	0.00	#	11
1 1.00E+00 0.00E+00 pp3Md 31	0.00E+00	0.00E+00	1.60E-10	1	3.03E-01	1.00E-04	0.00	0.00	Ħ	12
1 1.00E+00 0.00E+00 pp2Md 32	0.00E+00	0.00E+00	1.60E-10	1	2.63E-01	1.00E-04	0.00	0.00	#	13
1 4.00E+00 0.00E+00 pp1Mz 33	0.00E+00	0.00E+00	1.60E-10	1	2.80E-01	1.00E-04	0.00	0.00	Ħ	14
1 1.00E+00 0.00E+00 bf3Md,tr3Md 34,36 34	0.00E+00	0.00E+00	1.60E-10	1	1.15E-01	1.00E-04	0.00	0.00	Ħ	15
1 4.00E+00 0.00E+00 bf2Mz,tr2Mz 35,37 35	0.00E+00	0.00E+00	1.60E-10	1	2.59E-01	1.00E-04	0.00	0.00	Ħ	16
1 4.00E+00 0.00E+00 pcMlz,pcFlz 40,88 40	0.00E+00	0.00E+00	1.60E-10	1	2.88E-01	1.00E-04	0.00	0.00	Ħ	17
1 4.00E+00 0.00E+00 pcM2z,pcM5z,pcF2z,pcF5	0.00E+00 z 41.42.89	0.00E+00 .90 41	1.60E-10	1	3.31E-01	1.00E-04	0.00	0.00	Ħ	18
1 1.00E+00 0.00E+00 pcM4p,pcF4p 44,92		0.00E+00	1.60E-10	1	3.25E-01	1.00E-04	0.00	0.00	Ħ	19
1 1.00E+00 0.00E+00 tcwMf 45	0.00E+00	0.00E+00	1.60E-10	1	8.60E-02	1.00E-04	0.00	0.00	#	20
1 1.00E+00 0.00E+00 ptnMf 46	0.00E+00	0.00E+00	1.60E-10	1	4.46E-01	1.00E-04	0.00	0.00	#	21
1 1.00E+00 0.00E+00 tswMf 47	0.00E+00	0.00E+00	1.60E-10	1	1.27E-01	1.00E-04	0.00	0.00	#	22
1 1.00E+00 0.00E+00 chnMf 48	0.00E+00	0.00E+00	1.60E-10	1	2.59E-01	1.00E-04	0.00	0.00	ŧ	23
6 0.00E+00 2.00E+01 tswF4 61	2.00E+01	2.00E+01	1.60E-10	1		7.14E-04	0.01	0.41	#	24
6 0.00E+00 2.00E+01 tswF5 62	2.00E+01	2.00E+01	1.60E-10	1	1.31E-01	1.13E-03	0.01	0.41	#	25
6 0.00E+00 2.00E+01 tswF6 63	2.00E+01	2.00E+01	1.60E-10	1	1.12E-01	1.25E-03	0.01	0.41	¥	26
6 0.00E+00 2.00E+01 tswF7 64										
6 0.00E+00 2.00E+01 tswF8 65										
6 0.00E+00 2.00E+01 tswF9 66									#	29
6 0.00E+00 2.00E+01 ch1Fv 67	2.00E+01	2.00E+01								30
6 0.00E+00 2.00E+01 ch2Fv,ch3Fv,ch4Fz,ch5F			1.60E-10	1	3.45E-01	2.07E-03	0.01	0.13	#	31
6 0.00E+00 2.00E+01 ch3Fz,ch4Fz,ch5Fz 74,	2.00E+01		1.60E-10	1	3.31E-01	1.00E-03	0.01	0.10	ŧ	32
6 0.00E+00 2.00E+01 ch6Fz 77	2.00E+01					1.55E-03				
6 0.00E+00 2.00E+01 pp4Fz 78						1.00E-03				
6 0.00E+00 2.00E+01 pp3Fd 79	2.00E+01	2.00E+01	1.60E-10	1	3.03E-01	1.80E-03	0.01	0.46	#	35

6 0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	2.63E-01	1.80E-03	0.01	0.46	#	36
pp2Fd 80 6 0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	2.80E-01	1.00E-03	0.01	0.10	#	37
pp1Fz 81 6 0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	1.15E-01	1.80E-03	0.01	0.46	#	38
bf3Fd,tr3Fd 6 0.00E+00	82,84 2.00E+01	82 2.00E+01	2.00E+01	1.60E-10	1	2.59E-01	1.00E-03	0.01	0.10	#	39
bf2Fz,tr2Fz 6 0.00E+00	83,85 2.00E+01	83 2.00E+01	2.00E+01	1.60E-10	1	8.60E-02	3.38E-03	0.01	0.30	#	40
tcwFf 93 6 0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	4.46E-01	1.23E-02	0.01	0.09	#	41
ptnFf 94 6 0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	1.27E-01	4.19E-03	0.01	0.50	#	42
tswFf 95 6 0.00E+00	2.00E+01	2.00E+01	2.00E+01	1.60E-10	1	2.59E-01	3.40E-03	0.01	0.30	#	43
chnFf 96											

$\begin{array}{c} 1 \\ -14 \\ -17 \\ -$	000000000000000000000000000000000000000	, , ,	1 1 2 3 4 5 6 7 8 8 8 9 9 9 10 112 13 14 15 16 5 6 7 8 8 8 8 9 9 9 10 112 13 14 5 6 7 8 8 8 8 9 9 9 10 112 13 14 5 6 7 8 8 8 8 9 9 9 9 10 112 13 14 5 6 7 7 8 8 8 8 9 9 9 10 112 13 14 5 6 7 7 8 8 8 8 9 9 9 9 10 112 13 14 5 6 6 7 7 8 8 8 8 9 9 9 10 112 13 14 5 6 6 7 7 8 8 8 8 9 9 9 9 10 112 13 14 5 6 6 7 7 8 8 8 8 9 9 9 10 112 13 14 5 6 6 7 7 8 8 8 8 9 9 9 10 112 13 14 5 6 6 7 7 8 8 8 8 9 9 9 10 112 13 14 5 6 6 7 7 8 8 8 8 9 9 9 10 11 2 3 2 8 8 8 8 9 9 9 10 11 2 3 4 5 6 6 7 7 8 8 8 8 9 9 9 10 11 2 3 2 4 5 6 7 7 8 8 8 9 9 9 10 11 2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
-64 -65 -66 -67 -68 -69 -70 -71 -74 -75 -76 -77 -78 -79 -80 -81			26 27 28 30 31 31 31 32 32 32 33 4 35 36 37

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID: U0160)

-82	:	0	0	38						
-83	;	0	0	39						
-84		0	0	38						
-85	;	0	0	39						
-86	5	0	0	5						
-87	7	0	0	6						
-88	3	0	0	17						
- 89)	0	0	18						
- 90)	0	0	18						
- 91	L	0	0	10						
-92	2	0	0	19						
-93	3	0	0	40						
-94	1	0	0	41						
-95	5	0	0	42						
-96	5	0	0	43						
-500	0	0	-1.	ο.	1.E-5	/*	release	particles	at	zone

In the 'ptrk' file for FEHM v. 2.1, a new option allows the use of finite fracture spacing for matrix diffusion modeling. This is invoked in the first field in the rows of transport models. If the value is '6', then finite fracture spacing will be invoked for matrix diffusion, along with advection and dispersion. The keyword 'afm' above the list of transport models indicates that two additional fields are added at the end of each row for the transport models (before the '#' symbol) to invoke the active-fracture model. The active-fracture model in FEHM v. 2.1 increases the geometric fracture spacing specified in the 'dpdp' macro by dividing it by the effective fracture liquid saturation raised to the power of γ , where γ is a fitting parameter in the active-fracture model that specifies the fraction of fractures that have flowing liquid (Liu et al. 1998; Section 2.1). Note that the γ parameter is different for the low, mean, and upper infiltration scenarios.

The first additional field in the 'ptrk' file for the active-fracture model in FEHM v. 2.1 is the residual fracture liquid saturation (not used for matrix materials). These values are taken from DTN: LB997141233129.001 for non-fault materials and from the ROCKS card of 'pa_pchm1.dat' (DTN: LB990801233129.003) for the fault materials (tcwFf, ptnFf, tswFf, and chnFf). The second additional field is the active-fracture-model γ parameter, which is taken from the same DTNs. It should be noted that the calibrated fault material properties can also be found in an Excel spreadsheet in DTN: LB991091233129.004, but the values are reported with fewer significant digits than in the TOUGH2 ROCKS card.

It should be noted that for perched water model #2, the perched water fracture elements (elements belonging to materials whose first three characters are 'pcF') are assigned to corresponding matrix materials because their properties are similar to those of the matrix. In addition, all fracture elements belonging to zeolitic rock (materials denoted with 'z' in the last character) are also assigned matrix properties. This was done intentionally in the development of the flow model to "perch" water at desired locations.

I.1.3 'ptrk' File for Advection-Only Simulation ('fm_tracer.ptrk')

The following 'ptrk' file is used for the advection-only runs shown in Figure 1 through Figure 5. No diffusion, dispersion, or sorption is considered in these runs.

```
      ptrk
      /* Tracer simulation with no diffusion, dispersion, or sorption

      100000 204853
      /* 100,000 particles, random # seed 204853 */

      0 1.e20 0. 1.e20
      /* time for starting, ending trans. simulation, and time for ending,

      starting flow simultaion */
      1 0 2 -1

      1 0 2 -1
      /* print out particle information and store it in *.fin */

      1 0.000E+00
      0.000E+00
      0.000E+00

      1 0 0 1
      -500 0 0 -1. 0. 1.E-5
      /* release particles at zone 500 */
```

In this file, the line containing '1 0 0 1' denotes that all nodes are assigned transport model #1, which consists of advection only.

I.2 DEVELOPMENT OF 'dpdp' INPUT FILES FOR FEHM V. 2.1

Two 'dpdp' files are developed manually as part of this analysis for use with FEHM v. 2.1. The 'dpdp' files are independent of the radionuclide being used; however, different 'dpdp' files must be created for the different perched water models because of the different materials used in each.

The following 'dpdp' file is for perched-water model #1. It is invariant among the different infiltration, climate, and radionuclide transport (e.g., Tc vs. Np) scenarios:

'afm_pch1.dpdp'

dpdp				
1				
-	-49	0	0	0.2800E-01
	-50	0	0	0.2000E-01
	-51	0	0	0.1500E-01
	-52	0	0	0.1100E-01
	-53	0	0	0.1200E-01
	-54	Ó	0	0.2500E-02
	-55	0	0	0.1200E-01
	-56	0	0	0.6200E-02
	-57	0	0	0.3600E-02
	-58	0	0	0.5500E-02
	-59	0	0	0.9500E-02
	-60	0	0	0.6600E-02
	-61	0	0	0.1000E-01
	-62	0	0	0.1100E-01
	-63	0	0	0.1500E-01
	-64	0	0	0.1500E-01
	-65	0	0	0.1200E-01
	-66	0	0	0.4600E-02
	-67	0	0	0.6900E-03
	-68	0	0	0.8900E-03
	-69	0	0	0.8900E-03
	-70	0	0	0.8900E-03
	-71	0	0	0.8900E-03
	-72	0	0	0.1700E-03
	-73	0	0	0.4300E-03
	-74	0	0	0.4300E-03
	75	0	0	0.4300E-03
	-76	0	0	0.4300E-03
	-77	0	0	0.1700E-03
	-78	0	0	0.4300E-03
	-79	0	0	0.1100E-02
	-80	0	0	0.1100E-02
	-81	0	0	0.4300E-03
	-82	0	0	0.1100E-02
	-83	0	0	0.4300E-03
	-84	0	0	0.1100E-02
	-85	0	0	0.4300E-03

ANL-NBS-HS-000024 REV 00

January 2000

-86 -87 -88 -99 -91 -92 -93 -94 -95 -96	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0.3700E-01 0.1730E+00 0.2880E+00 0.3310E+00 0.2660E+00 0.250E+00 0.4400E-01 0.1600E-01 0.3600E-01
-49 -50 -51 -52 -53 -55 -55 -56 -62 -62 -63 -66 -67 -68 -77 -77 -77 -78 -88 -88 -88 -88 -88 -8	000000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.543 0.262 0.179 0.746 1.087 0.877 1.087 0.962 0.515 0.230 0.446 0.617 0.116 0.158 0.124 0.124 0.124 0.124 0.521 5.000 3.571 3.57

stop

The following 'dpdp' file is for perched-water model #2. It is invariant among the different infiltration, climate, and radionuclide transport (e.g., Tc vs. Np) scenarios:

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID: U0160)

'afm_pch2.dpdp'

dpdp 1

>		
-44 -45 -46 -47 -48 -50 -51 -52 -53 -54 -55 -56 -57 -58 -59 -60 -61 -62 -63 -64 -65 -66 -67 -71 -72 -74 -77 -78 -77 -78 -80 -71 -77 -78 -77 -78 -80 -81 -82 -83 -84 -85 -86		0.2800E-01 0.2000E-01 0.1500E-01 0.1200E-01 0.2500E-02 0.2600E-02 0.5500E-02 0.5500E-02 0.5500E-02 0.5500E-02 0.6600E-02 0.1000E-01 0.1500E-01 0.1500E-01 0.4500E-03 0.8900E-03 0.8900E-03 0.8900E-03 0.8900E-03 0.8900E-03 0.4300E-03 0.4300E-03 0.4300E-03 0.4300E-03 0.4300E-03 0.4300E-03 0.4300E-03 0.4300E-03 0.4300E-03 0.4300E-03 0.1100E-02 0.4400E-01 0.1600E-01 0.1600E-02 0.1600
-44 -45 -46 -47 -50 -51 -52 -53 -54 -55 -56 -57 -58 -59 -60 -61 -62 -63 -64 -65	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.543 0.262 0.179 0.746 1.087 0.962 0.515 0.230 0.446 0.617 0.116 0.124 0.124 0.124 0.124 0.124 0.125 0.521 5.00 3.571 3.571

-66	0	0	3.571
-67	0	0	12.50
-68	0	0	3.571
-69	0	0	3.571
-70	0	0	3.571
-71	0	0	3.571
-72	0	0	12.50
-73	0	0	3.571
-74	0	0	2.500
-75	0	0	2.500
-76	0	0	3.571
-77	0	0	2.500
-78	0	0	3.571
-79	0	0	2.500
-80	0	0	3.571
-81	0	0	99.00
-82	0	0	99.00
-83	0	0	0.263
-84	0	0	0.926
-85	0	0	0.294
-86	0	0	3.846

stop

In these two 'dpdp' files, the zones corresponding to fracture nodes belonging to each material are listed along with the corresponding bulk fracture porosity for each material. Following the blank line, the same zones are listed again with the fracture half spacing (half the inverse of the fracture frequency). The fracture frequencies corresponding to each material are taken from DTN: LB990501233129.001.

1.3 OUTPUT FILES FROM FEHM

The output files from FEHM are described in detail in Zyvoloski et al. (1997). The output file containing the primary particle information is the '*.fin' file. This file is post-processed using the PROCESS1 software routine to provide text columns of time (years), mass flow at the water table (mol/year), and cumulative mass arriving at the water table (mol) in a '*.output' file. A sample of the first and last few lines of the output file that is plotted for Np transport during the present-day mean climate using perched-water model #1 and FEHM v. 2.0 (fm_pchm1_Np_tracer.output) is as follows (see Figure 6, Figure 9, and Figure 12):

17.9199867	4.56405629e-04	1.00175303e-05
22.9815865	1.30574964e-03	4.48785396e-03
25.8188248	1.76180829e-03	8.96568969e-03
28.2247219	2.03770655e-03	1.34435259e-02
30.4081726	1.96700683e-03	1.79213621e-02
32.6451530	1.91854325e-03	2.23991983e-02
34.8349533	2.26716511e-03	2.68770345e-02
36.8910751	2.06031092e-03	3.13548706e-02
39.0363503	2.20884848e-03	3.58327068e-02
•		
•		
233123.938	2.53230098e-07	0.846321046
252470.359	1.94349909e-07	0.850798905
279136.250	1.59731911e-07	0.855276763
312549.594	1.10904871e-07	0.859754562
355794.250	9.30835000e-08	0.864232421
402439.094	9.89259021e-08	0.868710220

460795.031	6.44197300e-08	0.873188078
539226.625	4.96984818e-08	0.877665937
645865.563	3.99412841e-08	0.882143736
	3.54991840e-08	
901695.188	3.04012993e-08	0.891099453

ATTACHMENT II

Input and Output Files for DCPT

The two DCPT simulations reported in this analysis were performed at LBNL. All input and output files developed for the DCPT simulations have been submitted to the TDMS (DTN: SN9912T0581699.003 and DTN: SN0001T0581699.004).

II.1 Format of input files

II.1.1 Control File (**.ir

Row	Data	Format
1	Title (first five characters must to be MULTI)	String
2	Maximum simulation time, Number of species	Real, Real
3	Filename of the TEC file (matrix)	String in " "
4	Filename of the TEC file (fracture)	String in " "
5	Filename of the mesh file	String in " "
6	Filename of the initial particle distribution	String in " "
7	Filename of the final status of particles	String in " "
8	Filename of the numbers of particles in each cell	String in " "
9	Filename of the rock properties	String in " "
10	Filename of the flow rates of each connection	String in " "
11	Filename of the connection configurations	String in " "
12	Filename of the rock index for each cell	String in " "
13	Filename of the particle properties	String in " "
14	Flag indicating whether or not the dispersion process is	Logical (.true. or .false.)
	considered	
15	Flag indicating whether or not the mass exchange between the fracture and the matrix is considered	Logical (.true. or .false.)
16	Flag indicating whether or not the sorption process is considered	Logical (.true. or .false.)
17	Flag indicating whether or not the colloid facilitate process is considered	Logical (.true. or .false.)
18	Any two real number (not used)	Real, separated by a comma
19	Any two real number (not used)	Real, separated by a comma
20	Any two real number (not used)	Real, separated by a comma
21	Any two real number (not used)	Real, separated by a comma
22	Dispersivity on the interface between the fracture and the matrix	Real

The following 'PAGlam1.in' file was used in this analysis:

MULTIInput for Particle	tracking for PA Tmax, Maximun time allowed
8.E+15,2	
"glaml_m.tec"	tec file of matrix
"glam1_f.tec"	tec file of fracture
"PA99mesh.txt"	mesh file
"PA99PTini.txt"	Initial distribution
"PA99_out.txt"	Output file (final status)
"PA99_Dist.txt"	OutPut File (final distribution, per cell)
"PARock99pch1.roc*	Rock properties
"glam1.flow"	Flow per connection
"PA99mesh.con"	connection configuration
"PARock99pch1.idx"	Rock index per cell
"PtP_PA.dat"	Particle properties, only if MULTI
.true.	HasDispersion

II.1.2 TEC File (matrix)

The first three rows will be skipped in reading by DCPT V1.0. Each following row contains information of a cell (matrix part) in the format of "a1,a1,a3,8x,3(f10.3,1x),15(e14.6)". The variables are Name, x, y, z, P, SL, PCap, Vx, Vy, Vz, Fx, Fy, Fz, Ff-m, Af-m, S, phi, Vn, and Tau. Among these variables, only those listed in the following table are used by DCPT:

Variable	Format
Name (the first character must be "M")	String with length of 5
X	F10.3 plus a space
Ŷ	F10.3 plus a space
7	F10.3 plus a space
SL (liquid saturation)	E14.6
Vx (x-component of pore velocity)	E14.6
Vy (y-component of pore velocity)	E14.6
Vz (z-component of pore velocity)	E14.6
Ff-m (liquid flow rate from fracture to matrix)	E14.6
Af-m (area of the fracture/matrix interface)	E14.6
S (characteristic distance of the fracture-matrix system)	E14.6
Phi (porosity)	E14.6
Vn (bulk volume)	E14.6
Tau (tortuosity)	E14.6

The following are the first few lines of the 'glam1_m.tec' file used in this analysis (note that the lines are wrapped):

```
#Time = 0.50000E+05
Variables= x y z P SL Pcap VMx VMy VMz FMx FMy FMz Ff-m Af-m Df-m phi, Vn, Tau
Zone F=FEPOINT I= 97976 J=
             169398.601 236623.643 1626.096 -0.274552E+05 0.296434E+00 -0.119455E+06 -
Maa 1
0.304523E-12 -0.459076E-10 -0.284225E-10 -0.110923E-13 -0.441135E-08 -0.230340E-08 0.108237E-08
0.373100E+06 0.181200E+00 0.253000E+00 0.226700E+06 0.000000E+00
             169398.601 236623.643 1606.466 0.885896E+05 0.995114E+00 -0.341044E+04
Mba 1
0.782747E-12 -0.955420E-12 -0.329724E-10 0.495234E-13 -0.748698E-10 -0.279181E-08 -0.739807E-11
0.421700E+08 0.877200E-01 0.820000E-01 0.317900E+07 0.000000E+00
              169398.601 236623.643 1569.837 0.815142E+05 0.979608E+00 -0.104858E+05
Mca 1
0.338314E-12 -0.125995E-11 -0.113493E-10 0.210138E-13 -0.103417E-09 -0.104300E-08 0.475876E-16
0.421700E+08 0.877200E-01 0.820000E-01 0.317900E+07 0.000000E+00
              169398.601 236623.643 1547.726 -0.131684E+06 0.841775E+00 -0.223684E+06
Mda 1
0.174454E-08 -0.926233E-08 -0.999475E-09 0.875208E-08 -0.301101E-05 -0.317376E-06 0.906935E-07
0.672400E+06 0.248800E+00 0.387000E+00 0.665000E+06 0.000000E+00
              169398.601 236623.643 1535.453 -0.143485E+05 0.371663E+00 -0.106349E+06
Mea 1
0.542594E-10 -0.230890E-09 -0.264556E-08 0.748595E-10 -0.366298E-07 -0.645448E-06 0.145385E-08
0.210300E+07 0.362300E+00 0.439000E+00 0.148400E+07 0.000000E+00
```

II.1.3 TEC File (fracture)

The first three rows will be skipped in reading by DCPT V1.0. Each following row contains information of a cell (fracture part) in the format of "a1,a1,a3,8x,3(f10.3,1x),15(e14.6)". The

variables are Name, x, y, z, P, SL, PCap, Vx, Vy, Vz, Fx, Fy, Fz, Ff-m, Xf-m, S, phi, Vn, Tau, and Rf-m. Among these variables, only those listed in the following table are used by DCPT:

Variable	Format
Name (the first character must be "F")	String with length of 5
X	F10.3 plus a space
<u>×</u>	F10.3 plus a space
7	F10.3 plus a space
SL (liquid saturation)	E14.6
Vx (x-component of pore velocity)	E14.6
Vy (y-component of pore velocity)	E14.6
Vz (z-component of pore velocity)	E14.6
Ff-m (liquid flow rate from fracture to matrix)	E14.6
Rf-m (reduction factor to the area of the fracture/matrix interface)	E14.6
Phi (porosity)	E14.6
Vn (bulk volume)	E14.6
Tau (tortuosity)	E14.6

The following are the first few lines of the 'glam1_f.tec' file used in this analysis (note that the lines are wrapped):

```
#Time = 0.50000E+05
Variables= x y z P SL Pcap VFx VFy VFz FFx FFy FFz Ff-m R_fm phi, Vn, Tau, fac_f-m
Zone F=FEPOINT I= 97976 J=
                                               0.907526E+05 0.461184E-01 -0.124741E+04 -
            169399.101 236623.643 1626.096
Faa 1
0.252185E-08 -0.652050E-07 -0.276415E-06 -0.868405E-11 -0.865655E-07 -0.394131E-06 0.108237E-08
0.000000E+00 0.100000E+01 0.653000E+04 0.000000E+00 0.134407E-01
            169399.101 236623.643 1606.466 0.885835E+05 0.208725E-01 -0.341654E+04
Fba 1
0.686986E-07 -0.141458E-06 -0.106320E-05 0.225816E-10 -0.575322E-07 -0.747258E-06 -0.739807E-11
0.000000E+00 0.100000E+01 0.648800E+05 0.000000E+00 0.100000E+01
                                                0.885805E+05 0.208513E-01 -0.341950E+04
            169399.101 236623.643 1569.837
Fca 1
0.468053E-07 -0.227466E-06 -0.156625E-05 0.155098E-10 -0.962187E-07 -0.741507E-06 0.475876E-16
0.000000E+00 0.100000E+01 0.648800E+05 0.000000E+00 0.280972E-02
            169399.101 236623.643 1547.726 0.872078E+05 0.518675E-01 -0.479225E+04
Fda 1
0.145444E-08 -0.115248E-07 -0.815115E-06 0.133884E-10 -0.723707E-08 -0.409033E-06 0.906935E-07
0.000000E+00 0.100000E+01 0.739600E+04 0.000000E+00 0.317617E-01
                                                0.742664E+05 0.286816E-01 -0.177336E+05
            169399.101 236623.643 1535.453
Fea 1
0.184833E-08 -0.120751E-07 -0.909572E-07 0.548611E-11 -0.416802E-08 -0.484053E-07 0.145385E-08
0.000000E+00 0.100000E+01 0.180200E+05 0.000000E+00 0.131741E-01
```

II.1.4 Mesh File

This file contains three sections of information: cells, columns, and segments.

Section 1: The first row is the number of cells (integer). Each cell occupies two rows. The first row of two is the cell ID (integer). The second row contains ColumnID (integer), Cell Type (one character n ""), x (real), y (real), z_top (real), z_bottom (real), and Cell size (real), separated by a comma. The first few lines of this section are given from 'PA99mesh.txt' (some lines are wrapped):

```
50312

1

1, "t", 169398.600586, 236623.64349375, 1627.412604, 1627.412604, -1, 88565.5673840102

2

1, "1", 169398.600586, 236623.64349375, 1627.412604, 1624.78, 297.59967638425, 233158.066957426

3

1, "1", 169398.600586, 236623.64349375, 1624.78, 1588.15132496834, 297.59967638425, 3244039.38670367

4
```

```
1, *1*,169398.600586,236623.64349375,1588.15132496834,1551.52264993668,297.59967638425,3244039.386

70367

5

1, *1*,169398.600586,236623.64349375,1551.52264993668,1543.93,297.59967638425,672447.349589882

6

1, *1*,169398.600586,236623.64349375,1543.93,1526.97549184,297.59967638425,1501585.63490723

1, *1*,169398.600586,236623.64349375,1526.97549184,1512.99259184,297.59967638425,1238403.47217388

8

1, *1*,169398.600586,236623.64349375,1512.99259184,1512.99259184,297.59967638425,2918505.73855824

9

1, *1*,169398.600586,236623.64349375,1512.99259184,1480.03953994,297.59967638425,2918505.73855824

9

1, *1*,169398.600586,236623.64349375,1480.03953994,1449.73455489361,297.59967638425,2683978.195197

18

10

1, *1*,169398.600586,236623.64349375,1449.73455489361,1419.42956984723,297.59967638425,2683978.195197

18
```

Section 2: The first row is the number of columns (integer). Each column occupies two rows. The first row of two contains the column ID (integer) and the number of its neighboring columns (integer). The second row contains all neighboring column IDs (integers), the top cell ID (integer) and the bottom cell ID (integer) of this column, x (real), and y (real), separated by a comma. The following are the first few lines for this section from 'PA99mesh.txt':

```
1324

1,4

1,2,3,4,1,37,169398.600586,236623.64349375

2,6

5,6,7,8,9,10,38,69,172705.4375,230904.03125

3,5

11,12,13,14,15,70,101,168909.65625,233244.625

4,7

16,17,18,19,20,21,22,102,125,171465.90625,237975.359375

5,5

23,24,25,26,27,126,150,172320.4519045,237217.732620313
```

Section 3: The first row is the total number of the segments (integer). Each segment occupies two rows. The first row of two contains the segment ID (integer). The second row contains two neighboring cell IDs (integers) and x-y coordinates (real) of two ends of the segment. The first few lines of this section in 'PA99mesh.txt' are given below:

```
3120
```

```
1

1, -1, 169251.917, 236795.473, 169201.033, 236473.209

2

1, 114, 169201.033, 236473.209, 169428.63, 236411.341

3

1, 102, 169428.63, 236411.341, 169501.1745, 236823.139

4

1, 31, 169501.1745, 236823.139, 169251.917, 236795.473

5

2, 133, 172943.786, 230984.566, 172730.132, 231087.475

6

2, 94, 172730.132, 231087.475, 172487.977, 231043.0255

7

2, 130, 172487.977, 231043.0255, 172606.485, 230777.016

8

2, 199, 172606.485, 230777.016, 172683.106, 230740.154

9

2, 200, 172683.106, 230740.154, 172829.738, 230784.794
```

II.1.5 Initial Particle Distribution File

This file provides information of particles to be simulated. The first row of data is the total number (integer) of the particle groups. Then each row of data describes one group of particles, including the number of the particles in the group (integer), the ID (integer) of the cell that hosts the particles initially, the ratio (real) of the particles that reside in the fracture continuum to the total, and the initial time (the time of the particles entering the domain, real). The first few lines in 'PA99PTini.txt' are show as follows:

275 10,33156,1,0,1 10,33201,1,0,1 10,33248,1,0,1 10,33293,1,0,1 10,3338,1,0,1 10,3338,1,0,1 10,33432,1,0,1 10,33477,1,0,1 10,33571,1,0,1 10,33618,1,0,1 10,33666,1,0,1

II.1.6 Flow Rates Per Connection

This file is a section of the TOUGH2 output file. It lists all flow rates per 3-D connections in the order that is consistent with that in the connection configuration file. Note that for one connection there are one flow rate via fracture and another via matrix, listed consecutively. Only the data positioned between column 32 and 46 are used with a format of "E15.6". The first 7 rows are skipped in reading by DCPT and then three rows are skipped every 60 rows because of the format used by TOUGH2. The first several lines of 'glam1.flow' are provided below:

ELEM1 ELEM1 ELEM1 ELEM1 ELEM1	ELEM2 ELEM2 ELEM2 ELEM2 ELEM2	INDEX INDEX INDEX INDEX INDEX	FLO(LIQ) FLO(LIQ) FLO(LIQ) FLO(LIQ) FLO(LIQ) (KG/S)	VEL VEL VEL VEL (M/S)	(FLO_X3) (FLO_X3) (FLO_X3) (FLO_X3) (FLO_X3) (FLO_X3) (KG/S)	(FLO_CUM) (FLO_CUM) (FLO_CUM) (FLO_CUM) (FLO_CUM) (KG)
Fea 1	Fda 1	1	0.58478473E-02	0.66213512E-10	0.12887739E-82	0.65751762E-59
Mea 1	Mda 1	2	0.56111148E-01	0.63533598E-09	0.41186939E-81	0.61779188E-58
Fda 1	Fca 1	3	0.66833278E-01	0.75673566E-09	0.13441705E-81	0.75176827E-58
Mda 1	Mca 1	4	0.94107756E-04	0.10655547E-11	0.49970583E-83	0.27767769E-59
Fca 1	Fba 1	5	0.66793638E-01	0.75628682E-09	0.18997935E-82	0.13352748E-58
Mca 1	Mba 1	6	0.93860283E-04	0.10627531E-11	-0.19151343E-84	-0.97866416E-61
Fba 1	Faa 1	7	0.67594592E-01	0.76535428E-09	0.31452586E-87	0.19337232E-63

II.1.7 Connection Configuration File

The first row of data in this file is the total number of the 3-D connections between the cells. Each of following rows contains two neighboring cells' IDs (integers) and the area of the connection (the interface). The listing order of the connections must be consistent with that used in the file of the flow rates per connections. The first few lines from 'PA99mesh.con' are provided below:

CONNE

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID: U0160)

174553
6,5,88565.5673840102,-1
5,4,88565.5673840102,-1
4,3,88565.5673840102,-1
3,2,88565.5673840102,-1
7,6,88565.5673840102,-1
8,7,88565.5673840102,-1
9,8,88565.5673840102,-1
10,9,88565.5673840102,-1
11,10,88565.5673840102,-1
12,11,88565.5673840102,-1
13,12,88565.5673840102,-1
14,13,88565.5673840102,-1
15,14,88565.5673840102,-1
16,15,88565.5673840102,-1
17,16,88565.5673840102,-1
18,17,88565.5673840102,-1
19,18,88565.5673840102,-1

II.1.8 Rock Property File

The first row of data is the number of species, Ns (integer). Then the data are listed by rocks. Each rock card consists of Ns+1 rows of data. The first row contains RockID (integer), RockName (5 characters), RockDensity (real), Poresize (real), PoreIndex (real), Concentration of colloid (real), and Fraction of Filtered colloid (real), respectively. Each row of the following data in the rock card corresponds to one particle. The data are longitude dispersivity (real), transverse dispersivity (real), Kd (real), Kd to colloid (real), and dispersivity for fracture/matrix interface (real), respectively. The first few lines from 'PARock99pch1.roc' are shown below:

```
3
                            0.50000E-07
                                                         0.69000E-02
                                                                       0.30000E+00
                                          0.10000E+01
              0.25500E+04
   1 tcwM1
 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
                                                                       0.30000E+00
                                                        0.69000E-02
                                          0.10000E+01
             0.25100E+04
                            0.50000E-07
   2 tcwM2
 0.00000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
                                          0.10000E+01
                                                         0.69000E-02
                                                                       0.30000E+00
              0.24700E+04
                            0.50000E-07
   3 tcwM3
 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
 0.00000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
```

II.1.9 List of Rock Index for Cells

Columns in this file correspond to CellID, RockIndex for matrix continuum, and RockIndex for fracture continuum, respectively. The first few lines from 'PARock99pch1.idx' are shown below:

2	1	49
3	2	50 50
4	2	
5	4	52
6	5	53
7	6	54
8	7	55
9	8	56
10 .	8	56
11	9	57
12	10	58

II.1.10 Particle Property File

The first row of data is a description of variables and ignored by DCPT. After that, columns are corresponding to ParticleName, ParticleID, DaughterParticleID (if 0—no daughter products), ParticleSize, DecayRate, Molecular diffusion coefficient, and ParticleType, respectively. The file 'PtP_PA.dat' is given below:

Name	ID	Daughter	Size	Rdecay	Dm	pTy	pe	units	m	and	s
Np	1	0	0	0.	1.60e-10	"N"					
Tc	2	0	0	0.	3.20e-11	"N"					
Pu	3	0	0	9.1087∈	e-13 1.597e-	10	"N'				

II.2 Format of output data files

II.2.1 Final Status of Particles

This file lists the status of all particles by either the maximum simulation time or when the particle exiting the domain. Each row of data describes an individual particle. The status of a particle is described with following variables (A2,5E15.5,F10.4,2I10,E15.8,A2,2I10):

Variable	Format	Explanation	
B_S	Character	"b" - exit through bottom boundary; "t" - exit through top boundary; "l" - still inside the domain	
Tstart	Real	The time of the particle entering the domain	
Tend	Real	The time of the particle leaving the domain or the maximum simulation time	
X	Real	x-coordinate of the particle	
Y	Real	y-coordinate of the particle	
Z	Real	z-coordinate of the particle	
F_M	Real	0 – in fracture; 1 – in matrix	
Cell_start	Integer	The ID of the cell where the particle entered the domain	
Cell_end	Integer	The ID of the cell where the particle resides at Tend	
Mass	Real	Mass of the particle	
Ptype	Character	CColloid, FFiltered colloid, NNormal, AAdhere to Colloid	
ID	Integer	ID of the particle	
Parent	Integer	ID of the parent particle if this particle is a daughter product	

The first few lines of 'PA99_out.txt' are shown below (lines are wrapped):

ъ 0.00000Е+00 0.51	L455E+12	0.17044E+06	0.23110E+06	0.73000E+03	0.0000	33156
33185 0.1000000E+01 N	1	1				
b 0.00000E+00 0.3	36016E+11	0.17044E+06	0.23111E+06	0.73000E+03	1.0000	33156
33185 0.10000000E+01 N	2	2				
b 0.00000E+00 0.4	15073E+13	0.17075E+06	0.23115E+06	0.73000E+03	0.0000	33156
43511 0.10000000E+01 N	1	1				
b 0.00000E+00 0.4	16788E+12	0.17044E+06	0.23110E+06	0.73000E+03	0.0000	33156
33185 0.10000000E+01 N	2	2				
b 0.00000E+00 0.7	75795E+12	0.17071E+06	0.23118E+06	0.73000E+03	1.0000	33156
43687 0.10000000E+01 N	1	1				
b 0.00000E+00 0.9	99603E+11	0.17063E+06	0.23118E+06	0.73000E+03	1.0000	33156
43687 0.10000000E+01 N	2	2				
b 0.00000E+00 0.1	10799E+14	0.17044E+06	0.23111E+06	0.73000E+03	1.0000	33156
33185 0.1000000E+01 N	1	· 1				

II.2.2 Final Distribution of Particles Per Cell

This file lists (x, y, z) coordinates of every cells in the grid and the number of particles in those cells. Each row of data in this file describes an individual cell with following variables (3E15.5,I8):

Variable	Format	Explanation			
X	Real	x-coordinate of the cell			
Y	Real	y-coordinate of the cell			
7	Real	z-coordinate of the cell			
Np	Integer	Number of particles in the cell at Tend			

The first few lines from 'PA99_Dist.txt' are given below:

ATTACHMENT III

Directory of Files Submitted to Technical Data Management System

DTN: SN9912T0581699.003

a AMF_U0160/fehr-v2:00/glam1/fehr-v2:00_glam1_Adv/fm_glam1.cnh 774% a AMF_U0160/fehr-v2:00/glam1/fehr-v2:00_glam1_Adv/fm_glam1.cnh 774% a AMF_U0160/fehr-v2:00/glam1/fehr-v2:00_glam1_Adv/fm_glam1.ifiles1% a AMF_U0160/fehr-v2:00/glam1/fehr-v2:00_glam1/M0/fm_glam1.ifiles1% a AMF_U0160/fehr-v2:00/glam1/fehr-v2:00_glam1/fehr-v2:00_glam1/fehr-v2:00/glam1/fehr-v2:00_glam1/fehr-v2:00/glam1/fehr-v2:00_glam1/fehr-v2:00/glam1/ a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_Tc/fm_glam1.dat IK a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_Tc/fm_glam1.files IK a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_Tc/fm_glam1.his 2K a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_Tc/fm_glam1_Np_tracer.output 8K a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_Tc/fm_glam1_Np_trk 6K a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_Tc/fm_glam1_Np_trk 74 a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_Tc/fm_glam1_Cf/fm_glam1.chk 774 a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_tc/freADME 3K a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_tc/freADME 3K a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_wt850_Adv/fm_glam1.chk 774 a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_wt850_Adv/fm_glam1.cnh 774 a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_wt850_Adv/fm_glam1.cnh 774 a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_wt850_Adv/fm_glam1.cnh 13406K a AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_glam1_wt850_Adv/fm_glam1.cnh 13406K AMR_U0160/fehm-v2.00/glaml/fehm-v2.00_glaml_wt850_Adv/fm_glaml.dat 1K AMR_U0160/fehm-v2.00/glaml/fehm-v2.00_glaml_wt850_Adv/fm_glaml.files 1K AMR_U0160/fehm-v2.00/glaml/fehm-v2.00_glaml_wt850_Adv/fm_glaml.fin 5728K AMR_U0160/fehm-v2.00/glaml/fehm-v2.00_glaml_wt850_Adv/fm_glaml.his 2K AMR_U0160/fehm-v2.00/glaml/fehm-v2.00_glaml_wt850_Adv/fm_glaml.his 2K glam1_Adv/fehmn.err 1K AMR_U0160/ 0K AMR_U0160/fehm-v2.00/ 0K AMR_U0160/fehm-v2.00/glam1/ 0K AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_ AMR_U0160/fehm-v2.00/glam1/fehm-v2.00_ ർ ർ ത ർ ർ đ đ æ ഷ đ æ đ ത ർ

88

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (ID: U0160)

8K 88 .output { t 39K .output MR. U0160/Febrary. 100/g1aml.Yfebrary. 200_g1aml_act650_AdV/Fm.g1aml_act651_adv.im.g1aml.ttc. 1X
 MR. U0160/Febrary. 100/g1aml.Yfebrary. 200_g1aml_act650_AdV/Fm.g1aml_act651_adv.im.g1aml.g1851_adv.im.g1aml.g1851_adv.im.g1aml.g1851_adv.im.g1aml.g1851_g1aml.g1851_g1aml.g1851_g1aml.g1851_g1aml.g1851_g1aml.g1851_g1aml.g1851_g1aml.g1851_g1aml.g1851_g1aml.g1851_g1aml.g _Adv/fm_glam2_wt850_wtp.dat 29K _Adv/fm_tracer.ptrk 1K AMR_U0160/fehm-v2.00/glam2/fehm-v2.00_glam2_wt850_Adv/process.dat 1K AMR_U0160/fehm-v2.00/glam2/fehm-v2.00_glam2_wt850_Adv/README 2K AMR_U0160/fehm-v2.00/glam2/fehm-v2.00_glam2_wt850_Adv/README 2K AMR_U0160/fehm-v2.00/monm1/fehm-v2.00_monm1_Adv/ 0K AMR_U0160/fehm-v2.00/monm1/fehm-v2.00_monm1_Adv/fehmn.err 1K .00/monml/ AMR_U0160/fehm-v2. ൽ đ ൽ đ đ đ đ ർ ൽ đ đ מס ԾԾ 00 đ m đ

January 2000

ANL-NBS-HS-00024 REV 00

a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.cch 774K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.cit 5749K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.cit 5749K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.cit 5749K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.its 5749K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.its 2K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.its 2K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.its 2K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.its 2K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.utc 1K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.utc 3K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.utc 3K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.utc 3K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.cc 11K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Adv/fm_morm1.cc 1K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.cc 1K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.cc 1K a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.sp/fm_morm1.sp/ a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.sp/fm_morm1.sp/fm_morm1.sp/fm_morm1.sc a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.sp/fm_morm1.sc a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.sp/fm_morm1.sc a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.sp/fm_morm1.sc a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.sp/fm_morm1.sc a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.sp/fm_morm1.sc a Arg_U0160/fehm-v2.00/morm1/fehm-v2.00_morm1_Ap/fm_morm1.sp/fm_morm1.sc a Arg_U0160/fehm-v2.00/morm1/fehm-v2. a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_Tcv/fehm.srr 1K a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_Tcv/fm_momal.cnr 13406K a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_Tcv/fm_momal.cnr 13406K a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_Tcv/fm_momal.str 134 a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_Tcv/fm_momal_Tcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_Tcv/fm_momal_Tcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fcv/fm_momal_Tcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fcv/fm_momal_Tcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fcv/fm_momal_Tcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fcv/fm_momal_Tcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fcv/fm_momal_Tcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fcv/fm_mornt_Tcv/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fc/frager a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal_fc/fm_mornt_Tcv/fm_str a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal/fc/fm_mornt_Tcv/fm_mornt_str 13 a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal/fc/fm_mornt_2cst a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal/fehm-v3:00_momal/fc/fm_mornt_str 13 a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal/fc/fm_mornt_2cst a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal/fehm-v3:00_momal/fc/fm_mornt_str 13 a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal/fehm-v3:00_momal/ff/fm_mornt_2cst a ARR_U0160/fehm-v2:00/momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_momal/fehm-v3:00_mom 8K đ ർ đ æ đ đ ർ ø đ ത đ ស ស տ տ ៧ ൽ

III-3

 Weng (1016) (Felm-92, 0) (nonmal/, Felm-92, 00, nonmal/, 200, PODE2, 200, 2012, SU, FELM-92, 00, nonmal/, Felm-92, 00, portal, Jelm-92, 10, portal, Jelm-92, 10, portal, Jelm-92, 10, portal, Felm-92, 00, portal, Jelm-92, 10, porta 8K **8K** AMR_U0160/fehm-v2.00/monm2/fehm-v2.00_monm2_Np/fm_monm2_Np_tracer.output 8K AMR_U0160/fehm-v2.00/monm2/fehm-v2.00_monm2_Np/fm_monm2_Np_wtp.dat 30K AMR_U0160/fehm-v2.00/monm2/fehm-v2.00_monm2_Np/pch2.rock 3K ർ Ø đ ർ đ សស đ Ŋ ർ đ đ đ đ đ ത ល đ đ đ

111-4

ANL-NBS-HS-000024 REV 00

AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.chk 773K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.chk 773K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.chk 773K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.chk 773K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.ch15788K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.cot 13406K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.cot 8K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.cot 8K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.cot 8K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.cot 8K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.cot 8K AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.cot 1336 AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2.cot 1336 AMR_U0160/felm-v2_00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2_cot 1336 AMR_U0160/felm-v2.00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2_cot 1336 AMR_U0160/felm-v2.00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2_cot 1336 AMR_U0160/felm-v2.00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2_cot 13406K AMR_U0160/felm-v2.00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2_cot 13406K AMR_U0160/felm-v2.00/pchm2/felm-v2.00_pchm2_Adv/fm_pchm2_cot 13406K AMR_U0160/felm-v2.00/pchm2/felm-v2.00_pchm2_Adv/ff_pchm2_cot 13406K AMR_U0160/felm-v2.00/pchm2/felm-v2.00_pchm2/M2/M2 AMR_U0160/felm-v2.00/pchm2/felm-v2.00_pchm2/felm-v2.00/pchm2/felm-v2.00/pchm2/felm-v2.00/pchm2/felm-v2.00/pchm2/felm-v2.00/pchm AMR_U01bU/ienurve.vv.reveal/fehm-v2.00_pchm2_Tc/im_pcnmv_ier.... vv.uput 8K
AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/fm_pchm2_Tc_tracer.output 8K
AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/fm_pchm2_Tc_wtp.dat 34K
AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/pch2_Tc.ptrK 6K **8**K .00_pchm2_Tc/fm_pchm2.trc 1K .00_pchm2_Tc/fm_pchm2_Tc.fin 5889K AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/fm_pchm2.files 1 AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/fm_pchm2.his 2K AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/fm_pchm2.out 8K a AMR_U0160/reclm-v2.vv/pumerreclear AMR_U0160/src_fehm/README 1K a AMR_U0160/src_fehm/process1_test/README 2K a AMR_U0160/src_fehm/process1_test/fehmn.err 1K a AMR_U0160/src_fehm/process1_test/fmrc_diff_test.output 1K a AMR_U0160/src_fehm/process1_test/fmrd9_e9.chc K 19K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.chc K 19K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.chc X 19K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.chc X 19K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.chc X 18K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.chc X 18K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 1K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 1K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 1 8K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 1 8K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 5K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 5K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 5K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 5K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.dt 8K a AMR_U0160/src_fehm/process1_test/fmsd9_e9.trx 5K lЖ dat AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/pch2_Tc.1 AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/process. AMR_U0160/fehm-v2.00/pchm2/fehm-v2.00_pchm2_Tc/README 21 AMR_U0160/src_fehm/processl_test/fmsd9_e9.zone2 5K AMR_U0160/src_fehm/processl_test/process.dat 1K 0K ЯK _e9.trc 1K AMR_U0160/src_fehm/process1_test/fmsd9_e9.zone pchm2 test/fmsd9 0/pchm2/fehm-v2.00 AMR_U0160/fehm-v2.00/pchm2/fehm-v2 ğ AMR_U0160/src_fehm/process1 AMR_U0160/src_fehm/process1 .00/pchm2/ AMR_U0160/fehm-v2. AMR_U0160/fehm-v2. AMR_U0160/fehm-v2. AMR_U0160/fehm-v2. AMR_U0160/fehm-v2 đ ¢ đ đ đ ល đ ർ đ ർ đ r¢,

 MBC 10160/NEZC - Edem/Processial_Livi 56%
 MBC 10160/NEZC - Edem/Processial_Livi 56%
 MBC 10160/NEZD - Edem/Processial_Livi 50%
 MBC 10160/NEZD - Edem/Processial_Livi 70%
 MBC 10160/NEZD - 2107411/FEDH/PROCE 10.21/All 150%
 MBC 10160/NEZD - 2107411/FEDH/PROCE 10.21/All 140%
 MBC 10160/NEZD - 2107411/FEDH/PROCE AMR_U0160/fehm-v2.10/glam1/fehm-v2.10_glam1_Np/afm_pch1_Np.ptrk 7K
AMR_U0160/fehm-v2.10/glam1/fehm-v2.10_glam1_Np/fehm2.1_glam1_Np.fin 5798K
AMR_U0160/fehm-v2.10/glam1/fehm-v2.10_glam1_Np/fehm2.1_glam1_Np_tracer.output 8K
AMR_U0160/fehm-v2.10/glam1/fehm-v2.10_glam1_Np/fehm2.1_glam1_Np_wtp.dat 30K
AMR_U0160/fehm-v2.10/glam1/fehm-v2.10_glam1_Tc/ 0K .10_glam1_Tc/fm_glam1.chk 774K .10_glam1_Tc/fm_glam1.con 13406K .10_glam1_Tc/fm_glam1.dat 1K glam1_Tc/fehmn.err 1K ЦĶ test.txt AMR_U0160/src_fehm/process1_test/process1.doc 41K AMR_U0160/src_fehm/process1_test/process1_test. AMR_U0160/src_fehm/process1_test/screen.out 1K 569K ehm-v2.10/glam1/fehm-v2.1 0/glam1/fehm-v2.1 AMR_U0160/fehm-v2.10/glam1/fehm-v2 AMR_U0160/fehm-v2.10/glam1/fehm-v2 fehm/process1_fuj ehm-v2 AMR_U0160/f AMR U0160/f g 0 0 đ đ đ ത đ

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (1D: U0160)

9-111

ANL-NBS-HS-000024 REV 00

January 2000

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (1D:U0160)

a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_My/process.dat IX a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_Tvf.fm_DotA_Tvf.fm_DotA a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_Tvf.fm_DotA_Tvf.fm_DotA a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_Tvf.fm_Dian2_Tvf.fm_Dian2_Tvf.fm_S20K a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_Tvf.fehrm2.1_glam2_Tvf.hm_S1.33K a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_Tvf.fehrm2.1_glam2_Tvf.ehrD.37 a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_Tvf.fehrm2.1_glam2_Tvf.hm_S1.33K a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_Tvf.fm_glam2.cdt IX a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_Tvf.fm_glam2.idt IX a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_frc/fm_glam2.idt IX a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_glam2_frc/fm_glam2.idt IX a MR_U0160/fehr=v2.10/glam2/fehr=v2.10_grown1_Mp/fehr2.i_morn1_Jp_ffr_fm_frc a MR_U0160/fehr=v2.10/grown1/fehr=v2.10_grown1_Mp/fehr2.i_morn1_fpf.K a MR_U0160/fehr=v2.10/morn1/fehr=v2.10_morn1_Mp/fehr2.1_morn1_fbf.k a MR_U0160/fehr=v2.10/morn1/fehr=v2.10_morn1_Mp/fehr0.i_cor13406 a MR_U0160/fehr=v2.10/morn1/fehr=v2.10_morn1_Mp/fehr0.i_cor13406 a MR_U0160/fehr=v2.10/morn1/fehr=v2.10_morn1_Mp/fehr0.i_cor13406 a MR_U0160/fehr=v2.10/morn1/fehr=v2.10_morn1_Mp/fehr0.i_cor13406 a MR_U0160/fehr=v2.10/morn1/fehr=v2.10_morn1_Mp/fehr0.i_cor13406 a MR_U0160 a ARK_UU160/refm-v2:10/glam1/retm-v2:10_glam1_rV:rm_glam1.hits ZK arK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rV:fm_glam1.rt:1K a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rV:fm_glam1.rt: ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rV:fm_glam1.rt.wt a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rV:fm_glam1.rt.wt a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rV:fm_glam1.rt.wt a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rV:fm_glam1.rt.wt a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rV:fm_glam1.rt.wt a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.fm_glam1_rt.wt a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.fm_glam1_rt.wt a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.fm_glam1_rt.wt a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.fractors dat 1K a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.fractors dat 1K a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.fractors dat 36K a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.fractors dat 36K a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.fractors dat 36K a ARK_UU0160/refm-v2:10/glam1/fetm-v2:10_glam1_rt.frafm_2:1_glam1_rt.graft.sfg1K a ARK_UU0160/fetm-v2:10/glam2/fetm-v2:10_glam1_rt.frafm_2:1_glam1_rt.graft.sf a ARK_UU0160/fetm-v2:10/glam2/fetm-v2:10_glam1_rt.frafm_2:1_glam1_rt.graft.sf a ARK_UU0160/fetm-v2:10/glam2/fetm-v2:10_glam2_NV frafm_ch2:2_glam2_NP_rtracers.output 8K a ARK_UU0160/fetm-v2:10/glam2/fetm-v2:10_glam2_NV frafm_ch2:2_glam2_NP_rtracers.output 8K a ARK_UU0160/fetm-v2:10/glam2/fetm-v2:10_glam2_NV frafm_ch2:2_glam2_NP_rtracers.output 8K a ARK_UU0160/fetm-v2:10/glam2/fetm-v2:10_glam2_NV frafm_ch2:2_glam2_NP_rtracers.output 8K a ARK_UU0160/fetm-v2:10/glam2/fetm-v2:10_glam2_NV frafm_ch2:3_graft.sf a ARK_UU0160/fetm-v2:10/glam2/fetm-v2:10_glam2 8K **8**K .10_monml_Tc/afm_pch1.dpdp 4K .10_monml_Tc/afm_pch1_Tc.ptrk 7K .10_monml_Tc/fehm2.1_monml_Tc.fin 5775K 1K _U0160/fehm-v2.10/glam1/fehm-v2.10_glam1_Tc/fm_glam1.files AMR_U0160/fehm-v2.10/monm1/fehm-v2.10_monm1_ .10_monml_ 0/monm1/fehm-v2 .10/monul/fehm-v2 0/monml/fehm-v2 AMR_U0160/fehm-v2.1 AMR_U0160/fehm-v2.1 AMR_U0160/fehm-v2 đ æ ៧ ർ đ ۳ŝ đ æ đ đ ៧ ൽ ർ đ đ ർ đ đ ര ർ ď đ പ ത đ ർ ۳ű ര đ đ

January 2000

ANL-NBS-HS-00024 REV 00

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (1D: U0160)

 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.00 morm2_TCV/fmt_porb1. dopp 4K
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.00 morm2_TCV/fehrm.1_morm2_TC-pitts 6K
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.00 morm2_TCV/fehrm.1_morm2_TC-fitts 6733
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.00 morm2_TCV/fehrm.1_morm2_TC-fitts 6733
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.00 morm2_TCV/fehrm.1_morm2_TC-fitts 6733
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.00 morm2_TCV/fehrm.1_morm2_TC-fitts 6733
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.10 morm2_TC/fehrm.1_morm3_TC-fitts 6733
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.10 morm2_TC/fription-mail.
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.10 morm2_TC/fription-M2.
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.10 morm2_TC/fription-M2.
 AME. UD160/fehrm-V2.10/nonm2/fehrm-V3.10 morm2_D/fription-M2.
 AME. UD160/fehrm-V2 a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fehm2.1_morm1_Tc_tracer.output 8K a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fehm2.1_morm1_Tc_wtp.dat 36K a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fm_morm1.ctk 774K a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fm_morm1.ctk 774K a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fm_morm1.ctn 13406K a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fm_morm1.ctn 13406K a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fm_morm1.ctn 13406K a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fm_morm1.ctn 11K a AMR_U0160/fehm=v2.10/morm1/fehm=v2.10_morm1_Tc/fm_morm1_trc 11K AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10_pchm1_Tc/afm_pch1_Tc.ptrk 7K
AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10_pchm1_Tc/fehm2.1_pchm1_Tc.fin 5830K
AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10_pchm1_Tc/fehm2.1_pchm1_Tc_tracer.output 8K
AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10_pchm1_Tc/fehm2.1_pchm1_Tc_wtp.dat 37K _pchml_Tc/afm_pch1.dpdp 4K AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10_pchm1_Np/fm_pchm1.trc 1K AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10_pchm1_Np/pch1.rock 4K AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10_pchm1_Np/process.dat 1K AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10_pchm1_Np/FEADME 3K 0K μΩ L _pchm1_ AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10. AMR_U0160/fehm-v2.10/pchm1/fehm-v2.10. đ đ លេល đ **ത ത** ൽ đ đ đ ർ đ ർ đ ർ ൽ ៧ ø ш đ đ đ đ đ đ ഷ đ đ ស ര

January 2000

8-III

ANL-NBS-HS-000024 REV 00

Analysis of Base-Case Particle Tracking Results of the Base-Case Flow Fields (1D:U0160)

Met. U0160/felm=v3_10/pchm/felm=v3_10_pcm/felm=v3_10_pchm/felm=v3_10_pchm/felm=v3_10_pchm/felm=v3_10_pchm/felm=v3_10_pchm/felm=v3_10_pchm/felm=v3_10_pchm/felm=v3_10_pchm/felm=v3_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm2/felm=v3_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm=v1_10_pcm/felm2/felm=v1_10_pcm/felm2/felm=v1_10_pcm/felm2/f a AMR_U0160/fehm-v2.10/pchm2/fehm2.0vs2.1_compare/fm_pchm2.his a AMR_U0160/fehm-v2.10/pchm2/fehm2.0vs2.1_compare/fm_pchm2.out a AMR_U0160/fehm-v2.10/pchm2/fehm2.0vs2.1_compare/fm_pchm2.out a AMR_U0160/fehm-v2.10/pchm2/fehm2.0vs2.1_compare/fm_pchm2.trc a AMR_U0160/fehm-v2.10/pchm2/fehm2.0vs2.1_compare/FEADME 2K a AMR_U0160/fehm-v2.10/pchm2/fehm2.0vs2.1_compare/README 2K a AMR_U0160/DCPT-v1.0/ NR a AMR_U0160/DCPT-v1.0/ReadMe.txt 1K a AMR_U0160/DCPT-v1.0/ReadMe.txt 1K a AMR_U0160/DCPT-v1.0/PA99PTini.txt.gz 1K a AMR_U0160/DCPT-v1.0/PA99PTini.txt.gz 1K a AMR_U0160/DCPT-v1.0/PA99PTini.txt.gz 1K a AMR_U0160/DCPT-v1.0/PA99mesh.con.gz 2732K a AMR_U0160/DCPT-v1.0/PA99mesh.con.gz 2732K ß ൽ đ đ ൽ đ đ đ ស đ ത ឲឲ ഷ ഷ æ đ đ տտ đ ą ď ൽ ൽ ൽ

6-III

ANL-NBS-HS-000024 REV 00

January 2000

ω ω ω ω ω ω ω ω ω

a AMR_U0160/DCPT-v1.0/PAGlam1.in.gz 1K a AMR_U0160/DCPT-v1.0/PA99_Dist.txt.gz 2K a AMR_U0160/DCPT-v1.0/PARock99pch1.idx.gz 180K a AMR_U0160/DCPT-v1.0/PARock99pch1.roc.gz 1K a AMR_U0160/DCPT-v1.0/ParticleTrack.exe.gz 149K a AMR_U0160/DCPT-v1.0/PtP_PA.dat.gz 1X a AMR_U0160/DCPT-v1.0/PtP_PA.dat.gz 1X a AMR_U0160/DCPT-v1.0/Slam1.flow.gz 11032K a AMR_U0160/DCPT-v1.0/Slam1.flow.gz 11032K a AMR_U0160/DCPT-v1.0/Slam1.flow.gz 11032K

DTN: SN0001T0581699.004

(These files contain FEHM v. 2.0 particle tracking results for the lower and upper infiltration cases using perched-water model #1)

a glall/fehm-v2.00_glall_NP/FKADNE 2K a glall/fehm-v2.00_glall_NP/FKADNE 2K a glall/fehm-v2.00_glall_NP/FKADNE 2K a glall/fehm-v2.00_glall_NP/fm_glall.files 1K a glall/fehm-v2.00_glall_NP/fm_glall.trc 1K a glall/fehm-v2.00_glall_NP/fm_glall_NP.th 774K a glall/fehm-v2.00_glall_NP/fm_glall_NP.tP.dat 22K a glall/fehm-v2.00_glall_NP/fm_glall_NP.tP.dat 22K a glall/fehm-v2.00_glall_NP/fm_glall_NP.tP.dat 22K a glall/fehm-v2.00_glall_NP/fm_glall_NP.tF.dat 22K a glall/fehm-v2.00_glall_NP/fm_glall_NP.tF.dK a glall/fehm-v2.00_glall_NP/fm_glall_NP.tF.dK a glall/fehm-v2.00_glall_NP/fm_glall_NP.trc 1K a glall/fehm-v2.00_glall_NP/fm_glall_NP.trc 6K a glall/fehm-v2.00_glall_TC/fm_glall_NP.trc 6K a glall/fehm-v2.00_glall_TC/fm_glall.ftiles 1K a glall/fehm 32K glau1/fehm-v2.00_glau1_Tc/README 2K glau1/fehm-v2.00_glau1_Tc/fm_glau1_Tc.fin 5739K glau1/fehm-v2.00_glau1_Tc/fm_glau1_Tc_wtp.dat 32 glau1/fehm-v2.00_glau1_Tc/fm_glau1_Tc.output 8K glau1/fehm-v2.00_glau1_Tc/pch1_Tc.ptrk 6K glau1/fehm-v2.00_glau1_Np/ 0K glau1/fehm-v2.00_glau1_Tc/fm_glau1.out 8K
glau1/fehm-v2.00_glau1_Tc/fm_glau1.his 2K
glau1/fehm-v2.00_glau1_Tc/fm_glau1.trc 1K
glau1/fehm-v2.00_glau1_Tc/fm_glau1.con 13406K
glau1/fehm-v2.00_glau1_Tc/fm_glau1.chk 774K
glau1/fehm-v2.00_glau1_Tc/protess.dat 1K
glau1/fehm-v2.00_glau1_Tc/protess.dat 1K glau1/fehm-v2.00_glau1_Tc/fm_glau1.dat 1K glau1/fehm-v2.00_glau1_Tc/fm_glau1.files 1K glau1/fehm-v2.00_glau1_Tc/fehmn.err 1K .00_glau1_Np/fm_glau1.dat 1K glau1/fehm-v2.00_glau1_Np/fm_glau1.dat glau1/fehm-v2.00_glau1_Np/fehmn.err 1K бX glau1/fehm-v2.00_glau1_Tc/ ОĶ OK glau1/ glal1/ Ø đ ൽ ർ đ Ø ർ Ø

a glau1/fehm-v2.00_glau1_Np/fm_glau1.files 1K a glau1/fehm-v2.00_glau1_Np/fm_glau1.out 8K a glau1/fehm-v2.00_glau1_Np/fm_glau1.his 2K a glau1/fehm-v2.00_glau1_Np/fm_glau1.trc 1K a glau1/fehm-v2.00_glau1_Np/fm_glau1.chk 774K a glau1/fehm-v2.00_glau1_Np/fm_glau1_Np.fin 5774K a glau1/fehm-v2.00_glau1_Np/fm_glau1_Np_wtp.dat 27K a glau1/fehm-v2.00_glau1_Np/fm_glau1_Np.output 8K a glau1/fehm-v2.00_glau1_Np/pch1.rock 4K a glau1/fehm-v2.00_glau1_Np/pch1_Np.ptrk 6K a glau1/fehm-v2.00_glau1_Np/process.dat 1K a glau1/fehm-v2.00_glau1_Np/README 2K a glau1/fehm-v2.00_glau1_Np/fm_glau1.con.gz 758K a mon11/ OK a monl1/fehm-v2.00_monl1_Np/ OK a monl1/fehm-v2.00_monl1_Np/README 2K a monl1/fehm-v2.00_monl1_Np/fm_monl1.files 1K a monl1/fehm-v2.00_monl1_Np/fehmn.err 1K a monl1/fehm-v2.00_monl1_Np/pch1.rock 4K a monl1/fehm-v2.00_monl1_Np/pch1_Np.ptrk 6K a monl1/fehm-v2.00_monl1_Np/process.dat 1K a monll/fehm-v2.00_monll_Np/fm_monll.dat 1K a monll/fehm-v2.00_monll_Np/fm_monll.out 8K a monl1/fehm-v2.00_monl1_Np/fm_monl1.his 2K a monl1/fehm-v2.00_monl1_Np/fm_monl1.trc 1K a monl1/fehm-v2.00_monl1_Np/fm_monl1.con 13406K a monl1/fehm-v2.00_monl1_Np/fm_monl1.chk 774K a monl1/fehm-v2.00_monl1_Np/fm_monl1_Np.fin 5898K a monl1/fehm-v2.00_monl1_Np/fm_monl1_Np_wtp.dat 24K a monl1/fehm-v2.00_monl1_Np/fm_monl1_Np.output 8K a monl1/fehm-v2.00_monl1_Tc/ 0K a monl1/fehm-v2.00_monl1_Tc/README 2K a monl1/fehm-v2.00_monl1_Tc/fm_monl1.files 1K a monl1/fehm-v2.00_monl1_Tc/fehmn.err 1K a monl1/fehm-v2.00_monl1_Tc/pch1.rock 4K a monl1/fehm-v2.00_monl1_Tc/pch1_Tc.ptrk 6K a monl1/fehm-v2.00_monl1_Tc/process.dat 1K a monl1/fehm-v2.00_monl1_Tc/fm_monl1.dat 1K a monl1/fehm-v2.00_monl1_Tc/fm_monl1.out 8K a monl1/fehm-v2.00_monl1_Tc/fm_monl1.his 2K a monl1/fehm-v2.00_monl1_Tc/fm_monl1.trc 1K a monl1/fehm-v2.00_monl1_Tc/fm_monl1.con 13406K a monl1/fehm-v2.00_monl1_Tc/fm_monl1.chk 774K a monl1/fehm-v2.00_monl1_Tc/fm_monl1_Tc.fin 5863K a monl1/fehm-v2.00_monl1_Tc/fm_monl1_Tc_wtp.dat 37K a monl1/fehm-v2.00_monl1_Tc/fm_monl1_Tc.output 8K a monul/ OK a monul/fehm-v2.00_monul_Np/ OK a monul/fehm-v2.00_monul_Np/README 2K a monul/fehm-v2.00_monul_Np/fm_monul.files 1K a monul/fehm-v2.00_monul_Np/fehmn.err 1K a monul/fehm-v2.00_monul_Np/pchl.rock 4K a monul/fehm-v2.00_monul_Np/pch1_Np.ptrk 6K a monul/fehm-v2.00_monul_Np/process.dat 1K a monul/fehm-v2.00_monul_Np/fm_monul.dat 1K a monul/fehm-v2.00_monul_Np/fm_monul.out 8K a monul/fehm-v2.00_monul_Np/fm_monul.his 2K a monul/fehm-v2.00_monul_Np/fm_monul.trc 1K a monul/fehm-v2.00_monul_Np/fm_monul.con 13406K a monul/fehm-v2.00_monul_Np/fm_monul.chk 774K a monul/fehm-v2.00_monul_Np/fm_monul_Np.fin 5803K a monul/fehm-v2.00_monul_Np/fm_monul_Np_wtp.dat 26K a monul/fehm-v2.00_monul_Np/fm_monul_Np.output 8K a monul/fehm-v2.00_monul_Tc/ 0K a monul/fehm-v2.00_monul_Tc/README 2K a monul/fehm-v2.00_monul_Tc/fm_monul.files 1K a monul/fehm-v2.00_monul_Tc/fehmn.err 1K a monul/fehm-v2.00_monul_Tc/pch1.rock 4K a monul/fehm-v2.00_monul_Tc/pch1_Tc.ptrk 6K a monul/fehm-v2.00_monul_Tc/process.dat 1K a monul/fehm-v2.00_monul_Tc/fm_monul.dat 1K

a pcnul/ ok a pchul/fehm-v2.00_pchul_Np/Rm_pchul.files 1K a pchul/fehm-v2.00_pchul_Np/fm_pchul.ifiles 1K a pchul/fehm-v2.00_pchul_Np/fm_pchl.rock 4K a pchul/fehm-v2.00_pchul_Np/pchl.rock 4K a pchul/fehm-v2.00_pchul_Np/fm_pchul.out 8K a pchul/fehm-v2.00_pchul_Np/fm_pchul.out 8K a pchul/fehm-v2.00_pchul_Np/fm_pchul.out 8K a pchul/fehm-v2.00_pchul_Np/fm_pchul.out 8K a pchul/fehm-v2.00_pchul_Np/fm_pchul.con 13406K a pchul/fehm-v2.00_pchul_Np/fm_pchul.dat 1K a pchul/fehm-v2.00_pchul_Np/fm_pchul.dat 1K a pchul/fehm-v2.00_pchul_Np/fm_pchul.dat 1K a pchul/fehm-v2.00_pchul_Np/fm_pchul.dat 1K a pchul/fehm_v2.00_pchul_Tc/ 0K a pchul/fehm_v2.00_pchul_Tc/fm_pchul_dat 1K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.dat 1K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.dat 1K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.dat 1K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.for 4K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.for 8K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.for 8K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.for 8K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.for 8K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.for 74K a pchul/fehm_v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm_v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm_v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm_v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm_v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm_v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm v2.00_pchul_Tc/fm_pchul.for 75 bchul/fehm a pch11/fehm-v2.00_pch11_Np/FabME 2K a pch11/fehm-v2.00_pch11_Np/FabME 2K a pch11/fehm-v2.00_pch11_Np/pch1.rock 4K a pch11/fehm-v2.00_pch11_Np/process.dat 1K a pch11/fehm-v2.00_pch11_Np/fm_pch11.out 8K a pch11/fehm-v2.00_pch11_Np/fm_pch11.out 2K a pch11/fehm-v2.00_pch11_Np/fm_pch11.int 1K a pch11/fehm-v2.00_pch11_Np/fm_pch11_int 1K a pch11/fehm-v2.00_pch11_Np/fm_pch11_int 1K a pch11/fehm-v2.00_pch11_Np/fm_pch11_int 1K a pch11/fehm-v2.00_pch11_Np/fm_pch11_Np.utput 9K a pch11/fehm-v2.00_pch11_Tc/fm_pch11_Np.utput 9K a pch11/fehm-v2.00_pch11_Tc/fm_pch11_int 1K a pch11/fehm-v2.00_pch11_Tc/fm_pch11.it1es 1K a pch11/fehm-v2.00_pch11_Tc/fm_pch11.it1es 1K a pch11/fehm-v2.00_pch11_Tc/fm_pch11.it1 2K a pch11/fehm-v2.00_pc monul/fehm-v2.00_monul_Tc/fm_monul.out 8K
monul/fehm-v2.00_monul_Tc/fm_monul.his 2K
monul/fehm-v2.00_monul_Tc/fm_monul.trc 1K
monul/fehm-v2.00_monul_Tc/fm_monul.con 13406K
monul/fehm-v2.00_monul_Tc/fm_monul.c.fin 5761K
monul/fehm-v2.00_monul_Tc/fm_monul_Tc.fin 5761K
monul/fehm-v2.00_monul_Tc/fm_monul_Tc.wtp.dat 33K
monul/fehm-v2.00_monul_Tc/fm_monul_Tc.wtp.dat 33K pchu1/fehm_v2.00_pchu1_Tc/fm_pchu1.trc 1K pchu1/fehm_v2.00_pchu1_Tc/fm_pchu1.con 13406K pchu1/fehm_v2.00_pchu1_Tc/fm_pchu1.chk 774K pchl1/fehm-v2.00_pchl1_Np/ 0K 0K OK pchu1/ pch11/ ផ . ס ס đ ۳đ ¢ ឲ៧ ർ đ ď al ൽ ď đ ൽ đ ល đ

بيل

a pchul/fehm_v2.00_pchu1_Tc/fm_pchu1_Tc.fin 5779K a pchu1/fehm_v2.00_pchu1_Tc/fm_pchu1_Tc_wtp.dat 35K

a pchul/fehm_v2.00_pchu1_Tc/fm_pchu1_Tc.output 8K