

July 17, 2000

Dr. Alan Waltar  
Head of Nuclear Engineering  
Texas A&M University  
Zachry Bldg. Room 129  
College Station, TX 77843-3133

Dear Dr. Waltar:

Thank you for your letter of June 23, 2000, in which you outlined a schedule for your plan with regard to the AGN-201 research reactor.

With regard to Mr. Robert O. Berry's senior operator license renewal (item 1 in your letter), our policy is not to renew operator licenses when documentation for their renewal has not been timely. In this instance, Mr. Berry's license expired on April 6, 2000, and since a renewal request has not been submitted, we consider that the license has expired. Mr. Berry should file for a new license (Forms 396 and 398) and, if he wishes to, request a waiver of the examination requirements (written and oral) for a Senior Reactor Operator license, which we would consider depending on the justification provided. Mr. Berry should submit his status with regard to the completion of the requirements of the operator requalification program. Mr. Berry was informed of these details on July 7, 2000, in a telecon with Patrick Isaac of my staff.

With regard to the submittal of all material for the extension of the current operating license of the AGN-201 (item 2 of your letter), we find this acceptable.

With regard to items 3 and 4 in your letter, we commend efforts on your part which would enhance the synergy between the TRIGA and the AGN, and also upgrade the instrumentation module for the AGN-201.

Sincerely,

*/RA/*

Ledyard B. Marsh, Chief  
Events Assessment, Generic Communications  
and Non-Power Reactors Branch  
Division of Regulatory Improvement Programs  
Office of Nuclear Reactor Regulation

Docket No. 50-59

cc: Robert O. Berry

July 17, 2000

Dr. Alan Waltar  
Head of Nuclear Engineering  
Texas A&M University  
Zachry Bldg. Room 129  
College Station, TX 77843-3133

Dear Dr. Waltar:

Thank you for your letter of June 23, 2000, in which you outlined a schedule for your plan with regard to the AGN-201 research reactor.

With regard to Mr. Robert O. Berry's senior operator license renewal (item 1 in your letter), our policy is not to renew operator licenses when documentation for their renewal has not been timely. In this instance, Mr. Berry's license expired on April 6, 2000, and since a renewal request has not been submitted, we consider that the license has expired. Mr. Berry should file for a new license (Forms 396 and 398) and, if he wishes to, request a waiver of the examination requirements (written and oral) for a Senior Reactor Operator license, which we would consider depending on the justification provided. Mr. Berry should submit his status with regard to the completion of the requirements of the operator requalification program. Mr. Berry was informed of these details on July 7, 2000, in a telecon with Patrick Isaac of my staff.

With regard to the submittal of all material for the extension of the current operating license of the AGN-201(item 2 of your letter), we find this acceptable.

With regard to items 3 and 4 in your letter, we commend efforts on your part which would enhance the synergy between the TRIGA and the AGN, and also upgrade the instrumentation module for the AGN-201.

Sincerely,

*/RA/*

Ledyard B. Marsh, Chief  
Events Assessment, Generic Communications  
and Non-Power Reactors Branch  
Division of Regulatory Improvement Programs  
Office of Nuclear Reactor Regulation

Docket No. 50-59

cc: Robert O. Berry

PUBLIC

REXB r/f

ACCESSION NO.: ML003731903

TEMPLATE #: NRR-056

OFFICE	REXB:PM	REXB:PM	REXB:LA	REXB:BC
NAME	TMichaels:rdr	PIsaac	EHylton	LMarsh
DATE	07/ 13 /2000	07/ 13 /2000	07/ 13 /2000	07/ 14 /2000

C = COVER

E = COVER & ENCLOSURE  
OFFICIAL RECORD COPY

N = NO COPY