



Nebraska Public Power District
Nebraska's Energy Leader

NLS2000079
August 22, 2000

U.S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, D.C. 20555-0001

Gentlemen:

Subject: Emergency Plan Implementing Procedures
Cooper Nuclear Station, NRC Docket 50-298, DPR-46

Pursuant to the requirements of 10 CFR 50, Appendix E, Section V, "Implementing Procedures," Nebraska Public Power District is transmitting the following Emergency Plan Implementing Procedures (EIPs):

EPIP 5.7.6	Revision 31	"Notification"
EPIP 5.7.24	Revision 15	"Medical Emergency"

Should you have any questions concerning this matter, please contact me.

Sincerely,

R. L. Zipfel
Emergency Preparedness Manager

/nr
Enclosures

cc: Regional Administrator w/enclosures (2)
USNRC - Region IV

Senior Resident Inspector w/enclosures
USNRC

NPG Distribution w/o enclosures

A045

1.	PURPOSE	1
2.	PRECAUTIONS AND LIMITATIONS	1
3.	REQUIREMENTS	2
4.	COMPLETION OF NOTIFICATION FORM	2
5.	NOTIFICATIONS FROM CONTROL ROOM	5
6.	EOF NOTIFICATIONS	9
7.	NOTIFICATIONS FROM THE TSC	12
8.	MISCELLANEOUS	12
	ATTACHMENT 1 COOPER NUCLEAR STATION NOTIFICATION REPORT	14
	ATTACHMENT 2 COOPER NUCLEAR STATION SHIFT COMMUNICATOR NOTIFICATION REPORT RECORD	15
	ATTACHMENT 3 COOPER NUCLEAR STATION OFF-SITE COMMUNICATOR NOTIFICATION REPORT RECORD	16
	ATTACHMENT 4 ACTIVATION OF THE CNS AUTOMATED NOTIFICATION SYSTEM (CNS ANS)	17
	ATTACHMENT 5 BACKUP METHOD FOR PAGER ACTIVATION	18
	ATTACHMENT 6 INFORMATION SHEET	19

1. PURPOSE

This procedure provides notification instructions to be followed upon the declaration of an emergency. These instructions cover Initial, Follow-Up, and Termination Notifications to responsible state and local governmental agencies, NRC Notifications, ERO Notification/Staff Augmentation, initial generation of press releases to the Media, and notifications to other off-site support agencies.

2. PRECAUTIONS AND LIMITATIONS

- [] 2.1 Accuracy in communicating notification messages is extremely important. Avoid use of jargon and acronyms not understandable to the off-site agencies.
- [] 2.2 Failure to transmit accurate notification messages may result in delayed or improper response by off-site agencies.
- [] 2.3 Initial notifications to responsible state and local governmental agencies shall be performed within 15 minutes of the declaration of one of the emergency classes.

- [] 2.4 NRC notification shall be performed immediately following notification of responsible state and local governmental agencies and not later than 1 hour after the time of declaration of one of the emergency classes.
- [] 2.5 At an ALERT or higher classification, follow-up notifications to responsible state and local governmental agencies shall be performed approximately every 60 minutes or sooner if there is a significant change in the status of the emergency.
- [] 2.6 Notification of Termination shall be performed within 1 hour after the termination of the emergency.
- [] 2.7 Do not re-activate the CNS Automated Notification System if the emergency escalates to a higher class and ERO response to the site has been initiated (ERO pagers have already activated).
- [] 2.8 If the Control Room must be evacuated and off-site notification responsibilities have not been transferred to the EOF, the Shift Communicator shall perform off-site notifications over the State Notification Telephone from the TSC or EOF.

3. REQUIREMENTS

- [] 3.1 Ensure following equipment and materials are available, as needed:
 - [] 3.1.1 Installed communications equipment.
- [] 3.2 A NOTIFICATION OF UNUSUAL EVENT, ALERT, SITE AREA EMERGENCY, or a GENERAL EMERGENCY has been declared per Procedure 5.7.1.

4. COMPLETION OF NOTIFICATION FORM

- [] **NOTE** - Obtaining information in the EOF may be accomplished through the use of status boards or logs. The Emergency Preparedness Coordinator will assist with information retrieval.
- [] 4.1 The Notification Report number is a sequential number indicating the order of off-site notifications. The first report made to off-site authorities will be #1 followed by #2, etc. Notification Report number is not dependent on classification or type of report, it is dependent on the number of reports.
- [] 4.2 Transmittal time is the time when all four parties are on the telephone. The "Time of Notification" space in Section 1 of Attachment 2 or Attachment 3 should be the same.

- 4.3 Check either initial or follow-up report. Initial report is required for each classification. Any other report is a follow-up.
- 4.4 Provide the name of CNS Communicator and call back number in the Control Room or other designated area.
- 4.5 Fill in the proper classification and corresponding Emergency Action Level (EAL) number.
- 4.6 Section 3 of the notification form contains the meteorological data that could change between notifications. This information can be obtained from the "MET" screen on PMIS.
 - 4.6.1 Enter the proper wind speed. This will depend on release height. For an ERP release, use the wind speed at 100 meters. For any other release or release location unknown, use the wind speed at 10 meters. If unable to determine wind speed, use the default of 13 mph for elevated release point and 8 mph from any other source.
 - 4.6.2 Enter the proper wind direction in degrees. This will be the direction from which the wind is blowing. For example, winds from due north would be from 0°.
 - 4.6.3 Fill in either the yes or no box for precipitation.
 - 4.6.4 Fill in the proper stability class. Use the 100 m DT from the MET screen. If reading at 100 m is suspect, use the 60 m DT followed by the 10 m DT. If unable to determine stability class, use the default of "D". DT is the temperature difference from various heights.
- 4.7 Fill in the proper boxes indicating the status of radioactive material release.
 - 4.7.1 In order for "is" to be chosen, the release has to be greater than Off-Site Dose Assessment Manual (ODAM) limits. This number is on the notification form for airborne release and is also indicated on various PMIS screens (e.g., PMIS05, SPDS01, and SPDS24). Liquid release limits are in Technical Specifications.
 - 4.7.2 There "was" a release indicates the release has fallen below ODAM limits.
 - 4.7.3 There "will be" a release of radioactive material is used when a planned evolution is going to take place causing the release to be greater than ODAM limits (e.g., primary containment purge or release of a waste hold-up tank).

- 4.8 Indicate the proper protective action recommendations (PARs) in Section 5. These recommendations are given by the Emergency Director. Recommendations are driven by classification (General Emergency) or by dose. The following is an example of a General Emergency PAR due to plant conditions:

	NONE	EVACUATE SECTORS	GO INDOORS AND MONITOR EAS/EBS IN SECTORS
0-2 miles		All	
2-5 miles		R,A,B	Remainder
5-10 miles			All

The affected sectors are dependent on wind direction and stability class. Affected sectors can be determined manually using the 10 mile radius EPZ map (1" = mile) with the proper dispersion overlay for that stability class. Place the dispersion overlay at the center of EPZ (CNS) and then move centerline to the proper wind direction degree, 180° from indicated wind direction. For example, if the wind direction is from 35°, centerline should cross at 215°. The affected sectors are captured under the dispersion band. Affected sectors can also be determined by the CNS Dose Program. If no release is in progress and a General Emergency has been declared due to plant conditions, enter the proper wind direction and stability class and then ask for results. Respond yes to the question "declare a general emergency based on plant conditions". The automatic PAR will be given with the proper sectors. If a release, > 1 rem TEDE or > 5 rem CDE, is in progress the proper sectors will be given if all the questions are answered correctly.

- 4.9 Fill in the prognosis as either stable or unstable. This is a judgement call made by Operations on the condition of the reactor. Fill in the plant status as either at power or shutdown.
- 4.10 In the remarks section provide as much information on the classification and condition of the plant. Remember individuals receiving this information may not be familiar with technical terms or nuclear jargon.
- 4.11 Section 8 contains information related the a release greater than Technical Specifications.
- 4.11.1 Fill in the release location exceeding Technical Specifications.
- 4.11.2 Fill in the proper release height, 300' for ERP and 30' for any other monitor location.

- [] 4.11.3 Determine the release duration. If duration is unknown, use the default of 4 hours. Indicate release start time. Indicate stop time if known. If unknown, indicate as "unk". Military time format should be used for all times.
- [] 4.11.4 Release rates ($\mu\text{Ci}/\text{sec}$) can be determine by various PMIS screens (e.g., SPDS01, SPDS24, PMIS05). All monitored release points at CNS quantify noble gases. Release rates for particulate and iodides will not be given.
- [] 4.11.5 The projected integrated dose and projected dose rate can be obtained from CNS DOSE or by hand calculations.
- [] 4.11.6 The Emergency Director is responsible for ensuring all information on the notification form is correct. The Emergency Director signature is an indicator that he/she has reviewed the form and notifications can be made.

5. NOTIFICATIONS FROM CONTROL ROOM

- [] 5.1 INITIAL NOTIFICATIONS TO STATE AND LOCAL GOVERNMENTAL AGENCIES
 - [] **NOTE 1** - Events which have taken place but are no longer occurring, which were not recognized at the time of occurrence as meeting the criteria listed in Procedure 5.7.1 for declaration as an emergency, must still be reported to responsible state and local governmental authorities as soon as possible after their discovery. Declaration and termination notifications of responsible state and local governmental authorities of an emergency which occurred, but no longer exists, may be performed together using the same incident report.
 - [] **NOTE 2** - Due to the 15 minute time constraint or the nature of the event, the Emergency Director may designate any qualified individual in the Control Room as Shift Communicator.
 - [] **NOTE 3** - When contacted by the Off-Site Communicator in the EOF, the Shift Communicator will transfer off-site notification responsibilities. This transfer of responsibilities will include plant status information, as well as a briefing of the status of notifications up to the time of transfer.
 - [] 5.1.1 The Shift Communicator shall complete Attachment 1, Sections 1 through 7, and forward to the Emergency Director for approval.
 - [] 5.1.2 The Emergency Director shall review, edit if necessary, and approve (sign) Attachment 1, and return it to the Shift Communicator.

- [] 5.1.3 The Communicator shall contact the agencies listed in Section 1 of Attachment 2 and provide them with the information from Attachment 1 using the State Notification Telephone System. Pick up the handset to the hotline and push the "Group Call" button. This will automatically ring telephones at County and State agencies.
- [] 5.1.4 Each time a party answers, ask them to obtain a Notification Report Form and standby until all four parties are on the line. Record the name of the person representing each agency and enter it in the appropriate blank in Section 1 of Attachment 2.
- [] 5.1.5 Record the time when all four parties are on the telephone in the "Time of Notification" space in Section 1 of Attachment 2.
- []

CAUTION - When performing Step 5.1.6, do <u>not</u> proceed to quickly.
--
- [] 5.1.6 When all four parties have their Notification Report Forms, clearly and concisely state the information on Attachment 1. Give the parties enough time to accurately write down the information on their forms.
- [] 5.1.7 In the event contact is lost with one of the agencies during the notification process, continue on with the notification to the group. When you are through with the group notification, attempt contact with the party that was lost by dialing the agency's individual number, which is printed next to the agency's name, on the telephone.
- [] 5.1.8 If the State Notification Telephone System is inoperable, alternate telephone numbers can be found in the CNS Emergency Telephone Directory. In this case, a conference call should be established by calling each agency using the alternate telephone number and then pressing the conference-call button on the phone. You should then contact the remaining agencies in the same manner until all four agencies are conferenced in. When all agencies are on-line, proceed with the notification. If all four agencies cannot be conferenced in, attempt contact by individual number as in Step 5.1.7.
- [] 5.2 FOLLOW-UP NOTIFICATIONS TO STATE AND LOCAL GOVERNMENTAL AGENCIES
 - [] 5.2.1 The Shift Communicator shall complete Attachment 1, Sections 1 through 7, and forward to the Emergency Director for approval.
 - [] 5.2.2 The Emergency Director shall review, edit if necessary, approve (sign) Attachment 1, and return it to the Communicator.

- [] 5.2.3 The Communicator shall contact the agencies listed in Section 1 of Attachment 2 and provide them with the information from Attachment 1 in the same manner as the Initial Notifications were performed.

[] 5.3 NRC NOTIFICATIONS

- [] **NOTE** - When contacted by the ENS Communicator in the TSC, the Shift Communicator will transfer NRC Notification responsibilities. This transfer of responsibilities will include plant status information, as well as, a briefing of the status of notifications up to the time of transfer.

- [] 5.3.1 The NRC Senior Resident and Resident Inspectors are notified by pager when the CNS Automated Notification System is activated. These individuals can also be notified by normal communication methods. Examples of normal communication are phone, pager, and gaitronics. Applicable numbers are contained in the emergency telephone directory.

- [] 5.3.2 The Shift Communicator shall make notifications to NRC Headquarters via the ENS Telephone System by picking up the handset and dialing the number, on the sticker, on the top of the telephone. The NRC will request information regarding the plant's status. Attachments 1 and 2 can be a source of information for NRC, but the NRC does not have a copy of this form.

- [] 5.3.3 The NRC will likely request an open communications channel to receive continuous and detailed information at an ALERT or higher classification until the TSC is operational.

- [] 5.3.3.1 Report the declaration of any of the emergency classes specified in the CNS Emergency Plan as well as any change from one emergency class to another or a termination of an emergency class.

- [] 5.3.3.2 Report any further degradation in the level of safety of the plant or other worsening plant conditions.

- [] 5.3.3.3 Any other information that is requested should be provided or an attempt to obtain the information should be made to the best of your ability relative to other responsibilities.

- [] 5.3.4 If the ENS telephone is inoperable, contact via normal telephone using alternate numbers as listed in the Emergency Telephone Directory.

5.4 ERO NOTIFICATION/STAFF AUGMENTATION

5.4.1 Immediately after the declaration of an emergency, the Emergency Director should ensure the CNS Automated Notification System is activated per Attachment 4. The CNS Automated Notification System shall perform the functions of activating emergency pagers, receiving telephone call-backs from pager carriers, and placing telephone calls to ERO members at home.

5.4.2 Scenarios associated with the CNS Automated Notification System have been numbered to match the pager "XYZ" informational codes described in Procedure 5.7.22 and designed to activate the ERO per the CNS Emergency Plan and Procedures.

NOTE - When executing scenarios 200#, 300#, and 400#, recording of a "Current Scenario Message" is required.

5.4.3 The system scenarios will ask if you want to record a "Current Scenario Message". It is at the discretion of the Emergency Director to record a message except for scenarios 200#, 300#, and 400#, which require the recording of a "Current Scenario Message". If the Emergency Director chooses to record such a message, all ERO responders who interface with the CNS ANS will hear the message immediately after a scenario-specific, "Prerecorded" message. If a "Current Scenario Message" is recorded it should contain information such as the applicable EAL, information that the responder needs to know regarding his safety prior to arriving at CNS, or specific information relevant to the emergency event.

5.4.4 The system is currently programmed to print reports at the Emergency Response Facilities. These reports identify the persons who are responding to fill ERO positions and their approximate times of arrival.

5.4.5 If the CNS ANS is discovered to be inoperable (i.e., no Control Room personnel pagers are activated), then use the backup method of pager activation found in Attachment 5.

5.5 NOTIFICATION OF TERMINATION

5.5.1 The Shift Communicator shall complete Attachment 1, Sections 1 and 2, and forward to the Emergency Director for approval.

- [] 5.5.2 The Emergency Director shall review Sections 1 and 2, edit if necessary, and then complete Section 7. The Emergency Director shall approve (sign) Attachment 1 and return it to the Shift Communicator.
- [] 5.5.2.1 Section 7 should contain a brief and concise summary of the current plant status which has allowed for termination of the emergency.
- [] 5.5.3 The Shift Communicator shall contact the agencies listed in of Attachment 2 and provide them with the information from Attachment 1.

6. EOF NOTIFICATIONS

[] 6.1 INITIAL NOTIFICATIONS TO STATE AND LOCAL GOVERNMENTAL AGENCIES

- [] **NOTE** - Upon EOF activation and prior to the transfer of Emergency Command and Control from the Control Room to the EOF, the Off-Site Communicator shall contact the Control Room and coordinate the transfer of responsibility of notification of responsible state and local governmental agencies to the EOF. This transfer of responsibilities will include plant status information, as well as a briefing of the status of notifications up to the time of transfer and shall occur simultaneously with the transfer of Emergency Command and Control.
- [] 6.1.1 The Off-Site Communicator shall complete Attachment 1, Sections 1 through 7, and forward to the Emergency Director for approval.
- [] 6.1.2 The Emergency Director shall review, edit if necessary, approve (sign) Attachment 1, and return it to the Communicator.
 - [] 6.1.2.1 The EOF Director may sign Attachment 1, in the absence of the Emergency Director, after reviewing it with the Emergency Director, receiving his verbal approval of its content, and noting in the EOF Facility Log.©
- [] 6.1.3 The Off-Site Communicator shall contact the agencies listed in Section 1 of Attachment 3 and provide them with the information from Attachment 1 using the State Notification Telephone System. Pick up the handset to the hotline and push the "Group Call" button. This will automatically ring telephones at County and State agencies.

[] 6.1.4 Each time a party answers, ask them to obtain a Notification Report Form and standby until all four parties are on the line. Record the name of the person representing each agency and enter it in the appropriate space in Section 1 of Attachment 3.

[] 6.1.5 Record the time when all four parties are on the telephone in the "Time of all parties on line" space in Section 1 of Attachment 3.

[] **CAUTION** - When performing Step 6.1.6, do not proceed to quickly.

[] 6.1.6 When all four parties have their Notification Report Form, clearly and concisely state the information on Attachment 1. Give the parties enough time to accurately write down the information on their forms.

[] 6.1.7 Notifications to the states, performed by the Off-Site Communicator in the EOF, may be provided by handing a copy of Attachment 1 directly to the States Governor's Authorized Representative, if present.

[] 6.1.8 In the event contact is lost with one of the agencies during the notification process, continue on with the notification to the group. When you are through with the group notification, attempt contact with the party that was lost by dialing the agency's individual number, which is printed next to the agency's name, on the telephone.

[] 6.1.9 If the State Notification Telephone System is inoperable, alternate telephone numbers can be found in the CNS Emergency Telephone Directory. In this case, a conference call should be established by calling each agency using the alternate telephone number and then pressing the conference-call button on the phone. You should then contact the remaining agencies in the same manner until all four agencies are conferenced on in. When all agencies are on-line, proceed with the notification.

[] 6.2 FOLLOW-UP NOTIFICATIONS TO STATE AND LOCAL GOVERNMENTAL AGENCIES

[] 6.2.1 The Off-Site Communicator shall complete Attachment 1, Sections 1 through 8, and forward to the Emergency Director for approval.

[] 6.2.1.1 The EOF Director may sign Attachment 1, in the absence of the Emergency Director, after reviewing it with the Emergency Director, receiving his verbal approval of its content and noting in the respective facility log.©

- 6.2.2 The EOF Director may review and approve (sign) Attachment 1 of the follow-up notification, in lieu of the Emergency Director, if the protective action recommendation has not changed or other significant change in the status of the emergency has not occurred.
- 6.2.3 The Off-Site Communicator shall contact the agencies listed in Section 1 of Attachment 3 and provide them with the information from Attachment 1 in the same manner as the Initial Notifications were performed.
- 6.3 NOTIFICATION OF OFF-SITE SUPPORT AGENCIES
 - 6.3.1 The Off-Site Communicator shall contact the agencies listed in Section 1 of Attachment 3 as soon as possible after declaration of an ALERT or higher emergency classification, but not until after the required notifications to responsible state and local governmental agencies have been completed per Section 1.
 - 6.3.2 The notification shall include, but not limited to, the information provided on Attachment 1, and any other basic information concerning the emergency event that is currently known or can be readily obtained.
 - 6.3.3 If the event is a NOTIFICATION OF UNUSUAL EVENT or a higher emergency classification which has been terminated per station procedures prior to the above agencies being notified, notifications shall be performed by the Emergency Preparedness staff by close of the next business day following the termination of the emergency.
- 6.4 NOTIFICATION OF TERMINATION
 - 6.4.1 The Off-Site Communicator shall complete Attachment 1, Section 1 and 2, and forward to the Emergency Director for approval.
 - 6.4.2 The Emergency Director shall review Sections 1 and 2, edit if necessary, and then complete Section 7. The Emergency Director shall approve (sign) Attachment 1 and return it to the Off-Site Communicator.
 - 6.4.2.1 Section 7 should contain a brief and concise summary of the current plant status which has allowed for termination of the emergency.
 - 6.4.3 The Off-Site Communicator shall contact the agencies listed in Attachment 3 and provide them with the information from Attachment 1.

7. NOTIFICATIONS FROM THE TSC

- NOTE** - After TSC activation and establishment of emergency communications between the TSC and Control Room, the ENS Communicator shall contact the Shift Communicator and coordinate the transfer of responsibility of NRC notification to the TSC. This transfer of responsibilities will include plant status information, as well as a briefing of the status of notifications up to the time of transfer. The ENS Communicator in the TSC can take the responsibility for notifying the NRC before the TSC is activated if concurrence is given by TSC Director and Control Room.
- 7.1 If the Shift Communicator was unable to make contact with the NRC Senior Resident Inspector or Resident Inspector, the ENS Communicator shall continue attempts to contact them via normal communications.
- 7.2 The ENS Communicator shall make notifications to the NRC Headquarters via the ENS Telephone System by picking up the handset and dialing the number, on the sticker, on the top of the telephone. The following information should be provided to the NRC:
 - 7.2.1 Any further degradation in the level of safety of the plant or other worsening conditions.
 - 7.2.2 Any change from one emergency class to another or termination of an emergency class.
 - 7.2.3 The results of ensuing evaluations or assessments of plant conditions.
 - 7.2.4 Effectiveness of the emergency response and any protective measures taken.
 - 7.2.5 Information related to plant behavior that is not understood.
 - 7.2.6 Any other information that is requested should be provided or an attempt to obtain the information should be made to the best of your ability.
- 7.3 If the ENS telephone is inoperable, contact via normal telephone using alternate numbers as listed in the Emergency Telephone Directory.

8. MISCELLANEOUS

- 8.1 Consider following information when making emergency notifications:
 - 8.1.1 At an ALERT or higher emergency classification, to receive continuous and detailed information, the NRC will likely request an open line of communication with the Control Room (ENS) until the TSC is operational.

- [] 8.1.2 The NRC Resident Inspector(s) will likely respond to the CNS Control Room and/or TSC when notified.
- [] 8.1.3 The Public Affairs Duty Officer (PADO) shall be notified by pager by the CNS ANS. Public Affairs Duty Officer functions shall be superseded by the activation of the Joint Information Center (JIC). The JIC shall receive follow-up information from the Technical Information Coordinator in the EOF.
- [] 8.1.4 The On-Call Emergency Preparedness Coordinator should assume the responsibility of coordinating press releases after being notified and responding to a Notification of Unusual Event (NOUE).
 - [] 8.1.4.1 This responsibility shall be for the period immediately after the declaration of the NOUE and continue until the responsibility is transferred to appropriate NPPD Corporate Communications Department Personnel.
 - [] 8.1.4.2 Any press release that is generated during this period should be reviewed and approved by the Emergency Director or his designee prior to release to the media.
- [] 8.1.5 Authorized Representatives of the Governors of Nebraska and Missouri may be represented in the EOF and set up Forward Command Posts at some other location.

ATTACHMENT 1 COOPER NUCLEAR STATION NOTIFICATION REPORT

Notification Report # _____		Time of Transmittal: _____		
<input type="checkbox"/> Initial Report (Complete Sections 1-7)		<input type="checkbox"/> Follow-Up Report (Complete Sections 1-8)		
1) Name of CNS Communicator: _____		Call Back Number: 402-825- _____		
2) Classification: <input type="checkbox"/> NOUE <input type="checkbox"/> Alert <input type="checkbox"/> Site Area <input type="checkbox"/> General EAL Number: _____				
Event Declared (Date/Time): _____		Event Terminated (Date/Time): _____		
3) Meteorological Conditions	Wind Speed: _____ MPH	Wind From: _____ Degrees	Precipitation: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Stability Class: <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F <input type="checkbox"/> G				
4) ODAM Airborne Release Values: There <input type="checkbox"/> is <input type="checkbox"/> no Release of Radioactive Material ERP = 7.28E5 µCi/sec Turbine Building = 3.6E4 µCi/sec <input type="checkbox"/> was <input type="checkbox"/> an airborne (Greater than ODAM Limits) Reactor Building = 3.6E4 µCi/sec Augment Radwaste = 3.6E4 µCi/sec <input type="checkbox"/> will be <input type="checkbox"/> a liquid				
5) Protective Action Recommendations (PARS): General Emergency Automatic PAR - Evacuate 2 mi radius/5 mi downwind, go indoors, and monitor EAS/EBS remainder 10 mi EPZ.				
	None	Evacuate Sectors	Go indoors and monitor EAS/EBS in Sectors	
0-2 Miles				
2-5 Miles				
5-10 Miles				
6) Prognosis: <input type="checkbox"/> Stable <input type="checkbox"/> Unstable		Plant Status: <input type="checkbox"/> at Power <input type="checkbox"/> Shutdown		
7) Remarks: _____				
8) Release Information:				
Release From: <input type="checkbox"/> ERP <input type="checkbox"/> Reactor Building <input type="checkbox"/> Turbine Building <input type="checkbox"/> Aug Radwaste Building <input type="checkbox"/> Other: _____				
Release Height: <input type="checkbox"/> 300 ft (ERP) <input type="checkbox"/> 30 ft (RB, TB, ARWB) <input type="checkbox"/> Other: _____ ft			Release Rate (Ci/sec)	
Est. Duration: _____ (Hours)		Noble Gas: _____ Ci/sec		
Start Time: _____		Iodides: _____ N/A		
Stop Time: _____		Particulate: _____ N/A		
Distance From Plant	Projected Integrated Dose (Rem)		Projected Dose Rate (Rem/hr)	
	TEDE	CDE (Thyroid)	TEDE	CDE (Thyroid)
Site Boundary				
2 Miles				
5 Miles				
10 Miles				
Emergency Director: _____			Date/Time: _____	

**ATTACHMENT 2 COOPER NUCLEAR STATION SHIFT COMMUNICATOR
NOTIFICATION REPORT RECORD**

Notification Report Number: _____

1. STATE AND LOCAL GOVERNMENTAL AGENCIES. Perform notifications **within 15 minutes** from the declaration of an emergency classification. Also requires follow-up notifications approximately every 60 minutes or sooner if there is a significant change of the status of the emergency.

Notify the Following Agencies	Phone	✓	Name of Contact
Nebraska Civil Defense via Nebraska State Patrol	State Notification Telephone System		
Nemaha County Sheriff			
Atchison County Sheriff			
Missouri SEMA via Missouri State Patrol			
			Time of all Parties on Line: _____
Record any comments, difficulties, or observations you had while making this notification.			

2. ERO NOTIFICATION/STAFF AUGMENTATION. Activate CNS Automated Notification System per Attachment 4. Activation is not required if the ERO is currently responding or if the emergency facilities are activated.

Activation Required	Performed By	Time
[] Yes [] No		

3. NRC HEADQUARTERS. Complete notifications via ENS immediately after the above notifications and not later than **60 minutes** after declaration of an emergency. Contact by normal telephone (Speed Dial), if ENS is inoperable.

NRC	ENS Telephone	Alternate	Person Contacted	Time
	Dial # on Phone Sticker	Speed Dial - 10		

Communicator Signature: _____ Date: _____

**ATTACHMENT 3 COOPER NUCLEAR STATION OFF-SITE
COMMUNICATOR NOTIFICATION REPORT RECORD**

Notification Report Number: _____

1. STATE AND LOCAL GOVERNMENTAL AGENCIES. Perform notifications **within 15 minutes** from the declaration of an emergency classification. Also requires follow-up notifications approximately every 60 minutes or sooner if there is a significant change of the status of the emergency.

Notify the Following Agencies	Phone	✓	Name of Contact
Nebraska Civil Defense via Nebraska State Patrol	State Notification Telephone System		
Nemaha County Sheriff			
Atchison County Sheriff			
Missouri SEMA via Missouri State Patrol			
			Time of all Parties on Line: _____
Record any comments, difficulties, or observations you had while making this notification.			

2. SUPPORT AGENCIES - Perform notifications to the following support agencies, as soon as possible, after the declaration of an ALERT or higher emergency classification, but not until after all notifications are completed as required in Section 1.

Agency	Phone	Person Contacted	Time
INPO	1-800-321-0614		
Nuclear Electric Insurance Limited (NEIL)	(860) 561-3433		

Communicator Signature: _____ Date: _____

NOTE - The Emergency Director Password is located in the Shift Supervisors Cubicle in the CNS Control Room.

1. Call into the CNS ANS by dialing telephone extension 8579.
2. The system will inform you that you have accessed the "Remote Activation Module" and prompt you for your "scenario activation password followed by the # sign". Enter the Emergency Director's Password followed by the # sign.

Emergency Director Password =

3. To start a scenario, enter the scenario ID number from the list below, followed by the # sign. Scenario Number = _____.
4. The system will verify the event code you entered. Press 2.
5. The system will ask you about the an "Current Scenario Message". To record a "Current Scenario Message", press 2, speak your message after the tone. When finished recording, press "#". If necessary, you may script your "Current Scenario Message" below; if more space is needed, continue on back. If you do not want to record a "Current Scenario Message", press "#".

Current Scenario Message: (tone) _____
_____ (#)

6. If a "Current Scenario Message" has been recorded, it is played back at this time. The system will then prompt you to replay the message, record a new message, or continue on with the activation process. Determine if you need to replay the message again or re-record it and press the associated key for that choice; or press "#" to proceed on with the scenario activation process.
7. Press "3" to activate the chosen scenario.
8. Press "#" to disconnect from the system.

Classification	Scenario Description	Scenario ID Number
NOUE	No ERF Activation - No ERO Response to Plant	100#
ALERT	No ERF Activation - No ERO Response to Plant**	200#
SAE	No ERF Activation - No ERO Response to Plant**	300#
G.E.	No ERF Activation - No ERO Response to Plant**	400#
NOUE	ERF Activation - Use Your NORMAL Route to Plant	111#
ALERT	ERF Activation - Use Your NORMAL Route to Plant	211#
SAE	ERF Activation - Use Your NORMAL Route to Plant	311#
G.E.	ERF Activation - Use Your NORMAL Route to Plant	411#
ALERT	ERF Activation - Use SOUTH Access Road to Plant	212#
SAE	ERF Activation - Use SOUTH Access Road to Plant	312#
G.E.	ERF Activation - Use SOUTH Access Road to Plant	412#
ALERT	ERF Activation - Use NORTH Access Road to Plant	213#
SAE	ERF Activation - Use NORTH Access Road to Plant	313#
G.E.	ERF Activation - Use NORTH Access Road to Plant	413#

** These codes should only be used if current conditions could potentially affect the safety of the ERO responders. An on-the-fly message is required to explain the conditions to the ERO. As soon as conditions no longer pose a personnel safety issue, the Automated Notification System shall be re-activated with the appropriate code requiring activation of the emergency response facilities.©

NOTE - This section is not necessary if the CNS Automated Notification System is operational.

The steps listed under Voice mail Message Preparation are for those events where Emergency responders need to be provided more specific information prior to arrival at CNS. This information can be recorded on Voice mail for their retrieval when they call back in response to a page.

Voice mail Message Preparation:

1. Dial **5200** (Voice Mail).
2. Enter mailbox number, **5522 and #**.
3. Enter password, **5522 and #**.
4. Enter **8, 2** (Mailbox Greeting).
5. Enter **1** (External Greeting).
6. Enter **2**, wait until end of greeting.
7. Enter **5** (record command).
8. **Read** information on classification etc., (above) as an addition to the external greeting.
9. Enter **#** when completed.
10. Enter **8, 3** (Exits Voice Mail).

To Activate ALL ERO Pagers

NOTE - Be sure to obtain the Caller Password which is located in a sealed envelope in the Shift Supervisor's Cubicle before attempting to activate the pagers.

1. Dial (402) 633-0469 on any telephone.
2. When prompted by the computer voice, enter the caller password listed in the sealed envelope.
3. Enter "numeric message" when prompted by the computer voice.
 - The numeric message includes a three digit informational code (Scenario ID Number located in Attachment 4) and a seven digit telephone call-back number.

Example: 211 825-5522 - This represents an ALERT with TSC/OSC/EOF activation required and responders instructed to drive to CNS using the route they would normally drive.

 - The telephone number is a Voice Mail address to provide additional information (if necessary) and verify pager carriers received the page and are responding.
4. You may hang up after hearing the message, "Thank you for using ATS".
5. ERO management will check the voice mailbox during facility activation to verify ERO response.

1. DISCUSSION

- 1.1 All notifications and communications will be handled from the Control Room (CR) until the Technical Support Center (TSC) and Emergency Operations Facility (EOF) are activated. The responsibility of generating press releases to the media may be transferred to NPPD Corporate Communications Department Personnel prior to activation of the Joint Information Center (JIC).
- 1.2 During a declared Emergency at CNS, Emergency notifications to the State of Nebraska; State of Missouri; Atchison County, Missouri; and Nemaha County, Nebraska are accomplished through the State Notification Telephone System. The CNS State Notification Telephone System is a conference-calling system. When the handset to this hotline is picked up, and the "Group Call" button is pushed, dedicated telephones will automatically ring at Nebraska State Patrol, Missouri State Patrol, Atchison County Sheriff's Department, and Nemaha County Sheriff's Department. The utilization of law enforcement agencies as initial points of contact provides for 24 hour coverage. The dedicated lines listed also have extension lines which ring at the following facilities respectively: Nebraska State Civil Defense EOC, Missouri State Emergency Management EOC, Atchison County EOC, and Nemaha County EOC. Once the EOCs become operational, notifications may be made using the extension lines at the EOCs with concurrence between the respective EOC and law enforcement agency.
- 1.3 Notifications to the NRC are normally accomplished through the Emergency Notification System (ENS). The Emergency Notification System is a dedicated telephone system which is manned 24 hours by the Duty Officer at the NRC Headquarters Operations Center.
- 1.4 During any notification activity, if the primary communications system fails, communication methods shall be attempted such as alternate telephones, National Warning System (NAWAS), base station radio, or relay through a third party. Alternate telephone numbers are listed in the Emergency Telephone Directory.
- 1.5 Initial Notification - First notification made to responsible state and local governmental agencies after declaration of one of the emergency classes.
- 1.5.1 If the emergency classification escalates, state and local notifications of the higher classification shall be considered as Initial Notifications, and must be completed within 15 minutes.

1.6 Follow-Up Notification - Notifications made to responsible state and local governmental agencies following any initial notification, which provides additional emergency information.

1.6.1 Follow-up notifications are required at least every 60 minutes during an alert or higher classification. Under certain situations a follow-up notification should be under the same time constraints as an initial notification. For example, significant change in release rate (classification change), change in Protective Action Recommendations (PARs), or changes in meteorological conditions that could effect dose assessment results.©

1.7 Notification of Termination - Notification of responsible state and local governmental agencies of termination of the emergency.

2. REFERENCES

2.1 CODES AND STANDARDS

2.1.1 10CFR50.

2.1.2 NPPD Emergency Plan for CNS.

2.2 PROCEDURES

2.2.1 Conduct of Operations Procedure 2.0.5, Shift Communicator Responsibility.

2.2.2 Emergency Plan Implementing Procedure 5.7.1, Emergency Classification.

2.2.3 Emergency Plan Implementing Procedure 5.7.22, Communications.

2.2.4 CNEP-1.0.

2.3 MISCELLANEOUS

2.3.1 QA Report 86-06.

2.3.2 NRC Inspection Report 89-35, Item 1.

2.3.3 NCR 93-52.

2.3.4 QA Observation 93-05A.

2.3.5 NRC Inspection Report 94-11.

2.3.6 NRC Inspection Report 94-29, Item 1.

2.3.7 CNS Emergency Telephone Directory.

2.4 NRC COMMITMENTS

2.4.1 © NRC Inspection Report 92-14. Commitment affects Steps 6.1.2.1 and 6.2.1.1.

2.4.2 © NRC Inspection Report 98-12 (NLS980074-05 and NLS980074-06). Commitments affect Step 1.6.1 on Attachment 6 and Attachment 4 footnote.

1.	PURPOSE	1
2.	PRECAUTIONS AND LIMITATIONS	1
3.	REQUIREMENTS	2
4.	ALL PERSONNEL (NPPD AND CONTRACTOR EMPLOYEES)	2
5.	SHIFT SUPERVISOR	3
6.	EMT PERSONNEL (OR FIRST AID TRAINED STATION OPERATORS ON BACK SHIFT)	5
7.	RADIOLOGICAL PROTECTION PERSONNEL	6
8.	INCIDENT COMMANDER	7
9.	CNS AMBULANCE DRIVER	8
	ATTACHMENT 1 BODY MAP	9
	ATTACHMENT 2 NEMAHA COUNTY HOSPITAL ROUTE MAP	10
	ATTACHMENT 3 MEDICAL EMERGENCY CHECKLIST	11
	ATTACHMENT 4 INFORMATION SHEET	13

1. PURPOSE

This procedure is to be used if an individual is injured or suddenly becomes ill on District property at Cooper Nuclear Station (CNS). This procedure shall be used for all medical emergencies. Steps related to contamination control shall be omitted if it is determined that the patient is not contaminated.

2. PRECAUTIONS AND LIMITATIONS

- [] 2.1 This procedure is intended to be initiated by the Operations and Radiation Protection personnel on-shift. The Fire Brigade Leader (FBL) is typically designated the Incident Commander and the on-shift Chem/RP Technician initially fulfills the role of RP Technician. The Shift Supervisor maintains the reference copy of this procedure and is responsible for ensuring all actions are taken until control of the incident is transferred to the TSC Director, if applicable. Attachments should be distributed to responding personnel as time and circumstances permit.

- [] 2.2 This procedure intends that the Shift Supervisor maintain control of the medical emergency at all times, irrespective of ERO activation. However, under extenuating circumstances, the Shift Supervisor may formally delegate his responsibilities to the TSC Director after the initial actions have been completed. The TSC Director shall be in possession of the procedure and communication capabilities at the time of such delegation. The turnover of these responsibilities must be absolutely clear and the person delegated must accept ALL the Shift Supervisor's responsibilities as delineated in this procedure.
- [] 2.3 Nemaha County Hospital and the University of Nebraska Medical Center are trained in handling contaminated, injured personnel. Initial transport of contaminated personnel must go to one of these facilities.

3. REQUIREMENTS

- [] 3.1 The NPPD Emergency Plan for CNS does NOT need to be activated to use this procedure.
- [] 3.2 Ensure following equipment and materials are available:
 - [] 3.2.1 EMT medical bag and supplies, First-Aid kits.
 - [] 3.2.2 Radiological survey instrumentation.
 - [] 3.2.3 Site Communication Systems.

4. ALL PERSONNEL (NPPD AND CONTRACTOR EMPLOYEES)

- [] **NOTE** - When performing this procedure, minimize the spread of contamination if time and circumstances permit.
- [] 4.1 Upon discovering an injured or suddenly ill person, immediately render First-Aid for life threatening emergencies (i.e., stop severe bleeding, restore breathing, or provide CPR) and call for help.
- [] 4.2 Notify the Control Room by either radio, gaitronics, or telephone (extensions 911, 5271, or 5253) and provide following information:
 - [] 4.2.1 Location of the injured or ill person. Be as specific as possible.
 - [] 4.2.2 The number of persons involved and their names, if known.
 - [] 4.2.3 A description of the patient's injury or illness and condition (i.e., whether conscious or unconscious).
 - [] 4.2.4 Radiological conditions in the area, if known.

4.2.5 Other emergency conditions present (i.e., fire, explosion, etc.).

4.3 Remain with the patient until assistance arrives unless hazardous conditions exist.

5. SHIFT SUPERVISOR

NOTE - The Shift Supervisor must ensure Steps 5.1 through 5.6 or Attachment 3, Steps 1.1 through 1.6, are performed prior to transferring responsibility to another person. Steps may be performed in any logical order at the discretion of the Shift Supervisor.

5.1 Alert the EMTs and dispatch them to the location of the medical emergency.

5.1.1 By EMT pager group 402-633-0930 or EMT E-mail pager group (primary means).

5.1.2 By gaitronics announcement (alternate means).

5.2 Inform the EMTs of the emergency location and the number of EMTs, if known, already responding.

5.3 Designate the third responding EMT or an alternate person if three EMTs do not respond, as the ambulance driver. Direct them to obtain keys to the ambulance from Access Control if necessary, start the ambulance, and monitor Frequency 3 for directions.

5.3.1 In the absence of EMT qualified personnel, dispatch two First-Aid trained Station Operators to the emergency location to provide First-Aid.

5.4 If the patient is within a Radiologically Controlled Area or an emergency has been declared, dispatch the on-shift Chem/RP Technician to the scene with instrumentation suitable for frisking.

5.5 Dispatch the Fire Brigade Leader (or designate and dispatch an Incident Commander) to the scene with a communications device (radio or cellular phone).

5.6 Consider making a gaitronics announcement (typical example below) "Attention all station personnel, MEDICAL EMERGENCY, MEDICAL EMERGENCY, all personnel stay off gaitronics unless emergency-related". Repeat. This consideration should be based on the reported severity of the illness or injury, the number of patients involved, the need to transport, and the need to heighten the awareness of the medical emergency for general plant personnel.

- 5.7 Notify the Plant or Operations Manager of the situation. Their responsibility is to consider notifying the patient's family. This consideration should be based on the severity of the illness or injury, if patient is being transported, etc.
- 5.8 Establish communications with the Incident Commander. If radio communications are used, ensure Frequency 3 on portable radios (F2 on Consoles) are used, if possible.
- 5.9 Determine from the Incident Commander (FBL) if the patient will be transported and whether patient will be "non-contaminated" or "contaminated".
- 5.10 If patient will be transported, coordinate obtaining the appropriate ambulance to transport the patient to the Nemaha County Hospital.
 - 5.10.1 Non-contaminated Transportation (order of preference, if available):
 - 5.10.1.1 CNS ambulance (must have EMT and driver available). Designate an Ambulance driver if a third EMT is not standing by (EMTs are the preferred drivers).
 - 5.10.1.2 Off-site ambulance. Contact 911, request an ambulance.
 - 5.10.2 Contaminated transportation (order of preference, if available):
 - 5.10.2.1 CNS ambulance (must have EMT, Chem/RP, and driver available). Designate an ambulance driver if a third EMT is not standing by. EMTs are the preferred drivers.
 - 5.10.2.2 Off-site ambulance. Contact 911 and request an ambulance for a contaminated patient.
 - a. Auburn Rescue Squad.
 - b. Nemaha County Hospital Ambulance.
 - 5.10.3 Coordinate ambulance departure/arrival with station security.
- 5.11 If patient will be transported, contact the Nemaha County Hospital. Inform the Emergency Room Supervisor or Floor Supervisor a patient is coming from CNS. Ensure they understand the patient's radiological condition (non-contaminated or contaminated) and the estimated time of arrival (ETA).

- [] 5.12 Once the ambulance leaves the site, make a gaitronics announcement similar to the example below if the decision to make a gaitronics announcement was made at the initiation of the event:

"Attention all station personnel, the medical emergency is terminated, resume normal operations". REPEAT.

- [] 5.13 Verify if contact has been made with the patient's immediate family by the Plant or Operations Manager if the decision to perform notification was made.

6. EMT PERSONNEL (OR FIRST-AID TRAINED STATION OPERATORS ON BACK SHIFT)

- [] **NOTE** - When performing this procedure, minimize the spread of contamination to the extent practical based on the nature of the emergency. Medical treatment takes precedence over radiological controls. Steps may be performed in any logical order at the discretion of the EMT.

- [] 6.1 Upon pager activation or gaitronics page, contact the Control Room.
- [] 6.2 Respond swiftly but safely to the emergency scene with emergency response equipment or ambulance, as directed.
- [] 6.3 Take immediate control of the patient and advise the Incident Commander upon arrival, of the medical needs, and additional actions or equipment required at the scene.
- [] 6.4 Provide care to the patient until the individual is transferred to the hospital, you are relieved by equivalent or more advanced trained medical personnel, or treatment is complete.
- [] 6.5 Coordinate with Radiological Protection personnel. Weigh injuries against decontamination. Tell the RP Technician and Incident Commander whether decontamination will be performed.
- [] 6.6 If transport to the hospital is needed, inform the Incident Commander.
- [] 6.7 If the station ambulance is the method of transport, accompany the patient to the hospital.
- [] 6.8 Turn over care to the hospital or equivalent/more advanced medical personnel.
- [] 6.9 If patient was transported contaminated, ensure you are surveyed by Radiological Protection Personnel prior to return to the site unless another emergency dictates immediate EMT/ambulance need.

7. RADIOLOGICAL PROTECTION PERSONNEL

- 7.1 Respond swiftly to the scene with an E-140 or equivalent survey instrument and report to the Incident Commander.
- NOTE** - Medical treatment takes precedence over radiological controls; however, minimize the radiological concerns whenever practical at the direction of the EMT or First-Aid provider in charge. Steps may be performed in any logical order at the discretion of the Chem/RP Technician.
- 7.2 Follow Radiological Protection practices, as much as possible, to prevent or minimize the spread of contamination.
- 7.3 Provide guidance to other team members with respect to Radiological Protection practices. Recommend possible methods of transporting the patient in a non-contaminated condition.
- 7.4 Notify the Incident Commander if additional Radiological Protection is required.
- 7.5 Coordinate radiological concerns with the Incident Commander (i.e., radiation levels, contamination levels, methods to minimize radiological concerns, etc.).
- 7.6 Survey the patient and surrounding area for radiological contamination. Inform the Incident Commander of survey results.
- 7.7 Particular attention should be given to the vicinity of the injury. Document the survey results. Attachment 1, or similar form, may be used for this purpose.
- 7.8 If the intent is to transport the patient in a non-contaminated state, survey all personnel not exiting through a portal monitor. This includes personnel leaving by ambulance.
- 7.9 Accompany any patient transported in a contaminated condition to the hospital.
- 7.10 Provide support to ambulance and hospital personnel to maintain control of radiological conditions. Request additional Radiological Protection personnel respond to the hospital with monitoring equipment if needed. Use Radiological Protection procedures to collect any contaminated material. Return all contaminated material to the station.
- 7.11 Survey all personnel treating or transporting a contaminated patient (doctors, nurses, EMTs, ambulance drivers, etc.)

8. INCIDENT COMMANDER

- NOTE** - The Incident Commander shall be an individual designated by the Shift Supervisor. Normally the Fire Brigade Leader will function as the Incident Commander.
- 8.1 Obtain a portable radio or cellular phone.
- 8.2 Establish and maintain communications with the Control Room. If a radio is used, use F3 for portables or F2 on base units.
- 8.3 Proceed to the emergency location. Establish a control point in a safe non-contaminated area; close to the scene.
- 8.4 Act as liaison between the EMT, Radiological Protection, and the Control Room. Relay information and requests for additional equipment, supplies, or manpower to the Shift Supervisor or TSC Director.
- 8.5 Confer with the EMTs, First-Aid Providers, and Radiological Protection personnel to determine:
 - 8.5.1 Nature and extent of the injuries.
 - 8.5.2 Patient's name.
 - 8.5.3 Radiological concerns.
 - 8.5.4 Whether the patient will be transported to the hospital AND whether they will be non-contaminated or contaminated.
 - 8.5.4.1 Station Ambulance. Non-contaminated or contaminated.
 - 8.5.4.2 Auburn Rescue Squad or Nemaha County Hospital Ambulance. Non-contaminated or contaminated.
 - 8.5.4.3 Nemaha, Brownville, or other rescue squad (non-contaminated patients only).
- 8.6 Coordinate with the Shift Supervisor the time of departure/arrival and location for the ambulance.
- 8.7 Ensure EMTs accompany patient to the hospital if the Station Ambulance is used.
- 8.8 If the patient is contaminated, ensure Radiological Protection personnel accompany the patient to assist in radiological concerns during transport and at the hospital.


- 8.9 Inform the Shift Supervisor when the ambulance leaves the site.
- 8.10 Request assistance and coordinate returning the accident scene to a normal condition.

9. CNS AMBULANCE DRIVER


- 9.1 Obtain a key to the ambulance from Security Access Control.
- 9.2 Drive the ambulance to the plant location as directed by the Control Room or Incident Commander.
- 9.3 Be familiar with the route to the hospital per Attachment 2.
- 9.4 Drive the ambulance to the designated hospital in a safe manner.
- 9.5 Remain with the ambulance at the hospital until released by Radiological Protection personnel.

NAME: _____ TIME: _____ DATE: _____

Indicate Wounds and/or Contaminated Areas:



5-7-24A.SCAN



5-7-24B.SCAN

To be completed by the Shift Supervisor or his designee.

1. MEDICAL EMERGENCY CHECKLIST

- [] 1.1 Alert the EMTs. EMT group pager number is (402) 633-0930, the EMT E-mail pager group, or use gaitronics.
- [] 1.2 Inform the EMTs of the emergency location and the number of EMTs already responding.
- [] 1.3 Instruct the third EMT calling in to obtain the ambulance keys from Security access control, report to the ambulance, prepare it for use, and monitor Frequency 3 for further instructions. If a third EMT does not call in, designate an ambulance driver.
- [] 1.4 If the patient is within a Radiologically Controlled Area or an emergency has been declared, dispatch the on-shift RP Technician to the scene with instrumentation suitable for frisking.
- [] 1.5 Dispatch the Fire Brigade Leader or (a designee and an Incident Commander) to the scene with a communications device (cell phone or portable radio).
- [] 1.6 Consider making a gaitronics announcement as follows: "**ATTENTION ALL STATION PERSONNEL, MEDICAL EMERGENCY, MEDICAL EMERGENCY, ALL PERSONNEL STAY OFF GAITRONICS UNLESS EMERGENCY RELATED**". **REPEAT**. This consideration should be based on the reported severity of the illness or injury, the number of patients involved, the need to transport, and the need to heighten the awareness of the medical emergency for general plant personnel.
- [] **NOTE** - If the ERO has been activated, the remaining steps may be transferred to the TSC Director after adequate turnover has occurred.
- [] 1.7 Notify the Plant or Operations Manager of the situation.
- [] 1.8 Maintain communications with the Incident Commander (F3 on portable radios, F2 on base units).
- [] 1.9 If the patient is to be transported off-site, coordinate the ambulance location with the Incident Commander and contact Security to coordinate egress from the Protected Area.

ATTACHMENT 3 MEDICAL EMERGENCY CHECKLIST

- 1.10 If the station ambulance or a driver is unavailable, contact the Auburn Sheriff/Dispatcher by dialing 911 from the Control Room, or 274-3298, 274-3139, or 274-4977. The preferred method of transport for contaminated patients is the Auburn Rescue Squad with the Nemaha County Hospital Rescue Squad as a backup.
- 1.11 Coordinate the ambulance departure/arrival with station security.
- 1.12 Notify the Nemaha County Hospital of a patient in transit. Inform the Emergency Room Supervisor or Floor Supervisor of following:
 - 1.12.1 Caller's name: _____ from Cooper Nuclear Station.
 - 1.12.2 Telephone call-back number. The preferred number is (402) 825-4511 or (402) 825-5601 if control of the incident has been transferred to the TSC Director.
 - 1.12.3 Whether the patient is radiologically contaminated: YES; NO
 - 1.12.4 The nature of the injury or illness (if known): _____
 - 1.12.5 Patient's name and age (if known): _____
 - 1.12.6 Estimated time of ambulance arrival at the hospital: _____
- 1.13 Verify the Plant or Operations Manager made contact with the patient's immediate family if the decision to perform notification was made.
- 1.14 Make a gaitronics announcement terminating the medical emergency and returning the station to normal operations if the decision to make a gaitronics announcement was made at the initiation of the event.
- 1.15 A 4 hour report to the NRC is required by 10CFR50.72 (b) (2) (v) if a radioactively contaminated person is transported to an off-site medical facility for treatment.

EVENT NUMBER: _____

Route completed form to the Emergency Preparedness Department.

1. DISCUSSION

- 1.1 This procedure is a Reference Use procedure. The Shift Supervisor or TSC Director, as applicable, shall be responsible for ensuring that all applicable steps are performed. Checklists (attachments) are included to ensure that each activity is addressed. There may be instances where the Emergency Medical Team, using their best judgment, may deviate from the procedure to provide the best possible medical care.
- 1.2 During a medical emergency, the most important consideration is the health of the patient(s). Where practical, efforts to prevent or minimize the spread of contamination shall be practiced.
- 1.3 This procedure assumes that any patient within a Radiologically Controlled Area (RCA) is potentially contaminated. During a plant emergency, areas normally free of contamination, may be contaminated. Decontamination attempts per Procedure 9.RADOP.7 shall be consistent with the severity of the medical concerns and the medical care giver (EMT or First-Aid trained responder) is the final authority on whether decontamination will be attempted.
- 1.4 This procedure is applicable to CNS employees and contractor personnel.
- 1.5 Letters of agreement have been obtained from medical facilities and ambulance services to provide care and treatment to injured CNS personnel, including those who are potentially contaminated. Names and telephone numbers for these facilities can be found in the CNS Emergency Telephone Directory.
- 1.6 This procedure relies on the Incident Command structure. This structure is used by Control Room staff in response to station fires. Personnel other than Operations personnel may also be trained and used as Incident Commanders for medical emergencies.

2. REFERENCES

2.1 CODES AND STANDARDS

- 2.1.1 10CFR50.72(b)(2)(v).
- 2.1.2 American National Red Cross, Multi-Media Standard First-Aid.
- 2.1.3 NPPD Emergency Plan for CNS.

2.1.4 NUREG 0654, Revision 1, Criteria for Preparation and Evaluation of Radiological Emergency Response Plans and Preparedness in Support of Nuclear Power Plants.

2.2 PROCEDURES

2.2.1 Radiological Protection Procedure 9.RADOP.7, Contamination Control.

2.2.2 Emergency Plan Implementing Procedure 5.7.15, OSC Team Dispatch.

2.3 MISCELLANEOUS

2.3.1 CNS Emergency Telephone Directory.