

U.S. DEPARTMENT OF ENERGY


WM
WM
WM



**YUCCA MOUNTAIN
SITE CHARACTERIZATION
PROJECT**

**TECHNICAL DATA BASE
QUARTERLY REPORT**

APRIL - JUNE 1991



9112100321
PDR WASTE
WM-11

14203
PDR

102-8

YUCCA MOUNTAIN
SITE CHARACTERIZATION PROJECT

TECHNICAL DATA BASE
QUARTERLY REPORT

APRIL-JUNE 1991

Prepared by

Technical and Management Support Services
from inputs provided by
Sandia National Laboratories, Department 6316;
EG&G Energy Measurements, Inc.;
and
Lawrence Livermore National Laboratory

INTRODUCTION

The acquisition and development of technical data are activities that provide the information base from which the Yucca Mountain Site will be characterized and may eventually be licensed as a high-level waste repository. Consequently, it is vital that technical data be controlled and managed to ensure that these data are available for subsequent Yucca Mountain Site Characterization Project (YMP) use. The Project Technical Data Base (TDB) is the repository for the regional and site-specific technical data required in intermediate and license application analyses and models. The TDB Quarterly Report provides the mechanism for identifying technical data currently available from the Project TDB.

Due to the variety of scientific information generated by YMP activities, the Project TDB consists of three components, each designed to store specific types of data. The Site and Engineering Properties Data Base (SEPDB) maintains technical data best stored in a tabular format. The Geographic Nodal Information Study and Evaluation System (GENISES), which is the Geographic Information System (GIS) component of the Project TDB, maintains spatial or map-like data. The Geologic and Engineering Materials Bibliography of Chemical Species (GEMBOCHS) data base maintains thermodynamic/geochemical data needed to support geochemical reaction models involving the waste package and repository geochemical environment. Each of these data bases are addressed independently within the TDB Quarterly Report.

The TDB Quarterly Report is divided into sections for each TDB component and includes appendices within each section, as appropriate. The structure of each section varies due to the differing needs of each TDB component. However, as a minimum, each section identifies technical data currently available within the respective TDB component. Other optional information included within each section has been determined by the appropriate TDB component staff to be pertinent for individuals requesting data.

The Technical Data Management System on the YMP is currently undergoing significant development and expansion that will enable it to evolve into a more efficient system to meet the needs of the Project. Future plans include a TDB Handbook, TDB Parameter Dictionary, and an Automated Technical Data Tracking (ATDT) System. The TDB Handbook will provide guidelines to assist participants in the submission of technical data to, retrieval of technical data from, and modification of previously submitted data in the TDB. The TDB Parameter Dictionary will define specific structures and formats of data to be submitted to the TDB to ensure consistency in the reporting of data, and it will identify attributes associated with the data to ensure entries in the data base are meaningful. Additionally, the TDB Parameter Dictionary will define the component of the TDB in which the data will reside. The ATDT system is an Information Management System designed to trace the development of all technical data acquired by the Project and to maintain the link between the information stored in the ATDT System and the actual records of technical data maintained by the records system.

A Project Data Catalog, identifying all technical data collected by the Project, will be prepared from the ATDT System. The TDB Quarterly Report will eventually be merged with the Project Data Catalog once all of the information about the existing technical data in the TDB has been included in the ATDT System.

SEPDB QUARTERLY REPORT

APRIL - JUNE 1991

SANDIA NATIONAL LABORATORIES

TABLE OF CONTENTS

	PAGE
1.0 INTRODUCTION.....	SEPDB-1
2.0 SEPDB ACTIVITIES AND ACCOMPLISHMENTS FROM APRIL - JUNE 1991	SEPDB-1
3.0 DATA CURRENTLY AVAILABLE FROM THE SEPDB.....	SEPDB-3
4.0 INSTRUCTIONS FOR SUBMITTING DATA TO THE SEPDB.....	SEPDB-3
5.0 INFORMATION TO INCLUDE WHEN SUBMITTING DATA.....	SEPDB-3
6.0 INSTRUCTIONS FOR RETRIEVING DATA FROM THE SEPDB.....	SEPDB-4
7.0 SEPDB CONTACTS.....	SEPDB-4
APPENDIX A	
Data Currently Stored in the SEPDB.....	SEPDB-A1
Data Currently Available Organized by Drill Hole.....	SEPDB-A3
Data Currently Available Organized by Parameter.....	SEPDB-A11
Data Currently Available for Non-Core Samples.....	SEPDB-A18
Drill Holes for which Coordinates are Available.....	SEPDB-A19
Drill Holes for which Bottom Hole Information is Available..	SEPDB-A21
Drill Holes for which Core Information is Available.....	SEPDB-A23
Hole Histories Submitted to the SEPDB.....	SEPDB-A24
SEPDB Reference Citations.....	SEPDB-A25
APPENDIX B	
SEPDB Tables.....	SEPDB-B1
APPENDIX C	
Example of SEPDB Data Compilation.....	SEPDB-C1
Example of SEPDB Product (Data Report).....	SEPDB-C2
Blank Work Request Form.....	SEPDB-C11

SEPDB QUARTERLY REPORT

1.0 INTRODUCTION

This Site and Engineering Properties Data Base (SEPDB) Quarterly Report summarizes the current status of the SEPDB and lists Sandia's major activities and accomplishments in the development and operation of the data base during April, May and June of 1991. The report presents the data that is currently available in the SEPDB and gives instructions for submitting and retrieving data. An example of how data should be compiled for submittal to the SEPDB, a sample data retrieval (SEPDB product), and a blank work request form are also included.

The SEPDB is being developed and operated by Sandia National Laboratories as a component of the Project Technical Data Base in support of a license application. The SEPDB provides the controlled storage and reporting of scientific and engineering data generated by site characterization, performance assessment and design activities. It primarily contains the geologic, hydrologic, and rock property data from core sample testing and field measurements, but is intended for essentially all technical data that is being acquired on the project and is best stored in tabular form.

2.0 SEPDB ACTIVITIES AND ACCOMPLISHMENTS FROM APRIL - JUNE 1991

- A. The SEPDB staff started a major effort to complete data entry for all data which has been submitted but has not yet been entered. This effort resulted in a significant expansion of the data base during this quarter. The following data was entered and has been approved by the submitter, making it available for project use:

New Data Available for Project Use

- DA0001; DA0003C,D,E,G,J,L; DA004A,B,C,F,H,I,J; DA0030: Extensive data from the chemical analysis of water samples from fifteen drillholes (USGS submittals)
- DA0026: Hydraulic conductivity data from rock property analysis, UE-25a #1 core (USGS submittal)
- DA0028: X-ray analysis of selected samples and fracture fillings from USW G-4 (USGS submittal)
- DA0055: Air permeability data for tuff samples from Calico Hills and Prow Pass (SNL submittal, SAND89-2270)

- B. The following data was also entered into the data base and is pending approval of the submitter:

Data Entered and Pending Approval:

- DA0010; DA0011; DA0012; DA0013; DA0014; DA0015; DA0016; DA0017; DA0019; DA0021; DA0022; DA0023; DA0025; DA0050; DA0054: Hole history data (Fenix & Scisson submittals)
- DA0018: Drill hole surface coordinates and elevations (Holmes & Narver submittal)

C. The use of SEPDB data by project participants is increasing. The following SEPDB products (data reports) were issued during this quarter:

SEPDB Products (Data Reports)

- Hard copy and tape (ASCII files) of all SEPDB tables for G. Bodvarsson (Lawrence Berkeley)
- Hydraulic conductivity and lithology data report for Paul Whitney (Battelle, PNL)
- Compressive strength data report for Steve Bauer (SNL)
- Pore saturation data report for Franz Lauffer (SNL)

D. The following data was submitted for entry into the SEPDB:

SEPDB Data Submittals

- DA0156: Manganese-oxide minerals in fractures of the Crater Flat tuff in drill core USW G-4 (LANL submittal)
- DA0059-0149: Various data from fifty three different USGS reports (USGS submittals)

E. The initial draft of the SEPDB Handbook was completed. The purpose of this handbook is to make the use of the SEPDB by all project participants as easy and straight forward as possible. It presents guidelines for determining the data that should be submitted to the SEPDB and how to submit it, how to request data, and how to modify previously submitted data if necessary. These guidelines will simplify all interactions with the SEPDB.

F. The initial version of the Internal Tracking System (ITS) application for the SEPDB was completed. The application automatically tracks recipients of SEPDB data and the exact data they received. This will allow fast notification if errors in the data are discovered at a later date.

- G. The parameters stored in the SEPDB were identified and categorized. This information will be used as input to the Technical Data Base Parameter Dictionary currently being developed.
- H. The development of an interface between the GENISES and SEPDB systems was started. Work is proceeding to establish the ability to transfer SEPDB ASCII files to the GENISES system where they can be integrated with the graphical data.
- I. On May 16 and 17, Paula Adams participated in a working meeting with EG&G (GENISES system) to identify and resolve discrepancies in drill hole names and location data between the SEPDB and GENISES. A work plan was developed and is proceeding.

3.0 DATA CURRENTLY AVAILABLE FROM THE SEPDB

The data that is currently available from the SEPDB is detailed by nine different reports presented in Appendix A. These reports provide a comprehensive view of the current contents of the SEPDB. The information presented in each report and the corresponding page numbers are as follows:

- A. Types of data currently stored in the SEPDB (pages A1-A2).
- B. For each drill hole, the parameters for which data is available including the reference report (pages A3-A10).
- C. For each parameter, the drill holes for which data is available including the reference report (pages A11-A17).
- D. The data available that is not associated with a drill hole core sample (page A18).
- E. The drill holes for which coordinates (Nevada State Plane, Central Zone) are available (pages A19-A20).
- F. The drill holes for which bottom hole information (i.e. bottom hole coordinates, total depth, total vertical depth) is available (pages A21-A22).
- G. The drill holes for which core information (i.e. length of cored interval, percent recovery) is available (page A23).
- H. The hole history reports that have been submitted to the SEPDB from which the drill hole data has been taken (page A24).
- I. A complete listing of the reference reports for the data contained in the SEPDB (pages A25-A28).

4.0 INSTRUCTIONS FOR SUBMITTING DATA TO THE SEPDB

The procedure for submitting data to the Technical Data Base is defined in project Administrative Procedure AP-5.2Q, "Technical Information Flow to and

from the Yucca Mountain Project Technical Data Base." Appendix A of this report and Appendix C of the Technical Data Management Plan should be used to determine whether or not data should be submitted for entry into the SEPDB. The SEPDB Administrator may also be contacted to discuss the format and scope of the data to be submitted.

5.0 INFORMATION TO INCLUDE WHEN SUBMITTING DATA

In addition to the data values for each parameter, the SEPDB tables have been structured to store important supporting information such as the location of core samples and field measurements, the test method and conditions used to generate the data, and the report in which the data is published. It is important to include this supporting information when submitting data to the SEPDB. The structures of the SEPDB tables are presented in Appendix B. These should be used as guides when compiling data for submittal to the SEPDB. The general structure is as follows:

Parameter Information: List all parameters and their associated data values. Specify the units for each parameter and report any known uncertainties in the data.

Location Information: Report all information that specifies the location of core samples or field measurements. This should include the drill hole name and coordinates, the drill hole depth, and the sample identification number.

Test Conditions: Describe the test method and list all important test conditions such as date, time, temperature, pressure, flow rate, sample size, and instrument type.

Tracking Information: If the data is published, give the reference information for the publication. Report the QA level under which the data was collected, the CRF accession number, the Local Records Center identification number, the SCP activity number, and the WBS number if known.

The SEPDB data compilation shown in Appendix C is an excellent example of how data is best compiled for submittal to the SEPDB.

6.0 INSTRUCTIONS FOR RETRIEVING DATA FROM THE SEPDB

Data is requested from the SEPDB by simply filling out a Work Request form and sending it to the SEPDB Administrator. Blank Work Request forms can be found in Appendix C of this report. Requests for data may also be made by making a telephone call to the SEPDB staff (see Section 7.0 for SEPDB contacts). In either case, the following information must be provided:

- A. The requester's name, organization, address, and telephone number.
- B. A description of the data that is being requested including a list of the specific parameters.
- C. The desired format of the data report (a separate page showing the desired format including column headings is preferred).

No special approvals are required by Project participants to retrieve data from the SEPDB. However, non-participants must obtain approval from the Technical Data Manager at the Project Office who will then notify the SEPDB Administrator of the approved request. Note that data requesters do not have to fill out a TDIF to retrieve data from the SEPDB. The TDIF is completed by the SEPDB staff after the data request is met.

The data that is available from the SEPDB can be reported in a wide range of table structures as specified by the user. This is made possible by the flexibility of the INGRES software used by the SEPDB. In addition, the relational character of the data base enables many different types of data to be reported at specific depths for drill hole core samples and at specific surface coordinates for non-core samples. The SEPDB data report shown in Appendix C is an excellent example of the ability of the SEPDB to provide various types of data in a format that can easily be used in performance assessment and design.

7.0 SEPDB CONTACTS

The SEPDB is operated by Sandia's Technical Projects Division 6316. The primary contacts are:

Gary Tipton	SEPDB Administrator	FTS 844-3602
Rick Orzel	System Manager	FTS 844-2880
Paula Adams	Data Base Specialist	FTS 846-8178

Gary should be the first point of contact with questions on how to submit data and on whether or not data is appropriate for storage in the SEPDB. Rick should be the first contact with hardware and software questions including how to use the menu driven program currently being developed to interact with the SEPDB from a terminal and how other systems can be connected to the SEPDB. Paula should be contacted first when requesting data reports.

The SEPDB staff welcomes all questions, concerns, and suggestions for improvement. Feel free to contact us at any time by phone or in writing. Written correspondence should be sent to:

SEPDB Administrator
Sandia National Laboratories
Technical Projects Division 6316
P.O. Box 5800
Albuquerque, New Mexico 87185

APPENDIX A

DATA CURRENTLY STORED IN THE SEPDB

PARAMETER -----	DESCRIPTION -----
BOTTOM HOLE COORDINATES	Nevada Plane Coordinates for Bottom of Surveyed Drill Holes
BULK DENSITY	Bulk Density Values and Test Conditions
BULK MODULUS	Bulk Modulus Data and Test Conditions
COMPRESSIVE STRENGTH	Compressive Strength Data and Test Conditions
CORE INFORMATION	Core Information, Intervals and Percent Recovery
CURVE FIT	Saturation Curve-Fit Parameters and Test Conditions
DRILL HOLE COORDINATES	Drill Hole Locations, Surveys and Status
DRILL HOLE WATER CHEMISTRY	Water Chemical Constituent Values for Drill Holes
ELASTIC PROPERTIES	Elastic Properties (Poisson's Ratio & Young's Modulus)
FLOOD PREDICTIONS	Flood Predictions (100 yr, 500 yr & Regional Maximum) & Locations
GRAIN DENSITY	Grain Density Values and Test Conditions
HYDRAULIC CONDUCTIVITY	Hydraulic Conductivity Values and Test Conditions
LITHOLOGIC UNITS	Lithologic Unit Depths in Drill Hole
MATRIX POTENTIAL	Matrix Potential Data and Test Conditions
MEASURED FLOODS	Parameters for Measured Floods
MINERALOGY	Mineralogical Samples and Test Conditions
PALEOMAGNETIC	Paleomagnetic Data and Test Conditions
PERMEABILITY	Permeability and Test Conditions
PORE SATURATION	Pore Saturation and Test Conditions
PORE WATER CONTENT	Natural-state Porewater Content Percentages
POROSITY	Porosity Values and Test Conditions
PREDICTED FLOOD LOCATIONS	Cross Section Locations for Predicted Floods
RELATIVE HYDRAULIC CONDUCTIVITY	Relative Hydraulic Conductivity & Test Conditions
SAMPLE LOCATIONS	Location Coordinates for Surface Samples
SONIC VELOCITY	Laboratory Sonic Velocity Measurements
SPRING WATER CHEMISTRY	Water Chemical Values for Springs & Non-Drill Hole Wells
STORAGE COEFFICIENT	Storage Coefficient Values for Well Tests
STRATIGRAPHIC	Thermal/Mechanical Stratigraphic Units
THERMAL CONDUCTIVITY	Thermal Conductivity Data and Test Conditions
TRANSMISSIVITY	Transmissivity Data and Pumping Conditions

WATER LEVEL

WATER PRODUCTION

WELL HYDRAULIC CONDUCTIVITY

Water Elevations and Depths, Dates of
Measurements
Percent Water Production in Drill Hole
Intervals
Well Test Hydraulic Conductivity
Measurements

DATA CURRENTLY AVAILABLE ORGANIZED BY DRILL HOLE

HOLE	TYPE OF DATA	REFERENCE CITATION
----	-----	-----
J-11	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
J-12	Mineralogical Samples and Test Conditions	LA-11497-MS
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS OFR 85-484
J-13	Bulk Density Values and Test Conditions	USGS WRIR 83-4171
	Grain Density Values and Test Conditions	USGS WRIR 83-4171
	Hydraulic Conductivity Values and Test Conditions	USGS WRIR 83-4171
	Lithologic Unit Depths in Drill Hole	USGS WRIR 83-4171
	Mineralogical Samples and Test Conditions	LA-11497-MS
	Pore Saturation and Test Conditions	USGS WRIR 83-4171
	Natural-state Porewater Content Percentages	USGS WRIR 83-4171
	Porosity Values and Test Conditions	USGS WRIR 83-4171
	Laboratory Sonic Velocity Measurements	USGS WRIR 83-4171
	Transmissivity Data and Pumping Conditions	USGS WRIR 83-4171
	Well Test Hydraulic Conductivity Measurements	USGS WRIR 83-4171
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS OFR 85-484
		USGS WRIR 83-4171
UE-16d	Water Elevations and Depths, Dates of Measurements	USGS 1543-3
	Water Chemical Constituent Values for Drill Holes	USGS 1543-3
UE-16f	Water Elevations and Depths, Dates of Measurements	USGS 1543-3
	Water Chemical Constituent Values for Drill Holes	USGS 1543-3
UE-17a	Water Chemical Constituent Values for Drill Holes	USGS 1543-4
UE-25 WT #12	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
UE-25 WT #13	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197

DATA CURRENTLY AVAILABLE ORGANIZED BY DRILL HOLE

HOLE -----	TYPE OF DATA -----	REFERENCE CITATION -----
UE-25 WT #14	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
UE-25 WT #15	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
UE-25 WT #16	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
UE-25 WT #17	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
UE-25 WT #3	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
UE-25 WT #4	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
UE-25 WT #6	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
UE-25a #1	Bulk Density Values and Test Conditions	SAND88-0811
	Grain Density Values and Test Conditions	USGS OFR 81-1338
	Mineralogical Samples and Test Conditions	SAND88-0811
		USGS OFR 81-1338
		LA-11497-MS
		SAND88-0882
		USGS OFR 84-491
	Porosity Values and Test Conditions	SAND88-0811
		USGS OFR 81-1338
	Laboratory Sonic Velocity Measurements	USGS OFR 81-1338
	Thermal/Mechanical Stratigraphic Units	SAND84-1076
UE-25a #4	Thermal/Mechanical Stratigraphic Units	SAND84-1076
UE-25a #5	Thermal/Mechanical Stratigraphic Units	SAND84-1076

DATA CURRENTLY AVAILABLE ORGANIZED BY DRILL HOLE

HOLE -----	TYPE OF DATA -----	REFERENCE CITATION -----
UE-25a #6	Thermal/Mechanical Stratigraphic Units	SAND84-1076
UE-25a #7	Thermal/Mechanical Stratigraphic Units	SAND84-1076
UE-25b #1	Bulk Density Values and Test Conditions	USGS WRIR 84-4253
	Grain Density Values and Test Conditions	USGS WRIR 84-4253
	Hydraulic Conductivity Values and Test Conditions	USGS WRIR 84-4253
	Lithologic Unit Depths in Drill Hole	USGS WRIR 84-4253
	Mineralogical Samples and Test Conditions	LA-11497-MS
		USGS BULL-1777
	Pore Saturation and Test Conditions	USGS WRIR 84-4253
	Natural-state Porewater Content Percentages	USGS OFR 83-855
		USGS WRIR 84-4253
	Porosity Values and Test Conditions	USGS WRIR 84-4253
	Thermal/Mechanical Stratigraphic Units	SAND84-1076
	Transmissivity Data and Pumping Conditions	USGS WRIR 84-4253
	Well Test Hydraulic Conductivity Measurements	USGS WRIR 84-4253
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
		USGS WRIR 84-4253
	Water Chemical Constituent Values for Drill Holes	USGS OFR 83-855
		USGS OFR 85-484
		USGS WRIR 84-4253
		USGS WRIR 84-4267
UE-25c #1	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS OFR 85-484
UE-25c #2	Water Chemical Constituent Values for Drill Holes	USGS OFR 85-484
UE-25c #3	Water Chemical Constituent Values for Drill Holes	USGS OFR 85-484
UE-25p #1	Lithologic Unit Depths in Drill Hole	USGS OFR 84-450
		USGS OFR 86-175
	Mineralogical Samples and Test Conditions	LA-11497-MS
	Transmissivity Data and Pumping Conditions	USGS WRIR 84-4248
	Water Elevations and Depths, Dates of Measurements	USGS OFR 84-450
		USGS WRIR 84-4197

DATA CURRENTLY AVAILABLE ORGANIZED BY DRILL HOLE

HOLE -----	TYPE OF DATA -----	REFERENCE CITATION -----
	Water Chemical Constituent Values for Drill Holes	USGS WRIR 84-4248 USGS OFR 85-484 USGS WRIR 84-4248
UE-29a #1	Water Elevations and Depths, Dates of Measurements Water Chemical Constituent Values for Drill Holes	USGS OFR 84-142 USGS OFR 84-142
UE-29a #2	Water Elevations and Depths, Dates of Measurements Water Chemical Constituent Values for Drill Holes	USGS OFR 84-142 USGS OFR 84-142 USGS OFR 85-484 USGS WRIR 84-4267
USW G-1	Bulk Density Values and Test Conditions	SAND87-2380 SAND88-0811 UCLR-53602 UCLR-53645
	Saturation Curve-Fit Parameters and Test Conditions Grain Density Values and Test Conditions	SAND87-2380 SAND88-0811 UCLR-53645
	Hydraulic Conductivity Values and Test Conditions Lithologic Unit Depths in Drill Hole Matrix Potential Data and Test Conditions Mineralogical Samples and Test Conditions	SAND87-2380 USGS OFR 81-1349 SAND87-2380 LA-11497-MS SAND88-0882 USGS BULL-1777 USGS OFR 81-1349 USGS OFR 84-491
	Porosity Values and Test Conditions	SAND88-0811 UCLR-53602 UCLR-53645
	Thermal Conductivity Data and Test Conditions Thermal/Mechanical Stratigraphic Units Water Elevations and Depths, Dates of Measurements	SAND88-0624 SAND84-1076 USGS WRIR 84-4197
USW G-2	Bulk Density Values and Test Conditions Compressive Strength Data and Test Conditions Elastic Properties (Poisson's Ratio & Young's Modulus) Grain Density Values and Test Conditions Lithologic Unit Depths in Drill Hole Mineralogical Samples and Test Conditions	SAND88-0811 SAND85-0703 SAND85-0703 SAND88-0811 USGS OFR 83-732 LA-11497-MS SAND88-0882 USGS BULL-1777 USGS OFR 83-732

DATA CURRENTLY AVAILABLE ORGANIZED BY DRILL HOLE

HOLE -----	TYPE OF DATA -----	REFERENCE CITATION -----
	Porosity Values and Test Conditions	USGS OFR 84-491
	Thermal Conductivity Data and Test Conditions	SAND88-0811
	Thermal/Mechanical Stratigraphic Units	SAND88-0624
	Water Elevations and Depths, Dates of Measurements	SAND84-1076
		USGS WRIR 84-4197
USW G-3		
	Bulk Density Values and Test Conditions	USGS OFR 84-552
	Grain Density Values and Test Conditions	USGS OFR 84-552
	Lithologic Unit Depths in Drill Hole	USGS OFR 84-491
	Mineralogical Samples and Test Conditions	USGS OFR 84-491
	Porosity Values and Test Conditions	USGS OFR 84-552
	Laboratory Sonic Velocity Measurements	USGS OFR 84-552
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
USW G-4		
	Bulk Density Values and Test Conditions	SAND87-2380
		SAND88-0811
		UCLR-53795
		USGS OFR 84-552
	Saturation Curve-Fit Parameters and Test Conditions	SAND87-2380
	Grain Density Values and Test Conditions	SAND88-0811
		UCLR-53795
		USGS OFR 84-552
	Hydraulic Conductivity Values and Test Conditions	SAND87-2380
	Lithologic Unit Depths in Drill Hole	USGS OFR 84-063
	Matrix Potential Data and Test Conditions	SAND87-2380
	Mineralogical Samples and Test Conditions	LA-10927-MS
		LA-11497-MS
		SAND88-0882
		USGS BULL-1777
		USGS OFR 84-789
	Porosity Values and Test Conditions	SAND88-0811
		UCLR-53795
		USGS OFR 84-552
	Laboratory Sonic Velocity Measurements	USGS OFR 84-552
	Thermal Conductivity Data and Test Conditions	SAND88-0624
	Thermal/Mechanical Stratigraphic Units	SAND84-1076
	Transmissivity Data and Pumping Conditions	USGS WRIR 86-4015
	Well Test Hydraulic Conductivity Measurements	USGS WRIR 86-4015
	Water Elevations and Depths, Dates of Measurements	USGS OFR 84-063
		USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS OFR 84-063
		USGS OFR 85-484
USW GU-3		
	Bulk Density Values and Test Conditions	SAND87-2380
		SAND88-0811

DATA CURRENTLY AVAILABLE ORGANIZED BY DRILL HOLE

HOLE -----	TYPE OF DATA -----	REFERENCE CITATION -----
	Saturation Curve-Fit Parameters and Test Conditions	USGS OFR 84-552
	Grain Density Values and Test Conditions	SAND87-2380
		SAND88-0811
	Hydraulic Conductivity Values and Test Conditions	USGS OFR 84-552
	Lithologic Unit Depths in Drill Hole	SAND87-2380
	Matrix Potential Data and Test Conditions	USGS OFR 84-491
	Mineralogical Samples and Test Conditions	SAND87-2380
		LA-11497-MS
		SAND88-0882
	Paleomagnetic Data and Test Conditions	USGS OFR 84-491
	Porosity Values and Test Conditions	USGS OFR 85-48
		SAND88-0811
	Laboratory Sonic Velocity Measurements	USGS OFR 84-552
	Thermal Conductivity Data and Test Conditions	USGS OFR 84-552
	Thermal/Mechanical Stratigraphic Units	SAND88-0624
		SAND84-1076
USW H-1		
	Bulk Density Values and Test Conditions	USGS WRIR 84-4032
		USGS WRIR 84-4193
	Grain Density Values and Test Conditions	USGS WRIR 84-4032
		USGS WRIR 84-4193
	Hydraulic Conductivity Values and Test Conditions	USGS WRIR 84-4032
	Lithologic Unit Depths in Drill Hole	USGS WRIR 84-4032
	Matrix Potential Data and Test Conditions	USGS WRIR 84-4193
	Pore Saturation and Test Conditions	USGS WRIR 84-4032
	Natural-state Porewater Content Percentages	USGS WRIR 84-4032
	Porosity Values and Test Conditions	USGS WRIR 84-4032
		USGS WRIR 84-4193
	Relative Hydraulic Conductivity & Test Conditions	USGS WRIR 84-4193
	Storage Coefficient Values for Well Tests	USGS WRIR 84-4032
	Thermal/Mechanical Stratigraphic Units	SAND84-1076
	Transmissivity Data and Pumping Conditions	USGS WRIR 84-4032
	Well Test Hydraulic Conductivity Measurements	USGS WRIR 84-4032
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4032
		USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS WRIR 84-4032
		USGS WRIR 84-4267
USW H-3		
	Lithologic Unit Depths in Drill Hole	USGS WRIR 84-4272
	Mineralogical Samples and Test Conditions	LA-11497-MS
	Storage Coefficient Values for Well Tests	USGS WRIR 84-4272
	Thermal/Mechanical Stratigraphic Units	SAND84-1076
	Transmissivity Data and Pumping Conditions	USGS WRIR 84-4272
	Well Test Hydraulic Conductivity Measurements	USGS WRIR 84-4272
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS OFR 85-484

DATA CURRENTLY AVAILABLE ORGANIZED BY DRILL HOLE

HOLE -----	TYPE OF DATA -----	REFERENCE CITATION -----
USW H-4		
	Lithologic Unit Depths in Drill Hole	USGS WRIR 85-4030
	Mineralogical Samples and Test Conditions	LA-11497-MS
	Percent Water Production in Drill Hole Intervals	USGS WRIR 85-4030
	Thermal/Mechanical Stratigraphic Units	SAND84-1076
	Transmissivity Data and Pumping Conditions	USGS WRIR 85-4030
	Well Test Hydraulic Conductivity Measurements	USGS WRIR 85-4030
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
		USGS WRIR 85-4030
	Water Chemical Constituent Values for Drill Holes	USGS OFR 85-484
		USGS WRIR 85-4030
USW H-5		
	Lithologic Unit Depths in Drill Hole	USGS OFR 83-853
	Mineralogical Samples and Test Conditions	LA-11497-MS
	Thermal/Mechanical Stratigraphic Units	SAND84-1076
	Water Elevations and Depths, Dates of Measurements	USGS OFR 83-853
		USGS WRIR 83-4171
		USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS OFR 83-853
		USGS OFR 85-484
USW H-6		
	Mineralogical Samples and Test Conditions	LA-11497-MS
	Thermal/Mechanical Stratigraphic Units	SAND84-1076
	Water Elevations and Depths, Dates of Measurements	USGS OFR 83-856
		USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS OFR 83-856
		USGS OFR 85-484
USW VH-1		
	Lithologic Unit Depths in Drill Hole	USGS OFR 82-457
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
	Water Chemical Constituent Values for Drill Holes	USGS OFR 85-484
		USGS WRIR 84-4267
		USGS WRIR 86-4359
USW VH-2		
	Lithologic Unit Depths in Drill Hole	USGS OFR 85-475
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
USW WT-1		
	Mineralogical Samples and Test Conditions	LA-11497-MS
	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197

DATA CURRENTLY AVAILABLE ORGANIZED BY DRILL HOLE

HOLE -----	TYPE OF DATA -----	REFERENCE CITATION -----
USW WT-10	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
USW WT-11	Water Elevations and Depths, Dates of Measurements	USGS WRIR 84-4197
USW WT-2	Mineralogical Samples and Test Conditions Water Elevations and Depths, Dates of Measurements	LA-11497-MS USGS WRIR 84-4197
USW WT-7	Water Elevations and Depths, Dates of Measurements Bulk Density Values and Test Conditions Bulk Modulus Data and Test Conditions Compressive Strength Data and Test Conditions Elastic Properties (Poisson's Ratio & Young's Modulus) Parameters for Measured Floods Cross Section Locations for Predicted Floods Flood Predictions (100 yr, 500 yr & Regional Maximum) Grain Density Values and Test Conditions Lithologic Unit Depths in Drill Hole Mineralogical Samples and Test Conditions Permeability and Test Conditions Paleomagnetic Data and Test Conditions Porosity Values and Test Conditions Location Coordinates for Surface Samples Water Chemical Values for Springs & Non-Drill Hole Wells	USGS WRIR 84-4197 SAND88-0811 SAND86-1131 SAND86-1131 SAND86-1131 USGS WRIR 83-4001 USGS WRIR 83-4001 USGS WRIR 83-4001 SAND88-0811 SAND89-2270 SAND86-1131 SAND88-0882 USGS OFR 84-491 SAND89-2270 USGS OFR 85-48 SAND88-0811 SAND89-2270 SAND86-1131 SAND88-0811 SAND89-2270 USGS OFR 84-491 USGS OFR 85-48 USGS WRIR 84-4267

DATA CURRENTLY AVAILABLE SEPDB ORGANIZED BY PARAMETER

Bulk Density Values and Test Conditions:

J-13	USGS WRIR 83-4171
UE-25a #1	SAND88-0811
	USGS OFR 81-1338
UE-25b #1	USGS WRIR 84-4253
USW G-1	SAND87-2380
	SAND88-0811
	UCLR-53602
	UCLR-53645
USW G-2	SAND88-0811
USW G-3	USGS OFR 84-552
USW G-4	SAND87-2380
	SAND88-0811
	UCLR-53795
	USGS OFR 84-552
USW GU-3	SAND87-2380
	SAND88-0811
	USGS OFR 84-552
USW H-1	USGS WRIR 84-4032
	USGS WRIR 84-4193
non-core samples	SAND88-0811

Bulk Modulus Data and Test Conditions:

non-core samples	SAND86-1131
------------------	-------------

Compressive Strength Data and Test Conditions:

USW G-2	SAND85-0703
non-core samples	SAND86-1131

Saturation Curve-Fit Parameters and Test Conditions:

USW G-1	SAND87-2380
USW G-4	SAND87-2380
USW GU-3	SAND87-2380

Elastic Properties (Poisson's Ratio & Young's Modulus):

USW G-2	SAND85-0703
non-core samples	SAND86-1131

Parameters for Measured Floods:

non-core samples	USGS WRIR 83-4001
------------------	-------------------

Cross Section Locations for Predicted Floods:

non-core samples	USGS WRIR 83-4001
------------------	-------------------

DATA CURRENTLY AVAILABLE SEPDB ORGANIZED BY PARAMETER

Flood Predictions (100 yr, 500 yr & Regional Maximum) & Locations:

non-core samples USGS WRIR 83-4001

Grain Density Values and Test Conditions:

J-13 USGS WRIR 83-4171
UE-25a #1 SAND88-0811
USGS OFR 81-1338
UE-25b #1 USGS WRIR 84-4253
USW G-1 SAND88-0811
UCLR-53645
USW G-2 SAND88-0811
USW G-3 USGS OFR 84-552
USW G-4 SAND88-0811
UCLR-53795
USGS OFR 84-552
USW GU-3 SAND88-0811
USGS OFR 84-552
USW H-1 USGS WRIR 84-4032
USGS WRIR 84-4193
non-core samples SAND88-0811

Hydraulic Conductivity Values and Test Conditions:

J-13 USGS WRIR 83-4171
UE-25b #1 USGS WRIR 84-4253
USW G-1 SAND87-2380
USW G-4 SAND87-2380
USW GU-3 SAND87-2380
USW H-1 USGS WRIR 84-4032

Lithologic Unit Depths in Drill Hole:

J-13 USGS WRIR 83-4171
UE-25b #1 USGS WRIR 84-4253
UE-25p #1 USGS OFR 84-450
USGS OFR 86-175
USW G-1 USGS OFR 81-1349
USW G-2 USGS OFR 83-732
USW G-3 USGS OFR 84-491
USW G-4 USGS OFR 84-063
USW GU-3 USGS OFR 84-491
USW H-1 USGS WRIR 84-4032
USW H-3 USGS WRIR 84-4272
USW H-4 USGS WRIR 85-4030
USW H-5 USGS OFR 83-853
USW VH-1 USGS OFR 82-457
USW VH-2 USGS OFR 85-475
non-core samples SAND89-2270

DATA CURRENTLY AVAILABLE SEPDB ORGANIZED BY PARAMETER

Matrix Potential Data and Test Conditions:

USW G-1	SAND87-2380
USW G-4	SAND87-2380
USW GU-3	SAND87-2380
USW H-1	USGS WRIR 84-4193

Mineralogical Samples and Test Conditions:

J-12	LA-11497-MS
J-13	LA-11497-MS
UE-25a #1	LA-11497-MS
	SAND88-0882
	USGS OFR 84-491
UE-25b #1	LA-11497-MS
	USGS BULL-1777
UE-25p #1	LA-11497-MS
USW G-1	LA-11497-MS
	SAND88-0882
	USGS BULL-1777
	USGS OFR 81-1349
	USGS OFR 84-491
USW G-2	LA-11497-MS
	SAND88-0882
	USGS BULL-1777
	USGS OFR 83-732
	USGS OFR 84-491
USW G-3	USGS OFR 84-491
USW G-4	LA-10927-MS
	LA-11497-MS
	SAND88-0882
	USGS BULL-1777
	USGS OFR 84-789
USW GU-3	LA-11497-MS
	SAND88-0882
	USGS OFR 84-491
USW H-3	LA-11497-MS
USW H-4	LA-11497-MS
USW H-5	LA-11497-MS
USW H-6	LA-11497-MS
USW WT-1	LA-11497-MS
USW WT-2	LA-11497-MS
non-core samples	SAND86-1131
	SAND88-0882
	USGS OFR 84-491

Permeability and Test Conditions:

non-core samples	SAND89-2270
------------------	-------------

DATA CURRENTLY AVAILABLE SEPDB ORGANIZED BY PARAMETER

Percent Water Production in Drill Hole Intervals:

USW H-4 USGS WRIR 85-4030

Paleomagnetic Data and Test Conditions:

USW GU-3 USGS OFR 85-48
non-core samples USGS OFR 85-48

Pore Saturation and Test Conditions:

J-13 USGS WRIR 83-4171
UE-25b #1 USGS WRIR 84-4253
USW H-1 USGS WRIR 84-4032

Natural-state Porewater Content Percentages:

J-13 USGS WRIR 83-4171
UE-25b #1 USGS OFR 83-855
USGS WRIR 84-4253
USW H-1 USGS WRIR 84-4032

Porosity Values and Test Conditions:

J-13 USGS WRIR 83-4171
UE-25a #1 SAND88-0811
USGS OFR 81-1338
UE-25b #1 USGS WRIR 84-4253
USW G-1 SAND88-0811
UCLR-53602
UCLR-53645
USW G-2 SAND88-0811
USW G-3 USGS OFR 84-552
USW G-4 SAND88-0811
UCLR-53795
USGS OFR 84-552
USW GU-3 SAND88-0811
USGS OFR 84-552
USW H-1 USGS WRIR 84-4032
USGS WRIR 84-4193
non-core samples SAND88-0811
SAND89-2270

Relative Hydraulic Conductivity & Test Conditions:

USW H-1 USGS WRIR 84-4193

Location Coordinates for Surface Samples:

non-core samples SAND86-1131
SAND88-0811
SAND89-2270
USGS OFR 84-491

DATA CURRENTLY AVAILABLE SEPDB ORGANIZED BY PARAMETER

USGS OFR 85-48

Laboratory Sonic Velocity Measurements:

J-13	USGS WRIR 83-4171
UE-25a #1	USGS OFR 81-1338
USW G-3	USGS OFR 84-552
USW G-4	USGS OFR 84-552
USW GU-3	USGS OFR 84-552

Water Chemical Values for Springs & Non-Drill Hole Wells:

non-core samples	USGS WRIR 84-4267
------------------	-------------------

Storage Coefficient Values for Well Tests:

USW H-1	USGS WRIR 84-4032
USW H-3	USGS WRIR 84-4272

Thermal Conductivity Data and Test Conditions:

USW G-1	SAND88-0624
USW G-2	SAND88-0624
USW G-4	SAND88-0624
USW GU-3	SAND88-0624

Thermal/Mechanical Stratigraphic Units:

UE-25a #1	SAND84-1076
UE-25a #4	SAND84-1076
UE-25a #5	SAND84-1076
UE-25a #6	SAND84-1076
UE-25a #7	SAND84-1076
UE-25b #1	SAND84-1076
USW G-1	SAND84-1076
USW G-2	SAND84-1076
USW G-4	SAND84-1076
USW GU-3	SAND84-1076
USW H-1	SAND84-1076
USW H-3	SAND84-1076
USW H-4	SAND84-1076
USW H-5	SAND84-1076
USW H-6	SAND84-1076

Transmissivity Data and Pumping Conditions:

J-13	USGS WRIR 83-4171
UE-25b #1	USGS WRIR 84-4253
UE-25p #1	USGS WRIR 84-4248
USW G-4	USGS WRIR 86-4015
USW H-1	USGS WRIR 84-4032
USW H-3	USGS WRIR 84-4272
USW H-4	USGS WRIR 85-4030

DATA CURRENTLY AVAILABLE SEPDB ORGANIZED BY PARAMETER

Well Test Hydraulic Conductivity Measurements:

J-13	USGS WRIR 83-4171
UE-25b #1	USGS WRIR 84-4253
USW G-4	USGS WRIR 86-4015
USW H-1	USGS WRIR 84-4032
USW H-3	USGS WRIR 84-4272
USW H-4	USGS WRIR 85-4030

Water Elevations and Depths, Dates of Measurements:

J-11	USGS WRIR 84-4197
J-12	USGS WRIR 84-4197
J-13	USGS WRIR 84-4197
UE-16d	USGS 1543-3
UE-16f	USGS 1543-3
UE-25 WT #12	USGS WRIR 84-4197
UE-25 WT #13	USGS WRIR 84-4197
UE-25 WT #14	USGS WRIR 84-4197
UE-25 WT #15	USGS WRIR 84-4197
UE-25 WT #16	USGS WRIR 84-4197
UE-25 WT #17	USGS WRIR 84-4197
UE-25 WT #3	USGS WRIR 84-4197
UE-25 WT #4	USGS WRIR 84-4197
UE-25 WT #6	USGS WRIR 84-4197
UE-25b #1	USGS WRIR 84-4197
	USGS WRIR 84-4253
UE-25c #1	USGS WRIR 84-4197
UE-25p #1	USGS OFR 84-450
	USGS WRIR 84-4197
	USGS WRIR 84-4248
UE-29a #1	USGS OFR 84-142
UE-29a #2	USGS OFR 84-142
USW G-1	USGS WRIR 84-4197
USW G-2	USGS WRIR 84-4197
USW G-3	USGS WRIR 84-4197
USW G-4	USGS OFR 84-063
	USGS WRIR 84-4197
USW H-1	USGS WRIR 84-4032
	USGS WRIR 84-4197
USW H-3	USGS WRIR 84-4197
USW H-4	USGS WRIR 84-4197
	USGS WRIR 85-4030
USW H-5	USGS OFR 83-853
	USGS WRIR 83-4171
	USGS WRIR 84-4197
USW H-6	USGS OFR 83-856
	USGS WRIR 84-4197
USW VH-1	USGS WRIR 84-4197
USW VH-2	USGS WRIR 84-4197
USW WT-1	USGS WRIR 84-4197
USW WT-10	USGS WRIR 84-4197
USW WT-11	USGS WRIR 84-4197

DATA CURRENTLY AVAILABLE SEPDB ORGANIZED BY PARAMETER

USW WT-2
USW WT-7

USGS WRIR 84-4197
USGS WRIR 84-4197

Water Chemical Constituent Values for Drill Holes:

J-12
J-13

USGS OFR 85-484
USGS OFR 85-484
USGS WRIR 83-4171

UE-16d
UE-16f
UE-17a
UE-25b #1

USGS 1543-3
USGS 1543-3
USGS 1543-4
USGS OFR 83-855
USGS OFR 85-484
USGS WRIR 84-4253
USGS WRIR 84-4267

UE-25c #1
UE-25c #2
UE-25c #3
UE-25p #1

USGS OFR 85-484
USGS OFR 85-484
USGS OFR 85-484
USGS OFR 85-484
USGS WRIR 84-4248

UE-29a #1
UE-29a #2

USGS OFR 84-142
USGS OFR 84-142
USGS OFR 85-484
USGS WRIR 84-4267

USW G-4

USGS OFR 84-063
USGS OFR 85-484

USW H-1

USGS WRIR 84-4032
USGS WRIR 84-4267

USW H-3
USW H-4

USGS OFR 85-484
USGS OFR 85-484
USGS WRIR 85-4030

USW H-5

USGS OFR 83-853
USGS OFR 85-484

USW H-6

USGS OFR 83-856
USGS OFR 85-484

USW VH-1

USGS OFR 85-484
USGS WRIR 84-4267
USGS WRIR 86-4359

DATA CURRENTLY AVAILABLE FOR NON-CORE SAMPLES

TYPE OF DATA -----	REFERENCE CITATION -----
Bulk Density Values and Test Conditions	SAND88-0811
Bulk Modulus Data and Test Conditions	SAND86-1131
Compressive Strength Data and Test Conditions	SAND86-1131
Elastic Properties (Poisson's Ratio & Young's Modulus)	SAND86-1131
Parameters for Measured Floods	USGS WRIR 83-4001
Cross Section Locations for Predicted Floods	USGS WRIR 83-4001
Flood Predictions (100 yr, 500 yr & Regional Maximum) & Locations	USGS WRIR 83-4001
Grain Density Values and Test Conditions	SAND88-0811
Lithologic Unit Depths in Drill Hole	SAND89-2270
Mineralogical Samples and Test Conditions	SAND86-1131
	SAND88-0882
	USGS OFR 84-491
Permeability and Test Conditions	SAND89-2270
Paleomagnetic Data and Test Conditions	USGS OFR 85-48
Porosity Values and Test Conditions	SAND88-0811
	SAND89-2270
Location Coordinates for Surface Samples	SAND86-1131
	SAND88-0811
	SAND89-2270
	USGS OFR 84-491
	USGS OFR 85-48
Water Chemical Values for Springs & Non-Drill Hole Wells	USGS WRIR 84-4267

DRILL HOLES FOR WHICH COORDINATES ARE AVAILABLE

USW Holes -----	UE Holes -----	Seismic Holes -----	Other Holes -----
* USW ES-1	UE-16d	U-25 Seismic #1	J-11
* USW ES-2	UE-16f	U-25 Seismic #10	J-12
USW G-1	UE-17a	U-25 Seismic #11	J-13
USW G-2	* UE-25 G-5	U-25 Seismic #12	PS CAROLYN
USW G-3	UE-25 RF #1	U-25 Seismic #13	PS SANDY
USW G-4	UE-25 RF #10	U-25 Seismic #14	* Test Hole #1
USW GA-1	UE-25 RF #11	U-25 Seismic #15	* Test Hole #10
USW GU-3	UE-25 RF #2	U-25 Seismic #16	* Test Hole #11
* USW GX	UE-25 RF #3	U-25 Seismic #17	* Test Hole #12
* USW GY	UE-25 RF #3B	U-25 Seismic #18	* Test Hole #13
USW H-1	UE-25 RF #4	U-25 Seismic #19	* Test Hole #14
USW H-3	UE-25 RF #5	U-25 Seismic #2	* Test Hole #15
USW H-4	* UE-25 RF #6	U-25 Seismic #20	* Test Hole #2
USW H-5	UE-25 RF #7	U-25 Seismic #21	* Test Hole #3
USW H-6	UE-25 RF #7A	U-25 Seismic #22	* Test Hole #4
* USW H-WEST	UE-25 RF #8	U-25 Seismic #23	* Test Hole #5
USW SP 5A	UE-25 RF #9	U-25 Seismic #24	* Test Hole #6
USW SP 5B	UE-25 TC #1	U-25 Seismic #3	* Test Hole #7
USW UZ-1	UE-25 TC #2	U-25 Seismic #4	* Test Hole #8
USW UZ-13	UE-25 TC #3	U-25 Seismic #5	* Test Pit #1
* USW UZ-2	UE-25 TC #4	U-25 Seismic #6	* Test Pit #2
* USW UZ-3	UE-25 TCi #1	U-25 Seismic #7	* Test Pit #3
* USW UZ-4	UE-25 TCi #2	U-25 Seismic #8	* Test Pit #6
* USW UZ-5	UE-25 TCi #3	U-25 Seismic #9	
USW UZ-6	UE-25 TCi #4	U-26 Seismic #1	
* USW UZ-6a	UE-25 UZ #4	U-29 Seismic #1	
USW UZ-6s	UE-25 UZ #5	U-30 Seismic #1	
USW UZ-7	UE-25 UZN #1	U-30 Seismic #2	
USW UZ-8	UE-25 UZN #10	U-5 Seismic #1	
* USW UZ-N1	UE-25 UZN #12	U-5 Seismic #2	
USW UZ-N24	UE-25 UZN #13	US-25 Seismic #1	
USW UZ-N25	UE-25 UZN #14	US-25 Seismic #10	
USW UZ-N26	UE-25 UZN #18	US-25 Seismic #11	
* USW UZ-N3	UE-25 UZN #19	US-25 Seismic #12	
USW UZ-N40	UE-25 UZN #2	US-25 Seismic #13	
USW UZ-N41	UE-25 UZN #20	US-25 Seismic #14	
USW UZ-N42	UE-25 UZN #21	US-25 Seismic #15	
USW UZ-N43	UE-25 UZN #22	US-25 Seismic #16	
USW UZ-N44	UE-25 UZN #23	US-25 Seismic #17	
USW UZ-N45	UE-25 UZN #28	US-25 Seismic #18	
USW UZ-N46	UE-25 UZN #29	US-25 Seismic #19	
USW UZ-N47	UE-25 UZN #3	US-25 Seismic #2	
USW UZ-N48	UE-25 UZN #30	US-25 Seismic #20	
USW UZ-N49	UE-25 UZN #4	US-25 Seismic #21	
USW UZ-N50	UE-25 UZN #5	US-25 Seismic #3	
USW UZ-N51	UE-25 UZN #56	US-25 Seismic #4	
USW UZ-N52	UE-25 UZN #6	US-25 Seismic #5	
USW UZ-N65	UE-25 UZN #60	US-25 Seismic #6	
USW UZ-N66	UE-25 UZN #7	US-25 Seismic #7	

* Layout Drill-hole

DRILL HOLES FOR WHICH COORDINATES ARE AVAILABLE

USW Holes -----	UE Holes -----	Seismic Holes -----	Other Holes -----
USW UZ-N67	UE-25 UZN #8	US-25 Seismic #8	
USW UZ-N68	UE-25 UZN #85	US-25 Seismic #9	
USW UZ-N69	UE-25 UZN #9		
USW UZ-N70	UE-25 UZN #97		
USW UZ-N71	UE-25 UZNC #1		
USW UZ-N72	UE-25 UZNC #2		
USW UZ-N73	UE-25 WT #12		
USW UZ-N74	UE-25 WT #13		
USW UZ-N75	UE-25 WT #14		
USW UZ-N76	UE-25 WT #15		
USW UZ-N77	UE-25 WT #16		
USW UZ-N78	UE-25 WT #17		
USW UZ-N79	UE-25 WT #18		
USW UZ-N80	* UE-25 WT #19		
USW UZ-N81	* UE-25 WT #20		
USW UZ-N82	UE-25 WT #3		
USW UZ-N83	UE-25 WT #4		
USW UZ-N84	UE-25 WT #5		
USW UZ-N86	UE-25 WT #6		
USW UZ-N87	UE-25a #1		
USW UZ-N88	* UE-25a #2		
USW UZ-N89	UE-25a #3		
USW UZ-N90	UE-25a #4		
USW UZ-N93	UE-25a #5		
USW UZ-N94	UE-25a #6		
USW UZ-N95	UE-25a #7		
USW UZ-N96	UE-25b #1		
USW UZ-N98	* UE-25b #2		
* USW UZ4N-2	UE-25c #1		
* USW UZ4N-4	UE-25c #2		
* USW UZ4N-5	UE-25c #3		
USW VH-1	UE-25h #1		
USW VH-2	UE-25p #1		
* USW VH-3	* UE-25pa #1A		
USW WT-1	* UE-25pa #1B		
USW WT-10	UE-29 UZN #91		
USW WT-11	UE-29 UZN #92		
USW WT-2	UE-29a #1		
* USW WT-21	UE-29a #2		
* USW WT-22			
USW WT-7			
* USW WT-8			
* USW WT-9			

* Layout Drill-hole

DRILL HOLES FOR WHICH BOTTOM HOLE INFORMATION IS AVAILABLE
(Bottom Hole Coordinates, Depth)

USW Holes -----	UE Holes -----	Seismic Holes -----	Other Holes -----
USW G-1	UE-16d	U-25 Seismic #1	
USW G-2	UE-16f	U-25 Seismic #10	
USW G-3	UE-17a	U-25 Seismic #11	
USW G-4	UE-25 RF #1	U-25 Seismic #12	
USW GA-1	UE-25 RF #10	U-25 Seismic #13	
USW GU-3	UE-25 RF #11	U-25 Seismic #14	
USW H-1	UE-25 RF #2	U-25 Seismic #15	
USW H-3	UE-25 RF #3	U-25 Seismic #16	
USW H-4	UE-25 RF #3B	U-25 Seismic #17	
USW H-5	UE-25 RF #4	U-25 Seismic #18	
USW H-6	UE-25 RF #5	U-25 Seismic #19	
USW UZ-1	UE-25 RF #7	U-25 Seismic #2	
USW UZ-13	UE-25 RF #7A	U-25 Seismic #20	
USW UZ-6	UE-25 RF #8	U-25 Seismic #21	
USW UZ-6s	UE-25 RF #9	U-25 Seismic #22	
USW UZ-7	UE-25 UZ #4	U-25 Seismic #23	
USW UZ-8	UE-25 UZ #5	U-25 Seismic #24	
USW UZ-N24	UE-25 UZN #1	U-25 Seismic #3	
USW UZ-N25	UE-25 UZN #10	U-25 Seismic #4	
USW UZ-N26	UE-25 UZN #12	U-25 Seismic #5	
USW UZ-N40	UE-25 UZN #13	U-25 Seismic #6	
USW UZ-N41	UE-25 UZN #14	U-25 Seismic #7	
USW UZ-N42	UE-25 UZN #18	U-25 Seismic #8	
USW UZ-N43	UE-25 UZN #19	U-25 Seismic #9	
USW UZ-N44	UE-25 UZN #2	U-26 Seismic #1	
USW UZ-N45	UE-25 UZN #20	U-29 Seismic #1	
USW UZ-N46	UE-25 UZN #21	U-30 Seismic #1	
USW UZ-N47	UE-25 UZN #22	U-30 Seismic #2	
USW UZ-N48	UE-25 UZN #23	U-5 Seismic #1	
USW UZ-N49	UE-25 UZN #28	U-5 Seismic #2	
USW UZ-N50	UE-25 UZN #29	US-25 Seismic #1	
USW UZ-N51	UE-25 UZN #3	US-25 Seismic #10	
USW UZ-N52	UE-25 UZN #30	US-25 Seismic #11	
USW UZ-N65	UE-25 UZN #4	US-25 Seismic #12	
USW UZ-N66	UE-25 UZN #5	US-25 Seismic #13	
USW UZ-N67	UE-25 UZN #56	US-25 Seismic #14	
USW UZ-N68	UE-25 UZN #6	US-25 Seismic #15	
USW UZ-N69	UE-25 UZN #60	US-25 Seismic #16	
USW UZ-N70	UE-25 UZN #7	US-25 Seismic #17	
USW UZ-N71	UE-25 UZN #8	US-25 Seismic #18	
USW UZ-N72	UE-25 UZN #85	US-25 Seismic #19	
USW UZ-N73	UE-25 UZN #9	US-25 Seismic #2	
USW UZ-N74	UE-25 UZN #97	US-25 Seismic #20	
USW UZ-N75	UE-25 UZNC #1	US-25 Seismic #21	
USW UZ-N76	UE-25 UZNC #2	US-25 Seismic #3	
USW UZ-N77	UE-25 WT #12	US-25 Seismic #4	
USW UZ-N78	UE-25 WT #13	US-25 Seismic #5	
USW UZ-N79	UE-25 WT #14	US-25 Seismic #6	
USW UZ-N80	UE-25 WT #15	US-25 Seismic #7	
USW UZ-N81	UE-25 WT #16	US-25 Seismic #8	

DRILL HOLES FOR WHICH BOTTOM HOLE INFORMATION IS AVAILABLE
(Bottom Hole Coordinates, Depth)

USW Holes -----	UE Holes -----	Seismic Holes -----	Other Holes -----
USW UZ-N82	UE-25 WT #17	US-25 Seismic #9	
USW UZ-N83	UE-25 WT #18		
USW UZ-N84	UE-25 WT #3		
USW UZ-N86	UE-25 WT #4		
USW UZ-N87	UE-25 WT #5		
USW UZ-N88	UE-25 WT #6		
USW UZ-N89	UE-25a #1		
USW UZ-N90	UE-25a #3		
USW UZ-N93	UE-25a #4		
USW UZ-N94	UE-25a #5		
USW UZ-N95	UE-25a #6		
USW UZ-N96	UE-25a #7		
USW UZ-N98	UE-25b #1		
USW VH-1	UE-25c #1		
USW VH-2	UE-25c #2		
USW WT-1	UE-25c #3		
USW WT-10	UE-25h #1		
USW WT-11	UE-25p #1		
USW WT-2	UE-29 UZN #91		
USW WT-7	UE-29 UZN #92		
	UE-29a #1		
	UE-29a #2		

DRILL HOLES FOR WHICH CORE INFORMATION IS AVAILABLE

(CORE INTERVALS, PERCENT AND RECOVERY DATA)

USW Holes -----	UE Holes -----	Seismic Holes -----	Other Holes -----
USW G-1	UE-25 RF #1		
USW G-2	UE-25 RF #10		
USW G-3	UE-25 RF #11		
USW G-4	UE-25 RF #2		
USW GA-1	UE-25 RF #3		
USW GU-3	UE-25 RF #3B		
USW H-1	UE-25 RF #4		
USW H-3	UE-25 RF #5		
USW H-4	UE-25 RF #7		
USW H-5	UE-25 RF #7A		
USW H-6	UE-25 RF #8		
USW UZ-1	UE-25 RF #9		
USW UZ-13	UE-25 UZ #4		
USW UZ-6	UE-25 UZ #5		
USW UZ-6s	UE-25 UZN #1		
USW UZ-7	UE-25 UZN #10		
USW UZ-8	UE-25 UZN #19		
USW UZ-N24	UE-25 UZN #21		
USW UZ-N25	UE-25 UZN #22		
USW UZ-N26	UE-25 UZN #23		
USW UZ-N40	UE-25 UZN #28		
USW UZ-N41	UE-25 UZN #29		
USW UZ-N42	UE-25 UZN #30		
USW UZ-N43	UE-25 UZN #85		
USW UZ-N44	UE-25 UZN #97		
USW UZ-N45	UE-25 WT #12		
USW UZ-N46	UE-25 WT #13		
USW UZ-N47	UE-25 WT #14		
USW UZ-N48	UE-25 WT #15		
USW UZ-N49	UE-25 WT #16		
USW UZ-N70	UE-25 WT #18		
USW UZ-N74	UE-25 WT #3		
USW UZ-N75	UE-25 WT #4		
USW UZ-N90	UE-25 WT #6		
USW UZ-N98	UE-25a #4		
USW VH-1	UE-25a #5		
USW VH-2	UE-25a #6		
USW WT-1	UE-25a #7		
USW WT-10	UE-25b #1		
USW WT-11	UE-25c #1		
USW WT-2	UE-25c #2		
USW WT-7	UE-25c #3		
	UE-25h #1		
	UE-25p #1		
	UE-29 UZN #91		
	UE-29 UZN #92		
	UE-29a #1		
	UE-29a #2		

HOLE HISTORIES SUBMITTED TO THE SEPDB

NNWSI Hole Histories UE-25 WT #3, UE-25 WT #4, UE-25 WT #5, UE-25 WT #6, UE-25 WT #12, UE-25 WT #13, UE-25 WT #14, UE-25 WT #15, UE-25 WT #16, UE-25 WT #17, UE-25 WT #18, USW WT-1, USW WT-2, USW WT-7, USW WT-10, USW WT-11, DOE/NV/10322-10

NNWSI Hole Histories UE-25 RF #1, UE-25 RF #2, UE-25 RF #3, UE-25 RF #3B, UE-25 RF #4, UE-25 RF #5, UE-25 RF #7, UE-25 RF #7A, UE-25 RF #8, UE-25 RF #9, UE-25 RF #10, UE-25 RF #11, DOE/NV/10322-11

NNWSI Hole Histories UE-29a #1, UE-29a #2, DOE/NV/10322-12

NNWSI Hole History UE-25b #1, DOE/NV/10322-13

NNWSI Hole Histories UE-25c #1, UE-25c #2, UE-25c #3, DOE/NV/10322-14

NNWSI Hole History UE-25h #1, DOE/NV/10322-15

NNWSI Hole History UE-25p #1, DOE/NV/10322-16

NNWSI Hole Histories USW VH-1, USW VH-2, DOE/NV/10322-17

NNWSI Hole Histories USW H-1, USW H-3, USW H-4, USW H-5, USW H-6, DOE/NV/10322-18

NNWSI Hole Histories USW G-1, USW G-2, USW G-3, USW G-4, USW GA-1, USW GU-3, DOE/NV/10322-19

NNWSI Hole Histories USW UZ-1, UE-25 UZ#4, UE-25 UZ #5, USW UZ-6, USW US-6s, USW UZ-7, USW UZ-8, USW UZ-13, DOE/NV/10322-20

NNWSI Hole Histories, Unsaturated Zone - Neutron Holes, 76 Boreholes drilled between May 1984 and February 1986, DOE/NV/10322-21

NNWSI 51 Seismic Hole Histories, DOE/NV/10322-25

NNWSI Hole Histories UE-25a #1, UE-25a #3, UE-25a #4, UE-25a #5, UE-25a #6, UE-25a#7, DOE/NV/10322-9

SEPDB REFERENCE CITATIONS

- Anderson, L. A., "Rock Property Analysis of Core Samples from the Yucca Mountain UE-25a #1 Borehole, Nevada Test Site, Nevada," USGS OFR 81-1338, 1981
- Anderson, L. A., "Rock property measurements on large-volume core samples from Yucca Mountain USW GU-3/G-3 and USW G-4 boreholes, Nevada Test Site, Nevada," USGS OFR 84-552, 1984
- Benson, L. V., Robison, J. H., Blankennagel, R. K. and Ogard, A. E., "Chemical Composition of Ground Water and the Locations of Permeable Zones in the Yucca Mountain Area, Nevada," USGS OFR 83-854, 1983
- Bentley, C. B., "Geohydrologic Data for Test Well USW G-4, Yucca Mountain Area, Nye County, Nevada," USGS OFR 84-063, 1984
- Bentley, C. B., Robison, J. H. and Spengler, R. W., "Geohydrologic Data for Test Well USW H-5, Yucca Mountain Area, Nye County, Nevada," USGS OFR 83-853, 1983
- Bish, D. L. and Chipera, S. J., "Revised Mineralogic Summary of Yucca Mountain, Nevada," LA-11497-MS, 1989
- Carlos, B. A., "Minerals in Fractures of the Saturated Zone from Drill Core USW G-4, Yucca Mountain, Nye County, Nevada," LA-10927-MS, 1987
- Carr, M. D., Waddell, S. J., Vick, G. S., Stock, J. M., Monsen, S. A., Harris, A. G., Cork, B. S. and Byers, F. M., Jr., "Geology of Drill Hole UE-25p#1: A Test Hole to Pre-Tertiary rocks near Yucca Mountain, Southern Nevada," USGS OFR 86-175, 1986
- Carr, W. J. and Parrish, L. D., "Geology of drill hole USW VH-2, and structure of crater flat, Southwestern Nevada," USGS OFR 85-475, 1985
- Carr, W. J., "Volcano-tectonic history of crater flat, Southwestern Nevada, as suggested by new evidence from drill hole USW-VH-1 and vicinity," USGS OFR 82-457, 1982
- Connolly, J. R. and Nimick, F. B., "Mineralogic and Chemical Data Supporting Heat Capacity Determination for Tuffaceous Rocks," SAND88-0882, 1988
- Craig, R. W. and Johnson, K. A., "Geohydrologic Data for Test Well UE-25p #1, Yucca Mountain Area, Nye County, Nevada," USGS OFR 84-450, 1984
- Craig, R. W. and Robison, J. H., "Geohydrology of Rocks Penetrated by Test Well UE-25p #1, Yucca Mountain Area, Nye County, Nevada," USGS WRIR 84-4248, 1984
- Craig, R. W., Reed, R. L. and Spengler, R. W., "Geohydrologic Data for Test Well USW H-6, Yucca Mountain Area, Nye County, Nevada," USGS OFR 83-856, 1983
- Dinwiddie, G. A. and Weir, J. E., Jr., "Summary of Hydraulic Tests and Hydrologic Data for Holes UE-16d and UE-16f, Syncline Ridge Area, Nevada Test Site," USGS 1543-3, 1979
- Holmes & Narver, Inc., "Borrow Pit Material Evaluation, ES Auxillary Pads, Area 25, WBS# 1.2.6.2.1.2, QA Level III," NTS:TEC:MTL:89-72, 1989

- Knauss, K. G. and Peifer, D. W., "Reaction of Vitric Topopah Spring Tuff and J-13 Ground Water Under Hydrothermal Conditions Using Dickson-Type, Gold-Bag Rocking Autoclaves," UCLR-53795, 1986
- Knauss, K. G., Beiriger, W. J. and Peifer, D. W., "Hydrothermal Interaction of Solid Wafers of Topopah Spring Tuff with J-13 Water and Distilled Water at 90, 150, and 250 C, Using Dickson-Type, Gold-Bag Rocking Autoclaves," UCLR-53645, 1985
- Lahoud, R. G., Lobmeyer, D. H. and Whitfield, M. S., Jr., "Geohydrology of Volcanic Tuff Penetrated by Test Well UE-25b #1, Yucca Mountain, Nye County, Nevada," USGS WRIR 84-4253, 1984
- Lin, W. and Daily, W., "Transport Properties of Topopah Spring Tuff," UCLR-53602, 1984
- Lobmeyer, D. H., "Geohydrology of Rocks Penetrated by Test Well USW G-4, Yucca Mountain, Nye County, Nevada," USGS WRIR 86-4015, 1986
- Lobmeyer, D. H., Whitfield, M. S., Jr., Lahoud, R. R. and Bruckheimer, L., "Geohydrologic Data for Test Well UE-25b #1, Nevada Test Site, Nye County, Nevada," USGS OFR 83-855, 1983
- Maldonado, F. and Koether, S. L., "Stratigraphy, structure, and some petrographic features of tertiary volcanic rocks at the USW G-2 drill hole, Yucca Mountain, Nye County, Nevada," USGS OFR 83-732, 1983
- Milne, W. K., Benson, L. V. and McKinley, P. W., "Isotope Content and Temperature of Precipitation in Southern Nevada, August 1983 - August 1986," USGS OFR 87-463, 1987
- Nimick, F. B., "Thermal Conductivity Data for Tuffs from the Unsaturated Zone at Yucca Mountain, Nevada," SAND88-0624, unpublished
- Nimick, F. B., Van Buskirk, R. G. and McFarland, A. F., "Uniaxial and Triaxial Compression Test Series on the Topopah Spring Member from USW G-2, Yucca Mountain, Nevada," SAND85-0703, 1987
- Ortiz, T. S., Williams, R. L., Nimick, F. B., Whittet, B. C. and South, D. L., "A Three-Dimensional Model of Thermal/Mechanical and Hydrologic Stratigraphy at Yucca Mountain, Southern Nevada," SAND84-1076, 1985
- Pedalino, J. P., "Revisions & Additions to TUFFDB Product No. 24 (replicates SEPDB holeinfo table)," NNWSI:TPO:87-096, 1987
- Price, R. H., Connolly, J. R. and Keil, K., "Petrologic and Mechanical Properties of Outcrop Samples of the Welded, Devitrified Topopah Spring Member of the Paintbrush Tuff," SAND86-1131, 1987
- Rautman, C. A., "Estimates of Spatial Correlation in Volcanic Tuff, Yucca Mountain, Nevada," SAND89-2270, 1990
- Robison, J. H., "Ground-Water Level Data and Preliminary Potentiometric-Surface Maps, Yucca Mountain and Vicinity, Nye County, Nevada," USGS WRIR 84-4197, 1984

Robison, J. H., Stephens, D. M., Luckey, R. R. and Baldwin, D. A., "Water Levels in Periodically Measured Wells in the Yucca Mountain Area, Nevada, 1981-87," USGS OFR 88-468, 1984

Rosenbaum, J. G. and Rivers, W. C., "Paleomagnetic Orientation of Core from Drill Hole USW GU-3 Yucca Mountain, Nevada: Tiva Canyon Member of the Paintbrush Tuff," USGS OFR 85-48, 1984

Rush, F. E., Thordarson, W. and Pyles, D. G., "Geohydrology of Test Well USW H-1, Yucca Mountain, Nye County, Nevada," USGS WRIR 84-4032, 1984

Rutherford, B. M., Hall, I. J., Easterling, R. G., Peters, R. R. and Klavetter, E. A., "Statistical Analysis of Hydrologic Data for Yucca Mountain," SAND87-2380, 1989

Schwartz, B. M., "Density and Porosity Data for Tuffs from the Unsaturated Zone at Yucca Mountain, Nevada," SAND88-0811, 1989

Scott, R. B. and Castellanos, M., "Stratigraphic and Structural Relations of Volcanic Rocks in Drill Holes USW GU-3 and USW G-3, Yucca Mountain, Nye County, Nevada," USGS OFR 84-491, 1984

Sheppard, R. A., Gude, A. J., 3rd and Fitzpatrick, J. J., "Distribution, Characterization, and Genesis of Mordenite in Miocene Silicic Tuffs at Yucca Mountain, Nye County, Nevada," USGS BULL-1777, 1988

Spengler, R. W., Byers, F. M., Jr. and Warner, J. B., "Stratigraphy and structure of volcanic rocks in drill hole USW-G1, Yucca Mountain, Nye County, Nevada," USGS OFR 81-1349, 1981

Spengler, R. W., Chornack, M. P., Muller, D. C. and Kibler, J. E., "Stratigraphic and Structural Characteristics of Volcanic Rocks in Core Hole USW G-4, Yucca Mountain, Nye County, Nevada," USGS OFR 84-789, 1984

Squires, R. R. and Young, R. L., "Flood Potential of Fortymile Wash and its Principal Southwestern Tributaries, Nevada Test Site, Southern Nevada," USGS WRIR 83-4001, 1984

Tarr, A. C. and Rogers, A. M., "Analysis of Earthquake Data Recorded by Digital Field Seismic Systems, Jackass Flats, Nevada," USGS OFR 86-420, 1986

Thordarson, W. and Howells, L., "Hydraulic Tests and Chemical Quality of Water at Well USW VH-1, Crater Flat, Nye County, Nevada," USGS WRIR 86-4359, 1987

Thordarson, W., "Geohydrologic Data and Test Results from Well J-13, Nevada Test Site, Nye County, Nevada," USGS WRIR 83-4171, 1983

Thordarson, W., Rush, F. E. and Waddell, S. J., "Geohydrology of Test Well USW H-3, Yucca Mountain, Nye County, Nevada," USGS WRIR 84-4272, 1985

Waddell, R. K., Jr., "Hydrologic and Drill-hole Data for Test Wells UE-29a #1 and UE-29a #2, Fortymile Canyon, Nevada Test Site," USGS OFR 84-142, 1984

Walck, M. C. and Phillips, J. S., "Two-Dimensional Velocity Models for Paths From Pahute Mesa and Yucca Flat to Yucca Mountain," SAND88-3033, 1990

Weeks, E. P. and Wilson, W. E., "Preliminary Evaluation of Hydrologic Properties of Cores of Unsaturated Tuff, Test Well USW H-1, Yucca Mountain, Nevada," USGS WRIR 84-4193, 1984

Weir, J. E., Jr. and Hodson, J. N., "Geohydrology of Hole UE-17a, Syncline Ridge Area, Nevada Test Site," USGS 1543-4, 1979

Whitfield, M. S., Jr., Eshom, E. P., Thordarson, W. and Schaefer, D. H., "Geohydrology of Rocks Penetrated by Test Well USW H-4, Yucca Mountain, Nye County, Nevada," USGS WRIR 85-4030, 1985

APPENDIX B

BULK DENSITY

TABLE DESCRIPTION: Bulk Density Values and Test Conditions

PARAMETERS

- Bulk density value for the sample
- Unit of measure for bulk density data (g/cm**3)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample pressure and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Sample mass and units of measure of sample tested
- Saturation state of sample during test

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

BULK MODULUS

TABLE DESCRIPTION: Bulk Modulus Data and Test Conditions

PARAMETERS

- Numerical value for bulk modulus
- Unit of measure for bulk modulus data (GPa, ...)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample length and units of measure of sample tested
- Confining pressure of sample during test
- Sample diameter and units of measure of sample tested
- Drainage condition of sample during test
- Pore pressure conditions of sample during test
- Saturation state of sample during test
- Strain rate during test (per sec,...)

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

BOTTOM HOLE COORDINATES

TABLE DESCRIPTION: Nevada Plane Coordinates for Bottom of Surveyed Drill Holes

PARAMETERS

- Total depth of hole in feet
- Total vertical depth of hole in feet (will be <= total depth)

LOCATION INFORMATION

- Nevada state-plane coordinates for bottom of hole or sample (measured in feet)
- Nevada state-plane coordinates for bottom of hole or sample (measured in feet)

TEST CONDITIONS

- Date of survey
- Bottom hole survey type

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document

COMPRESSIVE STRENGTH

TABLE DESCRIPTION: Compressive Strength Data and Test Conditions

PARAMETERS

- Numerical value for compressive strength
- Unit of measure for compressive strength data (MPa,)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Confining pressure of sample during test
- Pore pressure conditions of sample during test
- Drainage condition of sample during test
- Axial strain at which sample failed
- Unit of measure for axial strain data (milli, ...)
- Strain rate during test (per sec,...)
- Saturation state of sample during test

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

CORE INFORMATION

TABLE DESCRIPTION: Core Information, Intervals and Percent Recovery

PARAMETERS

- Length of cored interval
- Units for cored, recovered, and interval fields
- Percent of recovered core to cored length (%)
- Length of actual recovery of core in interval

LOCATION INFORMATION

- Drill hole name for the data
- Location of top of cored interval (measured in feet)
- Location of bottom of core interval (measured in feet)

TEST CONDITIONS

- Identification number for section of core

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

CURVE FIT

TABLE DESCRIPTION: Saturation Curve-Fit Parameters and Test Conditions

PARAMETERS

- van Genuchten curve-fit parameter, alpha
- Unit of measure for alpha data (per meter, ...)
- Standard error for alpha
- van Genuchten curve-fit parameter, beta
- Standard error for beta
- Residual saturation of sample
- Standard error for residual saturation

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Number of points in sample
- Analysis method used to determine parameter value

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

ELASTIC PROPERTIES

TABLE DESCRIPTION: Elastic Properties (Poisson's Ratio & Young's Modulus)

PARAMETERS

- Poisson's ratio for the sample (no units)
- Numerical value for Young's modulus
- Unit of measure for Youngs Modulus data (GPa, lb/sq ft, ..)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Confining pressure of sample during test
- Pore pressure conditions of sample during test
- Drainage condition of sample during test
- Axial strain at which sample failed
- Unit of measure for axial strain data (/sec)
- Strain rate during test (per sec,...)
- Saturation state of sample during test

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

MEASURED FLOODS

TABLE DESCRIPTION: Parameters for Measured Floods

PARAMETERS

- Maximum discharge of water
- Unit of measure for maximum discharge data (ex. cfs for cubic feet per second)

LOCATION INFORMATION

- Location of flood event measurement
- Latitude of x_section (ex. 36 deg 3 min)
- Longitude of x_section (ex. 116 deg 24 min)

TEST CONDITIONS

- Date of actual flood event
- Range in altitude of drainage basin, usually the feet above sea level (ex. 3000 - 6080 ft)
- Drainage basin area above location
- Unit of measure for drainarea (ex. mi**2 for square miles)

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

FLOOD PREDICTIONS

TABLE DESCRIPTION: Flood Predictions (100 yr, 500 yr & Regional Maximum) & Locations

PARAMETERS

- Estimated peak discharge
- Unit of measure for estimated peak discharge data (ex. cfs for cubic feet per second)
- Mean velocity of flood event (ex. 7.2 ft/sec)

LOCATION INFORMATION

- Unique name for each cross-section location
- Name of river bed or wash
- Latitude of x_section (ex. 36 deg 3 min)
- Longitude of x_section (ex. 116 deg 24 min)
- Mean elevation of contributing drainage basin

TEST CONDITIONS

- Type of flood (100 yr, 500 yr, regional max, ...)
- Cross-sectional area below water surface (ex. 11,000 sq. ft)
- Cross-sectional distance between channel banks at water surface (ex. 1,530 ft)
- Vertical distance from water surface to deepest point in cross-section (ex. 4.1 ft)
- Contributing drainage basin area above cross-section (ex. 256 mi**2 for square miles)
- Analysis method for calculating predictions (ex. forty mile wash study, statewide relations, SCS method, $482 \times (\text{drainarea}^{**0.565})$, $2200 \times (\text{drainarea}^{**0.571})$, Crippen & Bue boundary curve, ...)

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

GRAIN DENSITY

TABLE DESCRIPTION: Grain Density Values and Test Conditions

PARAMETERS

- Grain Density value for the sample
- Unit of measure for grain density data (g/cm**3)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample pressure and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Sample mass and units of measure of sample tested

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

DRILL HOLE COORDINATES

TABLE DESCRIPTION: Drill Hole Locations, Surveys and Status

LOCATION INFORMATION

- Drill hole name for the data
- Nevada state-plane coordinates for top of hole (measured in feet)
- Nevada state-plane coordinates for top of hole (measured in feet)
- Elevation above sea level of drill-hole
- Elevation at top of casing (measured in feet)

TEST CONDITIONS

- Date of survey
- Status of drillhole's construction

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ).
TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document

HYDRAULIC CONDUCTIVITY

TABLE DESCRIPTION: Hydraulic Conductivity Values and Test Conditions

PARAMETERS

- Hydraulic Conductivity for the sample
- Unit of measure for hydraulic conductivity data

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test id if multiple tests on the same interval or sample were taken
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Direction of measurement (horizontal, vertical)
- Sample pressure and units of measure during test
- Confining pressure of sample during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

LITHOLOGIC UNITS

TABLE DESCRIPTION: Lithologic Unit Depths in Drill Hole

PARAMETERS

- Stratigraphic unit name or rock type with the name of the stratigraphic unit above it for the interval described (ex. Bedded Tuff below Prow Pass Member)
- Depth in hole to top of lithologic-unit interval
- Depth in hole to bottom of lithologic-unit interval
- Unit of measure for the interval (ft or m)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

MATRIX POTENTIAL

TABLE DESCRIPTION: Matrix Potential Data and Test Conditions

PARAMETERS

- Matric Potential Value for the sample
- Unit of measure for matric potential data
- Range of the amount, such as >, <, trace or interval top, if amount is given as a range of values, for the matricpot value

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Sample temperature and units of measure during test
- Test number of multiple tests on the same interval or sample
- Sample pressure and units of measure during test
- Testing method used to determine parameter value
- Quantity of water present in the voids
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Unit of measure for quantity of water present in voids - (d for dimensionless)

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

MINERALOGY

TABLE DESCRIPTION: Mineralogical Samples and Test Conditions

PARAMETERS

- Name of the mineral, oxide or constituent reported
- Numerical amount of the constituent
- Unit that constituent is reported in (%)
- Uncertainty in reported data value

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole to top of mineralogy_unit interval
- Depth in hole to bottom of mineralogy_unit interval
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Type of analysis
- Cross-reference to the comments in the mineralsmp table
- Testing method used to determine parameter value
- Type of material tested (mineral, whole rock, ...)
- Comments on material or various tests

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ).
TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

PERMEABILITY

TABLE DESCRIPTION: Permeability and Test Conditions

PARAMETERS

- Permeability of the sample
- Unit of measure for permeability data

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test id if multiple tests on the same interval or sample were taken
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample pressure and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Direction of measurement (horizontal, vertical)

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

WATER PRODUCTION

TABLE DESCRIPTION: Percent Water Production in Drill Hole Intervals

PARAMETERS

- Percent water production value for the interval
- Unit of measure for percent water production data

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Top of depth interval which measurement represents
- Bottom of depth interval which measurement represents
- Unit of measure for the interval (ft or m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Date measurement was performed
- Amount of deviation from best fit of test analysis
- Amount of water pumped for the test
- Rate at which water was pumped from the test well

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ).
TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

PALEOMAGNETIC

TABLE DESCRIPTION: Paleomagnetic Data and Test Conditions

PARAMETERS

- Average declination of remanence (water reference mark)
- Numerical value for intensity of remanence
- Average inclination of remanence (water reference mark)
- Inclination of remanence relative to reference mark
- Unit of measure for the average declination and inclination data (degrees, ...)
- Unit of measure for the intensity data (Amp/m, ...)
- Declination of remanence relative to reference mark
- Unit of measure for the declination and inclination data (degrees, ...)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Declination of the reference mark
- Test number of multiple tests on the same interval or sample
- Alternating field demagnetization prior to test
- Paleomagnetic orientation of the reference mark
- Half angle of the cone of 95% confidence
- Alternating field demagnetization levels used
- Fisher precision parameter
- Testing method used to determine parameter value

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

PORE SATURATION

TABLE DESCRIPTION: Pore Saturation and Test Conditions

PARAMETERS

- Value for the natural state pore saturation of the sample
- Unit of measure for the pore saturation data (%)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample pressure and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

PORE WATER CONTENT

TABLE DESCRIPTION: Natural-state Porewater Content Percentages

PARAMETERS

- Natural-state water content for total sample
- Unit of measure for the natural state water content data (cc/cc, vol %, wt %)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample pressure and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

POROSITY

TABLE DESCRIPTION: Porosity Values and Test Conditions

PARAMETERS

- Porosity value for the sample
- Unit of measure for porosity data (%,)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample pressure and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Sample mass and units of measure of sample tested

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ).
TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

RELATIVE HYDRAULIC CONDUCTIVITY

TABLE DESCRIPTION: Relative Hydraulic Conductivity & Test Conditions

PARAMETERS

- Relative Hydraulic Conductivity Value for the sample
- Unit of measure for relative hydraulic conductivity data

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample pressure and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Direction of measurement (horizontal, vertical)

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

SAMPLE LOCATIONS

TABLE DESCRIPTION: Location Coordinates for Surface Samples

LOCATION INFORMATION

- Sample identification number
- Location of sample
- Nevada State Plane Coordinates (easting) (measured in feet)
- Nevada State Plane Coordinates (northing) (measured in feet)
- Altitude above sea level of the sample
- Unit of measure for the altitude (ft, m or gl for ground level)

TEST CONDITIONS

- Date sample was taken
- Method of obtaining the sample's location

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ).
TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal in which the sample was first reported.

SONIC VELOCITY

TABLE DESCRIPTION: Laboratory Sonic Velocity Measurements

PARAMETERS

- Sonic Velocity Value for the sample
- Unit of measure for sonic velocity data

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample pressure and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Direction of measurement (horizontal, vertical)

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

THERMAL CONDUCTIVITY

TABLE DESCRIPTION: Thermal Conductivity Data and Test Conditions

PARAMETERS

- Numerical value for thermal conductivity
- Unit of measure for thermal conductivity data (W/mK, ..)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Pore pressure conditions of sample during test
- Pore fluid used for sample saturation
- Confining pressure of sample during test
- Saturation state of sample during test

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

THERMAL CONDUCTIVITY

TABLE DESCRIPTION: Thermal Conductivity Data and Test Conditions

PARAMETERS

- Numerical value for thermal conductivity
- Unit of measure for thermal conductivity data (W/mK, ..)

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Depth in hole from which sample originates
- Unit of measure for depth (ft, m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Sample temperature and units of measure during test
- Sample length and units of measure of sample tested
- Sample diameter and units of measure of sample tested
- Pore pressure conditions of sample during test
- Pore fluid used for sample saturation
- Confining pressure of sample during test
- Saturation state of sample during test

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ).
TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

STRATIGRAPHIC

TABLE DESCRIPTION: Thermal/Mechanical Stratigraphic Units

PARAMETERS

- Stratigraphic unit name or rock type with the name of the stratigraphic unit above it for the interval described (ex. UO, TCw, PTn)
- Depth in hole to top of thermal/mechanical stratigraphic-unit interval
- Depth in hole to bottom of thermal/mechanical stratigraphic-unit interval
- Unit of measure for the interval (ft or m)

LOCATION INFORMATION

- Drill hole name for the data

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

TRANSMISSIVITY

TABLE DESCRIPTION: Transmissivity Data and Pumping Conditions

PARAMETERS

- Transmissivity value for the interval
- Unit of measure for transmissivity data

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Top of depth interval which measurement represents
- Bottom of depth interval which measurement represents
- Unit of measure for the interval (ft or m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Method of analysis for transmissivity value
- Test episode if several tests are grouped into episodes
- Date water sample was collected
- Rate at which water was pumped from the test well
- Amount of water pumped for the test
- Amount of deviation from best fit of test analysis

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

WELL HYDRAULIC CONDUCTIVITY

TABLE DESCRIPTION: Well Test Hydraulic Conductivity Measurements

PARAMETERS

- Well test hydraulic conductivity value for the interval
- Unit of measure for the well hydraulic conductivity data

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Top of depth interval which measurement represents
- Bottom of depth interval which measurement represents
- Unit of measure for the interval (ft or m)

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Method of analysis for conductivity value
- Test episode if several tests are grouped into episodes
- Date water sample was collected
- Rate at which water was pumped from the test well
- Amount of water pumped for the test

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

WATER LEVEL

TABLE DESCRIPTION: Water Elevations and Depths, Dates of Measurements

PARAMETERS

- Date of water level measurement
- Value used to correct down-hole run to true run
- Depth to water, true vertical if depth correction is specified. If surface altitude is given depth is depth of water below land surface.
- Altitude of water surface above sea level
- Depth of drill hole from which samples originated
- Altitude of land surface at the well
- Unit of measure for sample

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Top of interval that the level represents
- Bottom of interval that the level represents
- Source of the land-surface altitude

TEST CONDITIONS

- Test number of multiple tests on the same interval or sample
- Testing method used to determine parameter value
- Measurement access for reported value (i.e., composite, tube 1, upper, lower)

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

DRILL HOLE WATER CHEMISTRY

TABLE DESCRIPTION: Water Chemical Constituent Values for Drill Holes

PARAMETERS

- Name of the chemical constituent or physical property
- Numerical amount or value of the constituent or physical property
- Unit of measure for the constituents (mg/l, pCu/l)
- Uncertainty in reported data value

LOCATION INFORMATION

- Drill hole name for the data
- Sample identification number
- Top of depth interval which sample represents
- Bottom of depth interval which sample represents
- Depth in hole from which sample originates
- Unit of measure for the interval (ft or m)

TEST CONDITIONS

- Cross-reference to the comments in the wtrsumm table
- Date water sample was collected
- Testing method used to determine parameter value
- Type of analysis
- Sample temperature and units of measure during test
- Quantity of water pumped before sample was taken
- Well interval temperature when sample was collected
- Length of pre-sample pumping in units of time
- Discharge rate of pre-sample pumping

SEPDB TRACKING INFORMATION

- QA level of the data-gathering activity under approved YMP/QAPP (QA or NQ). TBD indicates no QAPP was in place.
- Data authorization number assigned each TPO data submittal
- Page number where summary information appears in reference document
- Page number where value appears in reference document
- Specifies location of reference in participant's data archive (PDA)

APPENDIX C

EXAMPLE OF SEPDB DATA COMPILATION

THERMAL EXPANSION EXPERIMENTS DATA COMPILATION FORM FOR THE YSP SERIES

PART 1. SAMPLE LOCATION AND IDENTIFICATION

SAMPLE ID Part. A SAMPLE ORIGIN VE-25e01
 SAMPLE DEPTH (ft) 166.0 TEST NO. 1

PART 2. PARAMETERS

HEATING CURVE DATA

	°C	23-30	50-100	100-150	150-200	200-250	250-300
		°F	77-122	122-212	212-302	302-392	392-482
TEMPERATURE RANGE DURING HEATING							
LINEAR THERMAL EXPANSION COEFFICIENT DURING HEATING ($10^{-6} \text{ } ^\circ\text{C}^{-1}$) ^a		0.3	0.6	13.6	18.6	20.6	N/C
ESTIMATED EXPERIMENTAL UNCERTAINTY ($10^{-6} \text{ } ^\circ\text{C}^{-1}$) ^a		N/D	N/D	N/D	N/D	N/D	N/A
PORE PRESSURE (MPa)		0.1	0.1	0.1	0.1	0.1	N/A

COOLING CURVE DATA

	°C	300-250	250-200	200-150	150-100	100-50	50-23
		°F	572-482	482-392	392-302	302-212	212-122
TEMPERATURE RANGE DURING COOLING							
LINEAR THERMAL EXPANSION COEFFICIENT DURING COOLING ($10^{-6} \text{ } ^\circ\text{C}^{-1}$) ^a		N/C	N/C	N/C	N/C	N/C	N/C
ESTIMATED EXPERIMENTAL UNCERTAINTY ($10^{-6} \text{ } ^\circ\text{C}^{-1}$) ^a		N/A	N/A	N/A	N/A	N/A	N/A
PORE PRESSURE (MPa)		N/A	N/A	N/A	N/A	N/A	N/A

PART 3. EXPERIMENT CONDITIONS

EXPERIMENT TECHNIQUE Dual Push Rod Dilatometer

SAMPLE LENGTH (cm)	SAMPLE DIA (cm)	SAMPLE WIDTH (cm)	SAMPLE THICKNESS (cm)	PRETEST SAMPLE MASS (g)	POSTTEST SAMPLE MASS (g)
2.55	N/A	0.5	0.5	N/D	N/D

HEATING RATE (°C/min)	COOLING RATE (°C/min)	TYPE OF ATMOSPHERE	DRAINED OR UNDRAINED	CONFINING PRESSURE (MPa)	INITIAL SAMPLE SATURATION	TYPE OF PORE FLUID
1	N/D	Air	Undrained	0.1	Natural-state	N/A

PART 4. REFERENCE AND SUPPORTING INFORMATION

QA LEVEL OF DATA-GATHERING ACTIVITY TBD SNL TYP DATA-SET ID 91/L018-2/1/78

SNL DATA REPORT NUMBER BAW088-1581

THIS DCF COMPLETED BY Barry Schwartz 0313 1/25/88
 Name SNL Div. Date

^a. To obtain thermal expansion coefficients in units of $10^{-6} \text{ } ^\circ\text{F}^{-1}$, multiply by 9/5.

COMMENTS

N/A = not applicable, N/C = not compiled, N/D = no data available, TBD = to be determined.

Run #113.

EXAMPLE OF SEPDB PRODUCT (DATA REPORT)

WORK REQUEST

YMP SITE & ENGINEERING PROPERTIES DATA BASE (SEPDB)

Send to:
SEPDB Data Base Administrator
Sandia National Laboratories
Technical Projects Division, 6316
P. O. Box 5800
Albuquerque, NM 87185
Telephone: (505 or FTS) 846-0304 or 846-8178

Request Number: 250
Date Received: 5/24/91
Product QA Level: N
Data QA Level: TBD

TO BE COMPLETED BY REQUESTOR:

Name: Stephen J Bauer Signature: [Signature]

Organization: SNL - 6313 Date: 5/24/91

Address: SAC Telephone: 846 9645

Work Requested - Attach additional explanations, sketches, and example listing, if appropriate: Requested Data QA Level: NA

UNIAXIAL and TRIAXIAL STRENGTH data with elastic modulus

For all units at Yucca M/N

please provide Test conditions, sample descriptions - depth, hole ID etc

also any other information such as porosity.

TO BE COMPLETED BY DATA BASE PERSONNEL

Type: Data Entry Product Request Other

Accepted By: [Signature] Date: 5/24/91

Assigned To: [Signature] Date: 5/24/91

Verified By: [Signature] Date: 6/7/91

Approved By: [Signature] Date: 6/7/91

Product Numbers, or Accession Numbers:

SE P0093

File - 6310 41/12131/1.4/NO

Number of attachments: 0

WORK:1/90

DEPTH (ft)	CE SAMPLE ID	COMPRESSIVE STRENGTH (psi)	(C)		POISSON'S RATIO	YOUNG'S MODULUS (psi)	(E)		POD ID	POROSITY (%)	DRY BULK DENSITY (g/cm ³)	SATURATED BULK DENSITY (g/cm ³)	NATURAL BULK DENSITY (g/cm ³)	GRAIN DENSITY (g/cm ³)	GEOLOGIC STRATIGRAPHY	THERMAL- MECHANICAL UNIT
			AXIAL STRENGTH (MILLI)	POISSON'S RATIO			AXIAL STRENGTH (MILLI)	POD ID								
797.00	02-797-0-1	143.0	2.7	0.20	37.1	2.7	1	2.00	2.350	2.370	2.400	2.400	2.400	TM1	TM1	
797.00	02-797-0-2	123.0	2.2	0.21	39.9	2.2	2	4.00	2.330	2.370	2.430	2.430	2.430	TM1	TM1	
797.00	02-797-0-4	162.0	3.0	0.23	43.3	3.0	A	4.00	2.340	2.390	2.430	2.430	2.430	TM1	TM1	
797.00	02-797-0-8	130.0	3.6	0.26	39.6	3.6	B	2.00	2.360	2.390	2.430	2.430	2.430	TM1	TM1	
810.00	02-810-4-4	160.0	3.3	0.24	37.0	3.3	A	2.00	2.360	2.390	2.430	2.430	2.430	TM1	TM1	
908.00	02-908-4-C	157.0	4.6	0.26	49.0	4.6	A	8.00	2.310	2.390	2.510	2.510	2.510	TM1	TM1	
908.00	02-908-4-4	167.0	4.6	0.26	48.0	4.6	B	10.00	2.260	2.340	2.530	2.530	2.530	TM1	TM1	
908.00	02-908-4-8	113.0	3.0	0.26	41.9	3.0	B	8.00	2.290	2.370	2.490	2.490	2.490	TM1	TM1	
908.00	02-908-4-D	117.0	3.2	0.26	42.1	3.2	C	7.00	2.300	2.370	2.470	2.470	2.470	TM1	TM1	
909.00	02-909-6-C	220.0	6.2	0.19	30.6	6.2	A	7.00	2.330	2.400	2.510	2.510	2.510	TM1	TM1	
909.00	02-909-0-4	130.0	2.6	0.21	46.3	2.6	A	2.00	2.310	2.340	2.500	2.500	2.500	TM1	TM1	
909.00	02-909-0-8	210.0	4.0	0.21	46.3	4.0	B	8.00	2.300	2.380	2.500	2.500	2.500	TM1	TM1	
909.00	02-909-0-D	137.0	3.1	0.24	34.7	3.1	D	8.00	2.340	2.360	2.490	2.490	2.490	TM1	TM1	
1207.00	02-1207-6-A	7.0	1.4	-	-	-	A	22.00	1.940	2.160	2.490	2.490	2.490	TM1	TM1	
1207.00	02-1207-6-B	7.0	2.4	-	-	-	B	24.00	1.900	2.140	2.500	2.500	2.500	TM1	TM1	
1336.00	-	-	-	-	-	-	-	11.46	2.240	-	2.530	2.530	2.530	TM1	TM1	
1336.00	-	-	-	-	-	-	-	16.21	2.120	-	2.530	2.530	2.530	TM1	TM1	
1351.00	02-1351-3-A	83.0	4.7	0.11	22.1	4.7	A	10.00	2.240	2.340	2.490	2.490	2.490	TM1	TM1	
1351.00	02-1351-3-C	73.0	4.1	0.17	22.0	4.1	C	10.00	2.240	2.360	2.510	2.510	2.510	TM1	TM1	
1351.00	02-1351-3-D	86.0	4.1	-	22.7	4.1	D	10.00	2.260	2.360	2.510	2.510	2.510	TM1	TM1	
1351.00	02-1351-3-E	61.0	3.7	-	23.6	3.7	E	12.00	2.210	2.330	2.530	2.530	2.530	TM1	TM1	
1379.10	02-1379-1-A	170.0	5.6	0.17	33.9	5.6	A	9.00	2.130	2.290	2.500	2.500	2.500	TM1	TM1	
1379.10	02-1379-1-C	97.0	6.3	0.10	18.0	6.3	C	14.00	2.200	2.290	2.510	2.510	2.510	TM1	TM1	
1379.10	02-1379-1-D	175.0	6.1	0.17	31.8	6.1	D	9.00	2.200	2.370	2.510	2.510	2.510	TM1	TM1	
1379.10	02-1379-1-E	96.0	5.0	0.19	20.3	5.0	E	12.00	2.230	2.350	2.530	2.530	2.530	TM1	TM1	
1382.00	-	-	-	-	-	-	-	11.60	2.104	2.204	2.602	2.602	2.602	TM1	TM1	
1382.00	-	-	-	-	-	-	-	19.10	2.104	2.204	2.602	2.602	2.602	TM1	TM1	
1382.00	-	-	-	-	-	-	-	25	2.294	2.390	2.602	2.602	2.602	TM1	TM1	
1382.00	-	-	-	-	-	-	-	25	2.294	2.390	2.602	2.602	2.602	TM1	TM1	
1387.00	02-1387-0-8	163.0	6.1	0.20	33.9	6.1	B	9.00	2.300	2.390	2.530	2.530	2.530	TM1	TM1	
1387.00	02-1387-0-D	133.0	5.3	0.16	33.5	5.3	D	7.00	2.330	2.460	2.510	2.510	2.510	TM1	TM1	
1600.00	-	-	-	-	-	-	-	26	16.70	2.107	2.270	2.520	2.520	TM1	TM1	
1600.00	-	-	-	-	-	-	-	278	13.20	2.136	2.304	2.542	2.542	TM1	TM1	
1600.00	-	-	-	-	-	-	-	27A	16.20	2.191	2.324	2.533	2.533	TM1	TM1	
1600.00	-	-	-	-	-	-	-	28	11.10	2.201	2.402	2.507	2.507	TM1	TM1	
1634.10	-	-	-	-	-	-	-	29	11.10	2.236	2.319	2.515	2.515	TM1	TM1	
1634.10	-	-	-	-	-	-	-	30	16.00	2.204	2.355	2.627	2.627	TM1	TM1	
1638.30	-	-	-	-	-	-	-	-	-	-	-	-	-	TM1	TM1	
1646.00	02-1646-0-3	32.0	3.0	-	-	-	-	-	-	-	-	-	-	TM1	TM1	
1646.00	02-1646-0-C	27.0	3.0	-	-	-	-	-	-	-	-	-	-	TM1	TM1	
1659.20	02-1659-2-3	53.0	4.6	-	-	-	-	-	-	-	-	-	-	TM1	TM1	
1659.20	02-1659-2-A	60.0	3.3	-	-	-	-	-	-	-	-	-	-	TM1	TM1	
1723.03	02-1723-03-A	22.0	3.0	0.24	6.3	3.0	A	4.00	2.270	2.310	2.360	2.360	2.360	Bedded Tuff below TM1	TM1	
1723.03	02-1723-03-C	29.0	4.0	0.10	8.3	4.0	-	-	-	-	-	-	-	Bedded Tuff below TM1	TM1	
1740.00	02-1740-0-A	20.0	2.3	0.10	14.2	2.3	-	-	-	-	-	-	-	Bedded Tuff below TM1	TM1	
1740.00	02-1740-0-D	27.0	3.2	-	11.2	3.2	-	-	-	-	-	-	-	Bedded Tuff below TM1	TM1	
1740.00	02-1740-0-C	23.0	3.4	0.22	11.0	3.4	-	-	-	-	-	-	-	Bedded Tuff below TM1	TM1	
1740.00	02-1740-0-E	23.0	3.3	0.22	11.2	3.3	-	-	-	-	-	-	-	Bedded Tuff below TM1	TM1	
1740.00	02-1740-0-F	20.0	4.3	0.11	11.1	4.3	-	-	-	-	-	-	-	Bedded Tuff below TM1	TM1	

EXAMPLE OF SEPPDB PRODUCT (DATA REPORT)

NOTES: CE SAMPLE ID are the sample identifications associated with the compressive strength, poisson ratio and young's modulus fields.
 TM1 TM2 TM3 TM4 TM5 TM6 TM7 TM8 TM9 TM10 TM11 TM12 TM13 TM14 TM15 TM16 TM17 TM18 TM19 TM20 TM21 TM22 TM23 TM24 TM25 TM26 TM27 TM28 TM29 TM30 TM31 TM32 TM33 TM34 TM35 TM36 TM37 TM38 TM39 TM40 TM41 TM42 TM43 TM44 TM45 TM46 TM47 TM48 TM49 TM50 TM51 TM52 TM53 TM54 TM55 TM56 TM57 TM58 TM59 TM60 TM61 TM62 TM63 TM64 TM65 TM66 TM67 TM68 TM69 TM70 TM71 TM72 TM73 TM74 TM75 TM76 TM77 TM78 TM79 TM80 TM81 TM82 TM83 TM84 TM85 TM86 TM87 TM88 TM89 TM90 TM91 TM92 TM93 TM94 TM95 TM96 TM97 TM98 TM99 TM100

June 6, 1991

SEPDB PRODUCT NUMBER: SEP0093

SUPPORTING COMPRESSIVE STRENGTH DATA FOR DRILL HOLE UHM 0-2

DATA AUTHORIZATION NUMBER: DA0008
 SUBMITTAL CITATION NUMBER: SAND05-0703
 SUBMITTAL TITLE: Uniaxial and Triaxial Compression Test Series on the Topopah Spring Member from UHM 0-2,
 Twane Mountain, Nevada
 DATA QA LEVEL: HQ

DEPTH (ft)	SAMPLE ID	COMPRESSIVE STRENGTH (MPa)	AXIAL STRENGTH (milli)	CONFINING PRESSURE	STRAIN RATE DURING TEST	SAMPLE LENGTH	SAMPLE DIAMETER	PAGE NO	LOCAL RECORD CENTER NUMBER
797.00	G2-797.0-1	143.0	2.7	0	1e-05 /sec	101.7 mm	50.8 mm	9,17	51/L02-3/30/84
797.00	G2-797.0-2	123.0	2.2	0	1e-05 /sec	101.7 mm	50.9 mm	9,17	51/L02-3/30/84
797.00	G2-797.0-A	162.0	3.8	0	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/84
797.00	G2-797.0-B	130.0	3.6	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
810.40	G2-810.4-A	160.0	5.3	0	1e-05 /sec	50.9 mm	25.2 mm	9,17	51/L02-3/30/84
940.40	G2-940.4-A	167.0	4.6	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
940.40	G2-940.4-B	115.0	3.0	0	1e-07 /sec	50.8 mm	25.2 mm	9,17	51/L02-3/30/84
940.40	G2-940.4-C	137.0	3.3	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
940.40	G2-940.4-D	117.0	3.2	0	1e-07 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
949.60	G2-949.6-C	220.0	6.2	0	1e-05 /sec	50.7 mm	25.3 mm	9,17	51/L02-3/30/84
949.00	G2-949.0-A	130.0	2.6	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
949.00	G2-949.0-B	210.0	4.8	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
969.00	G2-969.0-D	137.0	3.1	0	1e-05 /sec	101.7 mm	50.9 mm	9,17	51/L02-3/30/84
1297.60	G2-1297.6-A	3.0	1.4	0	1e-05 /sec	50.8 mm	25.2 mm	9,17	51/L02-3/30/84
1297.60	G2-1297.6-B	7.0	2.4	0	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/84
1361.30	G2-1361.3-A	83.0	4.7	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1361.30	G2-1361.3-C	73.0	4.1	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1361.30	G2-1361.3-D	84.0	4.1	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1361.30	G2-1361.3-E	61.0	3.7	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1379.10	G2-1379.1-A	170.0	5.6	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1379.10	G2-1379.1-C	97.0	6.3	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1379.10	G2-1379.1-D	175.0	6.1	0	1e-05 /sec	50.9 mm	25.2 mm	9,17	51/L02-3/30/84
1379.10	G2-1379.1-E	96.0	5.0	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1387.00	G2-1387.0-B	163.0	6.1	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1387.00	G2-1387.0-D	133.0	5.5	0	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/84
1446.00	G2-1446.0-B	32.0	3.0	10	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1446.00	G2-1446.0-C	27.0	3.0	10	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1659.20	G2-1659.2-A	60.0	3.3	10	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/84
1659.20	G2-1659.2-B	33.0	4.6	10	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1725.05	G2-1725.05-A	22.0	3.9	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1725.05	G2-1725.05-C	29.0	4.0	0	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/84
1740.00	G2-1740.0-A	20.0	2.5	0	1e-07 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1740.00	G2-1740.0-C	23.0	3.4	0	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/84
1740.00	G2-1740.0-D	27.0	3.2	0	1e-07 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/84
1740.00	G2-1740.0-E	35.0	3.3	0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84
1740.00	G2-1740.0-F	20.0	4.3	0	1e-07 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/84

NOTES: The following are global values for the entire report:
 TEST TYPE: constant strain rate
 TEST TEMPERATURE: ambient
 PORE PRESSURE: ambient
 DRAINAGE CONDITION: drained
 SATURATION STATE: saturated

SUPPORTING ELASTIC PROPERTIES DATA FOR DRILL HOLE USM G-2

DATA AUTHORIZATION NUMBER: DA0006
SUBMITTAL CITATION NUMBER: SAND93-0763
SUBMITTAL TITLE: Uniaxial and Triaxial Compression Test Series on the Topopah Spring Member from USM G-2, Yucca Mountain, Nevada
DATA QA LEVEL: BQ

SUPPORTING ELASTIC PROPERTIES DATA FOR DRILL HOLE USM G-2

DEPTH (ft)	SAMPLE ID	YOUNG'S MODULUS (GPa)	POISSON'S RATIO	AXIAL STRENGTH (milli)	STRAIN RATE DURING TEST	SAMPLE LENGTH	SAMPLE DIAMETER	PAGE NO	LOCAL RECORD CENTER NUMBER
797.00	G2-797.0-1	57.3	0.28	2.7	1e-05 /sec	101.7 mm	50.8 mm	9,17	51/L02-3/30/04
797.00	G2-797.0-2	59.9	0.31	2.2	1e-05 /sec	101.7 mm	50.9 mm	9,17	51/L02-3/30/04
797.00	G2-797.0-A	43.3	0.23	3.0	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/04
797.00	G2-797.0-B	39.6	0.24	3.6	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
810.40	G2-810.0-A	37.8	0.24	5.3	1e-05 /sec	50.9 mm	25.2 mm	9,17	51/L02-3/30/04
948.40	G2-948.0-A	42.0	0.30	4.6	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
948.40	G2-948.0-B	41.9	0.26	3.0	1e-07 /sec	50.8 mm	25.2 mm	9,17	51/L02-3/30/04
948.40	G2-948.0-C	49.0	0.26	3.3	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
949.60	G2-949.0-B	42.1	0.26	3.2	1e-07 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
949.60	G2-949.0-C	38.6	0.19	6.2	1e-05 /sec	50.7 mm	25.3 mm	9,17	51/L02-3/30/04
969.00	G2-969.0-A	60.3	-	2.6	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
969.00	G2-969.0-B	46.3	0.21	4.0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
969.00	G2-969.0-D	54.7	0.34	3.1	1e-05 /sec	101.7 mm	50.9 mm	9,17	51/L02-3/30/04
1561.30	G2-1561.3-A	22.1	0.11	4.7	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1561.30	G2-1561.3-C	22.0	0.11	4.1	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1561.30	G2-1561.3-D	22.7	0.17	4.1	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1561.30	G2-1561.3-E	23.6	-	3.7	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1579.10	G2-1579.1-A	33.9	0.17	5.6	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1579.10	G2-1579.1-C	19.0	0.10	6.3	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1579.10	G2-1579.1-D	31.0	0.17	6.1	1e-05 /sec	50.9 mm	25.2 mm	9,17	51/L02-3/30/04
1579.10	G2-1579.1-E	20.5	0.19	5.0	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1587.00	G2-1587.0-B	35.9	0.20	6.1	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1587.00	G2-1587.0-D	35.5	0.16	5.5	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/04
1725.05	G2-1725.05-A	6.3	0.24	3.9	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1725.05	G2-1725.05-C	0.5	0.10	4.0	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/04
1740.00	G2-1740.0-A	14.2	0.10	2.5	1e-07 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1740.00	G2-1740.0-C	11.0	0.22	3.4	1e-05 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/04
1740.00	G2-1740.0-D	11.2	-	3.2	1e-07 /sec	50.9 mm	25.3 mm	9,17	51/L02-3/30/04
1740.00	G2-1740.0-E	11.3	0.23	3.5	1e-05 /sec	50.8 mm	25.3 mm	9,17	51/L02-3/30/04
1740.00	G2-1740.0-F	11.1	0.11	4.3	1e-07 /sec	50.0 mm	25.3 mm	9,17	51/L02-3/30/04

NOTE: The following are global values for the entire report:
TEST TYPE: constant strain rate
TEST TEMPERATURE: ambient
CONFINING PRESSURE: 0
PORK PRESSURE: ambient
DRAINAGE CONDITION: drained
SATURATION STATE: saturated

June 6, 1991

SEPD8 PRODUCT NUMBER: SEP0003

SUPPORTING POROSITY DATA FOR DRILL HOLE USM 0-3

DATA AUTHORIZATION NUMBER: DA0042
 SUBMITTAL CITATION NUMBER: SAND90-0811
 SUBMITTAL TITLE: Density and Porosity Data for Tuffe from the Unsaturated Zone at Yucca Mountain, Nevada
 DATA QA LEVEL: 1ND

DEPTH (ft)	SAMPLE ID	POROSITY (%)	TEST TYPE	TEST TEMPERATURE	TEST PRESSURE	PAGE NO	LOCAL RECORD CENTER NUMBER
797.0	1	2.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-4	51/L02-3/30/84
797.0	2	4.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-4	51/L02-3/30/84
797.0	A	4.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-3	51/L02-3/30/84
797.0	B	3.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-3	51/L02-3/30/84
810.4	A	3.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-3	51/L02-3/30/84
948.4	A	8.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-3	51/L02-3/30/84
948.4	B	10.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-4	51/L02-3/30/84
948.4	C	8.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-6	51/L02-3/30/84
949.6	D	7.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-7	51/L02-3/30/84
969.0	A	7.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-7	51/L02-3/30/84
969.0	B	8.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-8	51/L02-3/30/84
969.0	D	8.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-8	51/L02-3/30/84
1297.6	A	22.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-9	51/L02-3/30/84
1297.6	B	24.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-9	51/L02-3/30/84
1326.3		11.46	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-10	51/L03-9/7/83
1339.0		16.21	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-10	51/L03-9/7/83
1361.3	A	10.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-11	51/L02-3/30/84
1361.3	C	10.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-11	51/L02-3/30/84
1361.3	D	10.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-12	51/L02-3/30/84
1361.3	E	12.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-12	51/L02-3/30/84
1379.1	A	9.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-13	51/L02-3/30/84
1379.1	C	14.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-13	51/L02-3/30/84
1379.1	D	9.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-14	51/L02-3/30/84
1379.1	E	12.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-14	51/L02-3/30/84
1380.4	24	19.10	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-15	51/L03-1/10/85
1382.6	25	11.60	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-15	51/L03-1/10/85
1397.0	B	9.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-16	51/L02-3/30/84
1397.0	D	7.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-16	51/L02-3/30/84
1600.0	26	16.70	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-17	51/L03-1/10/85
1608.7	27A	14.20	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-17	51/L03-1/10/85
1608.7	27B	15.20	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-18	51/L03-1/10/85
1613.9	28	11.10	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-18	51/L03-1/10/85
1626.1	29	11.10	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-19	51/L03-1/10/85
1628.5	30	16.00	matrix, 100[1-(DSD/GD)]	ambient	ambient	C-19	51/L03-1/10/85
1639.3	A	4.00	matrix, 100(SBD-DSD)/ND	ambient	ambient	C-20	51/L02-3/30/84

NOTE: Sample Length, Sample Mass and Sample Diameter not given for USM 0-3.

SUPPORTING BULK DENSITY DATA FOR DRILL HOLE USW G-2

DATA AUTHORIZATION NUMBER: DA0042
 SUBMITTAL CITATION NUMBER: SAND88-0811
 SUBMITTAL TITLE: Density and Porosity Data for Tuffs from the Unsaturated Zone at Yucca Mountain, Nevada
 DATA QA LEVEL: TBD

DEPTH (ft)	SAMPLE ID	BULK DENSITY (g/cm ³)	SATURATION STATE	TEST TYPE	TEST TEMPERATURE	TEST PRESSURE	SAMPLE MASS	PAGE NO	LOCAL RECORD CENTER NUMBER
797.0	1	2.350	dry	caliper	ambient	ambient	483.69 g	C-4	51/L02-3/30/84
797.0	1	2.370	saturated	caliper	ambient	ambient	489.21 g	C-4	51/L02-3/30/84
797.0	2	2.330	dry	caliper	ambient	ambient	481.58 g	C-4	51/L02-3/30/84
797.0	2	2.370	saturated	caliper	ambient	ambient	489.85 g	C-4	51/L02-3/30/84
797.0	A	2.340	dry	caliper	ambient	ambient	59.67 g	C-3	51/L02-3/30/84
797.0	A	2.380	saturated	caliper	ambient	ambient	60.71 g	C-3	51/L02-3/30/84
797.0	B	2.360	dry	caliper	ambient	ambient	60.12 g	C-3	51/L02-3/30/84
797.0	B	2.390	saturated	caliper	ambient	ambient	60.87 g	C-3	51/L02-3/30/84
818.4	A	2.360	dry	caliper	ambient	ambient	59.89 g	C-3	51/L02-3/30/84
818.4	A	2.390	saturated	caliper	ambient	ambient	60.80 g	C-3	51/L02-3/30/84
948.4	A	2.310	dry	caliper	ambient	ambient	58.89 g	C-3	51/L02-3/30/84
948.4	A	2.390	saturated	caliper	ambient	ambient	60.84 g	C-3	51/L02-3/30/84
948.4	B	2.280	dry	caliper	ambient	ambient	57.90 g	C-6	51/L02-3/30/84
948.4	B	2.300	saturated	caliper	ambient	ambient	60.30 g	C-6	51/L02-3/30/84
948.4	D	2.290	dry	caliper	ambient	ambient	58.40 g	C-6	51/L02-3/30/84
948.4	D	2.370	saturated	caliper	ambient	ambient	60.41 g	C-6	51/L02-3/30/84
949.6	C	2.300	dry	caliper	ambient	ambient	58.53 g	C-7	51/L02-3/30/84
949.6	C	2.370	saturated	caliper	ambient	ambient	60.36 g	C-7	51/L02-3/30/84
969.0	A	2.330	dry	caliper	ambient	ambient	59.33 g	C-7	51/L02-3/30/84
969.0	A	2.400	saturated	caliper	ambient	ambient	61.10 g	C-7	51/L02-3/30/84
969.0	B	2.310	dry	caliper	ambient	ambient	58.86 g	C-8	51/L02-3/30/84
969.0	B	2.390	saturated	caliper	ambient	ambient	60.85 g	C-8	51/L02-3/30/84
969.0	D	2.300	dry	caliper	ambient	ambient	475.61 g	C-8	51/L02-3/30/84
969.0	D	2.380	saturated	caliper	ambient	ambient	492.82 g	C-8	51/L02-3/30/84
1297.6	A	1.940	dry	caliper	ambient	ambient	49.28 g	C-9	51/L02-3/30/84
1297.6	A	2.160	saturated	caliper	ambient	ambient	54.85 g	C-9	51/L02-3/30/84
1297.6	B	1.900	dry	caliper	ambient	ambient	48.66 g	C-9	51/L02-3/30/84
1297.6	B	2.140	saturated	caliper	ambient	ambient	54.76 g	C-9	51/L02-3/30/84
1526.3		2.240	dry	immersion	ambient	ambient	73.996 g	C-10	51/L03-9/7/82
1526.3		2.350	natural	immersion	ambient	ambient	77.620 g	C-10	51/L03-9/7/82
1559.0		2.120	dry	immersion	ambient	ambient	43.016 g	C-10	51/L03-9/7/82
1559.0		2.280	natural	immersion	ambient	ambient	46.268 g	C-10	51/L03-9/7/82
1561.3	A	2.240	dry	caliper	ambient	ambient	57.01 g	C-11	51/L02-3/30/84
1561.3	A	2.340	saturated	caliper	ambient	ambient	59.72 g	C-11	51/L02-3/30/84
1561.3	C	2.260	dry	caliper	ambient	ambient	57.59 g	C-11	51/L02-3/30/84
1561.3	C	2.360	saturated	caliper	ambient	ambient	60.12 g	C-11	51/L02-3/30/84
1561.3	D	2.260	dry	caliper	ambient	ambient	57.67 g	C-12	51/L02-3/30/84
1561.3	D	2.360	saturated	caliper	ambient	ambient	60.11 g	C-12	51/L02-3/30/84
1561.3	E	2.210	dry	caliper	ambient	ambient	54.70 g	C-12	51/L02-3/30/84
1561.3	E	2.330	saturated	caliper	ambient	ambient	59.63 g	C-12	51/L02-3/30/84
1579.1	A	2.300	dry	caliper	ambient	ambient	58.59 g	C-13	51/L02-3/30/84
1579.1	A	2.390	saturated	caliper	ambient	ambient	60.81 g	C-13	51/L02-3/30/84
1579.1	C	2.150	dry	caliper	ambient	ambient	55.15 g	C-13	51/L02-3/30/84

NOTE: Sample Length and Sample Diameter not given for USW G-2.

EXAMPLE OF SEPD8 PRODUCT (DATA REPORT)

SEPD8-C7

EXAMPLE OF SEPDB PRODUCT (DATA REPORT)

SEPDB099

SUPPORTING BULK DENSITY DATA FOR DRILL HOLE UHM G-2

DEPTH (ft)	SAMPLE ID	BULK DENSITY (g/cm ³)	SATURATION STATE	TEST TYPE	TEST TEMPERATURE	TEST PRESSURE	SAMPLE MASS	PAGE NO	LOCAL RECORD CENTER NUMBER
1579.1	C	2.290	saturated	caliper	ambient	ambient	58.80 g	C-13	51/L02-3/30/84
1579.1	D	2.280	dry	caliper	ambient	ambient	57.98 g	C-14	51/L02-3/30/84
1579.1	D	2.378	saturated	caliper	ambient	ambient	60.19 g	C-14	51/L02-3/30/84
1579.1	E	2.238	dry	caliper	ambient	ambient	56.92 g	C-14	51/L02-3/30/84
1579.1	E	2.350	saturated	caliper	ambient	ambient	59.85 g	C-14	51/L02-3/30/84
1590.4	24	2.186	dry	immersion	ambient	ambient	47.882 g	C-15	51/L03-1/18/85
1588.4	24	2.284	saturated	immersion	ambient	ambient	51.867 g	C-15	51/L03-1/18/85
1582.6	25	2.294	dry	immersion	ambient	ambient	152.967 g	C-15	51/L03-1/18/85
1582.6	25	2.390	saturated	immersion	ambient	ambient	159.424 g	C-15	51/L03-1/18/85
1587.0	B	2.300	dry	caliper	ambient	ambient	58.78 g	C-16	51/L02-3/30/84
1587.0	B	2.390	saturated	caliper	ambient	ambient	60.88 g	C-16	51/L02-3/30/84
1587.0	B	2.338	dry	caliper	ambient	ambient	59.35 g	C-16	51/L02-3/30/84
1587.0	B	2.400	saturated	caliper	ambient	ambient	61.23 g	C-16	51/L02-3/30/84
1600.0	26	2.187	dry	immersion	ambient	ambient	161.117 g	C-17	51/L03-1/18/85
1600.0	26	2.270	saturated	immersion	ambient	ambient	173.575 g	C-17	51/L03-1/18/85
1608.7	27A	2.191	dry	immersion	ambient	ambient	78.809 g	C-17	51/L03-1/18/85
1608.7	27A	2.324	saturated	immersion	ambient	ambient	75.123 g	C-17	51/L03-1/18/85
1608.7	27B	2.156	dry	immersion	ambient	ambient	66.377 g	C-18	51/L03-1/18/85
1608.7	27B	2.304	saturated	immersion	ambient	ambient	78.914 g	C-18	51/L03-1/18/85
1613.9	28	2.301	dry	immersion	ambient	ambient	74.029 g	C-18	51/L03-1/18/85
1613.9	28	2.402	saturated	immersion	ambient	ambient	82.484 g	C-18	51/L03-1/18/85
1624.1	29	2.236	dry	immersion	ambient	ambient	109.724 g	C-19	51/L03-1/18/85
1624.1	29	2.319	saturated	immersion	ambient	ambient	113.799 g	C-19	51/L03-1/18/85
1628.5	30	2.286	dry	immersion	ambient	ambient	131.315 g	C-19	51/L03-1/18/85
1628.5	30	2.355	saturated	immersion	ambient	ambient	148.178 g	C-19	51/L03-1/18/85
1659.2	A	2.270	dry	caliper	ambient	ambient	57.76 g	C-20	51/L02-3/30/84
1659.2	A	2.310	saturated	caliper	ambient	ambient	58.83 g	C-20	51/L02-3/30/84

NOTE: Sample Length and Sample Diameter not given for UHM G-2.

June 6, 1991

SEFUS PRODUCT NUMBER: SEP0093

SUPPORTING GRAIN DENSITY DATA FOR DRILL HOLE UDM G-3

DATA AUTHORIZATION NUMBER: DA0042
 SUBMITTAL CITATION NUMBER: SAR088-0011
 SUBMITTAL TITLE: Density and Porosity Data for Tuffs from the Unsaturated Zone at Yucca Mountains, Nevada
 DATA QA LEVEL: 1ND

DEPTH (ft)	SAMPLE ID	GRAIN DENSITY (g/cm ³)	TEST TYPE	TEST TEMPERATURE	TEST PRESSURE	SAMPLE MASS	PAGE NO	LOCAL RECORD CENTER NUMBER
797.0	1	2.400	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-4	51/L02-3/30/84
797.0	2	2.430	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-4	51/L02-3/30/84
797.0	A	2.440	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-3	51/L02-3/30/84
797.0	B	2.430	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-3	51/L02-3/30/84
810.4	A	2.430	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-3	51/L02-3/30/84
940.4	A	2.510	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-3	51/L02-3/30/84
940.4	B	2.530	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-6	51/L02-3/30/84
940.4	D	2.490	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-6	51/L02-3/30/84
949.6	C	2.470	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-7	51/L02-3/30/84
969.0	A	2.510	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-7	51/L02-3/30/84
969.0	B	2.510	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-8	51/L02-3/30/84
969.0	D	2.500	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-8	51/L02-3/30/84
1297.6	A	2.490	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-9	51/L02-3/30/84
1297.6	B	2.500	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-9	51/L02-3/30/84
1526.3		2.530	water pycnometer	ambient	ambient	44.672 g	C-10	51/L03-9/1/82
1539.0		2.530	water pycnometer	ambient	ambient	44.013 g	C-10	51/L03-9/1/82
1561.3	A	2.490	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-11	51/L02-3/30/84
1561.3	C	2.510	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-11	51/L02-3/30/84
1561.3	D	2.510	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-12	51/L02-3/30/84
1561.3	E	2.530	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-12	51/L02-3/30/84
1579.1	A	2.530	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-13	51/L02-3/30/84
1579.1	C	2.500	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-13	51/L02-3/30/84
1579.1	D	2.510	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-14	51/L02-3/30/84
1579.1	E	2.530	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-14	51/L02-3/30/84
1500.4	24	2.602	water pycnometer	ambient	ambient	26.590 g	C-15	51/L03-1/10/85
1502.6	25	2.594	water pycnometer	ambient	ambient	29.097 g	C-15	51/L03-1/10/85
1507.0	B	2.530	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-16	51/L02-3/30/84
1507.0	D	2.510	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-16	51/L02-3/30/84
1600.0	26	2.528	water pycnometer	ambient	ambient	29.131 g	C-17	51/L03-1/10/85
1600.7	27A	2.553	water pycnometer	ambient	ambient	26.009 g	C-17	51/L03-1/10/85
1600.7	27B	2.542	water pycnometer	ambient	ambient	27.154 g	C-18	51/L03-1/10/85
1613.0	28	2.507	water pycnometer	ambient	ambient	27.204 g	C-18	51/L03-1/10/85
1624.1	29	2.515	water pycnometer	ambient	ambient	28.031 g	C-19	51/L03-1/10/85
1628.3	30	2.627	water pycnometer	ambient	ambient	28.514 g	C-19	51/L03-1/10/85
1659.2	A	2.360	GD = DHD/(1 + DHD - STD)	ambient	ambient		C-20	51/L02-3/30/84

NOTE: Sample Length and Sample Diameter not given for UDM G-2.

SEPDB-C10

BLANK WORK REQUEST FORM

WORK REQUEST

YMP SITE & ENGINEERING PROPERTIES DATA BASE (SEPDB)

Send to:
SEPDB Data Base Administrator
Sandia National Laboratories
Technical Projects Division, 6316
P. O. Box 5800
Albuquerque, NM 87185
Telephone: (505 or FTS) 846-0304 or 846-8178

Request Number: _____
Date Received: _____
Product QA Level: _____
Data QA Level: _____

TO BE COMPLETED BY REQUESTOR:

Name: _____ Signature: _____

Organization: _____ Date: _____

Address: _____ Telephone: _____

Work Requested - Attach additional explanations, sketches, and example listing, if appropriate: _____ Requested Data QA Level: _____

TO BE COMPLETED BY DATA BASE PERSONNEL

Type: Data Entry _____ Product Request _____ Other _____

Accepted By: _____ Date: _____
Assigned To: _____ Date: _____
Verified By: _____ Date: _____
Approved By: _____ Date: _____

Product Numbers, or Accession Numbers:

File - 6310 41/12131/1.4/ _____ Number of attachments: _____

WORK:1/90

THE GEOGRAPHIC INFORMATION SYSTEM COMPONENT OF THE YMP TECHNICAL DATA BASE

(GENISES)

**THE GEOGRAPHIC NODAL INFORMATION
STUDY AND EVALUATION SYSTEM**

QUARTERLY REPORT

**BY
GENISES STAFF**

GENISES Staff
Remote Sensing Laboratory YMP Support Office
EG&G Energy Measurements, Inc.

C. Elaine Ezra (Manager)
(FTS 544-7449)

James D. Beckett (Administrator)
(FTS 544-7448)

David W. Brickey (Geoscience Task Leader)
(FTS 544-7581)

Barbara R. Kistler (Site Atlas Task Leader)
(FTS 544-7817)

Steven M. Kowalkowski (Analyst)
(FTS 544-7401)

Susan L. Rohde (Map Product Coordinator)
(FTS 575-8626)

TABLE OF CONTENTS

1.0	INTRODUCTION	GENISES-1
2.0	DATABASE CONTENTS	GENISES-1
2.1	Types of Data Currently Held	GENISES-1
2.2	Database References	GENISES-8
3.0	SIGNIFICANT ACTIVITIES THIS QUARTER	GENISES-18
3.1	Data Added During the Previous Quarter	GENISES-18
3.2	Requested and Delivered Products	GENISES-18
3.3	Remote Sensing Laboratory YMP Support Office.....	GENISES-20
4.0	UPCOMING MAJOR ACTIVITIES	GENISES-20
4.1	EG&G/EM RSL YMP Support Office	GENISES-20
4.2	The Geographic Nodal Information Study and Evaluation System (GENISES) Database	GENISES-20
4.3	Site Atlas Map Portfolio	GENISES-20
TABLES		
2-1	Types of Data Currently in the GENISES Database	GENISES-2
2-2	Reference and Source Citations for GENISES Data	GENISES-9
APPENDIX A		
	YMP GENISES Work Request Form	GENISES-A1

1.0 INTRODUCTION

The Geographic Information System (GIS) component of the Technical Data Base is under development by the Remote Sensing Laboratory (RSL) operated by EG&G Energy Measurements, Inc. (EG&G/EM). The purpose of the Geographic Nodal Information Study and Evaluation System (GENISES) is to provide a repository for technical data that are best characterized by spatial or geographic (map-oriented) features.

Chapter 2 describes the primary types of data currently held by EG&G/EM RSL and provides reference information on the sources of GENISES data. This information is presented in the form of two tables.

Chapter 3 discusses the significant activities during the previous quarter, including data added to the database, requested and delivered products, and the status of the EG&G/EM RSL YMP Support Office.

Chapter 4 describes major activities scheduled for the upcoming quarter, including plans for equipping the YMP Support Office, the development plan for the GENISES database, and design plans for the revised Site Atlas Map Portfolio.

The YMP GENISES Work Request form is provided in Appendix GENISES-A. This form is to be used when requesting information products from the GENISES database.

2.0 DATABASE CONTENTS

2.1 Types of Data Currently Held

As mentioned previously, GENISES contains spatial and geographic data associated with the Yucca Mountain site. These data are summarized in Table 2-1. This table has been organized to present data layer types or themes, listings of the types of attribute or descriptive data associated with each data layer, and an index number that indicates the reference or data source from which associated GENISES information was taken. This listing is not comprehensive; rather, it is intended to provide GENISES users with an understanding of the primary thematic data layers contained in the database.

TABLE 2-1 TYPES OF DATA CURRENTLY IN THE GENISES DATABASE

ADMINISTRATIVE DATA

- 01 LAND OWNERSHIP (1:100,000 scale source data)
 Land Status
- 02 POLITICAL AND ADMINISTRATIVE BOUNDARIES (1:2,000,000 scale source data;
 entire US digital database)
 Political (national, state and country boundaries); Administrative
 (national parks, forests, wilderness areas, Indian and Military
 reservations).
- 03 POLITICAL AND ADMINISTRATIVE BOUNDARIES (1:100,000 scale source data;
 entire US digital database)
 Political (national, state and county boundaries); Administrative
 (national parks, forests, wilderness areas, Indian and Military
 reservations).
- 04 POLITICAL AND ADMINISTRATIVE BOUNDARIES (1:24,000 scale source data)
 Political (national, state and county boundaries); Administrative
 (national parks, forests, wilderness areas, Indian and Military
 reservations).
- 05 PUBLIC LAND SURVEY SYSTEM (PLSS)
 Township, Range, Section
- 06 PUBLIC LAND SURVEY SYSTEM (PLSS) (1:24,000 scale source data)
 Township, Range, Section
- 07 7.5' USGS TOPOGRAPHIC QUADRANGLE DLG AVAILABILITY INDEX
 Name, USGS reference no., Year published, Year revised, contour
 interval, availability of: PLSS, boundaries, hydrography,
 hypsography, transportation, and DEM.
- 08 ORTHOPHOTO SHEETS INDEX MAP (1:6,000 scale source data)
 Sheet number, scale, date of photography.
- 09 ORTHOPHOTO SHEETS INDEX MAP (1:12,000 scale source data)
 Sheet number, scale, date of photography.
- 10 BLM LAND WITHDRAWAL BOUNDARY
 Boundary, area, perimeter

TABLE 2-1 TYPES OF DATA CURRENTLY IN THE GENISES DATABASE

11 GEOGRAPHIC NAMES INFORMATION SYSTEM (Entire US digital database)

Names found on USGS maps.

12 LODE MINING CLAIM (1:6,000 scale source data)

Boundary, area, perimeter, claim, ID.

13 DEMOGRAPHIC DATA (1:100,000 scale source data; entire US digital database)

Populated places, census tract, census block

INFRASTRUCTURE DATA

14 TRANSPORTATION FEATURES (1:2,000,000 scale source data; entire US digital database)

Roads and trails, railroads and airfields.

15 TRANSPORTATION FEATURES (1:100,000 scale source data; entire US digital database)

Roads and trails, railroads and airfields.

16 TRANSPORTATION FEATURES (1:24,000 scale source data)

Roads, trails, railroads, pipelines, transmission lines.

SITE CHARACTERIZATION ACTIVITIES

17 EXISTING ACTIVITIES

Activity ID, source, elevation, activity type, depth, core requirement, drainage

18 PROPOSED ACTIVITIES

Activity ID, source, elevation, activity type, depth, core requirement, year.

19 CONCEPTUAL CONTROLLED AREA BOUNDARY

Boundary, area, perimeter, name

20 CONCEPTUAL PERIMETER DRIFT

Boundary, area, perimeter, name

TABLE 2-1 TYPES OF DATA CURRENTLY IN THE GENISES DATABASE

21 SUBSURFACE ACCESS DRIFTS AND RAMPS

Length

22 EXPLORATORY STUDIES FACILITIES (1:2,400 scale source map)

Facility Names

23 CORE AREA BOUNDARY

Boundary, area, perimeter, name

24 DISTURBANCE FEATURES

Roads, Pads, Other

PHYSIOGRAPHIC DATA

25 GEOFEATURES (1:250,000 scale source data)

Name

26 ELEVATION CONTOURS (1:2,400 scale source data; 2 foot interval)

isoline value

27 ELEVATION CONTOURS (1:6,000 scale source data; 10 foot interval)

isoline value

28 ELEVATION CONTOURS (1:24,000 scale source data; 20 foot interval)

isoline value

29 ELEVATION CONTOURS (1:40,000 scale source data; 40 foot interval)

isoline value

30 ELEVATION CONTOURS (1:5,000 scale source data; 2 meter interval)

isoline value

31 ELEVATION CONTOURS (1:100,000 scale source data; 50 meter interval)

isoline value

32 DIGITAL ELEVATION MODEL (DEM) (1:250,000 scale source data)

Surface elevation

TABLE 2-1 TYPES OF DATA CURRENTLY IN THE GENISES DATABASE

33	DIGITAL ELEVATION MODEL (DEM) (1:24,000 scale source data)
	Surface elevation
34	DIGITAL ELEVATION MODEL (DEM) (1:12,000 scale source data)
	Surface elevation
35	DIGITAL ELEVATION MODEL (DEM) (1:6,000 scale source data)
	Surface elevation
36	SEISMIC REFRACTION STUDIES
	Length, ID, shot point locations,
37	SEISMIC REFLECTION STUDIES
	Length, ID
38	GEOELECTRIC SURVEY AREAS
	Area, type of survey
39	GEOELECTRIC TRAVERSES
	Type of traverse, length, sounding locations
40	RESISTIVITY SOUNDINGS
	Location
GEOLOGIC DATA	
41	FAULTS (1:12,000 and 1:24,000 scale source data)
	Locational certainty, fault movement
42	FRACTURES (1:12,000 and 1:24,000 scale source data)
	Strike
43	FRACTURE SETS (1:12,000 and 1:24,000 scale source data)
	Strike
44	TECTONIC BRECCIA (1:12,000 and 1:24,000 scale source data) Location

TABLE 2-1 TYPES OF DATA CURRENTLY IN THE GENISES DATABASE

- 45 BEDROCK ALLUVIUM CONTACT (1:12,000 and 1:24,000 scale source data)
Bedrock/alluvium, area, perimeter

HYDROGRAPHIC DATA

- 46 HYDROGRAPHY (1:2,000,000 scale source data; entire US digital database)
Streams, water bodies
- 47 HYDROGRAPHY (1:100,000 scale source data; entire US digital database)
Streams, water bodies
- 48 HYDROGRAPHY (1:24,000 scale source data)
Streams, water bodies
- 49 FLOOD PRONE AREAS (1:24,000 scale source data)
Limits of Inundation
- 50 FLOODPLAIN CROSS-SECTION (1:24,000 scale source data)
USGS Cross-section
- 51 DRAINAGE BASINS (1:24,000 scale source data)
Drainage Basin Divide
- 52 HYDROGRAPHIC REGIONS AND BASINS (1:750,000 scale source data)
Basins, subbasins
- 53 MONITORING SITES/STATIONS
Site identification, monitoring type, site ID, buffers
- 54 POTENTIOMETRIC CONTOURS
Isoline value

BIOLOGIC DATA

- 55 BIOLOGICAL STUDY AREAS
Area ID

TABLE 2-1 TYPES OF DATA CURRENTLY IN THE GENISES DATABASE

56	DESERT TORTOISE TRANSECTS	Biology ID, study area, year, length, presence of sign
57	SMALL MAMMAL TRAPLINES	Trapline ID
58	PROPOSED LAGOMORPH TRANSECTS	Transect, length, ID
59	PROPOSED SCENT STATION ROUTES	Transect, length, ID

2.2 Database References

GENISES information is available to YMP participating organizations and, on approval by the YMP Project Office, to outside parties. Access to or development of specific information products may be obtained by completing a YMP GENISES Work Request (see Appendix GENISES-A). Table 2-2 is a listing of GENISES reference citations. These citations identify GENISES information sources.

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

REF	(*)	REFERENCE
01		U.S. Bureau of Land Management, 1978. "Surface Management Status Map", Beatty Quadrangle, Nevada-California, 1:100,000 Scale Series (Planimetric).
02		U.S. Geological Survey, National Mapping Program, 1970. "National Atlas of the United States of America", Digital Line Graphs at 1:2,000,000 scale.
03		U.S. Department of Commerce, Bureau of the Census, 1990. "Topologically Integrated Geographic Encoding and Referencing System - TIGER database. Digital database for the entire US containing political and administrative boundaries at a 1:100,000 scale.
04		U.S. Geological Survey, National Mapping Program. "Digital Line Graphs from 1:24,000 Scale Maps", Boundaries. Beatty Mountain, Nevada, 1987, Provisional. East of Beatty Mountain, Nevada, 1987, Provisional. Topopah Spring NW, Nevada, 1961. Topopah Spring, Nevada, 1961. Carrara Canyon, Nevada, 1981, Provisional. Crater Flat, Nevada, 1986, Provisional. Busted Butte, Nevada, 1961, Photo-revised 1983. Jackass Flats, Nevada, 1961, Photo-revised 1983. Ashton, Nevada, 1987, Provisional. Big Dune, Nevada, 1986, Provisional. Amargosa Valley, Nevada, 1961, photo-revised 1983. Striped Hills, Nevada, 1961, photo-revised 1983.
05		Rautman, C., 1987. Sandia National Laboratories, IGIS product number CAL0194.
06		U.S. Geological Survey, National Mapping Program. "Digital Line Graphs from 1:24,000 Scale Maps", U.S. Public Land Survey System. Beatty Mountain, Nevada, 1987, Provisional. East of Beatty Mountain, Nevada, 1987, Provisional. Topopah Spring NW, Nevada, 1961. Topopah Spring, Nevada, 1961. Carrara Canyon, Nevada, 1981, Provisional. Crater Flat, Nevada, 1986, Provisional. Busted Butte, Nevada, 1961, Photo-revised 1983. Jackass Flats, Nevada, 1961, Photo-revised 1983. Ashton, Nevada, 1987, Provisional. Big Dune, Nevada, 1986, Provisional. Amargosa Valley, Nevada, 1961, photo-revised 1983. Striped Hills, Nevada, 1961, photo-revised 1983.
07		A 1:24,000 scale 7.5' topographic quadrangle index map has been prepared for an area covering the Nevada Test Site and Yucca Mountain Site Characterization Project. The index map also shows the availability of digital line graph data (DLG), which is updated quarterly with information provided by the USGS National Mapping Division. 1:24,000 scale DLG layers include: transportation, hydrography, boundaries, hypsography, and public land survey system. Digital Elevation Model (DEM) files are also available.

(*) Reference Number correlates with Reference Number cited in Table 2.1 Types of Data Currently Being Stored in the GENISES.

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

-
- 08 1:6,000 scale orthophotographs were generated in 1991 for an area covering the Repository Block Area. An index map has been prepared as a GIS coverage to show the areal extent and sheet boundaries for these orthophotographs. This index can also be used to identify the ten foot elevation contour maps and digital elevation models.
- 09 1:12,000 scale orthophotographs were generated in 1991 for an area covering the near-field study area. An index map has been prepared as a GIS coverage to show the areal extent and sheet boundaries for these orthophotographs. This index can also be used to identify the twenty foot elevation contour maps and digital elevation models.
- 10 Proposed Bureau of Land Management withdrawal boundary provided by Phil Ralphs (9-9-88). Boundaries delineated on a copy of a Public Land Survey System map with portions of sections identified.
- 11 U.S. Geological Survey. "Geographic Names Information System". This database contains digital files on more than 2 million place names and features in the US - from towns, schools, reservoirs, and parks to streams, valleys, springs and ridges. Each State file contains the names found on USGS topographic maps. For each geographic name listed, there are 15 descriptive elements, such as the descriptive name, type of feature, geographic coordinates and the name of the topographic map containing the feature.
- 12 Perchetti, A.J., 1988. "Lode Mining Claim Map", 1:6,000 scale drawing showing Yucca # 11 - 27 Unpatented Lode Mining Claims.
- 13 U.S. Department of Commerce, Bureau of the Census, 1990. "Topologically Integrated Geographic Encoding and Referencing System - TIGER database. Digital database for the entire US containing demographic features at a 1:100,000 scale.
- 14 U.S. Geological Survey, 1970. "National Atlas of the United States of America", Digital Line Graphs at 1:2,000,000 scale.
- 15 U.S. Department of Commerce, Bureau of the Census, 1990. "Topologically Integrated Geographic Encoding and Referencing System - TIGER database. Digital database for the entire US containing transportation features at a 1:100,000 scale.
- 16 U.S. Geological Survey, National Mapping Program. "Digital Line Graphs from 1:24,000 Scale Maps", Transportation. Beatty Mountain, Nevada, 1987, Provisional. East of Beatty Mountain, Nevada, 1987, Provisional. Topopah Spring NW, Nevada, 1961. Topopah Spring, Nevada, 1961. Carrara Canyon, Nevada, 1981, Provisional. Crater Flat, Nevada, 1986, Provisional. Busted Butte, Nevada, 1961, Photo-revised 1983. Jackass Flats, Nevada, 1961, Photo-revised 1983. Ashton, Nevada, 1987, Provisional. Big Dune, Nevada, 1986, Provisional. Amargosa Valley, Nevada, 1961, photo-revised 1983. Striped Hills, Nevada, 1961, photo-revised 1983.

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

- 17 U.S. Department of Energy, 1986. "NNWSI Drill Hole Map", prepared by Holmes and Narver, Inc.; Drawing Number JS-025-001-C2, Rev. 2; 1:12,000 scale. (Used as a location/identifier cross-check source).
- U.S. Department of Energy, 1985. "Regional NNWSI Map", prepared by Holmes and Narver, Inc.; Drawing Number JS-025-002-C1; 1:48,000 scale. (Used as a location/identifier cross-check source).
- U.S. Department of Energy, 1988. "Yucca Mountain Project Site Atlas", YMP/88-21.
- Fenix and Scisson, 1986. "NNWSI Hole Histories UE-25a #1, UE-25a #3, UE-25a #4, UE-25a #5, UE-25a #6, UE-25a #7", DOE/NV/10322-9.
- Fenix and Scisson, 1986. "NNWSI Hole Histories UE-25 WT #3, UE-25 WT #4, UE-25 WT #5, UE-25 WT #6, UE-25 WT #12, UE-25 WT #13, UE-25 WT #14, UE-25 WT #15, UE-25 WT #16, UE-25 WT #17, UE-25 WT #18, USW WT-1, USW WT-2, USW WT-7, USW WT-10, USW WT-11", DOE/NV/10322-10.
- Fenix and Scisson, 1986. "NNWSI Hole Histories UE-25 RF #1, UE-25 RF #2, UE-25 RF #3, UE-25 RF #3B, UE-25 RF #4, UE-25 RF #5, UE-25 RF #7, UE-25 RF #7A, UE-25 RF #8, UE-25 RF #9, UE-25 RF #10, UE-25 RF #11", DOE/NV/10322-11.
- Fenix and Scisson, 1986. "NNWSI Hole Histories UE-29a #1 and UE-29a #2", DOE/NV/10322-12.
- Fenix and Scisson, 1986. "NNWSI Hole History UE-25b #1", DOE/NV/10322-13.
- Fenix and Scisson, 1986. "NNWSI Hole Histories UE-25c #1, UE-25c #2, UE-25c #3, DOE/NV/10322-14. Fenix and Scisson, 1986. "NNWSI Hole History UE-25-h #1", DOE/NV/10322-15.
- Fenix and Scisson, 1986. "NNWSI Hole History UE-25p #1", DOE/NV/10322-16.
- Fenix and Scisson, 1986. "NNWSI Hole Histories USW VH-1 and USW VH-2", DOE/NV/10322-17.
- Fenix and Scisson, 1987. "NNWSI Hole Histories USW H-1, USW H-3, USW H-4, USW H-5, and USW H-6", DOE/NV/10322-18.
- Fenix and Scisson, 1987. "NNWSI Hole Histories USW G-1, USW G-2, USW G-3, USW G-4, USW GA-1, USW GU-3", DOE/NV/10322-19.
- Fenix and Scisson, 1987. "NNWSI Hole Histories UWS UZ-1, UE-25 UZ #4, UE-25 UZ #5, USW UZ-6, USW UZ-6s, USW UZ-7, USW UZ-8, USW UZ-13", DOE/NV/10322-20.
- Fenix and Scisson, 1987. "NNWSI Hole Histories, Unsaturated Zone - Neutron Holes, 76 Boreholes Drilled Between May 1984 and February 1986", DOE/NV/10322-21.

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

- Fenix and Scisson, 1987. "NNWSI Drilling and Mining Summary", DOE/NV/01322-24.
- Fenix and Scisson, 1987. "NNWSI 51 Seismic Hole Histories", DOE/NV/10322-25.
- 18 U.S. Department of Energy, 1985. "Regional NNWSI Map", prepared by Holmes and Narver, Inc.; Drawing Number JS-025-002-C1; 1:48,000 scale. (Used as a location/identifier cross-check source).
- U.S. Department of Energy, 1988. "Yucca Mountain Project Surface-based Investigations Plan", Volumes 1-4, YMP/88-25.
- 19 Sandia National Laboratories, 1986. "Conceptual Controlled Area Boundary", IGIS Drawing Number CAL0166.
- 20 Sandia National Laboratories, 1986. "Nuclear Waste Repository in Tuff, Subsurface Facility Conceptual Design, General Underground Facility Layout, Drainage Configuration and Vertical Emplacement", SNL Drawing Number R07003A.
- 21 U.S. Department of Energy, 1991. "Subsurface Access Drifts" prepared by Raytheon Services of Nevada; Drawing Number YMP-025-1-MING-MI01.
- 22 U.S. Department of Energy, 1987. "ESF Overall Site Plan -Layout No. 8", prepared by Holmes and Narver, Inc.; Drawing Number SK-025-002-C14, 1:2,400 scale drawing. Manually digitized. 23 Rautman, C., 1987. Sandia National Laboratories, IGIS product number CAL0194.
- 24 U.S. Geological Survey, 1956 and 1976 1:24,000 scale 7.5' topographic quadrangle and 1986 1:24,000 orthophoto maps:
- Bare Mountain, NE Bare Mountain, SE Big Dune, NE Topopah Spring, NW Topopah Spring, SW Lathrop Wells,
- EG&G Energy Measurements, Inc. aerial photography flown at a scale of 1:24,000 in July 1986 and September 1987.
- 25 Boundaries of geofeatures and their names were interpreted from U.S. Geological Survey 1:250,000 scale maps. Caliente, NV;UT, 1954, Revised 1970 Death Valley, CA;NV, 1954, Revised 1970 Goldfield, NV;CA, 1954, Revised 1970 Kingman, AZ;NV;CA, 1954, Revised 1969 Las Vegas, NV;AZ;CA, 1954, Revised 1969 Trona, CA, 1954, Revised 1970
- 26 U.S. Geological Survey, 1986. "Greater Exploratory Shaft Area, Yucca Mountain, NV", 1:2,400 scale (2 foot elevation contour interval); produced by USGS Branch of Astrogeology, Flagstaff, Arizona for the U.S. Department of Energy.

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

- 27 Digital elevation contours (10 foot intervals) were generated in 1991 for an area covering the Repository Block Area. An index map has been prepared to show the areal extent and sheet boundaries for these contour maps.
- 28 U.S. Geological Survey, National Mapping Program. "Digital Line Graphs from 1:24,000 Scale Maps", Hypsography (20 foot elevation contours). Topopah Spring NW, Nevada, 1961. Topopah Spring, Nevada, 1961. Crater Flat, Nevada, 1986, Provisional. Busted Butte, Nevada, 1961, Photo-revised 1983. Jackass Flats, Nevada, 1961, Photo-revised 1983. Ashton, Nevada, 1987, Provisional. Big Dune, Nevada, 1986, Provisional. Amargosa Valley, Nevada, 1961, photo-revised 1983. Striped Hills, Nevada, 1961, photo-revised 1983.

Digital elevation contours at twenty foot intervals were generated in 1991 for an area covering the near-field study area. An index map has been prepared to show the areal extent and sheet boundaries for these contour maps.

- 29 U.S. Geological Survey, National Mapping Program. "Digital Line Graphs from 1:24,000 Scale Maps", Hypsography (40 foot elevation contours). Beatty Mountain, Nevada, 1987, Provisional. East of Beatty Mountain, Nevada, 1987, Provisional. Carrara Canyon, Nevada, 1981, Provisional.
- 30 U.S. Geological Survey, 1985. "Topographic Maps of Yucca Mountain Area, Nye County, Nevada", 1:5,000 scale (two meter elevation contours); produced by USGS Branch of Astrogeology for the U.S. Department of Energy.
- 31 U.S. Geological Survey 30 x 60 Minute Series Topographic Quadrangle Map, 1986, 1:100,000 Scale Metric, Beatty, Nevada-California; Contour interval 50 meters (manually digitized).
- 32 U.S. Geological Survey, "1:250,000 Scale Digital Elevation Model (DEM) Data", produced by the Defense Mapping Agency, 10 x 10 blocks:
 Caliente, NV;UT, 1954, Revised 1970 Death Valley, CA;NV, 1954, Revised 1970 Goldfield, NV;CA, 1954, Revised 1970 Las Vegas, NV;AZ;CA, 1954, Revised 1969
- 33 U.S. Geological Survey, "1:24,000 Scale 7.5-minute Digital Elevation Model Data", 30 meter UTM spacing. Beatty Mountain, Nevada, 1987, Provisional. East of Beatty Mountain, Nevada, 1987, Provisional. Topopah Spring NW, Nevada, 1961. Topopah Spring, Nevada, 1961. Carrara Canyon, Nevada, 1981, Provisional. Crater Flat, Nevada, 1986, Provisional. Busted Butte, Nevada, 1961, Photo-revised 1983. Jackass Flats, Nevada, 1961, Photo-revised 1983. Ashton, Nevada, 1987, Provisional. Big Dune, Nevada, 1986, Provisional. Striped Hills, Nevada, 1961, photo-revised 1983.
- 34 Digital elevation models were generated for the near-field study area (1:12,000 scale) from the 1991 orthophotograph process. The DEM has approximately a 250 foot grid.

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

- 35 Digital elevation models were generated for the Repository Block area (1:6,000 scale) from the 1991 orthophotograph process. The DEM has approximately a 160 foot grid.
- 36 Ackermann, H.D., W.D. Mooney, D.B. Snyder and V.D. Sutton, 1988. "Preliminary Interpretation of Seismic Refraction and Gravity Studies West of Yucca Mountain, Nevada and California", in Carr, M.D. and J.C. Yount (eds), "Short Contributions to the Geology and Hydrology of a Potential Nuclear Waste Site at Yucca Mountain, Southern Nevada", U.S. Geological Survey Bulletin 1790, p. 23-33.
- Hoffman, L.R. and W.D. Mooney, 1983. "A Seismic Study of Yucca Mountain and Vicinity, Southern Nevada: Data Report and Preliminary Results", U.S. Geological Survey Open File Report 83-588, 50 pages, 1 plate.
- Pankratz, L. W., 1982. "Reconnaissance Seismic Refraction Studies at Calico Hills, Wahmonie, and Yucca Mountain: Southwest Nevada Test Site, Nye County, Nevada". USGS-OFR-82-478, Figure 8.
- 37 McGovern, T.F., 1983. "Evaluation of Seismic Reflection Studies in the Yucca Mountain Area, Nevada Test Site". USGS-OFR-83-912, Figure 1A.
- Serpa, L., B. de Voogd, L. Wright, J. Willemin, J. Oliver, E. Hauser, and B. Troxel, 1988. "Structure of the Central Death Valley Pull-Apart Basin from COCORP Profiles in the Southern Great Basin", Geological Survey of America Bulletin, V. 100, P. 1437-1450.
- 38 Hoover, D.B., W.F. Hanna, L.A. Anderson, V.J. Flanigan, and L.W. Pankratz, 1982. "Geophysical Studies of the Syncline Ridge Area Nevada Test Site, Nye County, Nevada", U.S. Geological Survey Open File Report 82-145.
- Hoover, D.B., M.P. Chornack, K.H. Nervick, and M.M. Broker, 1982. "Electrical Studies at the Proposed Wahmonie and Calico Hills Nuclear Waste Sites, Nevada Test Site, Nye County, Nevada", U.S. Geological Survey Open File Report 82-446.
- 39 Senterfit, R.M., D.B. Hoover, and M.P. Chornack, 1982. "Resistivity Sounding Investigation by the Schlumberger Method in the Yucca Mountain and Jackass Flats Area, Nevada Test Site, Nevada", U.S. Geological Survey Open File Report 82-1043. Smith, C., and H.P. Ross, 1982. "Interpretation of Resistivity and Induced Polarization Profiles with Sever Topographic Effects, Yucca Mountain Area, Nevada Test Site, Nevada", U.S. Geological Survey Open File Report 82-182.
- Ross, H.P., and J. Lunbeck, 1978. "Interpretation of Resistivity and Induced Polarization Profiles, Calico Hills and Yucca Mountain Areas, Nevada Test Site", University of Utah Research Institute Report ESL-UURI-8.

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

- Frischknecht, F.C. and P.V. Raab, 1984. "Time Domain Electromagnetic Soundings at the Nevada Test Site, Nevada", *Geophysics*, V. 49, N. 7, July 1984, P. 981-992.
- 40 Greenhaus, M.R. and C.J. Zablocki, 1982. "A Schlumberger Resistivity Survey of the Amargosa Desert, Southern Nevada", U.S. Geological Survey Open File Report 82-897.
- 41 Scott, R.B., and J. Bonk, 1984. "Preliminary Geologic Map of Yucca Mountain, Nye County, Nevada With Geologic Cross Sections". USGS-OFR-84-494, 1:12,000 scale.
- Christiansen, R.L. and P.W. Lipman, 1965. "Geologic Map of the Topopah Spring NW Quadrangle, Nye County, Nevada", U.S. Geological Survey Geologic Quadrangle Map GQ-444, Scale 1:24,000. Not all faults are digitized for this map.
- Lipman, P.W. and E.J. McKay, 1965. "Geologic Map of the Topopah Spring SW Quadrangle, Nye County, Nevada". U.S. Geological Survey Geologic Quadrangle Map GQ-439, Scale 1:24,000. Not all faults are digitized for this map.
- 42 Scott, R.B., and J. Bonk, 1984. "Preliminary Geologic Map of Yucca Mountain, Nye County, Nevada With Geologic Cross Sections". USGS-OFR-84-494, 1:12,000 scale.
- 43 Scott, R.B., and J. Bonk, 1984. "Preliminary Geologic Map of Yucca Mountain, Nye County, Nevada With Geologic Cross Sections". USGS-OFR-84-494, 1:12,000 scale.
- 44 Scott, R.B., and J. Bonk, 1984. "Preliminary Geologic Map of Yucca Mountain, Nye County, Nevada With Geologic Cross Sections". USGS-OFR-84-494, 1:12,000 scale.
- 45 Scott, R.B., and J. Bonk, 1984. "Preliminary Geologic Map of Yucca Mountain, Nye County, Nevada With Geologic Cross Sections". USGS-OFR-84-494, 1:12,000 scale.
- 46 U.S. Geological Survey, 1970. "National Atlas of the United States of America", Digital Line Graphs at 1:2,000,000 scale. 47 U.S. Department of Commerce, Bureau of the Census, 1990. "Topologically Integrated Geographic Encoding and Referencing System - TIGER database. Digital database for the entire US containing hydrographic features at a 1:100,000 scale.
- 48 U.S. Geological Survey, National Mapping Program. "Digital Line Graphs from 1:24,000 Scale Maps", Hydrography. Beatty Mountain, Nevada, 1987, Provisional. East of Beatty Mountain, Nevada, 1987, Provisional. Topopah Spring NW, Nevada, 1961. Topopah Spring, Nevada, 1961. Carrara Canyon, Nevada, 1981, Provisional. Crater Flat, Nevada, 1986, Provisional. Busted Butte, Nevada, 1961,

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

- Photo-revised 1983. Jackass Flats, Nevada, 1961, Photo-revised 1983. Ashton, Nevada, 1987, Provisional. Big Dune, Nevada, 1986, Provisional. Amargosa Valley, Nevada, 1961, photo-revised 1983. Striped Hills, Nevada, 1961, photo-revised 1983.
- 49 United States Geological Survey, 1983. "Map Showing Approximate Flood Prone Areas, Fortymile Wash And Its Principal Southwestern Tributaries, Nevada Test Site, Southern Nevada". From Water Resources Investigation Report 83-4001 (Plate 1); Hydrology mapped by R.R. Squires and R.L. Young, 1982.
- 50 United States Geological Survey, 1983. "Map Showing Approximate Flood Prone Areas, Fortymile Wash And Its Principal Southwestern Tributaries, Nevada Test Site, Southern Nevada". From Water Resources Investigation Report 83-4001 (Plate 1); Hydrology mapped by R.R. Squires and R.L. Young, 1982.
- 51 United States Geological Survey, 1983. "Map Showing Approximate Flood Prone Areas, Fortymile Wash And Its Principal Southwestern Tributaries, Nevada Test Site, Southern Nevada". From Water Resources Investigation Report 83-4001 (Plate 1); Hydrology mapped by R.R. Squires and R.L. Young, 1982.
- 52 Division of Water Resources, State Engineers Office, 1971. Compiled by F.E. Rush, B.R. Scott, A.S. Van Denburgh and B.J. Vasey. "State of Nevada Water Resources and Inter-Basin Flows". An area covering from 117° 00' 00" 36° 00' 00" to 115° 00' 00" 38° 00' 00" was manually digitized.
- 53 Proposed water-level monitoring and spring-discharge monitoring site locations were derived from coordinate data as reported by Walker and Eakin, 1963; Thordarson, 1967; Johnston, 1968; and Dudley and Larson, 1976.
- 54 Waddell, R.K., J.H. Robison, and R.K. Blankennagel, 1984. "Hydrology of Yucca Mountain and Vicinity, Nevada-California, Investigation Results Through Mid-1983". U.S. Geological Survey Water Resources Division Report 84-4267, Plate 3 "Potentiometric Map of Candidate Area and Geologic Section, Nevada-California".
- 55 EG&G Energy Measurements, Inc., Environmental Sciences Department, 1989. "Tortoise Sign Location Map", EG&G/EM-NTS-EES-MAP-360.
- 56 Collins, E., and T.P. O'Farrell, 1985. "1984 Biotic Studies of Yucca Mountain, Nevada Test Site, Nye County, Nevada". U.S. Department of Energy Topical Report, EG&G/EM Santa Barbara Operations Report No. 1183-2057.
- O'Farrell, T.P. and E. Collins, 1984. "1983 Biotic Studies of Yucca Mountain, Nevada Test Site, Nye County, Nevada". U.S. Department of Energy Topical Report, EG&G/EM Santa Barbara Operations Report No. 10282-2031.

TABLE 2-2 REFERENCE AND SOURCE CITATIONS FOR GENISES DATA

- O'Farrell, T.P. and E. Collins, 1983. "1982 Biotic Survey of Yucca Mountain, Nevada Test Site, Nye County, Nevada". U.S. Department of Energy Topical Report, EG&G/EM Santa Barbara Operations Report No. 10282-2004.
- EG&G Energy Measurements, Inc., Environmental Sciences Department, 1989. "Tortoise Sign Location Map", EG&G/EM-NTS-EES-MAP-360.
- 57 Science Applications International Corporation, 1988. Small mammal trapline sampling locations were provided by J.K Prince. Locations were drafted onto a full scale (1:12,000 scale) copy of the Scott and Bonk, 1984 preliminary geologic map of Yucca Mountain.
- 58 EG&G Energy Measurements, Inc, Environmental Studies Department, 1989. "Proposed Lagomorph Transect Cluster A & B Locations for Yucca Mountain Project", drafted onto USGS 1:24,000 scale 7.5' topographic quadrangle, Busted Butte, Nev.
- EG&G Energy Measurements, Inc, Environmental Studies Department, 1989. "Proposed Lagomorph Transect Cluster C Locations for Yucca Mountain Project", drafted onto USGS 1:24,000 scale 7.5' topographic quadrangle, Crater Flat, Nev.
- 59 EG&G Energy Measurements, Inc., Environmental Studies Department, 1989. "Proposed Scent-Station Routes A & B and Location for Yucca Mountain Project", drafted onto USGS 1:24,000 scale 7.5' topographic quadrangle, Busted Butte, Nev.
- EG&G Energy Measurements, Inc., Environmental Studies Department, 1989. "Proposed Scent-Station Route C and Locations for Yucca Mountain Project", drafted onto USGS 1:24,000 scale 7.5' topographic quadrangle, Crater Flat, Nev.

3.0 SIGNIFICANT ACTIVITIES THIS QUARTER

3.1 Data Added During This Quarter:

GENISES PRODUCT #	PARTICIPANT	CITATION #	TITLE
YMP-91-025.1 Drifts	RSN	21	Subsurface Access

3.2 Requested and Delivered Products (4/19 - 6/91)

PRODUCT NUMBER	TITLE	REQUESTOR
YMP-90-057.3	Regional Water-level and Spring Discharge Monitoring Sites	Fasano/SAIC
YMP-89-036.1	Mining Claims	Lorenz/REECO
YMP-89-036.2	Mining Claims	Lorenz/REECO
YMP-90-041.2	Proposed Land Withdrawal	Lorenz/REECO
NTS-87-002.1	Proposed Activities	Pysto/SAIC
YMP-91-008.2	Orthophoto Sheet Index	McKeown/BR
YMP-91-020.1	Existing Drillholes	Sullivan/DOE
YMP-91-021.1	Proposed Drillholes	Sullivan/DOE
YMP-91-008.2	Orthophoto Sheet Index	Prince/SAIC
YMP-91-022.1	Existing Drillholes	Sullivan/DOE
YMP-91-023.1	Proposed Drillholes	Sullivan/DOE
YMP-90-014.1	Orthophoto and Soil Mapping Index	Dussman/SAIC
YMP-91-008.2	Orthophoto Sheet Index	Dussman/SAIC
YMP-91-024.1	Selected Drillholes	Long/DOE
NNWSI-87-004.3	Proposed Conditions	Pysto/SAIC
YMP-91-001.3	Flood Prone Areas	Wittwer/LBL
YMP-91-008.2	1:6,000 Scale Orthophoto Index	Wittwer/LBL
YMP-91-011.2	Faults and Alluvial Contacts	Wittwer/LBL
YMP-91-022.1	Existing Drillholes	Wittwer/LBL

YMP-91-023.1	Proposed Drillholes	Wittwer/LBL
YMP-91-025.1	Existing Drillholes and Subsurface Access Drifts	Stanley/RSN
YMP-91-026.1	Proposed Drillholes and Subsurface Access Drifts	Stanley/RSN
NTS-91-020.2	USGS Digital Data Products For the NTS	Gibson/SNL
NTS-91-001.1	TLD Monitoring Network at the NTS	Gibson/SNL
YMP-91-057.4	Southern Regional Water-level and Spring Discharge Monitoring Sites	Fasano/SAIC
YMP-91-025.1	Existing Drillholes and Subsurface Access Drifts	Stanley/RSN
YMP-91-026.1	Proposed Drillholes and Subsurface Access Drifts	Stanley/RSN
NNWSI-87-004.1	Proposed Activities	Pysto/SAIC
NTS-90-027.1	Desert Tortoise Maps	Rautenstrauch/EGG
YMP-91-057.4	Southern Regional Water-level and Spring Discharge Monitoring Sites	Fasano/SAIC
YMP-91-025.1	Existing Drillholes and	Sinks/SAIC
YMP-90-061.1/ 069.1	Meteorology Study Plan Figures	Flint/USGS
YMP-91-025.1	Existing Drillholes and Subsurface Access Drifts	Gertz/DOE
YMP-91-026.1	Proposed Drillholes and Subsurface Access Drifts	Gertz/DOE
NTS-90-019.1	Tortoise Transect Maps	Rautenstrauch/EGG
NTS-90-021.1	Tortoise Transect Maps	Rautenstrauch/EGG
NTS-90-022.1	Tortoise Transect Maps	Rautenstrauch/EGG
NTS-90-026.1	Tortoise Transect Maps	Rautenstrauch/EGG
YMP-91-029.1	GSA Tour for NTS and Vicinity	Chornak/USGS
YMP-91-027.1	GSA Tour Map for YMP Area	Chornak/USGS

YMP-91-026.1	Proposed Drillholes and Subsurface Access Drifts	Sinks/SAIC
YMP-91-030.1	Basemap	White/DOE
YMP-91-030.2	Trenches (Overlay to basemap)	White/DOE
YMP-91-030.3	Existing Drillholes (overlay to basemap)	White/DOE

3.3 EG&G/EM RSL YMP Support Office

During this quarter the EG&G/EM RSL YMP Support Office was established at the Valley Bank Center, 101 Convention Center Drive. The YMP Support Office staff includes: Elaine Ezra (Office Manager), Jim Beckett (TDB Administrator), Dave Brickey (Geoscience Task Leader), Barbara Kistler (Site Atlas Task Leader) and Steve Kowalkowski (Analyst). Susan Rohde (Map Coordinator) coordinates the YMP map production activities conducted at the RSL Nellis Facility.

The YMP Support Office will allow easy access to the GENISES database by Project participants. Analysts trained in spatial analysis will be available to facilitate interactive sessions for Participants not well versed in GIS technology.

4.0 UPCOMING MAJOR ACTIVITIES

4.1 EG&G/EM RSL YMP Support Office

The YMP Support Office staff will be developing the hardware and software requirements for the Support Office. Initial planning includes the purchase of two UNIX workstations with ARC/INFO and INGRES software implementations; one large format digitizing tablet, one large format B&W plotting device and one small format color thermal printer.

4.2 The Geographic Nodal Information Study and Evaluation System (GENISES) Database.

A Development Plan for the GENISES database will be drafted during the next quarter. The Development Plan will address the approach and schedule for the following database design phases: Needs Assessment; Conceptual Design; Physical Design; Pilot Study; Implementation; and Operational.

4.3 Site Atlas Map Portfolio

A revised version of the YMP Site Atlas is currently underway. During the next quarter a design for the Site Atlas Map Portfolio will be completed, and

will include a description of the following: user needs, physical size, map layouts, and data collection requirements.

APPENDIX GENISES-A

YMP GENISES WORK REQUEST
FORM

BLANK WORK REQUEST FORM



YMP GENISES WORK REQUEST

SEND TO:
GENISES Technical Database Administrator
RSL YMP Support Office
EG&G Energy Measurements, Inc.
P.O. Box 1912, M/S V-02
Las Vegas, Nevada 89125
Telephone: FTS 544-7448 FAX: FTS 544-7469

To be completed by GENISES Database Personnel:
Request No: _____
Job No: _____
Date requested: _____

TO BE COMPLETED BY THE REQUESTOR:
DATE: _____
NAME: _____ SIGNATURE: _____
ORGANIZATION: _____ TELEPHONE: _____
ADDRESS: _____

PURPOSE OF REQUESTED DATA: _____
IS THE PRODUCT QUALITY-AFFECTING? _____ DATE DUE: _____

COMMENTS: (If the request is for copies of existing maps or reports, the requestor should provide the EG&G/EM map reference number located in the lower right corner of all map products. If this is a request for a new product or modification to an existing product, please describe desired product or modification and include any QA requirements drawings, maps, or listings, as appropriate.)

PRODUCT FORMAT:
HARDCOPY: _____ NUMBER OF COPIES: _____ MAP SIZE OR SCALE: _____
DIGITAL: _____ OS _____ FILE FORMAT _____ MEDIA: _____

To be completed by GENISES Database Personnel
RECEIVED BY: _____ DATE: _____
ASSIGNED TO: _____ DATE: _____
VERIFIED BY: _____ DATE: _____
APPROVED BY: _____ DATE: _____
PRODUCT OR ACCESSION NUMBERS: _____

YMS0-001 WHITE: Original YELLOW: MRSD Copy PINK: Analyst Copy GOLDENROD: Originator Record Copy

THE GEMBOCHS DATABASE AND SOFTWARE LIBRARY:

**YMP-TDB QUARTERLY REPORT:
3rd QUARTER 1991**

**JAMES W. JOHNSON AND SUZANNE R. LUNDEEN
EARTH SCIENCES DEPARTMENT, L-219
LAWRENCE LIVERMORE NATIONAL LABORATORY
LIVERMORE, CA 94550**

**GEMBOCHS
Quarterly Report
LLNL**

Table of Contents

Overview of the GEMBOCHS Database and Software Library	GEMBOCHS-1
The GEMBOCHS-YMP Association	GEMBOCHS-2
The GEMBOCHS Database: Summary of Contents	GEMBOCHS-2
Compositional Data	GEMBOCHS-3
Reaction Data	GEMBOCHS-3
Thermodynamic Data for Minerals	GEMBOCHS-3
Thermodynamic Data for Gases	GEMBOCHS-4
Thermodynamic Data for Aqueous Species	GEMBOCHS-4
The GEMBOCHS Software Library: Selections of Relevance to YMP	GEMBOCHS-4
CNGBOCHS	GEMBOCHS-4
DBAPP	GEMBOCHS-5
DOOUT	GEMBOCHS-5
EQPT	GEMBOCHS-5
Use of GEMBOCHS by YMP Participants	GEMBOCHS-6
Procedure for Requesting Modifications or Additions to GEMBOCHS	GEMBOCHS-6
Modifications and Additions to GEMBOCHS: 3rd Qtr., 1991	GEMBOCHS-7
Concluding Remarks	GEMBOCHS-7
APPENDIX A: GEMBOCHS References	GEMBOCHS-A1
APPENDIX B: GEMBOCHS Data Dictionary	GEMBOCHS-B1
APPENDIX C: GEMBOCHS Audit Table: 3rd Qtr., 1991	GEMBOCHS-C1
APPENDIX D: GEMBOCHS Audit Table: DATAO Suite R9 to R10	GEMBOCHS-D1

Overview of the GEMBOCHS Database and Software Library

The GEMBOCHS (Geologic and Engineering Materials: Bibliography Of Chemical Species) database contains compositional and thermodynamic data for over 2000 chemical species, including virtually all endemic and potential contaminant species relevant to Yucca Mountain. These data, retrieved from an extensive literature search during the past decade (Appendix A), represent a fundamental component of our ability to quantitatively predict the chemical consequences of irreversible fluid-rock reactions that may occur within the post-emplacement repository environment at Yucca Mountain. Other fundamental components of this predictive capability include the various theoretical models used to represent (1) the thermodynamic behavior of chemical species as a function of temperature (T) and pressure (P), (2) the equilibrium distribution of elemental mass among coexisting species as a function of T, P, and bulk composition, and (3) the redistribution of this mass among these species as a function of imposed chemical and/or thermal disequilibrium. Each of these successive models is inherently dependent upon each of its predecessors: e.g., the calculations involved in model (3) require as input the results of models (1)-(2), which in turn are dependent on GEMBOCHS data. The Database Development Task at LLNL maintains and develops GEMBOCHS as well as an extensive software library, which includes a suite of routines that implement model (1) above. The EQ3/6 Code Development Task, also at LLNL, maintains and develops the EQ3/6 software package, which facilitates practical application of models (2) and (3) to address geochemical problems.

GEMBOCHS is a relational database that resides in the Database Development Task's local installation of the Ingres relational database management system. Formal requests for changes or additions to GEMBOCHS can be submitted by contacting the GEMBOCHS database administrator via the standard electronic mail system (see below); such requests require concomitant submittal of a TDIF and Data Transmittal Package in accordance with YMPO AP-5.2Q. These change requests are processed locally using CNGBOCHS, an interactive code that can be viewed as an automated tracking and filing system for the requests as they are reviewed and resolved. Modifications and additions to GEMBOCHS are incorporated locally using DBAPP, an interactive program that interfaces the user with GEMBOCHS tables, permits selected users having password-restricted access to update the tabulated data, and automatically reports these updates to a dedicated audit table.

The software interface between GEMBOCHS and the EQ3/6 modeling package consists of two programs: DOOUT and EQPT. DOOUT accesses data for the user-specified subset of GEMBOCHS species, calculates aqueous dissociation constants for these species as a function of T and P using the theoretical models noted in (1) above, and generates the DATAO file - a formatted ASCII file that contains all data explicitly required by the EQ3/6 package as well as many other data of interest to EQ3/6 users. EQPT reads the DATAO file, fits the aqueous dissociation-constant grids to interpolating polynomials, and writes the calculated polynomial coefficients together with all other required data to the DATAI file - an unformatted file that is read directly by EQ3 and EQ6.

It is important to emphasize the fact that GEMBOCHS itself cannot be interfaced directly with EQ3/6 or any other alternate geochemical modeling package; a software pipe, DDOOUT-EQPT or one of their derivative analogs, is always required. Of course, this requirement is actually advantageous: it ensures the continued versatility and integrity of GEMBOCHS data because (1) GEMBOCHS is not structurally tied to any one geochemical modeling code, (2) DDOOUT-EQPT clones that interface GEMBOCHS with new modeling software are readily developed, and (3) GEMBOCHS itself is not modified when generating such clones.

The following report provides a summary of GEMBOCHS database contents, describes the major programs contained in the GEMBOCHS software library, discusses the use of GEMBOCHS by YMP participants, outlines the procedure by which these participants may request modifications to GEMBOCHS, and tabulates all such modifications incorporated during the 3rd quarter, 1991. First, however, a few words summarizing the association between GEMBOCHS (i.e., the LLNL Database Development Task) and YMP participants that use this database.

The GEMBOCHS-YMP Association

The LLNL Database Development Task has been funded, at various levels of support, by the YMP and its predecessors (NNWSI, etc.) from FY82 to the present. This continuous funding has reflected the critical, ongoing dependence of other project participants on maintaining and developing GEMBOCHS (which in the past has been referred to as the LLNL Thermochemical Database, MDAIN, etc.). This dependence on GEMBOCHS is primarily through its use with the EQ3/6 modeling package, which has also been funded by these projects. Current YMP-sponsored research activities that depend heavily on the continued availability of GEMBOCHS and EQ3/6 include modeling of ion-exchange processes associated with fluid-zeolite interactions (B. Viani, C. Bruton, LLNL), experimental studies of glass wasteform dissolution (W. Bourcier, LLNL), and numerical simulation of groundwater chemistry at Yucca Mountain within the pre- and potential post-emplacement environment (W. Steinkampf, USGS; M. Ebinger, LANL). Other DOE-sponsored activities that use GEMBOCHS and EQ3/6 extensively include ongoing environmental remediation projects at Fernald, OH (contact: J. Carr, DOE) and Rocky Flats, CO (contact: D. Simonson, DOE) and studies of brine chemistry associated with the WIPP project (contact: L. Brush, DOE).

The GEMBOCHS Database: Summary of Contents

The particular collection of thermodynamic data and associated regression coefficients (equation-of-state parameters, heat capacity coefficients, etc.) required by a specific geochemical modeling code varies somewhat as a function of the processes being modeled and the theory and equations being used to represent these processes. Nevertheless, there is considerable overlap in the thermodynamic data required to calculate the standard molal thermodynamic properties of species as a function of T and P,

the equilibrium distribution of elemental mass among coexisting phases as a function of T, P, and bulk composition, and the evolution of this distribution as a consequence of chemical and/or thermal perturbation. The GEMBOCHS database contains all of the thermodynamic data and regression parameters required to perform each of these modeling activities using most of the geochemical software packages currently available.

The compositional and thermodynamic data contained in each of the 23 GEMBOCHS tables are listed and briefly defined in the GEMBOCHS Data Dictionary, which is given in Appendix B. For the convenience of those interested in what data are used for each type of chemical species, the following skeletal outline is also provided.

Compositional Data for Minerals, Gases, or Aqueous Species

- Elemental Composition
- Common Name

Reaction Data for Aqueous Dissociation of Minerals, Gases, or Aqueous Species

- Reaction Stoichiometry
- Equilibrium Constants
- Pressure, Temperature Conditions
- Standard Molal Gibbs Free Energies of Reaction
- Standard Molal Enthalpies of Reaction
- Standard Molal Entropies of Reaction
- Standard Molal Volumes of Reaction
- Standard Molal Heat Capacities of Reaction
- Parameter Units
- Literature References

Thermodynamic Data for Minerals

- Standard Molal Gibbs Free Energy of Formation
- Standard Molal Enthalpy of Formation
- Standard Molal Entropy at Reference Pressure (Pr) and Temperature (Tr)
- Standard Molal Volume at Pr, Tr
- Standard Molal Heat Capacity at Pr, Tr
- Molecular Weight
- Heat Capacity Coefficients
- Temperature Limits on Heat Capacity Coefficients
- Standard Molal Enthalpy of Transition
- Standard Molal Entropy of Transition
- Standard Molal Volume of Transition
- Clapeyron Slope
- Parameter Units
- Literature References

Thermodynamic Data for Gases

Standard Molal Gibbs Free Energy of Formation
Standard Molal Enthalpy of Formation
Standard Molal Entropy at Pr, Tr
Standard Molal Volume at Pr, Tr
Standard Molal Heat Capacity at Pr, Tr
Molecular Weight
Heat Capacity Coefficients
Temperature Limits on Heat Capacity Coefficients
Parameter Units
Literature References

Thermodynamic Data for Aqueous Species

Standard Molal Gibbs Free Energy of Formation
Standard Molal Enthalpy of Formation
Standard Molal Entropy at Pr, Tr
Standard Molal Volume at Pr, Tr
Standard Molal Heat Capacity at Pr, Tr
Molecular Weight
Equation-of-State Coefficients
Debye-Huckel Parameters
Ionic Charge
Electronic Entropy
Parameter Units
Literature References

The GEMBOCHS Software Library: Selections of Relevance to YMP

The database software library facilitates maintenance and development of the GEMBOCHS database and its practical use to address relevant environmental problems via geochemical modeling packages such as EQ3/6. Only those four programs that are directly relevant to the YMP's current use of GEMBOCHS are summarized below.

CNGBOCHS

CNGBOCHS is an interactive program that permits on- or off-site GEMBOCHS users having access to the gov electronic mailing domain to submit formal change requests using the standard electronic mail (Email) utility; note that such requests must be accompanied by concomitant submittal of a TDIF and Data Transmittal Package in accordance with AP-5.2Q. CNGBOCHS, which interfaces Email, a dedicated Ingres database (CNGREQ), and the Interleaf desktop publishing package, also provides the local Database Development staff with a convenient tracking and filing system for the process of reviewing, resolving, and verifying resolution of these change requests.

A given Email change request is first filed in CNGREQ; subsequently, its status evolves from "review" to "assigned" to "verification" and finally to "completion". At each stage of this evolution, the responsible party submits their comments or a report of their actions to CNGREQ via an electronic form that interfaces the party with this database. The status of the request then changes, and an Email message indicating this change is sent to all those affected. At any point during this process, the electronic form which summarizes the current disposition of the change request can be printed using the built-in interface to Interleaf.

DBAPP

DBAPP is an interactive FORTRAN77-Equiel code that facilitates review of GEMBOCHS data by all local users and modification of these data by selected members of the Database Development staff. DBAPP interfaces the user with GEMBOCHS via an extensive suite of electronic forms. These forms permit any user to browse through GEMBOCHS data, and a smaller set of password-restricted users to modify, augment, or delete these data. The operative status of new species is either "active" or "notused". "Active" species appear in release versions of the DATAO suite for use with EQ3/6 whereas "notused" species are restricted to use within the trial DATAO files used locally. In addition, DBAPP automatically reports all GEMBOCHS updates to a dedicated audit table, which contains the complete modification history of GEMBOCHS.

D0OUT

D0OUT is a FORTRAN77-Equiel code that serves as a software pipe between GEMBOCHS and EQPT. D0OUT performs the following functions: (1) retrieves data from GEMBOCHS for the user-specified subset of chemical species (currently, there are five such subsets; these are described below), (2) calculates aqueous dissociation constants for these species from 0 to 100 C at 1.0132 bars and from 100 to 300 C along the H₂O vaporization boundary using the SUPCRT91 equation of state, CrissCobble extrapolation, or DQUANT method for aqueous species and Cp integration for solids, gases, and liquids, and (3) generates the DATAO file, a formatted ASCII file that contains the dissociation constants, all other data explicitly required for EQ3/6 calculations, and various other species data of interest to EQ3/6 users.

EQPT

EQPT is a FORTRAN77 code that serves as a software interface between the DATAO file produced by D0OUT and the EQ3/6 geochemical modeling package. EQPT performs the following functions: (1) reads the DATAO file, (2) fits species dissociation constants to interpolating polynomials, and (3) generates the DATA1 file, an unformatted equivalent of DATAO where species dissociation constants are replaced with their associated polynomial

regression coefficients, and all data not explicitly required for EQ3/6 calculations has been filtered.

Note that although D0OUT and EQPT could be readily consolidated into a single code, there are significant advantages associated with maintaining their independence. Specifically, the present arrangement (1) provides users with a wealth of additional, relevant data not explicitly required by EQ3/6, (2) provides this data in a formatted ASCII file which can be viewed, printed, and edited, (3) provides users with the option of customizing DATA0 files by adding new species or modifying data for existing species, and (4) minimizes EQ3/6 run-time costs associated with reading these large thermodynamic databases by providing these data on an unformatted file that contains only those data explicitly required for the calculations.

Use of GEMBOCHS by YMP Participants

In general, YMP participants use the GEMBOCHS database strictly through its association with the EQ3/6 software package. Hence, the typical YMP user's only contact with GEMBOCHS is in the form of the various DATA0 files produced by D0OUT (see above). Five distinct DATA0 files are presently available for use with the current release version (3245.1090) of EQ3/6. This suite of files is listed below:

<u>DATA0 filename</u>	<u>Description</u>	<u># of species</u>
DATA0.com.R10	Composite database	1834
DATA0.sup.R10	SUPCRT91 database	462
DATA0.nea.R10	NEA/CODATA database	424
DATA0.pit.R10	Pitzer database	488
DATA0.hmw.R10	Harvey-Moller-Weare database	71

Each of these five files is designed to meet specific geochemical modeling needs; for a given EQ3/6 modeling problem, the appropriate DATA0 file is determined on the basis of compositional complexity, required level of internal consistency, and desired formalism for calculating activity coefficients.

The "R10" suffix of a given DATA0 filename refers to the release number of the file. A new suite of DATA0 files having incremented suffixes is generated and released as often as required by modifications and additions to GEMBOCHS.

Access to EQ3/6 and the complete suite of DATA0 files may be obtained by contacting Tom Wolery of LLNL (FTS-532-5789).

Procedure for Requesting Modifications or Additions to GEMBOCHS

Anyone having access to the government (gov) domain of the standard

electronic mail network (Email) can request modifications or additions to GEMBOCHS by sending an Email message describing the request to cngbochs@s33.es.llnl.gov; the requestor must also submit concomitantly a TDIF and Data Transmittal Package in accordance with AP-5.2Q. To facilitate timely resolution, the subject field of these Email change requests must be assigned the string "GEMBOCHS request", and the following text must contain all information required to resolve the request. Typically, this information will include (1) the requestor's full name and phone number, (2) a complete description of the request (i.e., the error report or request to add data), (3) a summary of all references supporting the request, and if (2) defines an error report, also (4) the specific DATA0 file(s) (including version number) where the error occurs.

Change requestors are notified by CNGBOCHS (via Email) as their requests move from "review" to "assigned" to "verification" to "completion" status.

Those who do not have Email access may request changes by contacting Jim Johnson of LLNL (FTS-543-7352).

Modifications and Additions to GEMBOCHS: 3rd Qtr., 1991

The subset of the GEMBOCHS audit table that covers the 3rd Qtr. (1 April 30 June), 1991, is given in Appendix C. This table summarizes all GEMBOCHS modifications that were incorporated during this time. In mid-April, 1991, the R10 suite of DATA0 files was released; Appendix D provides a summary of all modifications and additions that were incorporated between the release of DATA0 suites R9 (mid-January, 1991) and R10.

Concluding Remarks

The GEMBOCHS thermodynamic database and its associated software library together represent a comprehensive and versatile package that can be used to quantitatively address a myriad of geochemical modeling problems. Included among these are several ongoing YMP-sponsored studies that specifically address potential environmental concerns associated with the proposed repository at Yucca Mountain.

Appendix A
GEMBOCHS REFERENCES

APPENDIX A: GEMBOCHS References

- ABRAHAMS, S.C., BERNSTEIN, J.L., and NASSAU, K., 1976, transition metal iodates. vii. crystallographic and nonlinear optic survey of the 4f-iodates, *journal of solid state chemistry*, v. 16, pp. 173-184.
- ADAMI, L. and KELLEY, K., 1963, heats of formations of two crystalline hydrates of ferrous sulfate., *u.s. bur. mines rept. inv. 6260*, p. 7.
- AHRLAND, S., 1967, enthalpy and entropy changes by formation of different types of complexes., *helv. chim. acta* v. 50, pp. 306-318.
- AHRLAND, S. and KULLBERG, L. 1971a, thermodynamics of metal complex formation in aqueous solution. i. a potentiometric study of fluoride complexes of hydrogen, uranium(vi), and vanadium(iv), *acta chem. scand.*, v. 25, pp. 3457-3470.
- AHRLAND, S. and KULLBERG, L., 1971b, thermodynamics of metal complex formation in aqueous solution. ii. a calorimetric study of fluoride complexes of hydrogen, uranium(vi), and vanadium(iv), *acta chem. scand.*, v. 25, pp. 3471-3483.
- ALLARD, B., KIPATSI, H. and LILJENZIN, J.O., 1980, expected species of uranium, neptunium and plutonium in neutral aqueous solutions. *j. inorg. nucl. chem.*, v. 42, pp. 1015-1027.
- ARNEK, R., 1968, thermochemical studies of hydrolytic reactions., *acta chem. scand.*, v. 4 pp. 1102-1106.
- ARNORSSON, S., SIGURDSSON, S. and SVAVARSSON, H., 1982, the chemistry of geothermal waters in iceland. i. calculation of aqueous speciation from 0 to 370 deg c., *geochim. cosmochim. acta*, v. 46, pp. 1513-1532.
- ARUGA, R., 1975, thermodynamics of ion pairing of nitrate and chlorate with metal ions in aqueous solution *chem. soc. dalton trans.*, p. 2534-2538.
- AZIZ, A. and LYLES. 1969a, equilibrium constants for aqueous fluoro complexes of scandium, yttrium, americium(iii) and curium(iii) by extraction into di-2-ethylhexyl phosphoric acid., *jour. inorg. nucl. chem.*, v. 31, pp. 3471-3480.
- AZIZ, A. and LYLE, S.J., 1969b, applications of the fluoride-sensitive electrode to the study of metal-fluoride ion association constants., *analyt. chim. acta*, v. 47, pp. 49-56.
- BAES, C.F., JR. and MESMER, R.E., 1976, the hydrolysis of cations., *wiley-interscience, new york.*, 489p.

- BAGAWDE, S.V., RAMAKRISHNA, V.V. and PATIL, S.K., 1976a, aqueous tta complexing of np(iv) and pu(lv)., J. inorg. nucl. chem., v. 38, pp. 2085-2089.
- BAGAWDE, S.V., RAMAKRISHNA, V.V. and PATIL, S.K. 1976b, complexing of tetravalent plutonium in aqueous solutions., j. inorg. nucl. chem. v. 38, pp. 1339-1345.
- BAILEY, A.R. and LARSON, J.W., 1971, heats of dilution and the thermodynamics of dissociation of uranyl and vanadyl sulfates, J. phys. chem., v. 75, pp. 2368-2372.
- BALL, J.W., JENNE, E.A. and NORDSTROM, D.K., 1979, wateq2- a computerized chemical model for trace and major element speciation and mineral equilibria of natural waters. in jenne, e.a., ed., chemical modeling in aqueous systems., am. chem. soc. symp. series 93. p. 815-835.
- BALL, J.W., NORDSTROM, D.K. and JENNE, E.A., 1980, additional and revised thermochemical data and computer code for wateq2 - a computerized chemical model for trace and major element speciation and mineral equilibria of natural waters., u.s. geol. surv. water resources investigations report, 78-116., 109p
- BARANY, R., 1965, heats of formation of goethite, ferrous vanadate, and manganese molybdate u.s. bur. mines rept. inv. 6618, p. 10
- BARANY, R. and ADAMI, L.H., 1965, heats of formation of anhydrous ferric sulfate and indium sulfate., u.s. bur. mines rept. inv. 6687, 8p.
- BARIN, I. and KNACKE, O. , 1973, thermochemical properties of inorganic substances., springer-verlag, new york.
- BARIN, I., KNACKE, O. and KUBASCHEWSKI, O., 1977, thermochemical properties of inorganic substances. supplement., springer-verlag, new york.
- BARNES, H.L. and LANGMUIR, D. , 1981, thermochemical data for substances at 25 c and 1 atm total pressure , unpublished bureau of mines report.
- BARTON, P. and BETHKE, P., 1960, thermodynamic properties of some synthetic zinc and copper minerals., amer. jour. sci., v. 258-a, pp. 21-34.
- BASKIN, Y. and SMITH, S.D., 1970, enthalpy of formation data in compounds of uranium with va and via elements, j. nuclear mater., v. 37, pp. 209-222.
- BASSETT, R.L. , 1977, the geochemistry of boron in thermal waters., stanford university (unpublished dissertation)., 290p.

- BASSETT, R.L., 1980, a critical evaluation of the thermodynamic data for boron ions, ion pairs, complexes, and polyanions in aqueous solution at 298.15 K and 1 bar., *geochim. et cosmochim. acta*, v. 44, pp. 1151-1160.
- BATSANOVA, L.R. and LUKINA, L.V., 1972, structure of "hydrated" rare earth element trifluorides, *russian journal of inorganic chemistry*, v. 17(5), pp. 629-631.
- BAUMAN, J.E. 1981, thermodynamic measurements of carbonate equilibria involving metal ions. in Gokcen, N.A., Mrazek, R.V. and Pankratz, L.B. (eds.), *techniques for measurement of thermodynamic properties; proceedings of workshop, Albany NY, August 1979., U.S. Bureau of Mines report 8853.*, p. 268-274.
- BEAR, J. and MCTAGGART, H., 1958, the sulphides, selenides, and tellurides of titanium, zirconium, hafnium, and thorium., *aust. j. chem.*, v. 11, pp. 458-470.
- BELYAEV, Y.I., DOBRETSOV, V.N. and USTINOV, V.A., 1979, enthalpy and heat capacity of np_2o_5 over the temperature range 350-759 K., *sov. radiochem. (eng. transl.)*, v. 21, pp. 386-387.
- BENNETT, A.C. and ADAMS, F., 1976, solubility and solubility product of dicalcium phosphate dihydrate in aqueous solutions and soil solutions., *soil. sci. soc. amer. jour.*, v. 40, pp. 39-42.
- BERMAN, R.G., 1988, internally-consistent thermodynamic data for minerals in the system $\text{Na}_2\text{O}-\text{K}_2\text{O}-\text{CaO}-\text{MgO}-\text{FeO}-\text{Fe}_2\text{O}_3-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{TiO}_2-\text{H}_2\text{O}-\text{CO}_2$, *journal of petrology*, v. 29, pp. 445-522.
- BIDOGLIO, G., DE PLANO, A. and CHATT, A., 1983, studies on speciation of americium, technetium and neptunium in simulated vitrified-waste leachates, in Brookins, G. (ed.), *scientific basis for nuclear waste management vi. materials research society symposium proceedings 11/82 Boston, Mass. materials research society symposium proceedings, North-Holland, New York*, v. 15 pp. 373-382.
- BILINSKI, H. and SCHINDLER, P., 1982, solubility and equilibrium constants of lead in carbonate solutions (25 C, $i=0.3 \text{ mol dm}^{-3}$), *geochim. cosmochim. acta*, v. 46, pp. 921-928.
- BILLS, F. and COTTON, F., 1964, the heat of formation of germanium dioxide, *J. Phys. Chem.*, v. 68, pp. 802-805.
- BIRD, D.K. and HELGESON, H.C., 1977, prediction of the chemical characteristics of geothermal reservoir fluids from authigenic mineral assemblages., *geol. soc. America abs. with programs*, v. 9, pp. 898-899.

- BOCHIROL, L., 1951, chaleur spécifique vraie des ferrites de zinc, de nickel et de cobalt. *compt. rend.*, v. 232, pp. 1474-1477.
- BOND, A.M. and HEFTER, G., 1972, a study of the weak fluoride complexes of the divalent first row transition metal ions with a fluoride ion-selective electrode., *j. inorg. nucl. chem.*, v. 34, pp. 603-607.
- BOND, A.M. and TAYLOR, R.J. 1970, polarographic studies of the fluoride complexes of tin(II) in neutral and acidic media. *j. electroanal. chem.*, v. 28, pp. 207-215.
- BOULEGUE, J. and MICHARD, G. 1978, constantes de formation des ions polysulfures S_6^{2-} , S_5^{2-} et S_4^{2-} en phase aqueuse., *jour. fran. hydrologie*, v. 9, pp. 27-34.
- BOURCIER, W.L. and BARNES, H.L., 1987, ore solution chemistry-vii. stabilities of chloride and bisulfide complexes of zinc to 350 c., *econ. geol.*, v. 82, pp. 1839-1863.
- BOURCIER, W.L., KNAUSS, K.G. and JACKSON, K.J. , 1992, aluminum hydrolysis constants to 250 c from boehmite solubility measurements. , to be submitted to *geochim. cosmochim. acta*.
- BOWERS, T.S. and HELGESON, H.C. , 1983, calculation of the thermodynamic and geochemical consequences of nonideal mixing in the system H_2O-CO_2-NaCl on phase relations in geologic systems: equation of state for H_2O-CO_2-NaCl fluids at high pressures and temperatures *geochim. cosmo acta*, v. 47, pp. 1247-1275.
- BRICKER, O., 1965, some stability relations in the system $Mn-O_2-H_2O$ at 25 deg and one atmosphere total pressure., *amer. mineral.*, v. 50, pp. 1296-1354.
- BRODALE, B. and GIAUQUE, W., 1958, low temperature heat capacity and entropy of sodium sulfate decahydrate., *am. chem. soc. jour.*, v. 80, pp. 2042-2044.
- BROWN, D., 1968, halides of the transition elements: halides of the lanthanides and actinides, John Wiley & Sons, Great Britain, 199p.
- BUNCH, T.E. and FUCHS, L.H., 1969, a new mineral: brezinaite Cr_3S_4 and the Tucson meteorite., *American Mineral.*, v. 54, pp. 1503-18.
- BUSENBURG, E., PLUMMER, L.N. and PARKER, V.B., 1984, the solubility of strontianite ($SrCO_3$) in CO_2-H_2O solutions between 2 and 91 c, the association constants of $SrCO_3^+(aq)$ and $SrCO_3(aq)$ between 5 and 80 c, and an evaluation of the thermodynamic properties of $Sr^{++}(aq)$ and $SrCO_3(cr)$ at 25 c and 1 atm total pressure., *geochim. cosmochim. acta*, v. 48 pp. 2021-2035.

- BUSES, R.H., BEVAN, R.B., JR, GILBERT, R.A., 1972, the heat capacity of potassium pertechnetate from 10 to 310 k. entropy and gibbs energy. entropy of the aqueous pertechnetate ion., j. chem. thermodynamics, v. 4, pp. 77-84
- BUSEY, G.A. and COWAN, H.D., 1950, behavior of plutonium(iii) chloride in titrations with base and acid., los alamos national laboratory, lanl-1105., 27p.
- BUSEY, R.H. and MESMER, R.E., 1977, ionization equilibria of silica acid and polysilicate formation in aqueous sodium chloride to 300 deg. c., inorg. chem., v. 16, pp. 2444-2450.
- BUSLAEV, Y., 1962, instability constants of complex zirconium flourides., russ. jour. inorg. chem., v. 7, pp. 619-620.
- BYRNE, R.H. and KESTER, D.R. 1981, ultraviolet spectroscopic study of ferric equilibria at high chloride concentrations. j. solution chem., v. 10, pp. 51-67.
- CARPENTIER, J.M., 1969, etude par electrophorese de la complexation de l'uranium(vi), de l'etian(ii) et du bismuth(iii)., bull. soc. chim. de france, v. 11, pp. 3851-3855.
- CARREL, B. and OLLIN, A., 1960, studies on the hydrolysis of metal ions. 31. the complex formation between Pb²⁺ and OH in Na(OH.ClO₄) medium., acta chem. scand., v. 14 pp. 1999-2008.
- CHANDRATILLAKE, M.R., NEWTON, G.W.A. and ROBINSON, V.J., 1988, nuclear science and technology: chemval project; comparison of thermodynamic databases used in geochemical modelling, w.s.atkins engineering sciences, epsom, surrey, united kingdom.
- CHASE, M.W., CURNUTT, J.L., HU, A.T., PROPHET, H., SYVERUD, A.N. and WALKER, L.C. 1974, janaf thermochemical tables, 1974 supplement., jour. phys. chem. ref. data, v. 3 pp. 311-480.
- CHASE, M.W., CURNUTT, J.L., MCDONALD, B.A. and SYVERUD, A.N. 1975, janaf thermochemical tables, 1975 supplement., jour. phys. chem. ref. data v. 4, 176p.
- CHASE, M.W., DAVIES, Q.A., DOWNEY, J.R., FRURIP, D.J., MCDONALD, R.A. and SYVERUD, A.N., 1985, janaf thermochemical tables third edition, 1985 supplement., jour. phys. chem. ref. data, v. 14, 1856p.
- CHOPPING. and UNREIN, P., 1976, thermodynamic study of actinide fluoride complexation, in muller, w. and linder, r. (eds.), transplutonium 1975., 4th international transplutonium symposium, baden-baden, germany, p. 97-107.

- CHRISTENSEN, J.J. and IZATT, R.M., 1983, handbook of metal ligand heats. 3rd.ed. marcel-dekker inc., new york, 781p.
- CHUKHLANTSEV, V.G., 1956a, the solubility products of a number of arsenates, zhur. analit. khim., v. 11 pp. 565.
- CHUKHLANTSEV, V.G., 1956b, solubility products of arsenates, zhur. neorg. khim., v. 1 pp. 1975-82.
- CLARK, JR., S.P. (ED.), 1966, handbook of physical constants geological society of america, inc. new haven, conn., 587p.
- COBBLE, J.W., MURRAY, R.C., TURNER, P.J. and CHEN, K. 1982, high-temperature thermodynamic data for species in aqueous solution. epri report np-2400, research project 1167-1, 186p.
- CODATA, 1976, recommended key values for thermodynamics. j. chem. thermo. v. 8 pp. 603-605.
- CODATA, 1977, recommended key values for thermodynamics. j. chem. thermo. v. 9 pp. 705-706.
- CODATA, 1978, recommended key values for thermodynamics. j. chem. thermo. v. 10, pp. 903-906.
- CONNICK, R. and MCVEY, W., 1949, the aqueous chemistry of zirconium amer. chem. soc. v. 71, pp. 3182-3191.
- COOK, O.A., 1947, high-temperature heat contents of V2O3, V2O4, and V2O5., am. chem. soc. jour., v. 69, pp. 331-333.
- CORDFUNKE, E.H.P. and O'HARE, P.A.G., 1978, the chemical thermodynamics of actinide elements and compounds-iii. miscellaneous actinide compounds., intl. atomic energy agency, vienna., p. 13-52.
- CORDFUNKE, E.H.P., MUIS, R.P., OUWELTJES, W., FLOTOW, H.E. and O'HARE, P.A.G., 1982, the thermodynamic properties of Na_2UO_4 , $\text{Na}_2\text{U}_2\text{O}_7$, and NaUO_3 . chem. thermo. v. 14, pp. 313-322.
- COUGHLIN, J. and KING, E., 1950, high-temperature heat contents of some zirconium-containing substances., am. chem. soc. jour., v. 72, pp. 2262-2265.
- COUGHLIN, J.P., 1950, high-temperature heat contents of manganous sulfide ferrous sulfide and pyrite., amer. chem. soc. jour., v. 72, pp. 5445-5447.

- COUGHLIN, J.P., 1955, high-temperature heat contents, heats of transition, and heat of fusion of anhydrous sodium sulfate., *am. chem. soc. jour.*, v. 77, pp. 868-870.
- COUGHLIN, J.P. and O'BRIEN, C.J., 1957, high temperature heat content of calcium orthosilicate. *phys. chemistry*, v. 61, pp. 767-769.
- COUGHLIN, J.P., KING, E.G. and BONNICKSON, E.R., 1951, high-temperature heat contents of ferrous oxide, magnetite and ferric oxide., *am. chem. soc. jour.*, v. 73, pp. 3891-3893.
- COUTURIER, Y., MICHARD, G. and SARAZIN, G., 1984. constantes de formation des complexes hydroxydes de l'aluminium en solution aqueuse de 20 a 70 deg c., *geochim. cosmochim. acta*, v. 48, pp. 649-659.
- COX, J.D., HARROP, D. and HEAD, A.J., 1979, the standard enthalpy of formation of ammonium nitrate and of the nitrate ion., *j. chem. thermo.*, v. 11, pp. 811-814.
- COX, J.D., WAGMAN, D.D. and MEDVEDEV, V.A., 1988, *codata key values for thermodynamics*, hemisphere publishing corporation, NY, 271p.
- COX, J.D., WAGMAN, D.D. and MEDVEDEV, V.A., 1989, *codata key values for thermodynamics*, hemisphere publishing corporation, NY, 271p.
- CRERAR, D.A. and BARNES, H.L., 1974, deposition of deep-sea manganese nodules., *geochim. cosmochim. acta*, v. 38, pp. 279-300.
- CRERAR, D.A., SUSAK, N.J. and BORCSIK, M., 1978, solubility of the buffer assemblage pyrite + pyrrhotite + magnetite in nacl solutions from 200 to 350 c., *geochim. cosmochim. acta* v. 42, pp. 1427-1437.
- CRISS, C.M. and COBBLE, J.W. , 1964, the thermodynamic properties of high temperature aqueous solutions. iv. entropies of the ions up to 200C and the correspondence principle, *jour. amer. chem. soc.*, v. 86, pp. 5385-5390.
- CRISS, C.M. and COBBLE, J.W., 1964, the thermodynamic properties of high temperature aqueous solutions. v. the calculation of ionic heat capacities up to 200C. Entropies and heat capacities above 200C, *jour. amer. chem. soc.*, v. 86, pp. 5390-5393.
- DATA BASE DEVELOPMENT GROUP III/1, 1988, data base additions - smectite end member volumes, lawrence livermore national laboratory internal memo.
- DATA BASE DEVELOPMENT GROUP III/2, 1988, clinoptilolite endmembers and clinoptilolite solid solution, lawrence livermore national laboratory internal memo.

- DATA BASE DEVELOPMENT GROUP 111/3, 1988, errors in computation of estimated delh298 for montmor-x endmembers of smectite-di solid solution., lawrence livermore national laboratory internal memo.
- DATA BASE DEVELOPMENT GROUP 111/4 , 1988, thermodynamic data for cs-smectite solid solution endmembers, lawrence livermore national laboratory internal memo.
- DATA BASE DEVELOPMENT GROUP VI/1, 1988, clinoptilolite endmembers and clinoptilolite solid solutions, lawrence livermore national laboratory internal memo.
- DATA BASE DEVELOPMENT GROUP XII/1, 1988, data base changes for aluminium hydrolysis constants lawrence livermore national laboratory internal memo.
- DATABASE DEVELOPMENT GROUP, 1989, database changes for the zeolite heulandite lawrence livermore laboratory internal memo.
- DATABASE DEVELOPMENT GROUP, 1989, clinoptilolite - o'hare's single point data lawrence livermore laboratory internal memo.
- DATABASE DEVELOPMENT GROUP, 1989, error report and resolution for zeolite gismondine, lawrence livermore laboratory internal memo.
- DATABASE DEVELOPMENT GROUP, 1989, error report and resolution for species mn(oh)3, lawrence livermore laboratory internal memo.
- DATABASE DEVELOPMENT GROUP 1989, zeolite thermodynamic data, lawrence livermore laboratory internal memo.
- DATABASE DEVELOPMENT GROUP 1989, clinoptilolite solid solution end member thermodynamic data, lawrence livermore laboratory internal memo.
- DATABASE DEVELOPMENT GROUP 1990, iron chloride stability constants, lawrence livermore laboratory internal memo.
- DATABASE DEVELOPMENT GROUP 1990, zeolite volumes, lawrence livermore laboratory internal memo.
- DEER,W.A., HOWIE,R.A. and ZUSSMAN,J., 1963, rock-forming minerals, vol. 4, framework silicates, john wiley and sons, inc., ny, 435p.
- DELLIEN,I., HALL,F.M. and HEPLER,L.G., 1976, chromium, molybdenum, and tungsten: thermodynamic properties, chemical equilibria, and standard potentials., chemical reviews, v. 76, pp. 283-310.

- DEM'YANETS, L.N., BUKIN, V.I., ENEL'YANOVA, E.N., and IVANOV, V.I., 1974, hydrothermal synthesis, x-ray diffraction, and thermogravimetric study of rare-earth hydroxychlorides $\text{Ln}(\text{OH})_2\text{Cl}$, soviet phys. cryst., v. 18(6), pp. 806-808.
- DENNEY, T.O. and MONK, C.B., 1951, ion pair formation in thiosulfate solutions, trans. faraday soc., v. 33, pp. 992-998.
- DONGARRA, G. and LANGMUIR, D., 1980, the stability of UO_2OH^+ and $\text{UO}_2(\text{HPO}_4)_2^-$ complexes at 25c., geochim. cosmochim. acta, v. 44, pp. 1747-1751.
- DONNAY, J.D.H. (ED.) 1978, crystal data determinative tables, 3rd ed., vol.4; inorganic compounds 1967-69 nsrds and jcpds.
- DONNAY, J.D.H. and ONDIK, H.M. (EDS.), 1973, crystal data determinative tables, 3rd ed., vol 2; inorganic compounds, nsrds and jcpds, v. 2.
- DOUGLAS, T.B. and DITMARS, D.A., 1967, measured relative enthalpy of anhydrous crystalline aluminum trifluoride, AlF_3 from 273 to 1173 K and derived thermodynamic properties from 273 to 600 K., u.s. natl. bur. standards jour. research, v. 71, pp. 185-193.
- DOUSMA, J., DEN OTTELANDER, D. and DE BRUYN, P.L., 1979, the influence of sulfate ions on the formation of iron(III) oxides., j. inorg. nucl. chem., v. 41, pp. 1565-1568.
- DRUMMOND, S.E., 1981, boiling and mixing of hydrothermal fluids: chemical effects on mineral precipitation., pennsylvania state univ., state college, pa (unpublished ph.d. dissertation).
- DUTT, N.K. and GUPTA, A., 1961, fluorarsenates and their analogues with sulphates. part iii. stability of fluorarsenate ion and its comparison with fluorophosphate ion., j. indian chem. soc., v. 38, pp. 249-252.
- EDELSTEIN, N., BUCHER, J., SILVA, R. and NITSCHKE, H., 1983, thermodynamic properties of chemical species in nuclear waste., lawrence berkeley laboratory report, lbl-14325, 125p.
- EGAN, E.P., WAKEFIELD, Z.T. and LUFF, B.B., 1961, low temperature heat capacity, entropy and heat of formation of crystalline and colloidal ferric phosphate dehydrate., jour. phys. chemistry, v. 65, pp. 1265-1270.
- EGAN, E.P., JR., WAKEFIELD, Z.T. and ELMORE, K.L., 1950, high-temperature heat content of hydroxyapatite., am. chem. soc. j. our. v. 72, pp. 2418-2421.

- ELGQUIST,B. and WEDBORG,M., 1975, stability of ion pairs from gypsum solubility. degree of ion pair formation between the major constituents of seawater., marine chem., v. 3 pp. 215-225.
- ELGQUIST,B. and WEDBORG,M., 1978, stability constants of NaSO_4^- , MgSO_4 , Mg^{2+} , MgCl^+ ion pairs at the ionic strength of seawater by potentiometry., marine chem., v. 6, pp. 243-252.
- EMERSON,S., 1976, early diagenesis in anaerobic lake sediments: chemical equilibria in interstitial waters., geochim. cosmochim. acta, v. 40, pp. 925-934.
- EYRING,L. (ED.), 1966, progress in the science and technology of the rare earths, vol. 2, pergamon press, oxford, p. p97
- FABRE,C., 1887, recherches thermiques sur les seleniures., annuls. chem. phys., v. 10 pp. 472.
- FERRANTE,B., STUVE,J. and RICHARDSON,D., 1976, thermodynamic data for synthetic dawsonite., u.s. bur. mines rept. 8129, p. 13.
- FERRI,D., GRENTHE,I., HIETANEN,S. and SALVATORE,F., 1983, studies on metal carbonate equilibria. 5. the cerium(iii) carbonate complexes in aqueous perchlorate media., acta chemica scand. (preprint).
- FLOTOW,H.E., OSBORN,D.W., FRIED,S.M. and MALM,J.G., 1976, heat capacity of 242-PuO_2 from 12 to 350 degrees k and of 244-PuO_2 from 4 to 25 degrees k. entropy, enthalpy, and gibbs energy of formation of PuO_2 at 298.15 degrees k., j. chem. phys., v. 63 pp. 1224-1229.
- FREDRICKSON,D.R. and CHASANOV,B.G., 1970, enthalpy of uranium dioxide and sapphire to 1500 k by drop calorimetry., jour. chem. thermodynamics, v. 2, pp. 623-630.
- FUGER,J. and OETTING,F.L., 1976, the chemical thermodynamics of actinide elements and compounds-ii. the actinide aqueous ions., intl. atomic energy agency, vienna., p. 16-60.
- GALAL-GORCHEV,H. and STUMM,W., 1963, the reaction of ferric iron with orthophosphate. J. inorg. nucl. chem., v. 25, pp. 567-574.
- GARRELS,R.M. and CHRIST,C.L., 1965, solutions, minerals, and equilibria, harper and row p. 411.
- GARVIN,D., PARKER,V.B. and WHITE,JR.,H.J., 1987, codata thermodynamic tables: selections for some compounds of calcium and related mixtures: a prototype set of tables, hemisphere publishing corporation, washington, 356p

- GINNINGS, D.C. and CORRUCINI, R.J., 1947, heat capacities at high temperatures of uranium trichloride, and uranium tetrachloride., u.s. natl. bur. standards jour. v. 39, pp. 309-316.
- GREEN, J.H.S., 1961, thermodynamic properties of organic oxygen compounds., quarterly reviews, p. 125-153.
- GRENIER, G. and WESTRUM, E., 1956, the heat capacity and thermodynamic functions of sodium metaborate from 5 to 350 k., jour. amer. chem. soc., v. 78, pp. 6226-6227.
- GRONVOLD, F., 1968, heat capacities and thermodynamic properties of the iron selenides $Fe_{10}Se_{13}$, Fe_7Se_8 , and Fe_3Se_4 from 298 to 1050 k., acta chem. scand., v. 22, pp. 1219-1240.
- GRONVOLD, F., 1973, heat capacities and thermodynamic properties of hexagonal and liquid selenium in the range 298 to 1000 k. enthalpy and temperature of fusion., jour. chem. thermodynamics, v. 5, pp. 525-531.
- GRONVOLD, F., 1975, heat capacity and thermodynamic properties of bismuth in the range 300 to 950 k. fusion characteristics., acta chem. Scandinavica, v. 29a, pp. 945-955
- GRONVOLD, F., KVESETH, N.J., SVEEN, A. and TICHY, J., 1970, thermodynamics of the UO_2 phase 1. heat capacities of $UO_{2.017}$ and $UO_{2.54}$ from 300 to 1000 k and electronic contributions., jour. chem. thermodynamics, v. 2, pp. 665-680.
- GRONVOLD, F., WESTRUM, F. and CHOU, C., 1959, heat capacities and thermodynamic properties of pyrrhotites FeS and $Fe_{0.887}S$ from 5 to 350 k., jour. chem. physics, v. 30 pp. 528-531.
- HANNA, E.M., PETHYBRIDGE, A.D. and PRUE, J.E., 1971, ion association and the analysis of precise conductimetric data., electrochim. acta, v. 10, pp. 677-686.
- HARVIE, C.E., 1981, theoretical investigations in geochemistry and atom surface scattering. univ. california, san diego (unpublished ph.d. dissertation).
- HARVIE, C.E. and WEARE, J.H., 1980, the prediction of mineral solubilities in natural waters: the na-k-mg-ca-cl-so₄-h₂o system from zero to high concentration at 25 c., geochim. cosmochim. acta, v. 44, pp. 981-997.
- HARVIE, C.E., MOLLER, N. and WEARE, J.H., 1984, the prediction of mineral solubilities in natural waters: the na-k-mg-ca-h-cl-so₄-oh-hco₃-co₃-co₂-h₂o system to high ionic strengths at 25 c., geochim. et cosmochim acta, v. 48, pp. 723-751.

- HELGESON, H.C. 1969, thermodynamics of hydrothermal systems at elevated temperatures and pressures. *amer. jour. sci.*, v. 267, pp. 729-804.
- HELGESON, H.C. 1983, supcrt update unpublished note, jan. 31, 1983., 3p.
- HELGESON, H.C. and KIRKHAM, D.H. 1974a, theoretical prediction of the thermodynamic behavior of aqueous electrolytes at high pressures and temperatures. i. summary of the thermodynamic/electrostatic properties of the solvent., *amer. j. sci.*, v. 274, pp. 1089-1198.
- HELGESON, H.C. and KIRKHAM, D.H., 1974b, theoretical prediction of the thermodynamic behavior of aqueous electrolytes at high pressures and temperatures. ii. debye-huckel parameters for activity coefficients and partial molal properties., *amer. sci.*, v. 274, pp. 1199-1261.
- HELGESON, H.C. and KIRKHAM, D.H., 1976, theoretical prediction of the thermodynamic behavior of aqueous electrolytes at high pressures and temperatures. iii. equation of state for aqueous species at infinite dilution., *amer. j. sci.*, v. 276, pp. 97-240.
- HELGESON, H.C., DELANY, J.M., NESBITT, H.W. and BIRD, D.K., 1978, summary and critique of the thermodynamic properties of rock-forming minerals., *amer. j. sci.*, v. 278-a, 229p.
- HELGESON, H.C., KIRKHAM, D.H. and FLOWERS, G.C., 1981, theoretical prediction of the thermodynamic behavior of aqueous electrolytes at high pressures and temperatures. iv. calculation of activity coefficients, osmotic coefficients, and apparent molal and standard and relative partial molal properties to 600 c and 5 kb., *amer. jour. sci.*, v. 281, pp. 1249-1516.
- HEM, J.D., 1980, redox coprecipitation mechanism of manganese oxides, in kavanaugh, m.c. and leckie, J.o., (eds.), *particulates in water.*, am. chem. society, advances in chemistry series v. 189, pp. 45-72.
- HEMINGWAY, B.S., 1982, thermodynamic properties of selected uranium compounds and aqueous species at 298.15 k and 1 bar and at higher temperatures - preliminary models for the origin of coffinite deposits., u.s. geological survey open-file report 82-619, 90p.
- HEMINGWAY, B.S., 1987, quartz: heat capacities from 340 to 1000 k and revised values for the thermodynamic properties, *amer. mineral.*, v. 72, pp. 273-279.
- HEMINGWAY, B.S. and ROBIE, R.A., 1977, enthalpies of formation of low albite (NaAlSi₃O₈), gibbsite (Al(OH)₃), and Na₂O revised values for Hf, 298 and Gf, 298 of alumina-silicates. *u.s. geol. survey jour. research*, v. 5, pp. 413-429.

- HEMINGWAY, B.S., ROBIE, R.A., KITTRICK, J.A., GREW, E.S., NELEN, J.A. and LONDON, D. 1984, the heat capacities of osumilite from 298.15 to 1000k, the thermodynamic properties of two natural chlorites to 500k, and the thermodynamic properties of petalite to 1800k., *amer. mineral.*, v. 69, pp. 701-710.
- HEPLER, L.G. 1958, thermodynamics of aqueous hydrogen chromate and dichromate ions. heats of formation of chromates and dichromates., *jour am. chem. soc.*, v. 80, pp. 6181-3.
- HOGFELDT, E., 1982, stability constants of metal-ion complexes, part a, inorganic ligands. *iupac chem.data series no.21*, pergamon press, oxford, 310p
- HOWELL, D.A., JOHNSON, G.K., TASKER, I.R., O'HARE, P.A.G. and WISE, W.S. 1990, thermodynamic properties of the zeolite stilbite, *zeolites*, v. 10, pp. 525-531.
- HUBER, E., HEAD, E., and HOLLEY, C., 1964, the heats of formation of zirconium diboride and dioxide., *jour. phys. chem.*, v. 68 pp. 3040-3042.
- HULL, H. and TURNBULL, A., 1973., a thermochemical study of monohydrocalcite , *geochim. et cosmochin. acta.*, v. 37, pp. 685-694.
- HULTGREN, R., DESAI, P.D., HAWKINS, D.T., GLEISER, M., KELLEY, K.K. and WAGMAN, D.D., 1973, selected values of the thermodynamic properties of the elements. *amer. soc. for metals, metals park, ohio*, 636p.
- HURLBUT, JR., C.S. (ED.), 1971, *dana's manual of mineralogy*, 18th ed., John wiley & sons, inc., ny, 579p.
- INCHEY, R.J. and COBBLE, J.W., 1970, the thermodynamic functions of $pu^{3+}(aq)$ and the entropies for some trivalent actinide ions., *inorg. chem.*, v. 9, pp. 922-926.
- INGRI, N., 1963, equilibrium studies of polyanions. ii. polyborates in 3.0 m $na(br)$, 3.0 m $li(br)$ and 3.0 m $k(br)$, a comparison with data obtained in 3.0 m $na(clo_4)$., *acta chem. scand.* v. 17, pp. 581-589.
- ISRAEL, Y. and MEITES, L., 1976, vanadium, in *bard, a.i. (ed.)*, *encyclopedia of electrochemistry of the elements.*, marcel dekker, new york., v. 7, pp. 293-453.
- IUKKOLA, K. and WAGNER, C., 1957, measurements on galvanic cells involving solid electrolytes., *J. electrochem. soc.*, v. 104, pp. 379-387.

- IVAKIN, A.A. and VORONOVA, E.M., 1969, complex formation in $VO_2 + F - H_2O$ system, *Zhur. neorg. khim. (Russian J. Inorg. Chem.)*, v. 14 pp. 1557(815-18).
- IVAKIN, A.A. KURBATOVA, L.D. and VORONOVA, E.M., 1974, a spectrophotometric study of vanadium(V) phosphate complexes in aqueous solutions, *Zhur. neorg. khim. (Russian J. Inorg. Chem.)*, v. 19, pp. 714(387-89).
- IVAKIN, A.A., YATSENKO, A.P. and MATVEEDA, N.S., 1973, solubility of the products of the hydrolytic precipitation of vanadium in perchloric, nitric, and sulfuric acids, *Zhur. neorg. khim. (Russian J. Inorg. Chem.)*, v. 18, pp. 2100(1111-3).
- IZATT, R.M., EATOUGH, D., CHRISTENSEN, J.J. and BARTHOLOMEW, C.H., 1969b, calorimetrically determined $\log K$, ΔH° , and ΔS° values for the interaction of sulphate ion with several bi- and ter-valent metal ions, *J. Chem. Soc. A.*, p. 47-53.
- JACKSON, K.J. and HELGESON, H.C., 1984, chemical and thermodynamic constraints on the hydrothermal transport and deposition of tin. 1. calculation of the solubility of cassiterite at high pressures and temperatures., *Geochim. et Cosmochimica Acta.*, v. 49, 22p.
- JACKSON, K.J. and HELGESON, H.C., 1985, chemical and thermodynamic constraints on the hydrothermal transport and deposition of tin: II. interpretation of phase relations in the southeast Asian tin belt, *Economic Geology*, v. 80, pp. 1365-1378.
- JACOB, K.T. and ALCOCK, C.B., 1975, the oxygen potential of the systems $Fe + FeCr_2O_4 + Cr_2O_3$ and $Fe + FeV_2O_4 + V_2O_3$ in the temperature range 750-1600°C., *Met. Trans. B.*, v. 6b, pp. 215-221.
- JANECKY, D.R., 1982, serpentinization of peridotite within the oceanic crust: experimental and theoretical investigations of seawater-peridotite interaction at 200°C and 300°C, 500 bars., university of Minnesota, Minneapolis, Minnesota (unpublished Ph.D. dissertation), 244p.
- JANZ, G.J., KELLY, F.J. and PERANO, J.L., 1963, melting and pre-melting effects in the alkaline earth halides., *Trans. Faraday Soc.*, v. 59, pp. 2718-2722.
- JENKINS, R. (ED.), 1986, mineral powder diffraction file, *JCPDS International Centre for Diffraction Data*, Swarthmore, Penn.
- JOHNSON, G.K., FLOTOW, H.E., O'HARE, P.A.G. and WISE, W.S., 1983, thermodynamic studies of zeolites: natrolite, mesolite, and scolecite., *Am. Mineral.*, v. 68, pp. 1134-1145.
- JOHNSON, G.K., FLOTOW, H.E., O'HARE, P.A.G. and WISE, W.S., 1985, thermodynamic studies of zeolites: heulandite., *Am. Mineral.*, v. 70, pp. 1065-1071.

- JOHNSON,G.K., TASKER,I.R., FLOTOW,H.E. and WISE,W.S., 1986, thermodynamic studies of zeolites: mordenite and dehydrated mordenite., presented at the zeolite symposium of the 23rd annual clay minerals society meeting, Jackson, Mississippi, october, 1986 , 2p.
- JOHNSON,G.K., TASKER,I.R., JURGENS,R. and O'HARE, P.A.G., 1991a, thermodynamic studies of zeolites: clinoptilolite, the journal of chemical thermodynamics, v. 23, pp. 475-484.
- JOHNSON,J.W., OELKERS,E.H., and HELGESON,H.C., 1991, supcrt91: a software package for calculating the standard molal thermodynamic properties of minerals, gases, aqueous species, and reactions from 1 to 5000 bars and 0 to 1000 c, submitted to computers and geosciences.
- JOHNSON,K.S., 1982, solubility of rhodochrosite (mnco₃) in water and seawater., geochim. cosmochim. acta, v. 46, pp. 1805-1809.
- JOHNSON,K.S. and PYTKOWICZ,R.M., 1979, ion association and activity coefficients in multicomponent systems, in pytkowicz, r.m., (ed.), activity coefficients in electrolyte solutions., crc press inc., boca raton, fl. v. 2, pp. 1-62.
- KAPUSTINSKII,A.F. and GOLUTVIN,Y.M., 1951, heat of formation of iron selenide heat range method (in russian), zhur. fiz. khim., v. 25, pp. 729-31.
- KARAPET'YANTS,M.KH. and KARAPET'YANTS,M.L., 1970, thermodynamic constants of inorganic and organic compounds (translated by schmorakj. isreal program for scientific transkations), ann arbor - humphrey science publishers.
- KASHKAY,CH.M., BOROVSKAYA,YU.B. and BABAZADE,M.A., 1975, determination of delgOf298 of synthetic jarosite and its sulfate analogues., geochem. internat., v. 12, pp. 115-121.
- KATZ,J.J. and SEABORG,G.T., 1957, the chemistry of the actinide elements, wiley, new vork, P. 52-66.
- KEE,R.J., RUPLEY,F.M. and MILLER,J.A., 1987, the chemkin thermodynamic data base, sandia national laboratory report sand-87-8215, 92p.
- KELEMEN,F., CRUCEANU,E. and MICULESCU,D., 1965, untersuchung einiger thermischer eigenschaften der verbindungen HgSe, HgTe and ZnTe., phys. stat. solidi., v. 11, pp 865-872.
- KELLEY,K.K. , 1939, the specific heats at low temperatures of manganese, manganous selenide and manganous telluride., j. am. chem. soc. , v. 61 , pp. 203-207.

- KELLEY,K.K., 1949, high-temperature heat-content, heat-capacity, and entropy data for inorganic compounds., u.s. bur. mines. bull no. 476, 4p.
- KELLEY,K.K., 1950. entropies of inorganic substances: revision of data. u.s. bur. mines. bull no. 477., p. 93-94.
- KELLEY.K.K., 1960. contributions to the data on theoretical metallurgy, xiii. high-temperature heat-content, heat-capacity, and entropy data for the elements and inorganic compounds., u.s. bureau of mines bulletin 584., 232p.
- KELLEY,K.K. and CHRISTENSEN,A.U., 1961, high-temperature heat content and entropies of crystalline germanium dioxide., u.s. bur. mines rept inv. 5710, 5p.
- KELLEY.K.K. and KING,E.G., 1961, contributions to the data on theoretical metallurgy. xiv. entropies of the elements and inorganic compounds., u.s. bureau of mines bulletin 592, 149p.
- KELLEY,K.K., SHOMATE,C.H., YOUNG,F.E., NAYLOR,B.F., SALO,A.E. and HUFFMAN,E.H., 1946, thermodynamic properties of ammonium and potassium alums and related substances, with reference to extraction of alumina from clay and alunite., u.s. bur. mines tech. paper 688, 104p.
- KENNEDY,M.B. and LISTER,M.B., 1966, heats of association of aqueous copper, nickel, and cobalt ions with halide ions, canadian jour. chem., v. 44, pp. 1709-1717.
- KERRISK,J.F. 1983, new manganese thermodynamic data for the eq3/6 data base, los alamos national laboratory internal memorandum, 23p.
- KERRISK,J.F., 1984, americium thermodynamic data for the eq3/6 data base., los alamos national laboratory la-10040-ms., 39p.
- KERRISK,J.F. and SILVA,R.J., 1986, a consistent set of thermodynamic constants for americium(iii) species with hydroxyl and carbonate, LLNL to be published (presented at fallen leaf lake 1986) 11p.
- KHOPKAR,P.K. and NARAYANANKUTTY,P., 1971, effect of ionic media on the stability constants of chloride, nitrate and thiocyanate complexes of americium(iii) and europium (iii), jour. inorg. nucl. chem., v. 33, pp. 495-502.
- KIMURA,T., MORINAGA,K. and NAKANO,K., 1972, the determination of association constant of vanadium(iii) with sulfate ion, nippon kagaku kaishi, v. 3, pp. 667-668.

- KING, E., WELLER, W., 1970, low temperature heat capacities and entropies at 298.15 K of goethite and pyrophyllite., u.s. bur. mines rept. 7369, p. 6.
- KING, E.G. and CHRISTENSEN, A.U., JR., 1958, heat contents above 298.15 K of oxides of cobalt and nickel, am. chem. soc. jour., v. 80 pp. 1800-1801.
- KIRSCHNING, H.J., PLIETH, K. and STRANSKI, I.N., 1954, thermodynamic research of systems of cubic and monoclinic arsenic modifications., z. kristallogr, v. 106, pp. 172-182.
- KISELEVA, I.A., TOPOR, N.D. and MEL'CHAKOVA, L.V., 1972, experimental determination of the heat content and heat capacity of grossularite, andradite, and pyrope., geochem. internat., v. 9, pp. 1087.
- KLINTSOVA, A.P. and BARSUKOV, V.L., 1973, solubility of cassiterite in water and in aqueous NaOH solutions at elevated temperatures., geochem. int., v. 1973, pp. 540-547.
- KLOTZ, C. and BENSON, B., 1963, thermodynamic properties of the atmospheric gases in aqueous solutions., J. phys. chem., v. 67, pp. 933-934.
- KOBAYASHI, K., 1952b, the heat capacities of inorganic substances at high temperatures part vii. the heat capacities of sodium carbonate and sodium bicarbonate., the science report tohoku univ., v. 36, pp. 21-26.
- KRUPKA, K.M., JENNE, E.A. and DEUTSCH, W.J. 1982, validation of the wateq4 geochemical model for uranium., Battelle Pacific Northwest Laboratories, PNL-4333., 183p.
- KUBASCHEWSKI, O., 1970, the thermodynamic properties of double oxides. national physical laboratory division of chemical standards., p. 28.
- KUBASCHEWSKI, O., 1972, the thermodynamic properties of double oxides. high temperatures-high pressures, v. 4, 12p.
- KUBASCHEWSKI, O. and ALCOCK, C.B., 1979, metallurgical thermochemistry. 5th ed. Pergamon Press, Oxford.
- KUBLANOVSKII, V.S. and BELINSKII, V.N., 1972, formation of ammonia complexes of manganese(II), zhur. neorg. khim. (Russian Inorg. Chem.), v. 17, pp. 129 (68-69).
- KUYUNKO, N.S., MALININ, S.D. and KHODAKOVSKIY, I.L., 1983, an experimental study of aluminum ion hydrolysis at 150, 200 and 250 C., geokhimiya, v. 3, pp. 76-86.
- LA IGLESIA, A. and AZNAR, A.J. 1986, a method of estimating the Gibbs energies of formation of zeolites, zeolites v. 6, pp. 26-69.

- LANDER, J.J., 1951, experimental heat contents of SrO, BaO, CaO, BCO, and SrCO₃ at high temperatures. dissociation pressures of BCO, and SrCO₃, am. chem. soc. jour., v. 73 pp. 5794-5797.
- LANGMUIR, D. 1969, the gibbs free energies of substances in the system fe-o₂-h₂o-co₂ at 25 c., u.s. geol. survey prof. paper 650-b, p. 180-183.
- LANGMUIR, D., 1978, uranium solution-mineral equilibria at low temperatures with applications to sedimentary ore deposits. , geochim. cosmochim. acta, v. 42, pp. 547-569.
- LANGMUIR, D. , 1979, techniques of estimating thermodynamic properties for some aqueous complexes of geochemical interest, in jenne, e.a. (ed.), chemical modeling in aqueous systems. am chem. societv, advances in chemistry series 93, p. 353-387.
- LANGMUIR, D. and DONGARRA, G. , 1982, the stabiiltv of uo₂oh⁺ and uo₂(hpo₄)₂-complexes at 25c (reply to a comment by v.s. tripathi), geochim. cosmochim. acta, v. 46 pp. 2005.
- LANGMUIR, D. and HERMAN, J.S., 1980, the mobility of thorium in natural waters at low temperatures., geochim. cosmochim. acta, v. 44, pp. 1753-1766.
- LATIMER, W.M., 1952, the oxidation states of the elements and their potentials in aqueous solutions., prentice-hall, inc., p. 280-283, 331.
- LEBEDEV, I., FRENKEL, V., KULYAKO, YU. and MYASOEDOV, F. 1979, investigation of complex formation of americium(iii) and americium(iv) in phosphoric acid solutions. radiokhimiya , v. 21 , pp. 809-816.
- LEMIRE, R.J., 1984, an assessment of the thermodynamic behavior of neptunium in water and model groundwater from 25 to 150 c., aecl-7817, atomic energy of canada limited, pinawa, manitoba, canada, 53p.
- LEMIRE, R.J. and TREMAINE, P.R., 1980, uranium and plutonium equilibria in aqueous solutions to 200 deg c. chem. eng. data, v. 25, pp. 361-370.
- LU, J.C.S. and CHEN, K.Y. 1977, migration of trace metals in interfaces of seawater and pollutes surficial sediments., environ. sci. technol., v. 11, pp. 174-182.
- LUNDQVIST, R., 1982, hydrophilic complexes of the actinides. i. carbonates of trivalent americium and europium., acta chemica scand., v. 36, pp. 741-750
- MACDONALD, D.D., 1976, the thermodynamics and theoretical corrosion behavior of manganese in aqueous systems at elevated temperatures., corrosion science, v. 16, pp. 461-482.

- MAH,A.D. , 1954, heats of formation of chromium oxide and cadmium oxide from combustion calorimetry., jour. am. chem. soc., v. 76, pp. 3363-3365.
- MAH,A.D. , 1960, thermodynamic properties of manganese and its compounds. , u.s. bur. mines. rept. inv. 5600, 34p.
- MAH,A.D., PANKRATZ,L.B., WELLER,W.W. and KING,E.G., cuprous and cupric oxides., u.s. bur. mines rept. inv. 7026.
- MARTELL,A.E. and SMITH,R.M., 1977, critical stability constants, vol. 3: other organic ligands., plenum press, new york., v. 3.
- MARTELL,A.E. and SMITH,R.M. 1981, critical stability constants., vol. 4: inorganic complexes., plenum press, new york, v. 4, 257p.
- MARTELL,A.E. and SMITH,R.M. 1982, critical stability constants, vol.5: first supplement., plenum press, new york, 604p.
- MARTELL,A.E. and SMITH,R.M. 1989, critical stability constants, vol.3: other organic ligands., plenum press, new york, v. 3, 495p.
- MATTIGOD,S.V. and SPOSITO,G. , 1977, estimated association constants for some complexes of trace metals with inorganic ligands. soil., sci., soc. amer. j., v. 41, pp. 1092-1094.
- MATTIGOD,S.V. and SPOSITO,G., 1979, chemical modeling of trace metal equilibria in contaminated soil solutions using the computer program geochem. in jenne,e.a. (ed.), chemical modeling in aqueous systems., Am chem. society, symp 93., p. 837-856.
- MAYA,L., 1982, hydrolysis and carbonate complexation of dioxouranium(vi) in the neutral-ph range at 25 deg. c., inorg. chem., v. 21, pp. 2895-2898.
- MAYER,S.W., OWENS,B.B., RUTHERFORD,T.H. and SERRINS,R.B. 1960, high-temperature free-energy, entropy, enthalpy and heat capacity of thorium sulfate., J. phys. chem., v. 64, pp. 911-914.
- MAZUMDAR.A.S. and SIVARAMAKRISHNAN,C.K., 1965, a study of the nitrate and the chloride complexes of plutonium(vi) by solvent extraction techniques using tta as the chelating agent., j. inorg. nucl. chem., v. 27, pp. 2423-2427.
- MCGLYNN,S. and SMITH,J., 1961, the electronic structure, spectra, and magnetic properties of actinyl ions. part ii. neptunyl, and the ground states of other actinyls, jour. molecular spectroscopy, v.6, pp. 188-198.

- MCHEDLOV-PETROSYAN, O.P. and BABUSHKIN, W.I., 1962, thermodynamics of the hardening processes of cement, in chemistry of cement proceedings of the fourth international symposium, wash., v. 1, pp. 533-544.
- MCMASTERS, O.D., GSCHNEIDNER, K.A., JR., KALDIS, E. and SAMPIETRO, G., 1973, high temperature heat contents of the europium chalcogenides, euo, sus, suse and eute., rare earth research conf., 10th, vienna, v. 2, pp. 970-975.
- MESMER, R.E., BAES, C.F., JR. and SWEETON, F.H., 1972, acidity measurements at elevated temperatures. vi. boric acid equilibria., inorg. chem., v. 11, pp. 537-543.
- METIVIER, H. 1973, contribution a l'etude de l'hydrolyse du plutonium tetravalent et de sa complexation par des acides d'interet biologique., commissariat a l'energie atomique, rapport cea-r-4477., 88p.
- MILLS, K.C., 1974, thermodynamic data for inorganic sulphides, selenides and tellurides., butterworths, london., 845p.
- MOORE, G.E., 1943a, heat content of manganese dioxide and carbonate at high temperature., jour. amer. chem. soc., v. 65, pp. 1398-1399.
- MOORE, G.E., 1943b, heat contents at high temperature of the anhydrous chlorides of calcium, iron, magnesium and manganese., jour. amer. chem. soc., v. 65 7 pp. 1700-1703.
- MORRIS, D.C.F. and STURGESS, P.J., 1969, formation of an iron(iii) nitrate complex, electrochim. acta, v. 14, pp. 629-31.
- MORSS, L.R., 1986, thermodynamic properties, in katz, t.t., seaborg, g.t., and morss, l.r. (eds.), the chemistry of the actinide elements, 2nd ed, chapman and hall, ny, v. 2, pp. 1278-1360.
- MOSKVIN, A., 1971, investigation of the complex formation of trivalent plutonium, americium, and curium in phosphate solutions., radiokhimiya, v. 13, pp. 668-674.
- MOSKVIN, A. and POZNYAKOV, A., 1979, coprecipitation study of complex formation by neptunium(v), plutonium(v), and americium(v) with the anions of various inorganic acids., zhurnal neorganicheskoi khimii, v. 24, pp. 2449-2457.
- MOSKVIN, A.I., 1969, complex formation of the actinides with anions of acids in aqueous solutions., soviet radiochem., v. 17, pp. 447-449.
- MOSKVIN, A.I., 1970, complex formation by plutonium(lv) in sulfate solutions., russ. j. inorg. chem., v. 15, pp. 1756-1757.

- MOSKVIN,A.I. and GEL'MAN,A.D., 1958, determination of the composition and instability constants of oxalate and carbonate complexes of pu(IV)., zh. neorg. khim., v. 3 pp. 962-974.
- MOSKVIN,A.I. and ZAITSEVA,V.P., 1962, hydrolytic behavior of plutonyl in aqueous solutions., radiokhim., v. 4, pp. 73-81.
- MOSKVIN,A.I., ESSEN,L.N. and BUKHTIYAROVA,T.N., 1967, the formation of thorium(IV) complexes in phosphate solutions., russ. J. inorg. chem, v. 12, pp. 1794-5
- MULDER,H.D. and SCHMIDT,F.C., 1951, heats of solution and reaction in liquid ammonia. viii., J. am. chem. soc., v. 73, pp. 5575-5577.
- MULLICA,D.F., MILLIGAN,W.O. and BEALL,G.W., 1979, crystal structures of pr(OH)₃, eu(OH)₃, and tm(OH)₃, journal of inorganic nuclear chemistry, v. 41, pp. p525-532.
- MUSTAJOKI,A., 1951, messungen der wahren spezifischen wärme de kcl-kbr-mischkristalle im temperaturbereich 50-450 c, suomalaisen tiedeakatemia toimituksia, v. 98, pp. 7-45,
- NAIR,V.S. and NANCOLLAS,G.H. , 1959, thermodynamics of ion association. part 6: some transition metal sulphates., j. chem. soc., p. 3934.
- NASH,K.L. and CLEVELAND,J.M. , 1983, free energy, enthalpy and entropy of plutonium (IV) - sulfate complexes., radiochimica acta, v. 33, pp. 105-111.
- NASH,K.L. and CLEVELAND,J.M. , 1984, the thermodynamics of plutonium (IV) complexation by fluoride and its effect on plutonium (IV) speciation in natural waters., radiochimica acta, v. 36, pp. 129-134.
- NAUMOV,G.B., RYZHENKO,B.N. and KHODAKOVSKY,I.L. , 1974, handbook of thermodynamic data., u.s. geol. surv. wrd-74-001., 328p.
- NAYLOR,B.F., 1944, high-temperature heat contents of ferrous and magnesium chromites., ind. eng. chemistry, v. 36, pp. 933-934.
- NAYLOR,B.F. , 1945, heat contents at high temperatures of magnesium and calcium fluorides., am. chem. soc. jour., v. 67, pp. 150-152.
- NAZARENKO,V. and MANDZHIGALADZE,O. 1969, determination of the formation constants of hydroxo-complexes of zirconium by the method of competing reactions., russ. jour. of inor. chem., v. 14, pp. 639-643.
- NELSON.T., MOSS.C. and HEPLER,L. , 1960. thermochemistry of potassium permanganate,potassium molybdate,potassium chlorate,sodium chlorate,sodium chromate and sodium dichromate., phys. chem., v. 64, pp. 376-377.

- NEWBERG, D., 1967, geochemical implications of chrysocolla-bearing alluvial gravels., *econ. geol.*, v. 62, pp. 932-956.
- NEWTON, T.W. and BAKER, F.B., 1957, chloride complex ions of $U(VI)$, *J. physical chemistry*, v. 61, pp. 934-938.
- NIKOLAEVA, N.M. and TSVELODUB, L.D., 1977, complex formation by $Fe(III)$ with chlorides in aqueous solution at high temperatures., *russ. J. inorg. chem.*, v. 22, pp. 205-209.
- NIKOLSKII, B.P., PALCHEVSKII, V.V. and GORBUNOVA, R.G. 1961, oxidation-potential study of acetate complex formation in the ferric-ferrous system., *russ. J. inorg. chem.*, v. 6, pp. 309-312.
- NORDSTROM, D.K. and JENNE, E.A., 1977, fluorite solubility equilibria in selected geothermal waters. *geochim. cosmochim. acta*, v. 41, pp. 175-188.
- NRIAGU, J. 197, solubility equilibrium constant of strengite., *amer. jour. of sci.*, v. 272 pp. 476-484.
- NRIAGU, J.O., 1972a, stability of vivianite and ion-pair formation in the system $Fe_3(P_4O_{12})_2 \cdot 8H_2O$., *geochim. cosmochim. acta*, v. 36, pp. 459-470.
- NRIAGU, J.O., 1972b, lead orthophosphates. i. solubility and hydrolysis of secondary lead orthophosphate, *inorg. chem.*, v. 11, pp. 2499-2503.
- NRIAGU, J.O., 1973, lead orthophosphates-ii. stability of chloropyromorphite at 25 c., *geochim. cosmochim. acta*, v. 37, pp. 367-377.
- NRIAGU, J.O., 1974, lead orthophosphates-iv. formation and stability in the environment. *geochim. cosmochim. acta*, v. 38, pp. 887-898.
- NUCLEAR ENERGY AGENCY , 1986, chemical thermodynamics of uranium, draft report, oecd nuclear energy agency division of radiation protection and waste management, v. 41, 161p.
- NUCLEAR ENERGY AGENCY, 1990, chemical thermodynamics of uranium (final draft of march 1990), oecd nuclear energy agency, data bank, 655p.
- O'BRIEN, C.J. and KELLEY, K.K., 1957, high temperature heat contents of cryolite, anhydrous aluminum fluoride and sodium fluoride., *am. chem. soc. jour.*, v. 79, pp. 5616-5618.
- O'HARE, P.A.G., 1972, thermochemical and theoretical investigations of the sodium-oxygen system. part 1. the standard enthalpy of formation of sodium oxide (Na_2O)., *jour. chem. physics*, v. 56, pp. 4514-4516.

- O'HARE, P.A.G., LEWIS, B.M. and NGUYEN, S.N., 1988, thermochemistry of uranium compounds, xvii. standard molar enthalpy of formation at 298.15 k of dehydrated schoepite $UO_3 \cdot 0.9H_2O$. thermodynamics of (schoepite + dehydrated schoepite + water)., Lawrence Livermore National Laboratory, UCRL-21053 s/c 610-007, 19p.
- OBERSON, C.E. and BARNES, R.B., 1978, stability of fluoride complex with silica and its distribution in natural water systems., *chem. geol.*, v. 21, pp. 239-256.
- OBIE, R.A., HEMINGWAY, B.S. and FISHER, J.R., 1978, thermodynamic properties of minerals and related substances at 298.15 k and 1 bar (10⁵ pascals) pressure and at higher temperatures., *U.S. Geological Survey Bulletin* 1452.
- OETTING, F.L. 1967, the chemical thermodynamic properties of plutonium compounds., *chem. rev.*, v. 67, pp. 261-297.
- OETTING, F.L., RAND, M.H. and ACKERMAN, R.J., 1976, the chemical thermodynamics of actinide elements and compounds, part i. the actinide elements., *IAEA, Vienna*, 113p.
- OLLIN, A., 1960, studies on the hydrolysis of metal ions 25. the hydrolysis of lead(III) in perchlorate medium., *Acta Chem. Scand.*, v. 14, pp. 126-150.
- OLSON, L.L. and O'MELIA, C.R., 1973, the interactions of Fe(III) with Si(OH)₄., *J. Inorg. Nucl. Chem.* v. 35, pp. 1977-1985.
- ORR, R.L. 1954, high temperature heat contents of manganese sesquioxide and vanadium monoxide., *Am. Chem. Soc. Jour.*, v. 76, pp. 857-858.
- ORR, R.L. and CHRISTENSEN, A.U. 1958, high temperature heat contents of stannous and stannic sulfides., *Jour. Phys. Chemistry*, v. 62, pp. 124-125.
- OSBORN, D.W., FLOTOW, H.E., FRIED, S.M. and MALM, J.G., 1974, heat capacity entropy and enthalpy of 242-pu³ from 10 to 350 degrees K., *J. Chem. Phys.*, v. 4, pp. 1463-1468.
- OSBORN, D.W., FLOTOW, H.E., FRIED, S.M. and MALM, J.G., 1975, heat capacity, entropy, enthalpy, and Gibbs energy of 242-pu⁴ from 10 to 350 degrees K., *J. Chem. Phys.*, v. 63 pp. 4613-4617.
- OTTO, E.M., 1964, equilibrium pressures of oxygen over Mn₂O₃-Mn₃O₄ at various temperatures., *Electrochem. Soc. Jour.*, v. 111, pp. 88-92.

- OUTHARD, J.C. and SHOMATE, H., 1942, heat of formation and high-temperature heat content of manganous oxide and manganous sulfate., *jour. amer. chem. soc.*, v. 64, pp. 1770-1774.
- OWENS, B.B. and MAYER, S.W. 1964, the thermodynamic properties of uranyl sulphate., *J. inorg. nucl. chem.*, v. 26, pp. 501-507.
- PANKRATZ, L.B. and KELLEY, K.K., 1964, high-temperature heat contents and entropies of akermanite, cordierite, gehlenite and merwinite., *u.s. bur. mines rept. inv.* 6555, 5p.
- PANKRATZ, L.B. and KING, E.G., 1970, high-temperature enthalpies and entropies of chalcopyrite and bornite., *u.s. bur. mines rept. inv.* 7435, 10p.
- PANKRATZ, L.B. and KING, E.G., 1965, high-temperature heat contents and entropies of two zinc sulfides and four solid solutions of zinc and iron sulfides., *u.s. bur. mines rept. inv.* 6708, 8p.
- PANKRATZ, L.B. and WELLER, W.W., 1967, thermodynamic properties of three lithium-aluminum silicates., *u.s. bur. mines rept. inv.* 7001, 13p.
- PANKRATZ, L.B. and WELLER, W.W. 1969, thermodynamic data for ferric sulfate and indium sulfate., *u.s. bur. mines rept. inv.* 7280, p. 8.
- PARKER, V.B., WAGMAN, D.D. and EVANS, W.H., 1971, selected values of chemical thermodynamic properties., *u.s. natl. bur. standards tech. note* 270-6., 106p.
- PARKER, V.B., WAGMAN, D.D. and GARVIN, D. 1976, selected thermodynamic data compatible with the CODATA recommendations, *u.s. natl. bur. standards, interim report* COMPATI 75-968, 34p.
- PATIL, S.K. and RAMAKRISHNA, V.V., 1973a, study of the sulfate complexing of np(IV) and pu(IV) by solvent extraction with dinonyl naphthalene sulphonic acid., *J. inorg. nucl. chem.*, v. 35, pp. 3333-3340.
- PATIL, S.K. and RAMAKRISHNA, V.V. 1973b, studies on the sulfate complexing of tetravalent actinides., *radiochim. acta.*, v. 19 pp. 27-30.
- PATIL, S.K. and RAMAKRISHNA, V.V., 1976, sulphate and fluoride complexing of u(VI) , np(VI) , and pu(VI) ., *J. inorg. nucl. chem.*, v. 38, pp. 1075-1078.
- PATIL, S.K., RAMAKRISHNA, V.V. and RAMANIAH, M.V., 1978, aqueous coordination complexes of neptunium., *coor. chem. rev.*, v. 25, pp. 133-171.
- PAULA., 1977, chemical durability of glasses- a thermodynamic approach, *journal of materials science*, v. 12, pp. 2246-2268.

- PERRIN, D.D., 1964, the hydrolysis of metal ions. part 4. nickel., J. chem. soc., p. 3644-3648.
- PETTINE, M., MILLERO, F.J. and MACCHI, G., 1981, hydrolysis of tin(II) in aqueous solutions. anal. chem., v. 53, pp. 1039-1043.
- PHILLIPS, S.L. 1982, hydrolysis and formation constants at 25 C., Lawrence Berkeley Laboratory, LBL-14313., 65p
- PITZER, K.S., 1937, the heats of ionization of water, ammonium hydroxide, carbonic, phosphoric and sulfuric acids. the variations in ionization with temperature and entropy change with ionization., J. amer. chem. soc., v. 59, pp. 2365-2371.
- PLUMMER, L.N. and BUSENBERG, E., 1982, The solubilities of calcite, aragonite, and vaterite in CO₂-H₂O solutions between 0 and 90 C and an evaluation of the aqueous model of the system CaCO₃-CO₂-H₂O., Geochimica et Cosmochimica Acta, v. 46, pp. 1011-1040.
- PLUMMER, L.N., JONES, B.F. and TRUESDELL, A.H., 1976, wateqf - a fortran IV version of wateq, a computer program for calculating chemical equilibrium of natural waters., U.S. Geol. Surv. Water Resources Investigations 76-13., 63p.
- PO, H.N. and SUTIN, N. 1968, the stability constant of the monochloro complex of iron(II). inorg. chem., v. 7 pp. 621-624.
- POURBAIX, M., 1974, atlas of electrochemical equilibria in aqueous solutions, p. 485-492.
- RAI, D. 1984, solubility product of Pu(IV) hydroxide and equilibrium constants of Pu(IV)/Pu(V), Pu(IV)/Pu(VI), and Pu(V)/Pu(VI) couples., Radiochimica Acta, v. 35, pp. 97-106.
- RAI, D. and RYAN, J.L., 1981, crystallinity and solubility of Pu(IV) oxide and hydroxide in aged Pacific Northwest Laboratory, (preprint), 4 p. aqueous suspensions.
- RAND, M.H. and KUBASCHEWSKI, O., 1963, the thermochemical properties of uranium of materials compounds., Interscience Publishers a division of John Wiley and Sons, Inc., New York P. 65-68.
- RAND, R.H. 1966 i. thermochemical properties., At. Energy Rev. 4, spec. issue, v. 1 pp. 7.
- RARD, J.A. 1983, critical review of the chemistry and thermodynamics of technetium and some of its inorganic compounds and aqueous species., Lawrence Livermore National Laboratory, UCRL-53440., 86p.
- RARD, J.A. 1984, errata sheet to UCRL-53440., unpublished note, March 1984., 1p.

- RARD, J.A. 1985a, chemistry and thermodynamics of ruthenium and some of its inorganic compounds and aqueous species., *chemical reviews*, v. 85, pp. 1-39.
- RARD, J.A. 1985b, chemistry and thermodynamics of europium and some of its simpler inorganic compounds and aqueous species, *chemical reviews*, v. 85, pp. 555-582.
- RARD, J.A., 1987a, thermodynamic data bases for multivalent elements: an example for ruthenium. presented at international conference of thermodynamics of aqueous systems with industrial applications., warrenton, virginia, may 10-14, 1987; ucrl-96555 rev. 1., 28p.
- RARD, J.A., 1987b, update of the europium data base october 1987, lawrence livermore national laboratory internal memorandum.
- REARDON, E.J., 1983, determination of SO_4 ion pair formation using conductimetric and ion exchange techniques., *geochim. cosmochim. acta*, v. 47, pp. 1917-1922.
- RICHARDSON, C.K. and HOLLAND, H.D., 1979, the solubility of fluorite in hydrothermal solutions, an experimental study., *geochim. cosmochim. acta*, v. 43 @ pp. 1313-1325.
- RICHELMI, R. and LAFFITTE, M., 1967, analyse enthalpique differentielle de l'anhydride chromique par microcalorimetric., *compt. rend.*, v. 265, pp. 541-543.
- RICKARD, D., 1970, a note on the effect of ammonia on the solubility of some copper minerals., *geologiska institutionen, stockholm university*, p. 77-870.
- RICKARD, D.T. and NRIAGU, J.O., 1978, aqueous environmental chemistry of lead. in the biochemistry of lead in the environment, ed. j.o.nriagu., elsevier, new york, p. 219-284.
- ROBERTS, W.L., RAPP, JR., G.R. and WEBER, J., 1974, *encyclopedia of minerals*, van nostrand reenhold company, ny.
- ROBIE, R.A., 1965, heats and free energies of formation of trolite, herzenbergite, magnesite, and rhodochrosite calculated from equilibrium data., *u.s. geol. survey prof. paper 525-d* p. 65-72.
- ROBIE, R.A., BETHKE, P.M. and BEARDSLEY, K.M., 1967, selected x-ray crystallographic data, molar volumes, and densities of minerals and related substances, *u.s. geological survey bulletin 1248*, 87p.

- ROBIE, R.A., HEMINGWAY, B.S. and FISHER, J.R., 1979, thermodynamic properties of minerals and related substances at 298.15K and 1 bar ($10^{**}5$ pascals) pressure and at higher temperatures, u.s. geological survey bulletin 1452, reprinted with corrections 1979 v. 1452, 1456p.
- ROTH, W., WIRTHS, G. and BERENDT, H., 1940, zentralblatt fur mineralogie, geologie und palaontologie, zentr. mineral geol., v. 11, pp. 225-227.
- RUAYA, J.R. and SEWARD, T.M. 1987, the ion-pair constant and other thermodynamic properties of hcl up to 350 c., geochim. cosmochim. acta, v. 51, pp. 121-130.
- RYAN, J.L. and RAI, D., 1983, the solubility of uranium (iv) hydrous oxide in sodium hydroxide solutions and under reducing conditions., polyhedron, v. 2, pp. 947-952.
- SARKAR, A.K., BARNES, N.I.W. and ROY, D.M., 1982, longevity of borehole and shaft sealing materials: thermodynamic properties of cements and related phases applied to repository sealing, office of nuclear waste isolation technical report # onwi-201, 52p.
- SCHAFFER, V.H., TEBBEN, A. and GERHARDT, W., 1963, equilibria with ru, ruo2, ruo3(g), and ruo4(g)., z. anorg. allg. chem. in german, v. 321, pp. 41-550.
- SCHEDIN, U., 1971, on the hydrolysis of plutonyl ion in sodium perchlorate medium., acta chem. scand., v. 25, pp. 747-749.
- SCHEDIN, U., 1975, studies on the hydrolysis of metal ions. 62. the plutonyl ion in sodium perchlorate medium. acta. chem. scand., v. 29 pp. 333-344.
- SCHINDLER, P., REINERT, M. and GAMSJAGER, H. 1963, zur thermodynamik der metallcarbonate. loslichkeitskonstanten and freie bildungsenthalpien von $\text{Cu}_2(\text{OH})_2\text{CO}_3$ (malachit) und $\text{Cu}_3(\text{OH})_2(\text{CO}_3)_2$ (azulrt) bei 25 C, helv. chim. acta., v. 51, pp. 1845-1856.
- SCHUILLING, R., VERGOUWEN, L. and VAN DER RIJST, H. 1976, gibbs energies of formation, of zircon (ZrSiO_4), thorite (ThSiO_4) and phenacite (Be_2SiO_4). am. mineralogists, v. 61, pp. 161-168.
- SCHWAB, A. and FELMY, A., 1982, review and reevaluation of pu thermodynamic data, draft manuscript, september, 1982., pacific northwest laboratories, pnl-sa-10731, never published 89P.
- SERGEYEVA, E.I. and KHODAKOVSKIY, I.L. 1969, physicochemical conditions of formation of native arsenic in hydrothermal deposits. geokhimika, v. 7, pp. 846-859.

- SEWARD, T.M. 1974, determination of the first ionization constant of silicic acid from quartz solubility in borate buffer solutions to 350 deg c., *geochim. cosmochim. acta*, v. 38, pp. 1651-1664.
- SEWARD, T.M. 1976, the stability of chloride complexes of silver in hydrothermal solutions up to 350c *geochim. cosmochim. acta*, v. 40, pp. 1329-1341.
- SEWARD, T.M., 1984, the formation of lead(ii) chloride complexes to 300c: a spectrophotometric study, *geochim. cosmochim. acta*, v. 48, pp. 121-134.
- SHALINETS, A. and STEPANOV, A., 1972, investigation of complex formation of the trivalent actinide and lanthanide elements by the method of electromigration xvii. hydrolysis., *radiokhimiya*, v. 14, pp. 290-293.
- SHCHIGOL, M., 1963, properties of lead borates, *russ. jour. of inor. chem.*, v. 8, pp. 707-712.
- SHEVCHENKO, V.B., TIMOSHEV, V.G. and VOLKOVA, A.A., 1959, stability constants of nitrate complexes of trivalent plutonium in aqueous and tributyl phosphate solutions. *soviet j. at. energy.*, v. 6, pp. 293-296.
- SHILOH, M., GIVON, M. and MARCUS, Y., 1969, a spectrophotometric study of the trivalent actinide complexes in solution - iii, americium with bromide, iodide, nitrate and carbonate ligands., *jour, inorg, nucl, chem.*, v. 31, pp. 1807-1814.
- SHOMATE, C.H., 1944, high-temperature heat contents of magnesium nitrate, calcium nitrite and barium nitrate., *am. chem. soc. jour*, v. 66, pp. 928-929.
- SHOMATE, C.H. and NAYLOR, B.F., 1945, high-temperature heat contents of aluminum oxide, aluminum sulfate, potassium sulfate ammonium sulfate and ammonium bisulfate., *am. chem. soc. jour.*, v. 67, pp. 72-75.
- SILLEN, L.G. and MARTELL, A.E., 1964, stability constants of metal-ion complexes., *the chemical society, spec. publ. no. 17, london.*
- SILLEN, L.G. and MARTELL, A.E., 1971, stability constants of metal-ion complexes, supplement no. 1., *the chemical society, spec. publ. no. 25, london.*
- SILVA, R.J., 1982, the solubilities of crystalline neodymium and americium trihydroxides. *lawrence berkeley laboratory report, lbl-15055, 57p.*
- SILVA, R.J. and NITSCHKE, H., 1983, thermodynamic properties of chemical species of waste radionuclides., unpublished.

- SILVA,R.J. and NITSCHKE,H., 1985, carbonate complexation of pu(iv) in aqueous solution., amer. chemical soc. 189th national meeting, miami, april 28 - may 3., 1p
- SMITH,R.M. and MARTELL,A.E., 1976, critical stability constants. vol. 4, inorganic complexes., plenum press, new york., v. 4, 257p.
- SMYTH,J.R. and BISH,D.L., 1988, crystal structures and cation sites of the rock-forming minerals, allen & unwinn, inc., boston.
- SOMMER,L. and PLISKA,K., 1961, iron(iii) acetate complexes., coll. czech. chem. comm. v.26, pp. 2754-2773/
- SOUTHARD,J.C. and MOORE,G.E., 1942, high temperature heat content of Mn_3O_4 , $MnSiO_3$ and Mn_3C ., jour. amer. chem. soc., v. 64, pp. 1769-1770.
- SPENCER,P.J. 1971, thermodynamic properties of alkali metal alloys., national physical laboratory division of chemical standards, p. 1-37.
- SPENCER,P.J., 1973, the thermodynamic properties of silicates., national physical laboratory division of chemical standards p. 1-35.
- STOHL,F.V. and SMITH,D.K., 1981, the crystal chemistry of the uranvi silicate minerals. american mineral., v. 66, pp. 610-624.
- STRUNZ,H. and TENNYSON,C., 1981, symmetry and twinning in boltwoodite, soviet phys. cryst., v. 26(6), pp. 732-735.
- STULL,D.R.,HILDENBRAN,L., OETTING,F.L. and SINKE,G.C., 1970, low temperature heat capacities of 15 inorganic compounds. chem. eng. data., v. 15, pp. 52-56.
- SULLIVAN,J.C., WOODS,M., BERTRAND,P.A. and CHOPPIN,G.R., 1982, thermodynamics of plutonium (vi) interaction with bicarbonate., radiochimica acta, v. 31, pp. 45-50.
- SVERJENSKY,D.A., 1984, prediction of gibbs free energies of calcite type carbonates and the equilibrium distribution of trace elements between carbonates and aqueous solutions., geochim. cosmochim. acta., v. 48, pp. 1127-1134.
- SWEETON,F.H. and BAES,C.F.,JR., 1970, the solubility of magnetite and hydrolysis of ferrous ion in aqueous solutions at elevated temperatures., j. chem. thermodyn., v. 2, pp. 479-500.
- SYKES,K.W., 1952, the reaction between ferric and iodide ions. part ii. the influence of ionic association. chem., soc., v. 1952, pp. 124-129.
- SYLVA,R.N. and DAVIDSON,M.R. , 1979, the hydrolysis of metal ions. part 2. dioxouranium(vi). chem. soc., dalton trans., p. 465-471.

- TASKER, I.R., O'HARE, P.A.G., LEWIS, B.M., JOHNSON, G.K. and CORDFUNKE, E.H.P., 1987, thermochemistry of uranium compounds. xvi. calorimetric determination of the standard molar enthalpy of formation at 298.15 K, low temperature heat capacity, and high-temperature enthalpy increments of $UO_2(OH)_2 \cdot 2H_2O$ (schoepite). , Lawrence Livermore National Laboratory, UCRL-21055, 17p.
- TAYLOR, A.R., JR. and SMITH, D.F., 1962, thermodynamic properties of strontium bromide and strontium nitrate., U.S. Bur. Mines Dept. Inv. 5967, 12p.
- TERPILOWSKI, J. and RATAJCZAK, E., 1967, wiadomości termodynamiczne selenku cynku., Roczn. Chem., v. 41, pp. 429-432.
- TORGESON, D. and SHOMATE, C., 1969, heats of formation of $3CaO \cdot B_2O_3$, $2CaO \cdot B_2O_3$, $CaO \cdot B_2O_3$ and $CaO \cdot B_2O_3$., J. Amer. Chem. Soc., v. 69, pp. 2103-2105.
- TREMAINE, P.R. and LEBLANC, J.C., 1980, the solubility of magnetite and the hydrolysis and oxidation of Fe^{++} in water to 300 C., J. Solution Chem., v. 9, pp. 415-442.
- TREMAINE, P.R., CHEN, J.D., WALLACE, G.J. and BOIVIN, W.A., 1981, solubility of uranium(IV) oxide in alkaline aqueous solutions to 300C., J. Soln. Chem., v. 10, pp. 221-230.
- TRIPATHI, V.S., 1984, uranium (VI) transport modeling: geochemical data and submodels, Stanford University, (unpublished Ph.D. dissertation)., 297p.
- TRUEDELLE, A.H. and JONES, B.F., 1974, WATEQ, a computer program for calculating chemical equilibria of natural waters., U.S. Geol. Surv. Jour. Res., v. 2, pp. 233-248.
- TUMMAVUORI, J., 1971, spectrophotometric determination of the stability constants of complexes formed by copper(II) and nitrite ions in sodium perchlorate solutions at 25 C., Suomen Kem., v. 44, pp. 222-228.
- TURNBULL, A., 1961, thermochemistry of zirconium halides. phys.chem., v. 65 pp. 1652-1961
- TURNBULL, A.G., 1973, a thermochemical study of vaterite. geochim. et cosmochim. acta v. 37, pp. 1593-1601.
- TURNER, D.R., WHITFIELD, M. and DICKSON, A.G., 1981, the equilibrium speciation of dissolved components in freshwater and seawater at 25 C and 1 atm pressure., geochim. cosmochim. acta, v. 45, pp. 855-881.
- URKOV, K.A., LILIC, L.S. and SILLEN, L.G., 1965, the nickel ion, Ni^{+2} , in $3M (Na)ClO_4$ medium., acta. chem. scand., v. 19, pp. 14-29.

- VASUDEVA RAO,P.R., BAGAWDE,S.V., RAMAKRISHNA,V.V. and PATIL,S.K., 1978, sulfate complexing of some trivalent actinides., J. inorg. nucl. chem., v. 40, pp. 123-127.
- VAUGHAN,D.J. and CRAIG,J.R., 1978, mineral chemistry of metal sulfides., cambridge university press, mass.
- VICTOR,A.C. and DOUGLAS,T.B., 1961, thermodynamic properties of thorium dioxide from 298 to 1200 k., u.s. natl. bur. standards jour. research, v. 65a, pp. 105-111.
- VICTOR,A.C. and DOUGLAS,T.B., 1963, thermodynamic properties of magnesium oxide and beryllium oxide from 298 to 1200 k., u.s. natl. bur standards jour. research v. 67a, pp. 325-329.
- VOLKOV,A.I., YAGLOV,V.N. and NOVIKOV,G.I., 1975, heats of formation of cobalt and nickel orthophosphates octahydrides., vesti. akad. navuk. b. sssr. ser. khlm. navuk., p. 124-125.
- VORONON,G.F. 1970, estimation of standard entropies of chemical compounds., zhur. fiz. khim., v. 44 pp. 1717-1719.
- WAGMAN,D., PARKER,W. and SCHUMM.R., 1976, chemical thermodynamic properties of compounds of sodium, potassium and rubidium., u.s. natl. bur. stand., v. 76.
- WAGMAN,D.D, EVANS,W.H., PARKER,V.B. and SCHUMM,R.H., 1976, chemical thermodynamic properties of compounds of sodium, potassium and rubidium-an interim tabulation of selected values., u.s. natl. bur. standards interim rep. 76-1034.
- WAGMAN,D.D., EVANS,W.H., PARKER,V.B., HALOW,I., BAILEY,S.M. and SCHUMM,R.H., 1969, selected values of chemical thermodynamic properties, tables for elements 35 through 53, u.s. natl. bur. standards tech. note 270-4., 152p.
- WAGMAN,D.D., EVANS,W.H., PARKER,V.B., HALOW,I., BAILEY,S.M. and SHUMM,R.H., 1968, selected values of chemical thermodynamic properties., u.s. nati-bur. standards tech. note 270-3., 264p.
- WAGMAN,D.D., EVANS,W.H., PARKER,V.B., HALOW,I., BAILEY,S.M., SCHUMM,R.H. and CHURNEY.K.L., 1971, selected values of chemical thermodynamic properties., u.s. natl. bur. standards tech. note 270-5., p. 12-21.
- WAGMAN,D.D., EVANS,W.H., PARKER,V.B., SCHUMM,R.H. and NUTTALL,R., 1981, selected values of chemical thermodynamic properties. compounds of uranium, protactinium, thorium, actinium, and the alkali metals., u.s. natl. bur. standards tech. note 270-8., 134p.

- WAGMAN, D.D., EVANS, W.H., PARKER, V.B., SCHUMM, R.H., HALOW, I., BAILEY, S.M., CHURNEY, K.L. and NUTTALL, R.L. 1982, the nbs tables of chemical thermodynamic properties, selected values for inorganic and c1 and c2 organic substances in si units., j. phys. chem. reference data, vol 11, supplement 2, 392p.
- WAGMAN, D.D., SCHUMM, R.H. and PARKER, V.B. 1977, a computer assisted evaluation of the thermochemical data of compounds of thorium., u.s. natl. bur. standards interim report, nbsir 77-1300., p. 93.
- WALSH, P.N., ART, E.W. and WHITE, D., 1962, the heat capacity of the silver chalcogenides. Ag₂S, Ag₂Se, and Ag₂Te from 16 to 300 k., j. phys. chem., v. 66, pp. 1546-1549.
- WARD, M. and WELCH, G., 1956, the chloride complexes of trivalent plutonium, americium, and curium., jour. inorg. nucl. chem., v. 2, pp. 95-402.
- WEAST, R.C. (ED.), 1990, crc handbook of chemistry and physics, crc press, inc., boca raton, fl., 70th ed.
- WELLER, W.W. and KELLEY, K.K., 1964, low-temperature heat capacities and entropies at 298.15 k of sulfides of arsenic, germanium and nickel., u.s. bur. mines rept. inv. 6511, 7p.
- WELLS, C.F., 1969, reaction of Feaq²⁺ and FeClaq⁺ with hydrogen peroxide in perchlorate media at 25 k., j. chem. soc. a, p. 2741-2743.
- WILDERVANCK, J.C. and JELLINEK, F., 1971, the dichalcogenides of technetium and rhenium journal of less-common metals, v. 24, pp. 73-81.
- WILLIX, R.L.S., 1963, ferrous-ferric redox reaction in the presence of sulphate ion., J. chem. soc. trans. faraday soc., v. 59, pp 1315-1324.
- WOLERY, T.J., 1978, some chemical aspects of hydrothermal processes at mid-oceanic ridges a theoretical study. 1. basalt-sea water reaction and chemical cycling between the oceanic crust and the oceans. ii. calculation of chemical equilibrium between aqueous solutions and minerals, northwestern university, evaston, illinois (unpublished ph.d. dissertation), 263p.
- WOLERY, T.J., 1985, notes, private written communication, 23P.
- WOODS, T.L. and GARRELS, R.M., 1987, thermodynamic values at low temperature for natural inorganic materials: an uncritical summary, oxford university press.
- ZOTOV, A.V. and KOTOVA, Z.Y., 1979, spectroscopic determination of the first hydrolysis constant of fe⁺⁺⁺ in the interval 80-200 c., geokhimiya, v. 5, pp. 768-773.

Appendix B
GEMBOCHS DATA DICTIONARY

GEMBOCHS-B1

GEMBOCHS-B2

APPENDIX B: GEMBOCHS Data Dictionary

The data dictionary defines each column variable and its valid range of values for each data table in the GEMBOCHS thermodynamic database. Column variables that must be assigned a non-null value are underlined.

Table: AQUEOUS

Aqueous species data.

1 row per species.

Aqueous.NAME

Description primary key
Range Species.NAME where Species.TYPE= aqueous

Aqueous.TYPE

Description type of aqueous species
Range Enumerated:
basis strict basis species
aux alternate basis species
aqueous non-basis species

Aqueous.CHG

Description ionic charge
Range integer

Aqueous.ITYPE

Description Criss-Cobble ion type values, only entered for those species listed by Criss and Cobble (1964a,b)

Range Enumerated:

- 1 simple cations
- 2 simple anions and oh-
- 3 oxy-anions
- 4 acid oxy-anions

Aqueous.ACT FLAG

Description flag for $O_2(aq)$, $H_2(aq)$, $SiO_2(aq)$ for EQ3/6 activity coefficient formalism
Range negative integer

Aqueous.SE

Description internal electronic entropy (cal) used in Criss-Cobble extrapolations for rare earth and lanthanide species
Range positive real number

Aqueous.AZERO	
Description	ion size parameter used for EQ3/6 BDOT activity coefficient formalism data values are entered as listed for species in Nordstron and Munoz (1986,p. 200) after Kielland (1937) Otherwise: if Aqueous.CHG <1 then = 4.0 +1 then = 4.0 +2 then = 4.5 +3 then = 5.0 +4 then = 5.5 >4 then = 6.0
Aqueous.BDOT	
Description	bdot parameter
Range	real number
Aqueous.CP	
Description	partial molal heat capacity (cal/mol)
Range	real number
Aqueous.SOURCE	
Description	data citation
Range	10 character field

Table: **AUDIT**

Documentation for all **GEMBOCHS** data changes.

0-n rows per species

Audit.SPECIES	
Description	name of changed species
Range	Species.NAME
Audit.TAB	
Description	GEMBOCHS table
Range	24 character field
Audit.COL	
Description	GEMBOCHS column
Range	24 character field
Audit.OLD VAL	
Description	previous data value
Range	24 character field
Audit.NEW VAL	
Description	new data value
Range	4 character field
Audit.UPDATE BY	
Description	DBAPP user name
Range	24 character field

Audit.DATE CNG

Description date update made
Range 24 character field

Audit.REQUEST BY

Description name of person requesting data change
Range 24 character field

Audit.COMMENTS

Description additional comments
Range 64 character field

Table: **AUTHORITY**

Contains a list of users authorized to change **GEMBOCHS** data, and their passwords

1 row per user

Authority.PERSON

Description user name
Range 24 character field

Authority.PASSWORD

Description user's password
Range 24 character hidden field

Table: **COMMENTS**

User comments about selected species

0-n rows per species

Comments.NAME

Description species name
Range 24 character field

Comments.DESCRPTION

Description user comments
Range 160 character field

Table: **COMPOSITION**

The stoichiometry for each species.

1 - n rows per species.

Composition.NAME

Description primary key
Range Species.NAME

Composition.COEFF

Description stoichiometric coefficient
Range positive real number

Composition.SPECIES

Description refstate element
Range if Species.TYPE = ss then
Mineral.NAME where Mineral.TYPE = solid
else
Mineral.NAME where Mineral.STATE = refstate

Table: CP

Coefficients for the heat capacity polynomial

0-n rows per solid/liquid/gas

Cp.NAME

Description primary key
Range Species.NAME where
Species.TYPE= mineral

Cp.SOURCE

Description primary cited reference
Range References.SQUIBB

Cp.UNITS

Description cited units
Range Enumerated:
cal
jou

Cp.LIMIT

Description temperature limit for polynomial (°K)
Range positive real number

Cp.T0

Description constant, T**0 term
Range real number

Cp.T1

Description coefficient, T**1 term
Range real number

Cp.T_1

Description coefficient, T**⁻¹ term
Range real number

Cp.T2		
Description	coefficient, T^{**2} term	
Range	real number	
Cp.T_2		
Description	coefficient, T^{**-2} term	
Range	real number	
Cp.T3		
Description	coefficient, T^{**3} term	
Range	real number	
Cp.T_3		
Description	coefficient, T^{**-3} term	
Range	real number	
Cp.THALF		
Description	coefficient, $T^{**0.5}$ term	
Range	real number	
Cp.T_HALF		
Description	coefficient, $T^{**-0.5}$ term	
Range	real number	
Cp.ERROR		
Description	estimated polynomial error	
Range	10 character field	

Table: CPTRAN

Contains heat capacity transition data

<u>Cp.NAME</u>		
Description	primary key	
Range	Species.NAME where Species.TYPE= mineral	
<u>Cptran.SOURCE</u>		
Description	primary cited reference	
Range	References.SQUIBB	
<u>Cptran.DELHTR</u>		
Description	standard molal enthalpy of transition	
Range	real number	
<u>Cptran.DELSTR</u>		
Description	standard molal entropy of transition	
Range	real number	
<u>Cptran.SLOPE</u>		
Description	Clapeyron slope	
Range	real number	
<u>Cptran.VTR</u>		
Description	standard molal volume of transition	
Range	real number	

Table: EOS

Contains SUPCRT EOS data

<u>EOS.NAME</u>	
Description	species name
Range	24 character field
<u>EOS.A1</u>	
Description	EOS coefficient, a1
Range	real number
<u>EOS.A2</u>	
Description	EOS coefficient, a2
Range	real number
<u>EOS.A3</u>	
Description	EOS coefficient, a3
Range	real number
<u>EOS.A4</u>	
Description	EOS coefficient, a4
Range	real number
<u>EOS.C1</u>	
Description	EOS coefficient, c1
Range	real number
<u>EOS.C2</u>	
Description	EOS coefficient, c2
Range	real number
<u>EOS.W</u>	
Description	EOS coefficient, w
Range	real number

Table: GHS

GHS thermodynamic data values.

<u>GHS.NAME</u>	
Description	primary key
Range	Species.NAME
<u>GHS.SOURCE</u>	
Description	reference citation for DELG0,DELH0,SZER0
<u>GHS.UNITS</u>	
Description	defined as follows: cal= kcal/mol for DELG0,DELH0 = cal/mol for SZER0 jou= kJ/mol for DELG0,DELH0 = J/mol for SZER0
Range	Enumerated: cal jou

GHS.DELG0	Description	apparent standard molal Gibbs free energy of formation
	Range	real number
GHS.DELH0	Description	apparent standard molal enthalpy of formation
	Range	real number
GHS.S0	Description	conventional or absolute entropy
	Range	real number
GHS.V0	Description	partial molal/molar volume (cm ³ /mol)

Table: **LABELS**

User defined species subsets.

0-n rows per species.

Labels.NAME

Description	primary key
Range	Species.NAME

Labels.TYPE

Description	code to distinguish type of subset
Range	Enumerated:
	est subset identifying estimated data
	sub user defined subset

Labels.CLASS

Description	estimated variable or subset name
Range	If Labels.TYPE= est
	then GEMBOCHS column
	else 16 character field

Table: **LOGK**

Logk data as a function of temperature.

0-n rows per species

LOGK.NAME

Description	primary key
Range	Species.NAME

LOGKSOURCE

Description	reference citation for LOGK
Range	References.SQUIBB

LOGK.TEMP	
Description	measured temperature for LOGK (°C) Note: if Basic.GFLAG = 3 and Basic.KSOURCE= tpgrid a Tpgrid.TEMP at 25°C must be entered
Range	positive real number
LOGK.PRES	
Description	pressure corresponding with temperature in Tpgrid.TEMP
Range	positive real number
LOGK.LOGK	
Description	LOGK value
Range	real number

Table: Mineral

Additional data for solid, liquid, gas and solid solutions

1 row per mineral species

Mineral.NAME

 Description primary key
 Range **Species.NAME** where **Species.TYPE=mineral**

Mineral.TYPE

 Description EQ3/6 species type.
 Range Enumerated:
 liquid liquid species
 solid solid/mineral species
 gas gaseous species
 ss solid solution

Mineral.COMPOSITION

 Description chemical composition of mineral name.
 Range 55 character field

Mineral.ALTNAME

 Description alternate species name
 Range 24 character field

Mineral.VARIETY

 Description crystalline form of polymorphs
 Range Enumerated:
 alpha, beta, gamma, etc.

Mineral.STATE

 Description crystalline state of species, identifies hypothetical
 endmembers of solid solutions, reference state elements,
 forms of solid solutions, or polymorphs.

Range	Enumerated:
	ideal
	regular
	refstate
	hypothetical
	polymorph

Table: PARAMETERS

Miscellaneous parameter grids needed for **data0** header listing. Parameters include: temperature, pressure, Criss-Cobble parameters, Debye-Huckel constants, solution solution mixing parameters.

<u>Parameters-NAME</u>	
Description	type of parameter
Range	30 character field
Parameters.ONE	
Description	parameter value
Range	real number
Parameters.TWO	
Description	parameter value
Range	real number
Parameters.THREE	
Description	parameter value
Range	real number
Parameters.FOUR	
Description	parameter value
Range	real number
Parameters.FIVE	
Description	parameter value
Range	real number
Parameters.SIX	
Description	parameter value
Range	real number
Parameters.SEVEN	
Description	parameter value
Range	real number
Parameters.EIGHT	
Description	parameter value
Range	real number
Parameters.NINE	
Description	parameter value
Range	real number
Parameters.TEN	
Description	parameter value
Range	real number

Parameters.ELEVEN	Description	parameter value
	Range	real number
Parameters.TWELVE	Description	parameter value
	Range	real number
Parameters.PITNUM	Description	order to print in Pitzer output file
	Range	integer
Parameters.BDOTNUM	Description	order to print in Bdot output file
	Range	integer
Parameters.HMWNUM	Description	order to print in HMW output file
	Range	integer

Table: REACTION

Species and coefficients for Data0 RXN and REF RXN.

0-n rows per species.

Reaction.NAME	Description	primary key
	Range	Species.NAME
Reaction.SOURCE	Description	citation of reference reaction (required when Reaction.TYPE=ref)
	Range	10 character field
Reaction.TYPE	Description	code to distinguish kind of reaction
	Range	Enumerated: d0 Data0 RXN ref REF RXN
Reaction.COEFF	Description	coefficient associated with Reaction.SPECIES
	Range	real number
Reaction.SPECIES	Description	component species in the reaction
	Range	if Reaction.TYPE= d0 then Aqueous.NAME where Aqueous.TYPE= basis or Aqueous.TYPE= aux else Species.NAME

Table: **REFERENCES**

Complete reference citations for all data sources.

References.SQUIBB	
Description	reference citation in SQUIBB format: year,author and secondary author: yypr/sec
Range	10 character field
References.AUTHOR	
Description	author(s), by last name, first initials
Range	160 character field
References.YR	
Description	year published
Range	positive integer > 1850
References.YR ALT	
Description	designator for multi-year citations
Range	1 character field, ascending order
References.TITLE	
Description	complete reference title
Range	300 character field
References.PUBLISHER	
Description	publisher or journal
Range	80 character field
References.VOL	
Description	volume number
Range	5 character field
References.PAGES	
Description	page numbers
Range	1-2 character field
References.XCOPY	
Description	reference copy information
Range	Enumerated: yes copy in GEMBOCHS reference library no copy not in reference library abs abstract in reference library ord copy requested
References.FILE	
Description	defined as follows:
Range	Enumerated: aux reference not used in data0 pending possible future reference primary current data0 reference

Table: **REFSTATE**

Properties of reference-state elements.

1 row per element

Refstate.NAME	
Description	element name in most common form
Range	Mineral.NAME where Mineral.STATE=refstate
Refstate.SYMBOL	
Description	chemical symbol
Range	2 character field
Refstate.AINUM	
Description	atomic number
Range	positive integer
Refstate.SOA	
Description	Standard Order of Arrangement (Wagman et al., 1983)
Range	positive integer
Refstate.MWT	
Description	molecular weight
Range	positive real number
Refstate.BASIS	
Description	designated basis species for element
Range	Aqueous.NAME where Aqueous.TYPE=basis

Table: **SPECIES**

Descriptive information about each chemical species

1 row per species.

Species-NAME	
Description	unique species name.
Range	24 character field
Species-TYPE	
Description	species type.
Range	Enumerated: aqueous basis, auxiliary or non-basis aqueous species mineral solid, liquid, gas or solid solution species
Species.DATE	
Description	date of entry/last data change
Range	dd- mmm -yyyy

Table: **THERMO**

Shows what data exists for each species

<u>Thermo.NAME</u>	primary key
Description	Species.NAME
Range	
<u>Thermo.STATUS</u>	output status
Description	Enumerated:
Range	active
	notused
<u>Thermo.SOURCE</u>	data source
Description	References.SQUIBB
Range	
<u>Thermo.GFLAG</u>	data selection flag for D00OUT LOGK calculations
Description	Enumerated:
Range	0 incomplete data
	1 use GHS.DELG0
	2 use GHS.DELH0 and GHS.SZERO
	3 use LOGK data
	4 use urt data
	..5 use CP data

Table: URT

Contains URT data

<u>URT.NAME</u>	species name
Description	24 character field
Range	
<u>URT.SOURCE</u>	data source
Description	10 character field
Range	
<u>URT.URT</u>	chemical potential (u/RT)
Description	real number
Range	

Appendix C
GEMBOCHS AUDIT TABLE
3rd Quarter, 1991

GEMBOCHS-C1

GEMBOCHS-C2

Appendix C: GEMBOCHS Audit Table: 3rd Qtr., 1991

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>

Species: al(oh)4-					
species	status	notused	active	4/11/91	Johnson
Comments: replace deactivated supcrt species					

Species: clinoptilolite-hy-ca					
species	name		clinoptilolite	4/8/91	
Comments: added to test new clino					
basic	delg0	-4547.780	-4601.627	5/1/91	Viani
Comments: recalculated for hy					

Species: clinoptilolite-hy-cs					
species	name		clinoptilolite	4/8/91	
Comments: added as test set for Viani					
basic	delg0	-4568.686	-4315.573	5/1/91	Viani
Comments: recalculated for hy					

Species: clinoptilolite-hy-k					
species	name		clinoptilolite	4/8/91	
Comments: added as test case for Viani					
basic	delg0	-4558.181	-4376.834	5/1/91	Viani
Comments: recalculated for hy					

Species: clinoptilolite-hy-na					
species	name		clinoptilolite	4/12/91	
Comments: added for Viani to test					
basic	delg0	-4535.926	-4546.476	5/1/91	Viani
Comments: recalculated for hy					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>

Species: clinoptilolite-hy-sr					
species	name		clinoptilolite	4/12/91	
Comments: added as new test set for Viani					
basic	delg0	-4552.547	-4731.276	5/1/91	Viani
Comments: recalculated for hy					

Species: clinoptilolite-ss#1					
species	name	clinoptilolite	clinoptilolite	4/12/91	Viani
Comments: new test case					

Species: fe(oh)2(aq)					
species	status	notused	active	4/11/91	Johnson
Comments: replace deactivated supcrt species					

Species: fe(oh)3-					
species	status	notused	active	4/11/91	Johnson
Comments: replace deactivated supcrt species					

Species: koh(aq)					
tpgrid	logk	0.000 0.000	25.000 14.460	4/11/91	Johnson
Comments: replaces deactivated supcrt species					
basic	delg0	-104423.000	-104.500	4/11/91	Johnson
Comments: replaces deactivated supcrt species					
basic	igflg	4	3	4/11/91	Johnson
Comments: replaces deactivated supcrt species					
basic	delh0	-113197.000	500.000	4/11/91	Johnson
Comments: replaces deactivated supcrt species					
basic	szer0	26.180	500.000	4/11/91	Johnson

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
--------------	---------------	------------------	------------------	-------------	------------------

Comments: replaces deactivated supcrt species

species	status	notused	active	4/11/91	Johnson
---------	--------	---------	--------	---------	---------

Comments: replaces deactivated supcrt species

Species: koh(aq)#1

tpgrid	logk	25.000 14.460	25.000 500.000	4/11/91	Johnson
--------	------	---------------	----------------	---------	---------

Comments: new data0 species

basic	delg0	-104.500	-104423.000	4/11/91	Johnson
-------	-------	----------	-------------	---------	---------

Comments: new output species

basic	delh0	500.000	-113197.000	4/11/91	Johnson
-------	-------	---------	-------------	---------	---------

Comments: new output species

basic	szer0	500.000	26.180	4/11/91	Johnson
-------	-------	---------	--------	---------	---------

Comments: new output species

basic	igflg	3	4	4/11/91	Johnson
-------	-------	---	---	---------	---------

Comments: new output species

Species: ni(oh)2(aq)

species	status	notused	active	4/11/91	Johnson
---------	--------	---------	--------	---------	---------

Comments: replace deactivated supcrt species

Species: ni(oh)3-

species	status	notused	active	4/11/91	Johnson
---------	--------	---------	--------	---------	---------

Comments: replace deactivated supcrt species

Species: znoh+

tpgrid	logk	150.000 -6.060	150.000 -6.060	4/11/91	Johnson
--------	------	----------------	----------------	---------	---------

Comments: exchanged with deactivated supcrt species

tpgrid	logk	0.000 0.000	25.000 -8.960	4/11/91	Johnson
--------	------	-------------	---------------	---------	---------

Comments: exchanged with deactivated supcrt species

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	igflg	4	3	4/11/91	Johnson
Comments: replace deactivated supcrt species					
basic	delg0	-79726.000	500.000	4/11/91	Johnson
Comments: replace deactivated supcrt species					
basic	delh0	-82539.000	500.000	4/11/91	Johnson
Comments: replace deactivated supcrt species					
basic	szer0	25.000	500.000	4/11/91	Johnson
Comments: replace deactivated supcrt species					
species	status	notused	active	4/11/91	Johnson
Comments: replace deactivated supcrt species					

Species: znoh+#1

basic	delg0	500.000	-79726.000	4/11/91	Johnson		
Comments: deactivated, made into test species							
basic	delh0	500.000	-82539.000	4/11/91	Johnson		
Comments: deactivated, made into test species							
basic	szer0	500.000	25.000	4/11/91	Johnson		
Comments: deactivated, made into test species							
basic	iqflg	3	4	4/11/91	Johnson		
Comments: deactivated, made into test species							
tpgrid	logk	100.000	-6.990	100.000	500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species							
tpgrid	logk	150.000	-6.060	150.000	500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species							
tpgrid	logk	200.000	-5.330	200.000	500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species							
tpgrid	logk	25.000	-8.960	25.000	500.000	4/11/91	Johnson
Comments: exchange with supcrt data0 species							
tpgrid	logk	250.000	-4.740	250.000	500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species							
tpgrid	logk	300.000	-4.250	300.000	500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species							

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
tpgrid	logk	350.000 -3.840	350.000 500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species					
tpgrid	logk	60.000 -7.930	60.000 500.000	4/11/91	Johnson
Comments: exchange with supcrt data0 species					

Appendix D

GEMBOCHS AUDIT TABLE

D00UT Suite R9 to R10

GEMBOCHS-D2

Appendix D: GEMBOCHS Audit Table: DOOUT Suite R9 to R10

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>

Species: ag(co3)2---					
basic	delg0	-236889.000	-236890.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delh0	-304197.000	-304200.000	2/19/91	Johnson
Comments: new supcrt data					

Species: agcl(aq)					
basic	delg0	-17454.000	-17450.000	2/15/91	
Comments:					
basic	delh0	-18269.000	-18270.000	2/15/91	
Comments:					

Species: agcl2-					
basic	delg0	-51562.000	-51560.000	2/15/91	Johnson
Comments: new supcrt data					
basic	delh0	-61126.000	-61130.000	2/15/91	Johnson
Comment: new supcrt data					

Species: agcl3-					
basic	delh0	-105943.000	-105940.000	2/20/91	Johnson
Comments: new supcrt data					
basic	delg0	-82709.000	-82710.000	2/20/91	Johnson
Comments: new supcrt data					

Species: agcl4-					
basic	delg0	-112277.000	-112280.000	2/20/91	Johnson
Comments: new supcrt data					
basic	delh0	-142218.000	-142220.000	2/20/91	Johnson

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
--------------	---------------	------------------	------------------	-------------	------------------

Comments: new supcrt data

Species: agco3-

basic	delg0	-111434.000	-111430.000	2/19/91	Johnson
Comments: new supcrt data					

basic	delh0	-141596.000	-141600.000	2/19/91	Johnson
Comments: new supcrt data					

Species: agno3(aq)

basic	delh0	-23854.000	-23090.000	2/20/91	Johnson
Comments: new supcrt data					

basic	delg0	-7806.000	-7810.000	2/20/91	Johnson
Comments: new supcrt data					

basic	szer0	52.750	50.000	2/20/91	Johnson
Comments: new supcrt data					

Species: al(oh)4-

species	status	not used	active	4/11/91	Johnson
Comments: replace deactivated supcrt species					

Species: alo2-

species	status	active	not used	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: bacl+

basic	delg0	-164727.000	-164730.000	2/20/91	Johnson
Comments: new supcrt data					

basic	delh0	-165774.000	-165770.000	2/20/91	Johnson
Comments: new supcrt data					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
--------------	---------------	------------------	------------------	-------------	------------------

Species: baco3(aq)

basic	delh0	-285848.000	-285850.000	2/19/91	Johnson
Comments: new supcrt data					

Species: baf+

basic	delg0	-201124.000	-201120.000	2/19/91	Johnson
Comments: new supcrt data					

basic	delh0	-206511.000	-206510.000	2/19/91	Johnson
Comments: new supcrt data					

Species: bahco3+

species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: cacl+

basic	delg0	-162548.000	-162550.000	2/20/91	Johnson
Comments: new supcrt data					

basic	delh0	-169248.000	-169250.000	2/20/91	Johnson
Comments: new supcrt data					

Species: cacl2(aq)

basic	delh0	-211062.000	-211060.000	2/20/91	Johnson
Comments: new supcrt data					

Species: caco3(aq)

basic	delg0	-262848.000	-262850.000	2/19/91	Johnson
Comments: new supcrt data					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	delh0	-287391.000	-287390.000	2/19/91	Johnson
Comments: new supcrt data					

Species: caf+

basic	delg0	-200388.000	-200390.000	2/15/91	Johnson
Comments: new supcrt data					

basic	delh0	-208597.000	-208600.000	2/15/91	Johnson
Comments: new supcrt data					

Species: cahco3+

basic	delg0	-273834.000	-273830.000	2/19/91	Johnson
Comments: new supcrt data					

Species: caso4(aq)

basic	delg0	-312925.000	-312930.000	2/19/91	Johnson
Comments: new supcrt data					

basic	delh0	-345905.000	-345900.000	2/19/91	Johnson
Comments: new supcrt data					

Species: clinoptilolite-hy-ca

species name	clinoptilolite	4/8/91
Comments: added to test new clino		

Species: clinoptilolite-hy-cs

species name	clinoptilolite	4/8/91
Comments: added as test set for Viani		

Species: clinoptilolite-hy-k

GEMBOCHS-D6

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
species	name		clinoptilolite	4/8/91	
Comments: added as test case for Viani					

Species: clinoptilolite-hy-na

species	name		clinoptilolite	4/12/91	
Comments: added for Viani to test					

Species: clinoptilolite-hy-sr

species	name		clinoptilolite	4/12/91	
Comments: added as new test set for Vaini					

Species: clinoptilolite-ss#1

species	name	clinoptilolite	clinoptilolite	4/12/91	Viani
Comments: new test case					

Species: cooh+

species	status	active	notused	2/19/91	Johnson
Comments: not in 1991 supcrt database					

Species: csbr(aq)

basic	delh0	-87792.000	-88090.000	2/19/91	Johnson
Comments: new supcrt data					

basic	delgo	-93912.000	-94210.000	2/19/91	Johnson
Comments: new supcrt data					

basic	szero	59.300	58.800	2/19/91	Johnson
Comments: new supcrt data					

Species: cscl(aq)

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	delg0	-99943.000	-100900.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delh0	-98344.000	-100950.000	2/19/91	Johnson
Comments: new supcrt data					

Species: csi(aq)

basic	delh0	-73329.000	-76840.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delg0	-81982.000	-82480.000	2/19/91	Johnson
Comments: new supcrt data					
basic	szero	63.300	61.300	2/19/91	Johnson
Comments: new supcrt data					

Species: fe(ch3coo)2(aq)

basic	delg0	-201792.000	-201800.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delh0	-259123.000	-259100.000	2/19/91	Johnson
Comments: new supcrt data					

Species: fe(oh)2(aq)

species	status	notused	active	4/11/91	Johnson
Comments: replace deactivated supcrt species					

Species: fe(oh)3-

species	status	notused	active	4/11/91	Johnson
Comments: replace deactivated supcrt species					

Species: fech3coo+

basic	delg0	-111892.000	-111900.000	2/19/91	Johnson
-------	-------	-------------	-------------	---------	---------

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
--------------	---------------	------------------	------------------	-------------	------------------

Comments: new supcrt data

basic	delh0	-139042.000	-139060.000	2/19/91	Johnson
-------	-------	-------------	-------------	---------	---------

Comments: new supcrt data

Species: fecl+

basic	delg0	-53031.000	-53030.000	2/15/91	Johnson
-------	-------	------------	------------	---------	---------

Comments: new supcrt data

basic	delh0	-61264.000	-61260.000	2/15/91	Johnson
-------	-------	------------	------------	---------	---------

Comments: new supcrt data

Species: fecl2(aq)

basic	delh0	-100233.000	-100370.000	2/20/91	Johnson
-------	-------	-------------	-------------	---------	---------

Comments: new supcrt data

basic	szer0	-4.730	-4.220	2/20/91	Johnson
-------	-------	--------	--------	---------	---------

Comments: new supcrt data

basic	delg0	-81156.000	-81280.000	2/20/91	Johnson
-------	-------	------------	------------	---------	---------

Comments: new supcrt data

Species: feo(aq)

species	status	active	notused	2/19/91	Johnson
---------	--------	--------	---------	---------	---------

Comments: not in supcrt 1991 manuscript

Species: feoh+

species	status	active	notused	2/19/91	Johnson
---------	--------	--------	---------	---------	---------

Comments: not in supcrt 1991 database

Species: h3sio4-

species	status	active	notused	2/15/91	Johnson
---------	--------	--------	---------	---------	---------

Comments: doppleganger species

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>

Species: hfeo2-					
species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: hnio2-					
species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: hpbo2-					
species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: hsio3-					
basic	delh0	-271879.0001	-271880.000	2/19/91	Johnson
Comments: new supcrt clata					

Species: hzno2-					
species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: kbr(aq)					
basic	delh0	-86317.000	-86320-000	2/19/91	Johnson
Comments: new supcrt data					
basic	delg0	-90006.000	-90010.000	2/19/91	Johnson
Comments: new supcrt data					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATA</u>	<u>REQUESTER</u>
--------------	---------------	------------------	------------------	-------------	------------------

Species: kcl(aq)

basic	deh0	-96012.000	-96810.000	2/19/91	Johnson
Comments: new supcrt data					

basic	delg0	-96051.000	-96850.000	2/19/91	Johnson
Comments: new supcrt data					

Species: khso4(aq)

basic	delg0	-245800.000	-246550.000	2/19/91	Johnson
Comments: new supcrt data					

basic	delho	-269870.000	-270540.000	2/19/91	Johnson
Comments: new supcrt data					

basic	szer0	56.030	56.310	2/19/91	Johnson
Comments: new supcrt data					

Species: ki(aq)

basic	delh0	-71676.000	-71680.000	2/19/91	Johnson
Comments: new supcrt data					

Species: koh(aq)

species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

tpgrid	logk	0.000 0.000	25.000 14.460	4/11/91	Johnson
Comments: replaces deactivated supcrt species					

basic	delg0	-104423.000	-104.500	4/11/91	Johnson
Comments: replaces deactivated supcrt species					

basic	igflg	4	3	4/11/91	Johnson
Comments: replaces deactivated supcrt species					

basic	delh0	-113197.000	500.000	4/11/91	Johnson
Comments: replaces deactivated supcrt species					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	szer0	26.180	500.000	4/11/91	Johnson
Comments: replaces deactivated supcrt species					
species	status	notused	active	4/11/91	Johnson
Comments: replaces deactivated supcrt species					

Species: koh(aq)#1

tpgrid	logk	25.000	14.460	25.000	500.000	4/11/91	Johnson
Comments: new data0 species							
basic	delg0	-104.500		-104423.000		4/11/91	Johnson
Comments: new output species							
basic	delh0	500.000		-113197.000		4/11/91	Johnson
Comments: new output species							
basic	szer0	500.000		26.180		4/11/91	Johnson
Comments: new output species							
basic	igflg	3		4		4/11/91	Johnson
Comments: new output species							

Species: kso4-

basic	delh0	-276978.000		-276980.000		2/19/91	Johnson
Comments: new supcrt data							

Species: licl(aq)

basic	delh0	-105675.000		-105680.000		2/19/91	Johnson
Comments: new supcrt data							
basic	delg0	-99252.000		-99250.000		2/19/91	Johnson
Comments: new supcrt data							

Species: mgcl+

basic	delg0	-139707.000		-139700.000		2/15/91	Johnson
Comments: new supcrt data							

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	delh0	-150992.000	-151440.000	2/15/91	Johnson
Comments: new supcrt data					

Species: mgco3(aq)

basic	delg0	-238759.000	-238760.000	2/9/91	Johnson
Comments: new supcrt data					

basic	delh0	-270571.000	-270570.000	2/19/91	Johnson
Comments: new supcrt data					

Species: mgf+

basic	delg0	-177687.000	-177690.000	2/15/91	Johnson
Comments: new supcrt data					

basic	delh0	-189975.000	-190950.000	2/15/91	Johnson
Comments: new supcrt data					

basic	szer0	-24.800	-28.070	2/15/91	Johnson
Comments: new supcrt data					

Species: mghco3+

basic	delg0	-250202.000	-250200.000	2/19/91	Johnson
Comments: new supcrt data					

basic	delh0	-275752.000	-275750.000	2/19/91	Johnson
Comments: new supcrt data					

Species: mgoh+

species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: mncl+

basic	delg0	-86288.000	-86290.000	2/20/91	Johnson
-------	-------	------------	------------	---------	---------

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTOR</u>
Comments: new supcrt data					
basic	delh0	-88284.000	-88280.000	2/20/91	Johnson
Comments: new supcrt data					

Species: mns04(aq)					
basic	delg0	-235637.000	-235640.000	2/20/91	Johnson
Comments: new supcrt data					
basic	delh0	-266748.000	-266750.000	2/20/91	Johnson
Comments: new supcrt data					

Species: nabr(aq)					
basic	delh0	-84828.000	-84830.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delg0	-85606.000	-85610.000	2/19/91	Johnson
Comments: new supcrt data					

Species: naf(aq)					
basic	delg0	-128567.000	-128570.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delh0	-135862.000	-135860.000	2/19/91	Johnson
Comments: new supcrt data					

Species: nahsio3(aq)					
basic	delg0	-307142.000	-307140.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delh0	-332745.000	-332740.000	2/19/91	Johnson
Comments: new supcrt data					

Species: nai(aq)					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	delh0	-69282.000	-69280.000	2/19/91	Johnson
Comments: new supcrt data					

Species: ni(oh)2(aq)

species	status	notused	active	4/11/91	Johnson
Comments: replace deactivated supcrt data					

Species: ni(oh)3-

species	status	notused	active	4/11/91	Johnson
Comments: replace deactivated supcrt species					

Species: nicl+

basic	delg0	-40915.000	-40920.000	2/15/91	Johnson
Comments: new supcrt data					

basic	delh0	-51397.000	-51400.000	2/15/91	Johnson
Comments: new supcrt data					

Species: nio(aq)

species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: nioh+

species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: pb(ch3coo)2(aq)

basic	delg0	-187024.000	-187020.000	2/20/91	Johnson
Comments: new supcrt data					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	delh0	-187024.000	-187020.000	2/10/91	Johnson
Comments: new supcrt data					

Species: pbch3coo+					
basic	delh0	-115209.000	-115210.000	2/20/91	Johnson
Comments: new supcrt data					
basic	delg0	-97314.000	-97320.000	2/20/91	Johnson
Comments: new supcrt data					

Species: pbcl+					
basic	delh0	-38626.000	-38630.000	2/15/91	Johnson
Comments: new supcrt data					
basic	delg0	-39054.000	-39050.000	2/15/91	Johnson
Comments: new supcrt data					

Species: pbcl2(aq)					
basic	delg0	-71197.000	-71200.000	2/15/91	Johnson
Comments: new supcrt data					
basic	delh0	-77702.000	-77700.000	2/15/91	Johnson
Comments: new supcrt data					

Species: pbcl3-					
basic	delg0	-102153.000	-102150.000	2/15/91	Johnson
Comments: new supcrt data					
basic	delh0	-118274.000	-117700.000	2/15/91	Johnson
Comments: new supcrt data					
basic	szer0	57.000	59.000	2/15/91	Johnson
Comments: new supcrt data					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
Species: pbcl4--					
basic	delg0	-133259.000	-133260.000	2/20/91	Johnson
Comments: new supcrt data					
basic	delh0	-161231.000	-161230.000	2/20/91	Johnson
Comments: new supcrt data					

Species: pbo(aq)					
species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: pboh+					
species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: rbbr(aq)					
basic	delh0	-85727.000	-85730.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delg0	-91006.000	-91010.000	2/19/91	Johnson
Comments: new supcrt data					

Species: rbcl(aq)					
basic	delh0	-96751,000	-96800.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delg0	-97815.000	-97870.000	2/19/91	Johnson
Comments: new supcrt data					

Species: rbf(aq)					
basic	delg0	-135454.000	-136450.000	2/19/91	Johnson
Comments: new supcrt data					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	delh0	-138577.000	-139710.000	2/19/91	Johnson
Comments: new supcrt data					
basic	szero	32.000	31.600	2/19/91	Johnson
Comments: new supcrt data					

Species: rbi(aq)

basic	delh0	-71716.000	-71920.000	2/29/91	Johnson
Comments: new supcrt data					
basic	delg0	-79200.000	-79100.000	2/19/91	Johnson
Comments: new supcrt data					
basic	szero	57.300	56.300	2/19/91	Johnson
Comments: new supcrt data					

Species: srcl+

basic	delg0	-165798.000	-165800.000	2/20/91	Johnson
Comments: new supcrt data					
basic	delh0	-169785.000	-169790.000	2/20/91	Johnson
Comments: new supcrt data					

Species: srco3(aq)

basic	delg0	-264858.000	-264860.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delh0	-288617.000	-288620.000	2/19/91	Johnson
Comments: new supcrt data					

Species: srf+

basic	delg0	-202291.000	-202290.000	2/19/91	Johnson
Comments: new supcrt data					
basic	delh0	-210669.000	-210670.000	2/19/91	Johnson
Comments: new supcrt data					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
--------------	---------------	------------------	------------------	-------------	------------------

Species: srhco3+

species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: zn(ch3coo)2(aq)

species	name		zn(ch3coo)2(aq)	2/21/91	
Comments:					

species: zn(ch3coo)3-

species	name		zn(ch3coo)3-	2/21/91	
Comments:					

Species: znch3coo+

species	name		znch3coo+	2/21/91	
Comments:					

Species: zncl+

basic	delh0	-66539.000	-66240.000	2/15/91	Johnson
Comments: new supcrt data					
basic	delg0	-66852.000	-66850.000	2/15/91	Johnson
Comments: new supcrt data					
basic	szer0	2.000	23.000	2/15/91	Johnson
Comments: new supcrt data					

Species: zncl2(aq)

basic	delh0	-109084.000	-109080.000	2/15/91	Johnson
Comments: new supcrt data					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
basic	delg0	-98299.000	-98300.000	2/15/91	Johnson
Comments: new supcrt data					

Species: zncl3-

basic	delg0	-129037.000	-129310.000	2/20/91	Johnson
Comments: new supcrt data					
basic	delh0	-151061.000	-151060.000	2/20/91	Johnson
Comments: new supcrt data					
basic	szer0	31.590	25.000	2/20/91	Johnson
Comments: new supcrt data					

Species: zncl4-

basic	delg0	-162170.000	-161890.000	2/20/91	Johnson
Comments: new supcrt data					
basic	delh0	-198456.000	-195200.000	2/20/91	Johnson
Comments: new supcrt data					
basic	szer0	26.000	36.000	2/20/91	Johnson
Comments: new supcrt data					

Species: zno(aq)

species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: zno2-

species	status	active	notused	2/19/91	Johnson
Comments: not in supcrt 1991 manuscript					

Species: znoh+

species	status	acvtive	notused	2/19/91	Johnson
---------	--------	---------	---------	---------	---------

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>
Comments: not in supcrt 1991 manuscript					
tpgrid	logk	150.000	-6.060 150.000	-6.060	4/11/91 Johnson
Comments: exchanged with deactivated supcrt species					
tpgrid	logk	0.000	0.000 25.000	-8.960	4/11/91 Johnson
Comments: exchanged with deactivated supcrt species					
basic	igflg	4	3		4/11/91 Johnson
Comments: replace deactivated supcrt species					
basic	delg0	-79726.000	500.000		4/11/91 Johnson
Comments: replace deactivated supcrt species					
basic	delh0	-82539.000	500.000		4/11/91 Johnson
Comments: replace deactivated supcrt species					
basic	szer0	25.000	500.000		4/11/91 Johnson
Comments: replace deactivated supcrt species					
species	status	notused	active		4/11/91 Johnson
Comments: replace deactivated supcrt species					

Species: znoh+#1

basic	delg0	500.000	-79726.000		4/11/91 Johnson
Comments: deactivated, made into test species					
basic	delh0	500.000	-82539.000		4/11/91 Johnson
Comments: deactivated, made into test species					
basic	szer0	500.000	25.000		4/11/91 Johnson
Comments: deactivated, made into test species					
basic	igflg	3	4		4/11/91 Johnson
Comments: deactivated, made into test species					
tpgrid	logk	100.000	-6.990 100.000	500.00	4/11/91 Johnson
Comments: exchange with supcrt data0 species					
tpgrid	logk	150.000	-6.060 150.000	500.00	4/11/91 Johnson
Comments: exchange with supcrt data0 species					
tpgrid	logk	200.000	-5.330 200.000	500.00	4/11/91 Johnson
Comments: exchange with supcrt data0 species					
tpgrid	logk	25.000	-8.960 25.000	500.000	4/11/91 Johnson
Comments: exchange with supcrt data0 species					

<u>TABLE</u>	<u>COLUMN</u>	<u>OLD VALUE</u>	<u>NEW VALUE</u>	<u>DATE</u>	<u>REQUESTER</u>	
tpgrid	logk	250.000	-4.740 250.000	500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species						
tpgrid	logk	300.000	-4.250 300.000	500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species						
tpgrid	logk	350.000	-3.840 350.000	500.00	4/11/91	Johnson
Comments: exchange with supcrt data0 species						
tpgrid	logk	60.000	-7.930 60.000	500.000	4/11/91	Johnson
Comments: exchange with supcrt data0 species						