

October 25, 2000

Mr. William A. Eaton  
Vice President, Operations GGNS  
Entergy Operations, Inc.  
P. O. Box 756  
Port Gibson, MS 39150

SUBJECT: GRAND GULF NUCLEAR STATION, UNIT 1 (GGNS) RE: REPORT ON  
NUCLEAR REGULATORY COMMISSION (NRC) STAFF AUDIT OF  
RESOLUTION OF ISSUES IDENTIFIED IN NRC BULLETIN 96-03  
(TAC NO. M96147)

Dear Mr. Eaton:

From August 23-25, 1999, the NRC staff conducted an audit of the GGNS resolution of issues identified in NRC Bulletin 96-03, "Potential Plugging of Emergency Core Cooling Suction Strainers by Debris in Boiling Water Reactors." Personnel from Los Alamos National Laboratory (LANL) assisted the NRC staff in this audit. The audit included review of the design and analysis of the new emergency core cooling system suction strainers installed at GGNS. These new suction strainers were designed and manufactured for GGNS by Enercon Services, Inc.

The NRC staff report on this audit consists of the enclosed NRC memorandum, "Report on Results of Staff Audit Conducted on August 23-25, 1999, of Grand Gulf Nuclear Station's Resolution of Issues Identified in NRC Bulletin 96-03," and LANL report, "Los Alamos Technical Evaluation Report, On-Site Audit of the Grand Gulf Nuclear Station Emergency Core Cooling System Strainer-Blockage Resolution." These documents are being withheld from public disclosure at this time because they may contain proprietary information.

We are providing you this NRC memorandum and LANL report for the purpose of identifying whether or not they contain any proprietary information pursuant to 10 CFR 2.790. Please respond within 60 days of the date of this letter supplying a bracketed non-proprietary copy and affidavit providing the reasons that you consider any of this information to be proprietary. This request was discussed with your staff and agreed to on September 15, 2000.

Sincerely,

*/RA/*

S. Patrick Sekerak, Project Manager, Section 1  
Project Directorate IV & Decommissioning  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-416

Enclosures: As stated

cc w/o enclosure: See next page

October 25, 2000

Mr. William A. Eaton  
Vice President, Operations GGNS  
Entergy Operations, Inc.  
P. O. Box 756  
Port Gibson, MS 39150

SUBJECT: GRAND GULF NUCLEAR STATION, UNIT 1 (GGNS) RE: REPORT ON  
NUCLEAR REGULATORY COMMISSION (NRC) STAFF AUDIT OF  
RESOLUTION OF ISSUES IDENTIFIED IN NRC BULLETIN 96-03  
(TAC NO. M96147)

Dear Mr. Eaton:

From August 23-25, 1999, the NRC staff conducted an audit of the GGNS resolution of issues identified in NRC Bulletin 96-03, "Potential Plugging of Emergency Core Cooling Suction Strainers by Debris in Boiling Water Reactors." Personnel from Los Alamos National Laboratory (LANL) assisted the NRC staff in this audit. The audit included review of the design and analysis of the new emergency core cooling system suction strainers installed at GGNS. These new suction strainers were designed and manufactured for GGNS by Enercon Services, Inc.

The NRC staff report on this audit consists of the enclosed NRC memorandum, "Report on Results of Staff Audit Conducted on August 23-25, 1999, of Grand Gulf Nuclear Station's Resolution of Issues Identified in NRC Bulletin 96-03," and LANL report, "Los Alamos Technical Evaluation Report, On-Site Audit of the Grand Gulf Nuclear Station Emergency Core Cooling System Strainer-Blockage Resolution." These documents are being withheld from public disclosure at this time because they may contain proprietary information.

We are providing you this NRC memorandum and LANL report for the purpose of identifying whether or not they contain any proprietary information pursuant to 10 CFR 2.790. Please respond within 60 days of the date of this letter supplying a bracketed non-proprietary copy and affidavit providing the reasons that you consider any of this information to be proprietary. This request was discussed with your staff and agreed to on September 15, 2000.

Sincerely,

**/RA/**

S. Patrick Sekerak, Project Manager, Section 1  
Project Directorate IV & Decommissioning  
Division of Licensing Project Management  
Office of Nuclear Reactor Regulation

Docket No. 50-416

Enclosures: As stated

cc w/o enclosure: See next page

DISTRIBUTION w/o encl:

PUBLIC  
PDIV-1 R/F  
RidsOgcRp  
RidsAcrsAcnwMailCenter  
RidsNrrDlpmLpdiv (SRichards)  
RidsNrrDlpmLpdiv1 (RGramm)  
RidsRgn4MailCenter (KBrockman)

MPSiemien  
RidsNrrPMPSEkerak  
RidsNrrLADJohnson  
RElliot

ACCESSION NO: ML003763357

\*See Previous Concurrence

OFFICE	PDIV-1/PM	PDIV-1/LA*	OGC*	PDIV-1/SC
NAME	PSekerak:am	DJohnson	MPSiemien	RGramm
DATE	10/25/00	10/18/00	10/19/00	10/25/00

OFFICIAL RECORD COPY

Grand Gulf Nuclear Station

cc:

Executive Vice President  
& Chief Operating Officer  
Entergy Operations, Inc.  
P. O. Box 31995  
Jackson, MS 39286-1995

Wise, Carter, Child & Caraway  
P. O. Box 651  
Jackson, MS 39205

Winston & Strawn  
1400 L Street, N.W. - 12th Floor  
Washington, DC 20005-3502

Director  
Division of Solid Waste Management  
Mississippi Department of Natural  
Resources  
P. O. Box 10385  
Jackson, MS 39209

President  
Claiborne County Board of Supervisors  
P. O. Box 339  
Port Gibson, MS 39150

Regional Administrator, Region IV  
U.S. Nuclear Regulatory Commission  
611 Ryan Plaza Drive, Suite 1000  
Arlington, TX 76011

Senior Resident Inspector  
U. S. Nuclear Regulatory Commission  
P. O. Box 399  
Port Gibson, MS 39150

General Manager, GGNS  
Entergy Operations, Inc.  
P. O. Box 756  
Port Gibson, MS 39150

Attorney General  
Department of Justice  
State of Louisiana  
P. O. Box 94005  
Baton Rouge, LA 70804-9005

State Health Officer  
State Board of Health  
P. O. Box 1700  
Jackson, MS 39205

Office of the Governor  
State of Mississippi  
Jackson, MS 39201

Attorney General  
Asst. Attorney General  
State of Mississippi  
P. O. Box 22947  
Jackson, MS 39225

Vice President, Operations Support  
Entergy Operations, Inc.  
P.O. Box 31995  
Jackson, MS 39286-1995

Director, Nuclear Safety Assurance  
Entergy Operations, Inc.  
P.O. Box 756  
Port Gibson, MS 39150