



Entergy Operations, Inc.
Waterloo Road
P.O. Box 756
Port Gibson, MS 39150
Tel 601 437 6470

Jerry C. Roberts
Director
Nuclear Safety Assurance

ELAINE McNEIL
6014
x 2932

August 10, 2000

U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

Attention: Document Control Desk

Subject: Grand Gulf Nuclear Station
Unit 1
Docket No. 50-416
License No. NPF-29
Fitness for Duty (FFD) Six-Month Report

GNRO-2000/00058

Gentlemen:

Attached is the Grand Gulf Nuclear Station (GGNS) Fitness for Duty Program performance Six-Month Report. This report is being submitted in accordance with 10CFR26.71 for the reporting period January 1, 2000 through June 30, 2000. The information contained in the attachment is based on statistical data and trend analysis compiled by means of the GGNS Fitness for Duty Program.

Should you require additional information, please contact Ms. D. M. Williams at (601) 437-2481.

Yours truly,

JCR/RSJ/amt
attachment: GGNS Fitness for Duty Six-Month Report
cc: (See Next Page)

G200088

A021
Rec'd at Des
m 10/26/00. Original
not in ADAMS

August 10, 2000
GNRO-2000/00058
Page 2 of 2

cc:

Dixon-Herrity	J. L.	GGNS Senior Resident)	(w/a)
Levanway	D. E.	(Wise Carter)	(w/a)
Reynolds	N. S.		(w/a)
Smith	L. J.	(Wise Carter)	(w/a)
Thomas	H. L.		(w/o)

Mr. E. W. Merschoff (w/2)
Regional Administrator
U.S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive,
Suite 400 Arlington, TX 76011

ATTN: ADDRESSEE ONLY

Mr. S. P. Sekerak, NRR/DLPM/PD IV-1 (w/2)
U.S. Nuclear Regulatory Commission
One White Flint North, Mail Stop O7-D1
11555 Rockville Pike
Rockville, MD 20852-2378

Fitness for Duty Six Month Report
January 1, 2000 through June 30, 2000

Management Action:

Management actions related to the Fitness for Duty Program during this reporting period:

- In response to Company wide process and organizational study recommendations, Entergy Management directed that the on-site Fitness for Duty labs be closed effective April 1, 2000 at Arkansas Nuclear One, Grand Gulf, and Waterford 3. The on-site labs began operations in January 1990.

Fitness For Duty Initiatives Taken:

- GGNS closed their onsite testing facility. Specimens are being shipped to an offsite DHHS certified laboratory.
- Reduced and/or cancelled FFD Instructions in response to the closing of the FFD on-site laboratory.
- One Entergy person was involved in our follow-up Program during this reporting period.
- Random Testing Rate during this period was 24.9%. Yearly Random testing rate is 50.0%.

Effective Evaluation:

- The Annual Fitness for Duty Audit is presently being performed (July 10-August 24, 2000).

Reportable Events:

An Entergy employee in a supervisory status was arrested for possession of a controlled substance in March 2000. This event was then reported to the NRC on March 16, 2000. This Supervisor was tested For-Cause and tested positive for an illegal drug. This event was reported to the NRC on March 22, 2000. This individual was permanently denied Unescorted Access to Entergy based on the Company FFD Program.

**Fitness for Duty Program
Performance Data
Personnel Subject to 10CFR 26**

1	<u>ENTERGY OPERATIONS, INC.</u> Company	2	<u>06/30/2000</u> 6 Months Ending
3	<u>GRAND GULF NUCLEAR STATION</u> Location		
4	<u>DONNA WILLIAMS</u> Contact Name	5	<u>(601) 437-2481</u> Phone (include area code)
5-A Random Testing Rate 50%			
6	Cutoffs: Screen/Confirmation (ng/ml) [] Appendix A to 10CFR 26		
Marijuana	50/15	Amphetamine	1000/500 <u>N/A</u>
Cocaine	300/150	Phencyclidine	25/25 <u>N/A</u> /
Opiates	300/300	Alcohol (%BAC)	0.04 <u>N/A</u> /
7.	Average Number with unescorted Access	Licensee Employees	Contractor Personnel
	812		203
8.	Categories	# Tested	# Positive
	Pre-Access	67	0
	FOR CAUSE		
	Post accident	0	0
	Observed Behavior	1	1
	Random	192	0
	Follow-up	2	0
	Other	2	0
	Total	264	1
			165
			*1

***One Alcohol positive-Contractor**

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES

	Marijuana		Cocaine	Opiates	Phencyclidine	Amphetamines	Alcohol	Refusal to Test	1	2	3	4	5	
	50-100	100-up												
Licensee Employees	0	0	1	0	0	0	0	0	N/A	N/A	N/A	N/A	N/A	
Contractors	0	0	0	0	0	0	1	0	N/A	N/A	N/A	N/A	N/A	
Total	0	0	1	0	0	0	1	0	N/A	N/A	N/A	N/A	N/A	2

A