


Docket

Docket No. 50-334

FEB 11 1981



Mr. C. N. Dunn, Vice President
Operations Division
Duquesne Light Company
435 Sixth Avenue
Pittsburgh, Pennsylvania 15219

Dear Mr. Dunn:

The Commission has issued the enclosed Amendment No. ³⁸ to Facility Operating License No. DPR-66 for the Beaver Valley Nuclear Power Station, Unit No. 1. The amendment consists of a license condition amending the Facility Operating License in response to your submittals transmitted by letters dated August 16, 1979 and September 26, 1980.

The amendment modifies the license identified above to include a requirement to maintain a Guard Training and Qualifications Plan to be fully implemented, in accordance with 10 CFR 73.55(b)(4) within 60 days of this approval by the Commission. All security personnel shall be qualified within 2 years of this approval.

We have completed our review and evaluation of the Beaver Valley Nuclear Power Station Nuclear Security Personnel Training and Qualifications Plan and have concluded that the plan for your facility, when fully implemented, will provide the protection needed to meet the general performance requirements of 10 CFR 50.54(p) and the objectives of the specific requirements of 10 CFR 73.55(b)(4) and Appendix B to 10 CFR 73. We, therefore, further conclude that your Nuclear Security Personnel Training and Qualifications Plan is acceptable.

Changes which would not decrease the effectiveness of your approved Nuclear Security Personnel Training and Qualifications Plan may be made without approval by the Commission pursuant to the authority of 10 CFR 50.54(p). A report containing a description of each change shall be furnished to the Director, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, D.C. 20555, with a copy to the appropriate NRC Regional Office within two months after the change is made. Records of changes made without Commission approval shall be maintained for a period of two years from the date of the change.

8103040252
P

OFFICE ▶
SURNAME ▶
DATE ▶

Mr. C. N. Dunn
Duquesne Light Company

This amendment applies to the Nuclear Security Personnel Training and Qualifications Plan and therefore does not authorize a change in effluent types or total amounts nor an increase in power level, and will not result in any significant environmental impact. Having made this determination, we have further concluded that this amendment involves an action which is insignificant from the standpoint of environmental impact and pursuant to 10 CFR 51.5(d)(4) that an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of this amendment.

Since this amendment applies to the Guard Training and Qualification it does not involve a significant increase in the probability or consequences of an accident, does not involve a significant decrease in a safety margin and, therefore, does not involve a significant hazards consideration. We have also concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that the issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public.

We will continue to withhold your Nuclear Security Personnel Training and Qualifications Plan and related materials from public disclosure in accordance with the provisions of 10 CFR 2.790(d).

A copy of the Notice of Issuance is also enclosed.

Sincerely,

Original signed by:
S. A. Varga

Steven A. Varga, Chief
Operating Reactors Branch #1
Division of Licensing

Enclosures:

- 1. Amendment No. 38 to DPR-66
- 2. Notice of Issuance

cc w/encl:
See next page

DISTRIBUTION

- Docket ACRS(16)
- NRC PDR BJones(4)
- Local PDR BScharf(10)
- ORB#1 Reading JWetmore
- DChany CMiles, OPA
- CParrish RDiggs
- SVarga HDenton
- TNovak JHeltemes, AEOD
- GLainas NSIC
- RTedesco TERA
- Eisenhut/Purple GWMcCorkle, NMSS
- OELD
- OI&E(5)

are to be in first paragraph of Notice of Issuance

OFFICE	DL:ORB#1	DL:ORB#1	DL:ORB#1	DL:OR	OELDO	
SURNAME	CParrish	DChany	SVarga	TNovak	Gutierrez	
DATE	2/2/81	2/2/81	2/3/81	2/3/81	2/9/81	



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

February 11, 1981

Docket No. 50-334

Mr. C. N. Dunn, Vice President
Operations Division
Duquesne Light Company
435 Sixth Avenue
Pittsburgh, Pennsylvania 15219

Dear Mr. Dunn:

The Commission has issued the enclosed Amendment No. 38 to Facility Operating License No. DPR-66 for the Beaver Valley Nuclear Power Station, Unit No. 1. The amendment consists of a license condition amending the Facility Operating License in response to your submittals transmitted by letters dated August 16, 1979 and September 26, 1980.

The amendment modifies the license identified above to include a requirement to maintain a Guard Training and Qualifications Plan to be fully implemented, in accordance with 10 CFR 73.55(b)(4) within 60 days of this approval by the Commission. All security personnel shall be qualified within 2 years of this approval.

We have completed our review and evaluation of the Beaver Valley Nuclear Power Station Nuclear Security Personnel Training and Qualifications Plan and have concluded that the plan for your facility, when fully implemented, will provide the protection needed to meet the general performance requirements of 10 CFR 50.54(p) and the objectives of the specific requirements of 10 CFR 73.55(b)(4) and Appendix B to 10 CFR 73. We, therefore, further conclude that your Nuclear Security Personnel Training and Qualifications Plan is acceptable.

Changes which would not decrease the effectiveness of your approved Nuclear Security Personnel Training and Qualifications Plan may be made without approval by the Commission pursuant to the authority of 10 CFR 50.54(p). A report containing a description of each change shall be furnished to the Director, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, D.C. 20555, with a copy to the appropriate NRC Regional Office within two months after the change is made. Records of changes made without Commission approval shall be maintained for a period of two years from the date of the change.

Mr. C. N. Dunn
Duquesne Light Company

- 2 -

February 11, 1981

This amendment applies to the Nuclear Security Personnel Training and Qualifications Plan and therefore does not authorize a change in effluent types or total amounts nor an increase in power level, and will not result in any significant environmental impact. Having made this determination, we have further concluded that this amendment involves an action which is insignificant from the standpoint of environmental impact and pursuant to 10 CFR 51.5(d)(4) that an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of this amendment.

Since this amendment applies to the Guard Training and Qualification Plan, it does not involve a significant increase in the probability or consequences of an accident, does not involve a significant decrease in a safety margin and, therefore, does not involve a significant hazards consideration. We have also concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that the issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public.

We will continue to withhold your Nuclear Security Personnel Training and Qualifications Plan and related materials from public disclosure in accordance with the provisions of 10 CFR 2.790(d).

A copy of the Notice of Issuance is also enclosed.

Sincerely,



Steven A. Varga, Chief
Operating Reactors Branch #1
Division of Licensing

Enclosures:

1. Amendment No.38 to DPR-66
2. Notice of Issuance

cc w/encl:

See next page

Mr. C. N. Dunn
Duquesne Light Company

cc: Gerald Charnoff, Esquire
Jay E. Silberg, Esquire
Shaw, Pittman, Potts and Trowbridge
1800 M Street, N.W.
Washington, D. C. 20036

Karin Carter, Esquire
Special Assistant Attorney General
Bureau of Administrative Enforcement
5th Floor, Executive House
Harrisburg, Pennsylvania 17120

Mr. Roger Tapan
Stone and Webster Engineering
Corporation
P. O. Box 2325
Boston, Massachusetts 02107

Mr. F. Noon
R & D Center
Westinghouse Electric Corporation
Building 7-303
Pittsburgh, Pennsylvania 15230

B. F. Jones Memorial Library
663 Franklin Avenue
Aliquippa, Pennsylvania 15001

Mr. John Carey, Director
Nuclear Operations
Duquesne Light Company
435 Sixth Avenue
Pittsburgh, Pennsylvania 15219

Mr. R. E. Martin
Duquesne Light Company
435 Sixth Avenue
Pittsburgh, Pennsylvania 15219

Marvin Fein
Utility Counsel
City of Pittsburgh
313 City-County Building
Pittsburgh, Pennsylvania 15219

Mr. James A. Werling
Plant Superintendent
Beaver Valley Power Station
P. O. Box 4
Shippingport, Pennsylvania 15077

Department of Environmental
Resources
ATTN: Director, Office of
Radiological Health
Post Office Box 2063
Harrisburg, Pennsylvania 17105

Mr. Thomas J. Czerpah
Mayor of the Burrough of
Shippingport
P. O. Box 26
Shippingport, Pennsylvania 15077

Ohio Edison Company
c/o Chief Nuclear QA Engineer
76 South Main Street
Akron, Ohio 44308

Pennsylvania Power Company
Ray E. Semmler, President
One E. Washington Street
New Castle, Pennsylvania 16103

Ohio Environmental Protection Agency
Division of Planning
Environmental Assessment Section
P. O. Box 1049
Columbus, Ohio 43216

Office of the Governor
State of West Virginia
Charleston, West Virginia 25305

Mr. Carl Frasure
Committee of State Officials on
Suggested State Legislation
Department of Political Science
West Virginia University
Morgantown, West Virginia 26505



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

DUQUESNE LIGHT COMPANY

OHIO EDISON COMPANY

PENNSYLVANIA POWER COMPANY

DOCKET NO. 50-334

BEAVER VALLEY POWER STATION, UNIT NO. 1

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 38
License No. DPR-66

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The filings* by Duquesne Light Company, Ohio Edison Company, and Pennsylvania Power Company (the licensees) dated August 16, 1979, and September 26, 1980, comply with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the filings, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, Facility Operating License No. DPR-66 is hereby amended by reformating the existing Paragraph 2.D to read as follows:

*Which is being handled by the Commission as an application.

8103040260


2.D Physical Protection

The licensee shall fully implement and maintain in effect all provisions of the following Commission approved documents, including amendments and changes made pursuant to the authority of 10 CFR 50.54(p). These approved documents consist of information withheld from public disclosure pursuant to 10 CFR 2.790(d):

- (1) "Beaver Valley Power Station, Unit No. 1, Physical Security Plan", Revision 1, dated October 31, 1977, as supplemented by Revision 2 dated May 15, 1978, Revision 3 dated February 21, 1979.
- (2) The NRC approved Safeguards Contingency Plan as transmitted by letter of March 22, 1980.
- (3) "Beaver Valley Power Station Guard Training and Qualification Plan", submitted by letter, dated August 16, 1979, as revised by letter dated September 26, 1980. This Plan shall be fully implemented in accordance with 10 CFR 73.55(b)(4), within 60 days of this approval by the Commission. All security personnel shall be qualified within two years of this approval.

3. This license amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION


Steven A. Varga, Chief
Operating Reactors Branch #1
Division of Licensing

Date of Issuance: February 11, 1981

UNITED STATES NUCLEAR REGULATORY COMMISSIONDOCKET NO. 50-334DUQUESNE LIGHT COMPANYOHIO EDISON COMPANYPENNSYLVANIA POWER COMPANYNOTICE OF ISSUANCE OF AMENDMENT TO FACILITY
OPERATING LICENSE

The U.S. Nuclear Regulatory Commission (the Commission) has issued Amendment No. 38 to Facility Operating License No. DPR-66 issued to Duquesne Light Company, Ohio Edison Company, and Pennsylvania Power Company (the licensees), which revised Technical Specifications for operation of the Beaver Valley Power Station, Unit No. 1 (the facility) located in Beaver County, Pennsylvania. The amendment is effective as of the date of issuance and is to be fully implemented within 60 days of Commission approval in accordance with the provisions of 10 CFR 73.55(b)(4).

The amendment adds a license condition requiring the licensee to follow all provisions of the NRC approved Guard Training and Qualifications Plan, in accordance with 10 CFR 73.55(b), 60 days after approval by the Commission.

The licensee's filings, which have been handled by the Commission as applications, comply with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which

8103040270

- 2 -

are set forth in the license amendment. Prior public notice of this amendment was not required since this amendment does not involve a significant hazards consideration.


The Commission has determined that the issuance of this amendment will not result in any significant environmental impact and that pursuant to 10 CFR §51.5(d)(4) an environmental impact statement or negative declaration and environmental impact appraisal need not be prepared in connection with issuance of this amendment.

The licensee's filings dated August 6, 1979, and September 26, 1980, are being withheld from public disclosure pursuant to 10 CFR 2.790(d). The withheld information is subject to disclosure in accordance with the provisions of 10 CFR 9.12.

For further details with respect to this action, see (1) Amendment No. 38 to License No. DPR-66 and (2) the Commission's letter dated February 11, 1981. All of these items are available for public inspection at the Commission's Public Document Room, 1717 H Street, NW., Washington, D.C. and at the B. F. Jones Memorial Library, 663 Franklin Avenue, Aliquippa, Pennsylvania 15001. A copy of items (1) and (2) may be obtained upon request addressed to the U.S. Nuclear Regulatory Commission, Washington, D.C. 20555, Attention: Director, Division of Licensing.

Dated at Bethesda, Maryland, this 11th day of February, 1981.

FOR THE NUCLEAR REGULATORY COMMISSION



Steven A. Varga, Chief
Operating Reactors Branch #1
Division of Licensing