

ALABAMA DEPARTMENT OF PUBLIC HEALTH

RADIOACTIVE MATERIAL LICENSE

AMENDMENT NO. 34

Pursuant to the Alabama Department of Public Health Rules, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess and transfer radioactive material listed below; and to use such radioactive material for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules of the Alabama Department of Public Health now or hereafter in effect and to any conditions specified below.

LICENSEE		3. License Number	4. Expiration Date	5. File No.
1. Name	Space Science Services, Inc.	217 is amended in its entirety to read:	May 31, 2004	
2. Address	140 Southgate Road Dothan, Alabama 36301			
6. Radioactive Material (Element and Mass Number)	7. Type of Radioactive Material License	8. Chemical and/or Physical Form	9. Maximum Radioactivity and/or quantity of material which licensee may possess at any one time.	
SEE PAGE TWO	3.0.	SEE PAGE TWO	SEE PAGE TWO	

10. Authorized Use

SEE PAGE THREE

CONDITIONS

11. Unless otherwise specified, the authorized place of use is the licensee's address stated in item 2 above.
12. Radioactive material may be used at temporary job sites of the licensee anywhere in Alabama that the Agency has jurisdiction provided the licensee notifies the Agency of the exact location of each job site and the dates of expected use. Telephone notification is acceptable.
13. The licensee shall comply with the provisions of Rule 420-3-26-.01, General Provisions, Rule 420-3-26-.02, Licensing, Rule 420-3-26-.03, Standards for Protection Against Radiation, Rule 420-3-26-.04, Radiation Safety Requirements for Industrial Radiographic Operations, and Rule 420-3-26-.10, Notices, Instructions, and Reports to Workers; Inspections, of Chapter 420-3-26, Radiation Control, Alabama Administrative Code.

SUPPLEMENTARY SHEET

1

217

Continued From Page _____

License Number _____
Amendment No. 34

<p>6. Radioactive Material (Element and mass number)</p> <p>A. Iridium 192</p> <p>B. Iridium 192</p> <p>C. Cobalt 60</p> <p>D. Cesium 137</p> <p>E. Cesium 137</p>	<p>8. Chemical and/or Physical Form</p> <p>A. Any sealed sources approved by the Agency, the U.S. Nuclear Regulatory Commission or an Agreement State for use in devices listed in Subitem 10.A.</p> <p>B. Any sealed sources approved by the Agency, the U.S. Nuclear Regulatory Commission or an Agreement State for use in devices listed in Subitem 10.B.</p> <p>C. Sealed sources approved by the Agency, the U.S. Nuclear Regulatory Commission or an Agreement State for use in devices listed in Subitem 10.C.</p> <p>D. Sealed Sources (Amersham Model 77302)</p> <p>E. Sealed Sources (Isotope Products Model 229R-1; Amersham Model CDRQ5724)</p>	<p>9. Maximum Radioactivity and/or quantity of material which license may possess at any one time</p> <p>A. No single source to exceed 100 curies</p> <p>B. No single source to exceed 150 curies</p> <p>C. No single source to exceed 30 curies</p> <p>D. No single source to exceed 165 millicuries</p> <p>E. No single source to exceed 10 microcuries</p>
--	--	---

ALABAMA DEPARTMENT OF PUBLIC HEALTH
RADIOACTIVE MATERIAL LICENSE

Continued

Supplementary Sheet

License Number 217

Amendment No. 34

CONDITIONS

10. Authorized Uses

- A. To be used in the following exposure devices for performing industrial radiography, and source changers for source exchange and storage.

Exposure Device Models

Amersham 660 System
Industrial Nuclear IR-100

Source Changer Models

Amersham 650L
Industrial Nuclear IR-50
Source Production & Equipment Co. C-1

- B. To be used in the following exposure devices for industrial radiography, and source changers for source exchange and storage.

Exposure Devices Models

Source Production & Equipment Co.
SPEC 150

Source Changer Models

Amersham 650L
Industrial Nuclear IR 50
Source Production & Equipment Co. C-1

- C. To be used in Amersham Model 741A, 741AE, 741B and 741BE devices for industrial radiography and in Amersham Model 770 and 771 devices for source exchange and/or storage.
- D. To be used in Amersham Technical Operations Model 773 devices for instrument calibration.
- E. To be used in Dosimeter Corporation Model 3060 devices for calibration of dosimeters.

ALABAMA DEPARTMENT OF PUBLIC HEALTH
RADIOACTIVE MATERIAL LICENSE

Continued

Supplementary Sheet

License Number 217

Amendment No. 34

CONDITIONS

14. Only individuals trained by Donald A. Geiger, Thomas S. Geiger, L. Brett Love, Daniel L. Geiger, Gregory Groves, Ranier Valentin, Omar Viera, and/or Brian Ford, in accordance with license's training program submitted with application dated March 30, 1999 are authorized to act as radiographers or radiographer's assistants as defined in Rules 420-3-26-.04(3)(ff) and (hh).
15. The licensee shall notify the Agency at least seven (7) days prior to conducting radiography training authorized in Condition 14. Training shall not be valid without prior notification.
16. Prior to permitting an individual to act as a radiographer in Alabama, the licensee shall file with the Agency a completed Form ARC.20, "Radiographer Radiation Safety Training Certification", for each individual.
17. A. Each sealed source containing radioactive material, other than Hydrogen 3, with a half-life greater than thirty (30) days and in any form other than gas shall be tested for leakage and/or contamination at intervals not to exceed six (6) months. In the absence of a certificate from a transferor indicating that a test has been made within six (6) months prior to the transfer, the sealed source shall not be put into use until tested.
- B. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. The test sample shall be taken from the sealed source or from the surfaces of the device in which the sealed source is permanently mounted or stored on which one might expect contamination to accumulate. Records of leak test results shall be kept in units of microcuries and maintained for inspection by the Agency.
- C. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with Agency regulations. A report shall be filed within five (5) days of the test with the Director, Office of Radiation Control, Montgomery, Alabama 36130, describing the equipment involved, the test results, and the corrective action taken.
- D. Tests for leakage and/or contamination shall be performed by the licensee, or by other persons specifically authorized by the U.S. Nuclear Regulatory commission or an Agreement State to perform such service.

ALABAMA DEPARTMENT OF PUBLIC HEALTH
RADIOACTIVE MATERIAL LICENSE

Continued

Supplementary Sheet


License Number 217Amendment No. 34

CONDITIONS

18. The licensee is authorized to receive, possess, and use sealed sources of Iridium 192 or Cobalt 60 where the radioactivity exceeds the maximum amount of radioactivity specified in Item 9 of this license provided:
- A. Such possession does not exceed the quantity per source specified in Item 9 by more than 20% for Iridium 192 or 10% for Cobalt 60;
 - B. Records of the licensee show that no more than the maximum amount of radioactivity per source specified in Item 9 of the license was ordered from the supplier or transferor of the radioactive material; and,
 - C. The levels of radiation for radiographic exposure devices and storage containers do not exceed those specified in 420-3-26-.04(6) of Rule 420-3-26-.04.
19. The licensee is authorized to possess, use, and transfer up to 999 kilograms of depleted uranium contained as shielding material in the radiography exposure devices and source changers authorized by this license.
20. Thomas Geiger is designated Radiation Safety Officer for activities authorized by this license.
21. Except as specifically provided otherwise in this license, the licensee shall conduct its radiation safety program in accordance with statements, representations, and procedures contained in the documents, including any enclosures, listed below. Alabama's Radiation Protection Rules shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the rules.
- A. Application dated March 30, 1999, signed by Donald A. Geiger, with attachments.
 - B. Licensee's Operation and Emergency Procedures submitted with application dated March 30, 1999.
 - C. Letter dated July 13, 2000, signed by Nina Walker, with attachments.
 - D. Letter dated October 18, 2000, signed by Donald A. Geiger, with attachments.
 - E. Letter dated October 27, 2000, signed by Donald A. Geiger, with attachments.

October 27, 2000

Date of Issuance _____



Director
DIVISION OF RADIATION CONTROL



Donald E. Williamson, M.D.
State Health Officer
ALABAMA DEPARTMENT OF PUBLIC HEALTH

APPROVED BY OMB: NO. 3150-0013 **EXPIRES: 07/31/2002**
 Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records Management Branch (T-6 E6), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to bjs1@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS

(Please read the instructions before completing this form)

1. NAME OF LICENSEE <i>(Person or firm proposing to conduct the activities described below)</i> Space Science Services, Inc.	2. TYPE OF REPORT <input checked="" type="checkbox"/> INITIAL <input type="checkbox"/> REVISION <input type="checkbox"/> CLARIFICATION
3. ADDRESS OF LICENSEE <i>(Mailing address or other location where licensee may be located)</i> 140 Southgate Road Dothan, AL 36301	4. LICENSEE CONTACT AND TITLE Nina Walker Administrative Assistant
	5. TELEPHONE NUMBER <i>(Include Area Code)</i> 334-677-8565
	6. FACSIMILE NUMBER <i>(Include Area Code)</i> 334-677-9505

7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20

<input type="checkbox"/> WELL LOGGING	<input type="checkbox"/> LEAK TESTING AND/OR CALIBRATIONS	<input type="checkbox"/> TELETHERAPY/IRRADIATOR SERVICE
<input type="checkbox"/> PORTABLE GAUGES	<input type="checkbox"/> OTHER (Specify) ⇒ _____	
<input checked="" type="checkbox"/> RADIOGRAPHY ⇒	REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS) _____	

8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE Attached	9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION <i>(Street and Number or other location. Give as complete an address or directions as possible.)</i> Attached
	10. CLIENT TELEPHONE NUMBER <i>(Include Area Code)</i> Attached
	11. WORK LOCATION TELEPHONE NUMBER <i>(Include Area Code)</i> Attached

12. DATES SCHEDULED	13. NUMBER OF WORK DAYS	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER
FROM Furnished upon starting job.	TO Furnished upon starting job.	Furnished at later date	Furnished at later date	NUMBER TO BE ASSIGNED BY NRC

LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.

17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED
(Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)

Furnished upon starting job.

18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9 ABOVE. <i>(Four copies of the specific license must accompany the initial NRC Form 241.)</i>	LICENSE NUMBER 217	STATE AL	EXPIRATION DATE May 31, 2004
---	-----------------------	-------------	---------------------------------

19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)

I, THE UNDERSIGNED, HEREBY CERTIFY THAT:

- All information in this report is true and complete.
- I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.
- I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.
- I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters.
- I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.

CERTIFYING OFFICER - RSO or Management Representative <i>(Name and Title)</i> Donald A. Geiger, P.E., President, Corporate RSO	SIGNATURE <i>Donald A. Geiger</i>	DATE 01-02-01
--	--------------------------------------	------------------

WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

FOR NRC USE ONLY	REVIEWING OFFICIAL <i>(Typed/Printed Name and Title)</i>	SIGNATURE	DATE	TOTAL USAGE -- DAYS TO DATE
-------------------------	--	-----------	------	-----------------------------

8. Client Name, Address, City/County, State, Zip Code:

- A. North American Company
Post Office Box 460
Daleville, AL 36322
- B. W.W. Gay Mechanical Contractors
505 Canaveral Groves Blvd.
505 Canaveral Groves Blvd.
Jacksonville, FL 32204
- C. Bell Company, Inc.
11223 Phillips Parkway Dr. E
Rochester, New York 14606
- D. BE&K Construction Company
2000 International Park Drive
Birmingham, AL 35243
- E. Ivey's Construction, Inc.
4060 Courtney Parkway
Merritt Island, FL 32953
- F. AMCO, Inc.
Post Office Box 70455
248 South Lewis Street
Montgomery, AL 36107-0455
- G. Phoenix Construction Service
2330 Two Notch Road
Lynn Haven, FL 32444
- H. Met Con, Inc.
465 Canaveral Groves Blvd.
Cocoa, FL 32926
- I. Industrial Steel
Post Office Box 346
Mims, FL 32754
- J. Precision Mechanical
505 Canaveral Groves Blvd.
Cocoa, FL 32926
- K. Weld Inspection & Consulting
Post Office Box 464
Mims, FL 32754-0464
- L. Precision Fabricating & Cleaning
505 Canaveral Groves Blvd.
Cocoa, FL 32926
- M. Sauer, Inc.
Post Office Box 5309
Titusville, FL 32783-5309
- N. Kinetics
SLC-37B Beach Road
CCAS, FL 32920
- O. PDM Bridge Corporation
Route 6 Box 97 - Comfort Rd.
Palatka, FL 32177
- P. American Tank & Vessel, Inc.
Post Office Box 118
Lucedale, MS 39452
- Q. Fisher Tank Company
2330 Two Notch Road
Lexington, SC 29072-8996
- R. Sauer, Inc.
11223 Phillips Parkway Drive East
Jacksonville, FL 32207
- S. Global Piping
1006 N. 19th Street
Tampa, FL 33605
- T. Reliable Mechanical
13035 Middleton Industrial Blvd.
Louisville, KY 40232

9. Work Location Address:

- A. Fort Rucker, AL
- B. NAS, Guantanamo Bay, Cuba
- C. National Guard, Dannelly Field, AL
- D. NAS Mayport, Jacksonville, FL
NAS Jacksonville, Jacksonville, FL
- E. Patrick AFB, Melbourne, FL
- F. CCAFS, Cape Canaveral, FL
- G. Ft. Benning, GA
- H. NAS Keywest, FL
- I. NAS, Key West, FL
- J. Eglin AFB, Ft. Walton, FL
- K. MacDill AFB, Tampa, FL
- L. Hopewell, VA
- M. Robins AFB, Macon, GA
- N. Charleston AFB, Charleston, SC
- O. Maxwell AFB, Montgomery, AL

10. Client Telephone Number:

- A. North American Company - 334-598-3524
- B. W.W. Gay Mechanical Contractors - 904-387-7947
- C. Bell Company, Inc. - 716-277-1000
- D. BE&K Construction Company - 205-972-6595
- E. Ivey's Construction Company - 407-459-2666
- F. AMCO, Inc. - 334-264-2263
- G. Phoenix Construction Services - 850-265-4210
- H. Met Con, Inc. - 407-632-4880
- I. Industrial Steel - 407-267-2341
- J. Precision Mechanical - 407-635-2000
- K. Weld Inspection & Consulting - 904-345-2599
- L. Precision Fabricating & Cleaning - 407-635-2000
- M. Sauer, Inc. - 407-730-0019
- N. Kinetics - 407-730-3070
- O. PDM Bridge & Construction - 904-328-4683
- P. American Tank & Vessel, Inc. - 601-947-7210
- Q. Fisher Tank Company - 610-494-7200

10. Client Telephone Number Continued:

R. Sauer, Inc.	- 321-730-0019
S. Global Piping	- 813-247-7473
T. Reliable Mechanical	- 502-244-2596

ALABAMA DEPARTMENT OF PUBLIC HEALTH

RADIOACTIVE MATERIAL LICENSE

AMENDMENT NO. 34

Pursuant to the Alabama Department of Public Health Rules, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess and transfer radioactive material listed below; and to use such radioactive material for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules of the Alabama Department of Public Health now or hereafter in effect and to any conditions specified below.

LICENSEE		3. License Number	4. Expiration Date	5. File No.
1. Name	Space Science Services, Inc.	217 is amended in its entirety to read:		
2. Address	140 Southgate Road Dothan, Alabama 36301		May 31, 2004	
6. Radioactive Material (Element and Mass Number)	7. Type of Radioactive Material License	8. Chemical and/or Physical Form	9. Maximum Radioactivity and/or quantity of material which licensee may possess at any one time.	
SEE PAGE TWO	3.O.	SEE PAGE TWO	SEE PAGE TWO	

10. Authorized Use

SEE PAGE THREE

CONDITIONS

11. Unless otherwise specified, the authorized place of use is the licensee's address stated in item 2 above.
12. Radioactive material may be used at temporary job sites of the licensee anywhere in Alabama that the Agency has jurisdiction provided the licensee notifies the Agency of the exact location of each job site and the dates of expected use. Telephone notification is acceptable.
13. The licensee shall comply with the provisions of Rule 420-3-26-.01, General Provisions, Rule 420-3-26-.02, Licensing, Rule 420-3-26-.03, Standards for Protection Against Radiation, Rule 420-3-26-.04, Radiation Safety Requirements for Industrial Radiographic Operations, and Rule 420-3-26-.10, Notices, Instructions, and Reports to Workers; Inspections, of Chapter 420-3-26, Radiation Control, Alabama Administrative Code.

SUPPLEMENTARY SHEET

1

217

Continued From Page _____

License Number _____
Amendment No. 34

6. Radioactive Material (Element and mass number)	8. Chemical and/or Physical Form	9. Maximum Radioactivity and/or quantity of material which license may possess at any one time
A. Iridium 192	A. Any sealed sources approved by the Agency, the U.S. Nuclear Regulatory Commission or an Agreement State for use in devices listed in Subitem 10.A.	A. No single source to exceed 100 curies
B. Iridium 192	B. Any sealed sources approved by the Agency, the U.S. Nuclear Regulatory Commission or an Agreement State for use in devices listed in Subitem 10.B.	B. No single source to exceed 150 curies
C. Cobalt 60	C. Sealed sources approved by the Agency, the U.S. Nuclear Regulatory Commission or an Agreement State for use in devices listed in Subitem 10.C.	C. No single source to exceed 30 curies
D. Cesium 137	D. Sealed Sources (Amersham Model 77302)	D. No single source to exceed 165 millicuries
E. Cesium 137	E. Sealed Sources (Isotope Products Model 229R-1; Amersham Model CDRQ5724)	E. No single source to exceed 10 microcuries

ALABAMA DEPARTMENT OF PUBLIC HEALTH
RADIOACTIVE MATERIAL LICENSE

Continued

Supplementary Sheet

License Number 217Amendment No. 34

CONDITIONS

10. Authorized Uses

- A. To be used in the following exposure devices for performing industrial radiography, and source changers for source exchange and storage.

Exposure Device Models

Amersham 660 System
Industrial Nuclear IR-100

Source Changer Models

Amersham 650L
Industrial Nuclear IR-50
Source Production & Equipment Co. C-1

- B. To be used in the following exposure devices for industrial radiography, and source changers for source exchange and storage.

Exposure Devices Models

Source Production & Equipment Co.
SPEC 150

Source Changer Models

Amersham 650L
Industrial Nuclear IR 50
Source Production & Equipment Co. C-1

- C. To be used in Amersham Model 741A, 741AE, 741B and 741BE devices for industrial radiography and in Amersham Model 770 and 771 devices for source exchange and/or storage.
- D. To be used in Amersham Technical Operations Model 773 devices for instrument calibration.
- E. To be used in Dosimeter Corporation Model 3060 devices for calibration of dosimeters.

ALABAMA DEPARTMENT OF PUBLIC HEALTH
RADIOACTIVE MATERIAL LICENSE

Continued

Supplementary Sheet

License Number 217Amendment No. 34

CONDITIONS

14. Only individuals trained by Donald A. Geiger, Thomas S. Geiger, L. Brett Love, Daniel L. Geiger, Gregory Groves, Ranier Valentin, Omar Viera, and/or Brian Ford, in accordance with license's training program submitted with application dated March 30, 1999 are authorized to act as radiographers or radiographer's assistants as defined in Rules 420-3-26-.04(3)(ff) and (hh).
15. The licensee shall notify the Agency at least seven (7) days prior to conducting radiography training authorized in Condition 14. Training shall not be valid without prior notification.
16. Prior to permitting an individual to act as a radiographer in Alabama, the licensee shall file with the Agency a completed Form ARC.20, "Radiographer Radiation Safety Training Certification", for each individual.
17. A. Each sealed source containing radioactive material, other than Hydrogen 3, with a half-life greater than thirty (30) days and in any form other than gas shall be tested for leakage and/or contamination at intervals not to exceed six (6) months. In the absence of a certificate from a transferor indicating that a test has been made within six (6) months prior to the transfer, the sealed source shall not be put into use until tested.
- B. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. The test sample shall be taken from the sealed source or from the surfaces of the device in which the sealed source is permanently mounted or stored on which one might expect contamination to accumulate. Records of leak test results shall be kept in units of microcuries and maintained for inspection by the Agency.
- C. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with Agency regulations. A report shall be filed within five (5) days of the test with the Director, Office of Radiation Control, Montgomery, Alabama 36130, describing the equipment involved, the test results, and the corrective action taken.
- D. Tests for leakage and/or contamination shall be performed by the licensee, or by other persons specifically authorized by the U.S. Nuclear Regulatory commission or an Agreement State to perform such service.

ALABAMA DEPARTMENT OF PUBLIC HEALTH
RADIOACTIVE MATERIAL LICENSE

Continued

Supplementary Sheet


License Number 217Amendment No. 34

CONDITIONS

18. The licensee is authorized to receive, possess, and use sealed sources of Iridium 192 or Cobalt 60 where the radioactivity exceeds the maximum amount of radioactivity specified in Item 9 of this license provided:
- A. Such possession does not exceed the quantity per source specified in Item 9 by more than 20% for Iridium 192 or 10% for Cobalt 60;
 - B. Records of the licensee show that no more than the maximum amount of radioactivity per source specified in Item 9 of the license was ordered from the supplier or transferor of the radioactive material; and,
 - C. The levels of radiation for radiographic exposure devices and storage containers do not exceed those specified in 420-3-26-.04(6) of Rule 420-3-26-.04.
19. The licensee is authorized to possess, use, and transfer up to 999 kilograms of depleted uranium contained as shielding material in the radiography exposure devices and source changers authorized by this license.
20. Thomas Geiger is designated Radiation Safety Officer for activities authorized by this license.
21. Except as specifically provided otherwise in this license, the licensee shall conduct its radiation safety program in accordance with statements, representations, and procedures contained in the documents, including any enclosures, listed below. Alabama's Radiation Protection Rules shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the rules.
- A. Application dated March 30, 1999, signed by Donald A. Geiger, with attachments.
 - B. Licensee's Operation and Emergency Procedures submitted with application dated March 30, 1999.
 - C. Letter dated July 13, 2000, signed by Nina Walker, with attachments.
 - D. Letter dated October 18, 2000, signed by Donald A. Geiger, with attachments.
 - E. Letter dated October 27, 2000, signed by Donald A. Geiger, with attachments.

October 27, 2000

Date of Issuance _____


 Director

DIVISION OF RADIATION CONTROL



Donald E. Williamson, M.D.
 State Health Officer
 ALABAMA DEPARTMENT OF PUBLIC HEALTH

REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS

(Please read the instructions before completing this form)

<p>1. NAME OF LICENSEE <i>(Person or firm proposing to conduct the activities described below)</i> Space Science Services, Inc.</p>	<p>2. TYPE OF REPORT <input checked="" type="checkbox"/> INITIAL <input type="checkbox"/> REVISION <input type="checkbox"/> CLARIFICATION</p>		
<p>3. ADDRESS OF LICENSEE <i>(Mailing address or other location where licensee may be located)</i> 140 Southgate Road Dothan, AL 36301</p>	<p>4. LICENSEE CONTACT AND TITLE Nina Walker Administrative Assistant</p>		
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"> <p>5. TELEPHONE NUMBER <i>(Include Area Code)</i> 334-677-8565</p> </td> <td style="width: 50%;"> <p>6. FACSIMILE NUMBER <i>(Include Area Code)</i> 334-677-9505</p> </td> </tr> </table>	<p>5. TELEPHONE NUMBER <i>(Include Area Code)</i> 334-677-8565</p>	<p>6. FACSIMILE NUMBER <i>(Include Area Code)</i> 334-677-9505</p>
<p>5. TELEPHONE NUMBER <i>(Include Area Code)</i> 334-677-8565</p>	<p>6. FACSIMILE NUMBER <i>(Include Area Code)</i> 334-677-9505</p>		

7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20

WELL LOGGING LEAK TESTING AND/OR CALIBRATIONS TELETHERAPY/IRRADIATOR SERVICE
 PORTABLE GAUGES OTHER (Specify) ⇒ _____
 RADIOGRAPHY ⇒ REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS)

<p>8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE Attached</p>	<p>9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION <i>(Street and Number or other location. Give as complete an address or directions as possible.)</i> Attached</p>
<p>10. CLIENT TELEPHONE NUMBER <i>(Include Area Code)</i> Attached</p>	<p>11. WORK LOCATION TELEPHONE NUMBER <i>(Include Area Code)</i> Attached</p>

12. DATES SCHEDULED		13. NUMBER OF WORK DAYS	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER
FROM Furnished upon starting job.	TO Furnished upon starting job.	Furnished at later date	Furnished at later date		NUMBER TO BE ASSIGNED BY NRC

LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.

17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED
(Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)

Furnished upon starting job.

18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9 ABOVE. <i>(Four copies of the specific license must accompany the initial NRC Form 241.)</i>	LICENSE NUMBER 217	STATE AL	EXPIRATION DATE May 31, 2004
---	-----------------------	-------------	---------------------------------

19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)

I, THE UNDERSIGNED, HEREBY CERTIFY THAT:

- a. All information in this report is true and complete.
- b. I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.
- c. I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.
- d. I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters.
- e. I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.

CERTIFYING OFFICER - RSO or Management Representative <i>(Name and Title)</i> Donald A. Geiger, P.E., President, Corporate RSO	SIGNATURE <i>Donald A. Geiger</i>	DATE 01-02-01
--	--------------------------------------	------------------

WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

FOR NRC USE ONLY	REVIEWING OFFICIAL <i>(Typed/Printed Name and Title)</i>	SIGNATURE	DATE	TOTAL USAGE -- DAYS TO DATE
-------------------------	--	-----------	------	-----------------------------

8. Client Name, Address, City/County, State, Zip Code:

- A. North American Company
Post Office Box 460
Daleville, AL 36322
- B. W.W. Gay Mechanical Contractors
505 Canaveral Groves Blvd.
505 Canaveral Groves Blvd.
Jacksonville, FL 32204
- C. Bell Company, Inc.
11223 Phillips Parkway Dr. E
Rochester, New York 14606
- D. BE&K Construction Company
2000 International Park Drive
Birmingham, AL 35243
- E. Ivey's Construction, Inc.
4060 Courtney Parkway
Merritt Island, FL 32953
- F. AMCO, Inc.
Post Office Box 70455
248 South Lewis Street
Montgomery, AL 36107-0455
- G. Phoenix Construction Service
2330 Two Notch Road
Lynn Haven, FL 32444
- H. Met Con, Inc.
465 Canaveral Groves Blvd.
Cocoa, FL 32926
- I. Industrial Steel
Post Office Box 346
Mims, FL 32754
- J. Precision Mechanical
505 Canaveral Groves Blvd.
Cocoa, FL 32926
- K. Weld Inspection & Consulting
Post Office Box 464
Mims, FL 32754-0464
- L. Precision Fabricating & Cleaning
505 Canaveral Groves Blvd.
Cocoa, FL 32926
- M. Sauer, Inc.
Post Office Box 5309
Titusville, FL 32783-5309
- N. Kinetics
SLC-37B Beach Road
CCAS, FL 32920
- O. PDM Bridge Corporation
Route 6 Box 97 – Comfort Rd.
Palatka, FL 32177
- P. American Tank & Vessel, Inc.
Post Office Box 118
Lucedale, MS 39452
- Q. Fisher Tank Company
2330 Two Notch Road
Lexington, SC 29072-8996
- R. Sauer, Inc.
11223 Phillips Parkway Drive East
Jacksonville, FL 32207
- S. Global Piping
1006 N. 19th Street
Tampa, FL 33605
- T. Reliable Mechanical
13035 Middleton Industrial Blvd.
Louisville, KY 40232

9. Work Location Address:

- A. Fort Rucker, AL
- B. NAS, Guantanamo Bay, Cuba
- C. National Guard, Dannelly Field, AL
- D. NAS Mayport, Jacksonville, FL
NAS Jacksonville, Jacksonville, FL
- E. Patrick AFB, Melbourne, FL
- F. CCAFS, Cape Canaveral, FL
- G. Ft. Benning, GA
- H. NAS Keywest, FL
- I. NAS, Key West, FL
- J. Eglin AFB, Ft. Walton, FL
- K. MacDill AFB, Tampa, FL
- L. Hopewell, VA
- M. Robins AFB, Macon, GA
- N. Charleston AFB, Charleston, SC
- O. Maxwell AFB, Montgomery, AL

10. Client Telephone Number:

- A. North American Company - 334-598-3524
- B. W.W. Gay Mechanical Contractors - 904-387-7947
- C. Bell Company, Inc. - 716-277-1000
- D. BE&K Construction Company - 205-972-6595
- E. Ivey's Construction Company - 407-459-2666
- F. AMCO, Inc. - 334-264-2263
- G. Phoenix Construction Services - 850-265-4210
- H. Met Con, Inc. - 407-632-4880
- I. Industrial Steel - 407-267-2341
- J. Precision Mechanical - 407-635-2000
- K. Weld Inspection & Consulting - 904-345-2599
- L. Precision Fabricating & Cleaning - 407-635-2000
- M. Sauer, Inc. - 407-730-0019
- N. Kinetics - 407-730-3070
- O. PDM Bridge & Construction - 904-328-4683
- P. American Tank & Vessel, Inc. - 601-947-7210
- Q. Fisher Tank Company - 610-494-7200

10. Client Telephone Number Continued:

R. Sauer, Inc.	- 321-730-0019
S. Global Piping	- 813-247-7473
T. Reliable Mechanical	- 502-244-2596