

Mr. Robert G. Byram
Senior Vice President-Generation
and Chief Nuclear Officer
PP&L, Inc.
2 North Ninth Street
Allentown, PA 18101

March 15, 1999

SUBJECT: SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2 (TAC NO. MA2447)

Dear Mr. Byram:

By letter dated March 4, 1999, the Nuclear Regulatory Commission issued Amendment No. 155 to Facility Operating License No. NPF-22 for the Susquehanna Steam Electric Station, Unit 2. This amendment consists of changes to the Technical Specifications (TSs) in response to your application dated August 5, 1998, as supplemented by letter dated November 23, 1998.

This amendment changed the allowable values for both the core spray and the low pressure coolant injection system reactor steam dome pressure-flow functions.

Your November 23, 1998, letter requested that the TS changes be effective as of its date of issuance and be implemented 30 days after startup from the Unit 2 ninth refueling and inspection outage currently scheduled for spring 1999. The amendment was dated March 4, 1999, and incorrectly stated that implementation will be within 30 days after its date of issuance. The enclosed page is issued to correct the error made in the March 4, 1999, amendment.

Sincerely,

Original signed by:

Victor Nerses, Senior Project Manager
Project Directorate I-1
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-388

Enclosure: Corrected Page to Amendment 155

cc w/encl: See next page

DISTRIBUTION:

~~Docket File~~

PUBLIC

PDI-1 R/F

J. Zwolinski/S. Black

S. Bajwa

M. O'Brien(2)

V. Nerses

G. Hill (2)

W. Beckner

OGC

ACRS

C. Cowgill, Region I

H. Li

R. Frahm, SR

NRC FILE CENTER COPY

DOCUMENT NAME: G:\SUSQ\CORA2447.WPD

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	PM:PDI-1	LA:PDI-2	D:PDI-1	
NAME	VNerses:lch	MO'Brien	SBajwa	
DATE	03/12/99	03/12/99	03/15/99	03/ /99

OFFICIAL RECORD COPY

9903220159 990315
PDR ADOCK 05000388
P PDR

Mr. Robert G. Byram
Senior Vice President-Generation
and Chief Nuclear Officer
PP&L, Inc.
2 North Ninth Street
Allentown, PA 18101

March 15, 1999

SUBJECT: SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2 (TAC NO. MA2447)

Dear Mr. Byram:

By letter dated March 4, 1999, the Nuclear Regulatory Commission issued Amendment No. 155 to Facility Operating License No. NPF-22 for the Susquehanna Steam Electric Station, Unit 2. This amendment consists of changes to the Technical Specifications (TSs) in response to your application dated August 5, 1998, as supplemented by letter dated November 23, 1998.

This amendment changed the allowable values for both the core spray and the low pressure coolant injection system reactor steam dome pressure-flow functions.

Your November 23, 1998, letter requested that the TS changes be effective as of its date of issuance and be implemented 30 days after startup from the Unit 2 ninth refueling and inspection outage currently scheduled for spring 1999. The amendment was dated March 4, 1999, and incorrectly stated that implementation will be within 30 days after its date of issuance. The enclosed page is issued to correct the error made in the March 4, 1999, amendment.

Sincerely,

Original signed by:

Victor Nerses, Senior Project Manager
Project Directorate I-1
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-388

Enclosure: Corrected Page to Amendment 155

cc w/encl: See next page

DISTRIBUTION:

Docket File	S. Bajwa	W. Beckner	H. Li
PUBLIC	M. O'Brien(2)	OGC	R. Frahm, SR
PDI-1 R/F	V. Nerses	ACRS	
J. Zwolinski/S. Black	G. Hill (2)	C. Cowgill, Region I	

DOCUMENT NAME: G:\SUSQ\CORA2447.WPD

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	PM:PDI-1	LA:PDI-2	D:PDI-1	
NAME	VNerses:lcc	MO'Brien	SBajwa	
DATE	03/12/99	03/15/99	03/15/99	03/ /99

OFFICIAL RECORD COPY



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

March 15, 1999

Mr. Robert G. Byram
Senior Vice President-Generation
and Chief Nuclear Officer
PP&L, Inc.
2 North Ninth Street
Allentown, PA 18101

SUBJECT: SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2 (TAC NO. MA2447)

Dear Mr. Byram:

By letter dated March 4, 1999, the Nuclear Regulatory Commission issued Amendment No. 155 to Facility Operating License No. NPF-22 for the Susquehanna Steam Electric Station, Unit 2. This amendment consists of changes to the Technical Specifications (TSs) in response to your application dated August 5, 1998, as supplemented by letter dated November 23, 1998.

This amendment changed the allowable values for both the core spray and the low pressure coolant injection system reactor steam dome pressure-flow functions.

Your November 23, 1998, letter requested that the TS changes be effective as of its date of issuance and be implemented 30 days after startup from the Unit 2 ninth refueling and inspection outage currently scheduled for spring 1999. The amendment was dated March 4, 1999, and incorrectly stated that implementation will be within 30 days after its date of issuance. The enclosed page is issued to correct the error made in the March 4, 1999, amendment.

Sincerely,

A handwritten signature in black ink, reading "Victor Nerses", is positioned above the typed name.

Victor Nerses, Senior Project Manager
Project Directorate I-1
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-388

Enclosure: Corrected Page to Amendment 155

cc w/encl: See next page

PP&L, Inc.

Susquehanna Steam Electric Station,
Units 1 & 2

cc:

Jay Silberg, Esq.
Shaw, Pittman, Potts & Trowbridge
2300 N Street N.W.
Washington, D.C. 20037

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, Pennsylvania 19406

Bryan A. Snapp, Esq.
Assistant Corporate Counsel
PP&L, Inc.
2 North Ninth Street
Allentown, Pennsylvania 18101

General Manager
Susquehanna Steam Electric Station
PP&L, Inc.
Box 467
Berwick, Pennsylvania 18603

Licensing Group Supervisor
PP&L, Inc.
2 North Ninth Street
Allentown, Pennsylvania 18101

Mr. Herbert D. Woodeshick
Special Office of the President
PP&L, Inc.
Rural Route 1, Box 1797
Berwick, Pennsylvania 18603

Senior Resident Inspector
U. S. Nuclear Regulatory Commission
P.O. Box 35
Berwick, Pennsylvania 18603-0035

George T. Jones
Vice President-Nuclear Operations
PP&L, Inc.
2 North Ninth Street
Allentown, Pennsylvania 18101

Director-Bureau of Radiation
Protection
Pennsylvania Department of
Environmental Resources
P. O. Box 8469
Harrisburg, Pennsylvania 17105-8469

Dr. Judith Johnsrud
National Energy Committee
Sierra Club
433 Orlando Avenue
State College, PA 16803

Mr. Jesse C. Tilton, III
Allegheny Elec. Cooperative, Inc.
212 Locust Street
P.O. Box 1266
Harrisburg, Pennsylvania 17108-1266

Board of Supervisors
Salem Township
P.O. Box 405
Berwick, PA 18603

Mr. Robert G. Byram
Senior Vice President-Generation
and Chief Nuclear Officer
PP&L, Inc.
2 North Ninth Street
Allentown, PA 18101

2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment and paragraph 2.C.(2) of the Facility Operating License No. NPF-22 is hereby amended to read as follows:

(2) Technical Specifications and Environmental Protection Plan

The Technical Specifications contained in Appendix A, as revised through Amendment No. 155 and the Environmental Protection Plan contained in Appendix B, are hereby incorporated in the license. PP&L shall operate the facility in accordance with the Technical Specifications and the Environmental Protection Plan.

3. This license amendment is effective as of its date of issuance and is to be implemented 30 days after startup from the Unit 2 ninth refueling and inspection outage currently scheduled for spring 1999.

FOR THE NUCLEAR REGULATORY COMMISSION

Original signed by:

S. Singh Bajwa, Director
Project Directorate I-1
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Attachment: Changes to the Technical
Specifications

Date of Issuance: February 17, 1999

9903220167 990315
PDR ADDCK 05000388
P PDR

Corrected by letter dated March 15, 1999.