

## SECTION I

### MATERIALS LICENSE REVIEWER NRC LICENSE REVIEWER QUALIFICATION JOURNAL

#### Applicability

This NRC License Reviewer Qualification Journal implements NRC Manual Chapter 1246, Appendix A, Section I, by establishing the minimum training requirements for personnel assigned to perform license reviews for materials facilities.

The NRC License Reviewer Qualification Journal serves as a guideline for the development of a Qualification Journal, and establishes the minimum training requirements consistent with NRC Manual Chapter 1246. The Qualification Journal must provide traceable documentation to show that minimum requirements are met for each license reviewer.

The NRC License Reviewer Qualification Journal consists of a series of qualification guides and signature cards. Each signature card is used to document task completion, as indicated by the appropriate signature blocks. The corresponding qualification guide establishes the minimum knowledge levels or areas of study that must be completed for each signature card.

Most of the qualification guides are divided into sections. The review sections of the qualification guides identify references with general application to the license reviewer's qualification. The license reviewer is expected to have a general familiarity with these references. Other sections of the qualification guides identify specific references that have direct application to the license review discipline. The license reviewer is expected to demonstrate detailed knowledge of the license review specific references.

In order to support the review of upper tier documents, programs, and policies, the license reviewer's immediate supervisor will assign one or more specific materials licensees as reference licensees. The selection of reference licensees is intended to provide the license reviewer's management with the ability to tailor the qualification process to the experience and training level of the license reviewer, and to meet the needs of the NRC. The use of specific real world material will reinforce the qualification process.

LICENSE REVIEWER QUALIFICATION JOURNAL - Materials License Reviewer

\_\_\_\_\_  
 (Name) (Title) (Branch) (Section)

To complete your qualification as a Materials License Reviewer you are to complete the following signature cards. All signoffs shall include the signature of the responsible reviewer and the date. Maintain these cards in a notebook along with any background or written material required by the program. This notebook will comprise your NRC License Reviewer Qualification Journal.

	<u>Signature When Complete</u>	<u>Date</u>
1. NRC Orientation	_____ First Line Supervisor	_____
2. Code of Federal Regulations	_____ First Line Supervisor	_____
3. Office Instructions/Regional Procedures	_____ First Line Supervisor	_____
4. Regulatory Guidance	_____ First Line Supervisor	_____
5. NRC Inspection Manual Chapter (MC)	_____ First Line Supervisor	_____
6. Industry Codes and Standards	_____ First Line Supervisor	_____
7. Required Licensing Site Visits to Core Licensees	_____ First Line Supervisor	_____
8. NRC Management Directives	_____ First Line Supervisor	_____
9. Review of Significant Events at Materials Licensees	_____ First Line Supervisor	_____
10. Directed Review of Selected Licensing Case Work	_____ First Line Supervisor	_____
11. Formal Training	_____ First Line Supervisor	_____

Qualification Board  
Requirement Met

\_\_\_\_\_  
Second Level Supervisor  
or Board Chairman

Recommended as a qualified  
license reviewer

\_\_\_\_\_  
Second Level Supervisor

Certification Memo Issued

\_\_\_\_\_  
Second Level Supervisor

Qualification Card 1  
NRC Orientation

A. Site Orientation

Initials

Date

1. New employee processing package completed

\_\_\_\_\_  
Employee

\_\_\_\_\_

2. Facility tour and introduction

\_\_\_\_\_  
First Line Supervisor

\_\_\_\_\_

B. NRC Organization

1. Review of NRC headquarters and regional organization

\_\_\_\_\_  
Employee

\_\_\_\_\_

2. Discussion of NRC organization

\_\_\_\_\_  
First Line Supervisor

\_\_\_\_\_

Qualification Card 2  
Code of Federal Regulations (CFR)

|

Initials

Date

A. Familiarization with selected  
CFR parts completed

\_\_\_\_\_  
Employee

\_\_\_\_\_

B. Discussion completed on CFR  
parts related to the materials  
license review program

\_\_\_\_\_  
First Line Supervisor

\_\_\_\_\_

Qualification Card 3  
Office Instructions/Regional Procedures

Initials

Date

| A. Familiarization with office/  
| regional policies and procedures

\_\_\_\_\_  
Employee

\_\_\_\_\_

| B. Discussion completed on office/  
| regional policies and procedures

\_\_\_\_\_  
First Line Supervisor

Qualification Card 4  
Regulatory Guidance

	<u>Initials</u>	<u>Date</u>
A. Review of regulatory guidance		
1. Regulatory Guides	_____ Employee	_____
2. Information Notices /Bulletins	_____ Employee	_____
3. NUREGs	_____ Employee	_____
4. Generic Letters	_____ Employee	_____
5. Federal Register Notices	_____ Employee	_____
6. NRC Branch Technical Positions	_____ Employee	_____
7. Policy and Guidance Directives	_____ Employee	_____
8. Standard Deficiency Paragraphs	_____ Employee	_____
9. Standard License Conditions	_____ Employee	_____
10. Licensing Checklists	_____ Employee	_____
11. Standard Review Plans	_____ Employee	_____
12. Sealed Source and Device Registry	_____ Employee	_____
13. Technical Assistance Requests	_____ Employee	_____
B. Discussion of regulatory guidance with application to the materials license review program	_____ First Line Supervisor	_____

Qualification Card 5  
NRC Inspection Manual Chapters (MC)

Initials

Date

- A. Review of appropriate portions of NRC MCs completed

\_\_\_\_\_  
Employee

\_\_\_\_\_

- B. Discussion of NRC MCs and its relation to the materials license review program

\_\_\_\_\_  
First Line Supervisor



Qualification Card 6  
Industry Codes and Standards

Initials

Date

A. Review of selected codes  
and standards completed

\_\_\_\_\_  
Employee

\_\_\_\_\_

B. Discussion of the application  
of codes and standards in the  
materials license review  
program

\_\_\_\_\_  
First Line Supervisor

\_\_\_\_\_

Qualification Card 7  
Required (As Appropriate) Licensing Site Visits  
to Core Licensees

Initials

Date

A. Site visits completed

- |    |          |          |  |
|----|----------|----------|--|
| 1. | Facility | Employee |  |
| 2. | Facility | Employee |  |
| 3. | Facility | Employee |  |
| 4. | Facility | Employee |  |

B. Review and discussion by first line supervisor of licensing site visits and their relation to the materials license review program

- |    |          |                       |
|----|----------|-----------------------|
| 1. | Facility | First Line Supervisor |
| 2. | Facility | First Line Supervisor |
| 3. | Facility | First Line Supervisor |
| 4. | Facility | First Line Supervisor |

Qualification Card 8  
NRC Management Directives

Initials

Date

A. Review of selected portions of  
the NRC Management Directives  
completed

\_\_\_\_\_  
Employee

\_\_\_\_\_

B. Discussion of the application  
of the NRC Management Directives  
to the materials license review  
program

\_\_\_\_\_  
First Line Supervisor

\_\_\_\_\_

Qualification Card 9  
Review of Significant Events at Materials Licensees

Initials

Date

A. Review of selected significant  
historical materials events

\_\_\_\_\_  
Employee

\_\_\_\_\_

B. Discussion of the importance  
of these events and lessons learned

\_\_\_\_\_  
First Line Supervisor

Qualification Card 10  
Directed Review of Selected Licensing Case Work

Initials

Date

A. Review of selected licensing casework

- |    |              |          |  |
|----|--------------|----------|--|
| 1. | (Case Study) | Employee |  |
| 2. | (Case Study) | Employee |  |
| 3. | (Case Study) | Employee |  |
| 4. | (Case Study) | Employee |  |

B. Discussion by first line supervisor of directed review of the selected casework and its relation to the materials license review program.

- |    |              |                       |  |
|----|--------------|-----------------------|--|
| 1. | (Case Study) | First Line Supervisor |  |
| 2. | (Case Study) | First Line Supervisor |  |
| 3. | (Case Study) | First Line Supervisor |  |
| 4. | (Case Study) | First Line Supervisor |  |

Qualification Card 11  
Formal Training

	<u>Initials</u>	<u>Date</u>
A. CORE TRAINING:		
1. Health Physics Technology Course (H-201)	_____ Training Coordinator	_____
2. Diagnostic and Therapeutic Nuclear Medicine Course (H-304)	_____ Training Coordinator	_____
3. Safety Aspects of Industrial Radiography Course (H-305)	_____ Training Coordinator	_____
4. Teletherapy and Brachytherapy Course (H-313)	_____ Training Coordinator	_____
5. Licensing Practices and Procedures Course (G-109)	_____ Training Coordinator	_____
6. Transportation of Radioactive Materials Course (H-308)	_____ Training Coordinator	_____
7. NMSS Radiation Worker Training Course (H-102)	_____ Training Coordinator	_____

B. SPECIALIZED TRAINING:

Other specialized training courses required for license reviewers performing licensing activities in specific areas:

<u>Course Title</u>	<u>Course #</u>	<u>Initials</u>	<u>Initials</u>	<u>Date</u>
_____	_____	_____ Supervisor	_____ Training Coordinator	_____
_____	_____	_____ Supervisor	_____ Training Coordinator	_____
_____	_____	_____ Supervisor	_____ Training Coordinator	_____
_____	_____	_____ Supervisor	_____ Training Coordinator	_____

Qualification Guide 1  
NRC Orientation

A. Site Orientation

1. The qualifying individual should read and complete, as appropriate, the following forms for processing into the NRC:
  - a. Personnel information
  - b. Health insurance elections
  - c. Retirement plan elections
  - d. Savings elections (e.g. U.S. Savings Bonds, TSP, etc.)
  - e. Fitness for Duty requirements and physical examination
  - f. Any other forms which may be required by NRC Office of Human Resources
  - g. Forms for issuance of tagged, controlled NRC equipment
  - h. Payroll forms and time cards
  - i. Regulatory Information Tracking System (RITS)
2. The First Line Supervisor should orient the qualifying individual to the facility as follows:
  - a. Tour the facility and introduce the qualifying individual to the staff
  - b. Indicate to the qualifying individual the location of controlled documents, reference material, supplies, office equipment, classrooms, etc.

B. NRC Organization

1. The qualifying individual should review and become familiar with:
  - a. Organizational charts of division, NMSS, regions and headquarters and overall NRC organization (NUREG 0325)
  - b. Role of Headquarters in policy and interpretation of regulations
  - c. Role of NRC General Counsel
  - d. Role of NRC Inspector General
  - e. Role of NRC Public Affairs
  - f. Role of NRC Office of Investigations
  - g. Role of NRC Office of Enforcement
  - h. Physical location of NRC offices and regions
  - i. Role of NRC as a regulatory agency

- (1) 10 CFR Part 1 (Organization)
- (2) Atomic Energy Act of 1954, as amended
- (3) Energy Reorganization Act of 1974, as amended
- (4) NRC Enforcement Policy (NUREG 1600)
- (5) Incident Response Plan (NUREGs 0728 and 0845)
- (6) Energy Policy Act of 1992

- 2. The First Line Supervisor should discuss NRC organization and role with the qualifying individual to ensure the qualifying individual has a full understanding of NRC's organization and mission and the role of the license reviewer in that mission.



Qualification Guide 2  
Code of Federal Regulations (CFR)

A. A selection of currently applicable CFR Parts should be made by the First Line Supervisor. The selection should include the references listed below and be documented. The qualifying individual should be expected to have a general knowledge of the topics addressed in the references. This review may be accomplished by self-study, study-quizzes, briefings, or discussions.

- |     |                 |                                                                                                                                              |  |
|-----|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------|--|
| 1.  | 10 CFR Part 1   | Statement of organization and general information                                                                                            |  |
| 2.  | 10 CFR Part 2   | Rules of practice for domestic licensing proceedings and issuance of orders                                                                  |  |
| 3.  | 10 CFR Part 9   | Public Records                                                                                                                               |  |
| 4.  | 10 CFR Part 19  | Notices, instructions and reports to workers; inspections                                                                                    |  |
| 5.  | 10 CFR Part 20  | Standards for protection against radiation (includes selected Questions and Answers, Q & As)                                                 |  |
| 6.  | 10 CFR Part 21  | Reporting of defects and noncompliance                                                                                                       |  |
| 7.  | 10 CFR Part 30  | Rules of general applicability to domestic licensing of byproduct material                                                                   |  |
| 8.  | 10 CFR Part 31  | General domestic licenses for byproduct material                                                                                             |  |
| 9.  | 10 CFR Part 32  | Specific domestic licenses to manufacture or transfer certain items containing byproduct material                                            |  |
| 10. | 10 CFR Part 33  | Specific domestic licenses of broad scope for byproduct material                                                                             |  |
| 11. | 10 CFR Part 34  | Licenses for radiography and radiation safety requirements for radiographic operations                                                       |  |
| 12. | 10 CFR Part 35  | Medical use of byproduct material                                                                                                            |  |
| 13. | 10 CFR Part 36  | Licenses and radiation safety requirements for irradiators                                                                                   |  |
| 14. | 10 CFR Part 39  | Licenses and radiation safety requirements for well logging                                                                                  |  |
| 15. | 10 CFR Part 40  | Domestic licensing of source material                                                                                                        |  |
| 16. | 10 CFR Part 61  | Licensing requirements for land disposal of radioactive waste                                                                                |  |
| 17. | 10 CFR Part 70  | Domestic licensing of special nuclear material                                                                                               |  |
| 18. | 10 CFR Part 71  | Packaging and transportation of radioactive material                                                                                         |  |
| 19. | 10 CFR Part 150 | Exemptions and continued regulatory authority in agreement states and in offshore waters under section 274                                   |  |
| 20. | 10 CFR Part 170 | Fees for facilities, materials, import and export licenses and other regulatory services under the Atomic Energy Act of 1954, as amended     |  |
| 21. | 10 CFR Part 171 | Annual fees for reactor operating licenses, and fuel cycle licenses and materials licenses, including holders of certificates of compliance, |  |

registrations, and quality assurance program approvals and government agencies licensed by NRC

- 22. 29 CFR Part 1910 Occupational Safety and Health Standards
- 23. 40 CFR Part 61 National Emission Standards for Hazardous Air Pollutants (emphasis on Subpart I)
- 24. 40 CFR Part 141 National Primary Drinking Water Regulations
- 25. 49 CFR Parts 171 through 180 Transportation
- 26. 40 CFR Part 190 Environmental Radiation Protection for Nuclear Power Operations (Uranium Fuel Cycle Standards)
- 27. 10 CFR Part 110 Export and Import of Nuclear Material and Equipment

B. Following completion of the qualifying individual's self study of the listed 10 CFR Parts, a discussion will be held with the qualifying license reviewer by the First Line Supervisor to test the qualifying license reviewer's knowledge of these Parts. To the extent possible, recent application of various sections, new regulatory initiatives, and current industry issues should be emphasized.

Qualification Guide 3  
Office Instructions/Regional Procedures

- A. Office/Region Policies and Procedures |
  
- 1. Read the Region Policy and Procedures Manual |
  
- 2. The qualifying individual should review the division/NRC policies and practices on: |

  - a. Travel, including Management Directive 14.1 Official Temporary Duty Travel |
  - b. Telephone use |
  - c. Policies on use of annual leave and sick leave and excused leave, including Bulletin 4135, Leave Administration |
  - d. Work schedule, including NRC Appendix 4136, Hours of Work and Premium Pay |
  - e. Use of government equipment, including computers (ADAMS & NUDOCS) and Management Directive 13.1, Property Management |
  - f. Union activities, including Management Directive 10.102, Labor-Management Relations Program for Federal Employees |
  - g. Communications outside NRC |
  - h. Policies on outside employment and acceptance of gifts |
  - i. Participation in political activities |
  - j. Routing of mail and procedures for sending mail and materials (via U.S. Mail, Federal Express, etc.), including Management Directive 3.23, Mail Management |
  - k. Ordering of documents (e.g NUREGs) |
  - l. Division emergency and evacuation procedures |
  - m. Employee appraisal system and Individual Development Plan (IDP) |

    - (1) Employee trial period (Management Directive 10.14 Employment and Staffing) |
    - (2) Employee appraisals (Management Directive 10.67, Non-SES Performance Appraisal System) |

  - n. Differing Professional Views or Opinions (Management Directive 10.159, General Personnel Management Provisions) |

  
- B. The First Line Supervisor should discuss these policies and practices with the qualifying individual to ensure that the qualifying individual has a full and complete understanding.

Qualification Guide 4  
Regulatory Guidance

A. A selection of currently applicable regulatory guidance should be identified by the First Line Supervisor. These references should include those listed below (documents marked by an asterisk must be selected as a minimum) and should be documented. The qualifying individual should be expected to have a general knowledge of the topics addressed in the references. The review may be accomplished by self-study, study-quizzes, briefings, or discussions. Note that many Regulatory Guides reference or endorse industry codes and standards listed in Qualification Guide 6. Study of corresponding and subtier codes and standards is recommended.

1. Regulatory Guides (use latest revision)

- 4.6 Measurements of Radionuclides in the Environment - Strontium-89 and Strontium-90 Analyses
- 4.13 Performance, Testing and Procedural Specifications for Thermoluminescence Dosimetry: Environmental Applications
- 4.15 Quality Assurance for Radiological Monitoring Programs
- 4.20 Constraint on Releases of Airborne Radioactive Materials to the Environment for Licensees other than Power Reactors.
- \*6.1 Leak Testing Radioactive Brachytherapy Sources
- 6.2 Integrity and Test Specifications
- 6.3 Design, Construction, and Use of Radioisotopic Power Generators for Certain Land and Sea Applications
- 6.4 Classifications of Containment Properties of Sealed Radioactive Sources
- \*6.5 General Safety Standard for Installations Using Nonmedical Sealed Gamma Ray Sources
- 6.6 Acceptance Sampling Procedures for Exempted and Generally Licensed Items Containing Byproduct Material
- 6.7 Preparation of an Environmental Report to Support a Rule Making Petition Seeking an Exemption for a Radionuclide-Containing Product
- 6.8 Identification Plaque for Irretrievable Well-Logging Sources
- 6.9 Establishing Quality Assurance Programs for the Manufacture and Distribution of Sealed Sources and Devices containing Byproduct Material
- 7.1 Administrative Guide for Packaging and Transporting Radioactive Material
- \*7.2 Packaging and Transportation of Radioactively Contaminated Biological Materials
- \*7.3 Procedures for Picking Up and Receiving Packages of Radioactive Material
- \*7.4 Leakage Tests on Packages for Shipment of Radioactive Materials

- 7.5 Administrative Guide for Obtaining Exemptions from Certain NRC Requirements over Radioactive Material Shipments
- \*7.7 Administrative Guide for Verifying Compliance with Packaging Requirements for Shipments of Radioactive Materials
- 7.10 Establishing Quality Assurance Programs for Packaging Used in the Transport of Radioactive Material |
- \*8.1 Radiation Symbol
- \*8.2 Guide for Administrative Practices in Radiation Monitoring
- \*8.4 Direct Reading and Indirect Reading Pocket Dosimeters
- 8.5 Criticality and Other Interior Evacuation Signals
- \*8.6 Standard Test Procedure for Geiger Muller Counters
- \*8.7 Instructions for Recording and Reporting Occupational Radiation Exposure Data |
- \*8.9 Acceptable Concepts, Models, Equations and Assumptions for a Bioassay Program
- \*8.10 Operating Philosophy for Maintaining Occupational Radiation Exposures As Low As Is Reasonably Achievable
- 8.11 Applications of Bioassay Uranium
- \*8.13 Instruction Concerning Prenatal Radiation Exposure
- \*8.14 Personnel Neutron Dosimeters
- \*8.15 Acceptable Programs for Respiratory Protection
- \*8.18 Information Relevant to Ensuring that Occupational Radiation Exposures at Medical Institutions Will be As Low As Reasonably Achievable
- \*8.20 Applications of Bioassay for I-125 and I-131 |
- \*8.21 Health Physics Surveys for Byproduct Material at NRC Licensed Processing and Manufacturing Plants
- 8.22 Bioassay at Uranium Mills
- \*8.23 Radiation Safety Surveys at Medical Institutions
- 8.24 Health Physics Surveys During Enriched Uranium 235 Processing and Fuel Fabrication
- \*8.25 Air Sampling in the Workplace |
- 8.26 Applications of Bioassay for Fission and Activation Products
- \*8.28 Audible Alarm Dosimeters
- \*8.29 Instruction Concerning Risks form Occupational Radiation Exposure
- 8.30 Health Physics Surveys in Uranium Mills

- 8.31 Information Relevant to Ensuring that Occupational Radiation Exposures at Uranium Mills Will Be As Low As Reasonably Achievable
- \*8.32 Criteria for Establishing a Tritium Bioassay Program
- \*8.33 Quality Management Program
- \*8.34 Monitoring Criteria and Methods to Calculate Occupational Radiation Doses
- \*8.35 Planned Special Exposures
- \*8.36 Radiation Doses to the Embryo/Fetus
- \*8.37 ALARA Levels For Effluents From Materials Facilities
- \*8.39 Release of Patients Administered Radioactive Materials
- \*10.4 Guide for the Preparation of Applications for Licenses to Process Source Material
- 10.12 Preparation of Petitions for Rulemaking Under 10 CFR 2.802 and Preparation and Submission of Proposals for Regulatory Guidance Documents

2. Information Notices (IN) and Bulletins (BL)

- IN 91-002 Brachytherapy Source Management
- IN 91-003 Management of Wastes Contaminated With Radioactive Materials ("Red Bag" Waste and Ordinary Trash)
- IN 91-014 Recent Safety-Related Incidents at Large Irradiators
- IN 91-023 Accidental Radiation Overexposures to Personnel Due to Industrial Radiography Accessory Equipment Malfunctions
- IN 91-030 Inadequate Calibration of TLDs Utilized to Monitor Extremity Dose at Uranium Processing and Fabrication Facilities
- IN 91-035 Labeling Requirements for Transporting Multi-Hazard Radioactive Materials
- IN 91-049 Enforcement of Safety Requirements for Radiographers
- IN 91-060 False Alarms of Alarm Ratemeters Because of Radiofrequency Interference
- IN 91-071 Training and Supervision of Individuals Supervised by an Authorized User
- IN 92-010 Brachytherapy Incidents Involving Iridium-192 Wire Used in Endobronchial Treatments
- IN 92-034 New Exposures Limits for Airborne Uranium and Thorium
- IN 92-062 Emergency Response Information Requirements for Radioactive Material Shipments

IN 92-072	Employee Training and Shipper Registration Requirements for Transporting Radioactive Materials
IN 92-084	Release of Patients Treated With Temporary Implants
IN 93-004	Investigation and Reporting of Misadministrations by the Radiation Safety Officer
IN 93-005	Locking of Radiography Exposure Devices
IN 93-006	Potential Bypass Leakage Paths Around Filters Installed in Ventilation Systems
IN 93-007	Classification of Transportation Emergencies
IN 93-010	Dose Calibrator Quality Control
IN 93-014	Clarification of 10 CFR 40.22, Small Quantities of Source Material
IN 93-018	Portable Moisture-Density Gauge User Responsibilities During Field Operations
IN 93-030	NRC Requirements for Evaluation of Wipe Test Results; Calibration of Count Rate Survey Instruments
IN 93-031	Training of Nurses Responsible for the Care of Patients With Brachytherapy Implants
IN 93-036	Notifications, Reports, and Records of Misadministrations
IN 93-060	Reporting Fuel Cycle and Materials Events to the NRC Operations Center
IN 93-069	Radiographic Events At Operating Power Reactors
IN 93-100	Reporting Requirements for Bankruptcy
IN 94-007	Solubility Criteria For Liquid Effluent Releases to Sanitary Sewerage Under the Revised 10 CFR Part 20
IN 94-009	Release of Patients With Residual Radioactivity From Medical Treatment and Control Areas ... Revised 10 CFR Part 20
IN 94-015	Radiation Exposures During an Event Involving a Fixed Nuclear Gauge
IN 94-016	Recent Incidents Resulting in Offsite Contamination
IN 94-017	Strontium-90 Eye Applicators: Submission of Quality Management Plan (QMP), Calibration, and Use
IN 94-037	Misadministration Caused By a Bent Interstitial Needle During Brachytherapy Procedure
IN 94-039	Identified Problems in Gamma Stereotactic Radiosurgery
IN 94-047	Accuracy of Information Provided to NRC During the Licensing Process
IN 94-065	Potential Error in Manual Brachytherapy Dose Calculations Generated Using a Computerized Treatment Planning System

IN 94-070	Issues Associated with the Use of Strontium-89 and Other Beta Emitting Radiopharmaceuticals
IN 94-074	Facility Management Responsibilities for Purchased or Contracted Services for Radiation Therapy Programs
IN 94-081	Accuracy of Bioassay and Environmental Sampling Results
IN 95-007	Radiopharmaceutical Vial Breakage During Preparation
IN 95-025	Valve Failure During Patient Treatment with Gamma Stereotactic Radiosurgery Unit
IN 95-039	Brachytherapy Incidents Involving Treatment Planning Errors
IN 95-050	Safety Defect in Gammamed 12I Bronchial Catheter Clamping Adapters
IN 95-051	Recent Incidents Involving Potential Loss of Control of Licensed Material
IN 96-004	Incident Reporting Requirements for Radiography Licensees
IN 96-035	Failure of Safety Systems on Self-Shielded Irradiators Because of Inadequate Maintenance and Training
IN 96-047	Recordkeeping, Decommissioning Notifications for Disposals of Radioactive Waste by Land Burial Authorized under Former 10 CFR 20.304, 20.302, and Current 20.2002
IN 96-057	Incident-reporting Requirements Involving Intakes During a 24-hour Period That May Cause a Total Effective Dose Equivalent in Excess of 0.05 SV (5 rems)
IN 96-066	Recent Misadministrations Caused by Incorrect Calibrations of Strontium-90 Eye Applicators
IN 96-072	Undetected Failures That May Occur During Patient Treatments with Teletherapy Devices
IN 97-030	Control of Licensed Material During Reorganizations, Employee-Management Disagreements, and Financial Crises
IN 97-042	Management Weaknesses Resulting in Failure to Comply With Shipping Requirements for Special Nuclear Material
IN 97-043	License Condition Compliance
IN 97-055	Calculation of Surface Activity for Contaminated Equipment and Material
IN 97-065	Failures of High-Dose-Rate Remote Afterloading (HDR) Device Source Guide Tubes, Catheters, and Applicators
IN 97-075	Enforcement Sanctions Issued as a Result of Deliberate Violations of NRC Requirements
IN 97-091	Recent Failures of Control Cables Used on Amersham Model 660 Posilock Radiography Systems



IN 98-001	Thefts of Portable Gauges
IN 98-004	Enforcement Sanctions for Deliberate Violations of NRC Employee Protection Requirements
IN 98-005	Criminal History Record Information
IN 98-006	Unauthorized Use of License to Obtain Radioactive Materials, and its Implications under Expanded Title 18 of the U.S.Code
IN 98-010	Probable Misadministrations Occurring During Intravascular Brachytherapy with Novoste Beta-Cath System
IN 98-012	Licensee's Responsibilities Regarding Reporting and Follow-Up Requirements for Nuclear-Powered Pacemakers
IN 98-018	Recent Contamination Incidences Resulting From Failure to Perform Adequate Surveys
IN 99-004	Unplanned Radiation Exposures to Radiographers, Resulting from Failures to Follow Proper Radiation Safety Procedures
IN 99-009	Problems Encountered When Manually Editing Treatment Data on the Nucletron Microselectron-HDR (New) Model 105.999
IN 99-11	Incidents Involving the Use of Radioactive Iodine-131
IN 99-24	Broad-Scope Licensees' Responsibilities for Reviewing and Approving Unregistered Sealed Sources and Devices
IN 99-27	Malfunction of Source Retraction Mechanism in Cobalt-60 Teletherapy Treatment Units
BL 86-004	Defective Teletherapy Timer That May Not Terminate Treatment Dose
BL 88-006	Actions To Be Taken for the Transportation of Model No. SPEC 2-T Radiographic Exposure Device
BL 92-002	Safety Concerns Related to "End of Life" of Aging Theratronics Teletherapy Units
BL 92-003	Release of Patients After Brachytherapy
BL 93-001	Release of Patients After Brachytherapy Treatment With Remote Afterloading Devices
BL 95-001	Quality Assurance Program For Transportation of Radioactive Material
BL 97-001	Potential for Erroneous Calibration, Dose Rate, or Radiation Exposure Measurements with Certain Victoreen Model 530 and 530SIElectrometer/Dose-Meters

Others as selected by the First Line Supervisor

3. NUREGs (latest revision, where applicable)

NUREG 1400 Air Sampling in the Workplace

NUREG 1460 Guide to NRC Reporting and Recordkeeping Requirements

NUREG 1507 Minimum Detectable Concentrations with Typical Radiation Survey Instruments for Various Contaminants and Field Conditions

NUREG 1556 Consolidated Guidance About Materials Licenses

Vol. 1: Program-Specific Guidance About Portable Gauge Licenses

Vol. 2: Program-Specific Guidance About Industrial Radiography Licenses

Vol. 3: Applications for Sealed Source and Device Evaluation and Registration

Vol. 4: Program-Specific Guidance About Fixed Gauge Licenses

Vol. 5: Program-Specific Guidance About Self-Shielded Irradiator Licenses

Vol. 6: Program-Specific Guidance About 10 CFR Part 36 Irradiator Licenses

Vol. 7: Program-Specific Guidance About Academic, Research and Development, and Other Licenses of Limited Scope

Vol. 8: Program-Specific Guidance About Exempt Distribution Licenses

Vol. 9: Program-Specific Guidance About Medical Use Licenses

Vol. 10: Program-Specific Guidance About Master Material Licenses

Vol. 11: Program-Specific Guidance About Licenses of Broad Scope

Vol. 12: Program-Specific Guidance About Possession Licenses for Manufacturing and Distribution

Vol. 13: Program-Specific Guidance About Commercial Radiopharmacy Licenses

Vol. 14: Program-Specific Guidance About Well Logging, Tracer, and Field Flood Study Licenses

Vol. 15: Program-Specific Guidance About About Changes of Control and About Bankruptcy Involving Byproduct, Source, or Special Nuclear Material Licenses

Vol. 16: Program-Specific Guidance About Licenses Authorizing Distribution to General Licensees

Vol. 17: Program-Specific Guidance About Service Provider Licenses

Vol. 18: Program-Specific Guidance About Special Nuclear Material of Less than Critical Mass Licenses

Vol. 19: Guidance For Agreement State Licensees About NRC Form 241, Report of Proposed Activities in Non-Agreement States, Areas of Exclusive Federal Jurisdiction, or Offshore Waters, and Guidance for NRC Licensees Proposing to Work in Agreement State Jurisdiction (Reciprocity)

Vol. 20: Program-Specific Guidance About Administrative Licensing Procedures

NUREG 1575 Multi-Agency Radiation Site Survey and Investigation Manual(MARSSIM)

NUREG 1600 General Statement of Policy and Procedures for NRC  
Enforcement Actions

NUREG/BR 0195 NRC Enforcement Manual

NUREG/BR 0216 Radioactive Waste: Production, Storage, Disposal

NUREG/BR 0240 Reporting Safety Concerns

NUREG/BR 0241 NMSS Handbook for Decommissioning Fuel Cycle and Materials Licenses

NUREG/CR 4884 Interpretation of Bioassay Measurements

NUREG/CR 5849 Manual for Conducting Radiological Surveys in Support of License Termination

Others as selected by the First Line Supervisor

4. Generic Letters

GL 86-011 Distribution of Products Irradiated in Research Reactors

GL 88-004 Distribution of Gems Irradiated In Research Reactors

GL 94-004 Voluntary Reporting of Additional Occupational Radiation Exposure Data

GL 95-09 Monitoring and Training of Shippers and Carriers of Radioactive Material

GL 99-001 Recent Nuclear Materials Safety and Safeguards Decision on Bundling Exempt  
Sources

Others as selected by the First Line Supervisor

5. Federal Register Notices

U. S. Nuclear Regulatory Commission, "Decommissioning, Recordkeeping and License Termination:  
Documentation Additions - Final Rule," *Federal Register* 58 (No. 141), 39628-39635, July 26, 1993

U. S. Nuclear Regulatory Commission, "General Requirements for Decommissioning Nuclear Facilities -  
Final Rule," *Federal Register* 53 (No. 123), 24018-24056, June 27, 1988

Others as selected by the First Line Supervisor

6. NRC Branch Technical Positions

Guidelines for Decontamination of Facilities and Equipment Prior to Release for Unrestricted Use or  
Termination of Licenses for Byproduct, Source, or Special Nuclear Material, April 1993

7. Policy and Guidance Directives

8. Standard Deficiency Paragraphs

9. Standard License Conditions

10. Licensing Checklists

11. Standard Review Plans

12. Sealed Source and Device Registry

13. Technical Assistance Requests

7. Through 13. as selected by the First Line Supervisor

B. The application of these guidance documents to the materials license review program should be studied in detail by the qualifying individual and covered by the First Line Supervisor in discussions, interviews, or oral quizzes.

Qualification Guide 5  
NRC Inspection Manual Chapters(MC)

A. A selection of currently applicable NRC MC and Inspection Procedure (IP) references with direct application to the materials license review program should be identified by the First Line Supervisor. The application of the specific sections to the materials license review program should be studied in detail by the qualifying individual.

1. REPORTS/COMMUNICATIONS/FOLLOW-UP

- MC 0230 Morning Report
- MC 0610 Inspection Reports
- MC 0620 Inspection Documents and Records
- MC 0720 NRC Bulletins and Information Notices
- MC 0801 Inspector Feedback
- MC 1120 Preliminary Notifications
  
- IP 92701 Followup
- IP 92703 Followup of Confirmatory Action Letters

2. INSPECTIONS

- MC 0300 Announced and Unannounced Inspections
- MC 0312 Technical Assistance for Radiation Safety Inspections at Nuclear Fuel Cycle Facilities and Materials Licensees' Sites
- MC 1246 Formal Qualification Programs in Nuclear Material Safety and Safeguards Program Area
  
- MC 2800 Materials Inspection Program (Inspection Priorities and Scheduling)

3. INTERACTIONS WITH OTHER FEDERAL AGENCIES

- MC 1007 Interfacing Activities between Regional Offices of NRC and OSHA
  
- IP 87102 Maintaining Effluents from Materials Facilities As Low As Is Reasonably Achievable (ALARA) [EPA]<sup>1</sup>

4. INCIDENT RESPONSE

- MC 1300 Incident Response Actions - Responsibility and Authority
- MC 1301 Response to Radioactive Material Incidents that Do Not Require Activation of the NRC Incident Response Plan
- MC 1302 Action Levels for Radiation Exposures and Contamination Associated with Materials Events Involving Members of the Public
- MC 1330 Response to Transportation Accidents Involving Radioactive Materials
- MC 1360 Use of Physician and Scientific Consultants in the Medical Consultant Program
  
- IP 87103 Inspection of Material Licensees Involved in an Incident or Bankruptcy Filing

5. LOW-LEVEL WASTE/WASTE MANAGEMENT

- MC 2401 Near-Surface Low-Level Radioactive Waste Disposal Facility Inspection Program

- IP 84750 Radioactive Waste Treatment, and Effluent and Environmental Monitoring
- IP 84850 Radioactive Waste Management - Inspection of Waste Generator Requirements of 10 CFR Part 20 and 10 CFR Part 61
- IP 84900 Low-Level Radioactive Waste Storage

6. MATERIALS SAFETY PROGRAM

- MC 1220 Processing of NRC Form 241, Inspection of Agreement State Licensees Operating under the Reciprocity Provisions of 10 CFR 150.20
- MC 2800 Materials Inspection Program
- MC 2810 Materials Inspection Programs for Multisite, and Multiregional Broad Licenses
- MC 2815 Construction and Preoperational Inspection of Panoramic, Wet-Source Storage Gamma Irradiators

- IP 87101 Performance Evaluation Factors
- IP 87102 Maintaining Effluents from Materials Facilities As Low As Is Reasonably Achievable (ALARA)
- IP 87103 Inspection of Material Licensees Involved in an Incident or Bankruptcy Filing
- IP 87110 Industrial/Academic/Research Programs
- IP 87111 Materials Processor/Manufacturer Programs
- IP 87112 Irradiator Programs
- IP 87113 Well Logging Programs
- IP 87114 Fixed and Portable Gauge Programs
- IP 87115 Nuclear Medicine Programs
- IP 87116 Medical Teletherapy Programs
- IP 87117 Radiopharmacy Programs
- IP 87118 Brachytherapy Programs
- IP 87119 Medical Broad-Scope Programs
- IP 87120 Industrial Radiography Programs
- IP 87250 Locating Missing Materials Licensees

7. RADIATION PROTECTION

- MC 8300 Radiation Protection
- IP 83726 Control of Radioactive Materials and Contamination, Surveys, and Monitoring
- IP 83728 Maintaining Occupational Exposures ALARA
- IP 83750 Occupational Radiation Exposure
- IP 83822 Radiation Protection
- IP 83890 Closeout Inspection and Survey
- IP 83895 Radiation Protection - Followup on Expired Licenses

8. TRANSPORTATION

- MC 1330 Response to Transportation Accidents Involving Radioactive Materials
- IP 86721 Transportation (Basic)
- IP 86740 Inspection of Transportation Activities
- IP 86750 Solid Radioactive Waste Management and Transportation of Radioactive Materials

9. OTHER

- MC 0700 Communication with Licensees
- MC 1010 Independent Assessment and Analysis
- MC 1201 Conduct of Employees
- MC 2900 Performance Appraisal Program

- B. The First Line Supervisor will hold discussions, interviews, or oral quizzes to test the qualifying individual's knowledge and understanding of the application of the selected sections to the materials license review program.

Qualification Guide 6  
Industry Codes and Standards

A. A selection of currently applicable industry codes and standards should be identified by the First Line Supervisor. These references should include those listed below and be documented. The qualifying individual should be expected to have a general knowledge of the topics addressed in the references. This review may be accomplished by self study, study quizzes, briefings, or discussions.

1. American National Standards Institute (ANSI)

ANSI N13.1	Guide to Sampling Airborne Radioactive Materials in Nuclear Facilities
ANSI N13.2	Guide for Administrative Practices in Radiation Monitoring
ANSI N13.5	Performance Specifications for Direct Reading and Indirect Reading Pocket Dosimeters for X and Gamma Radiation
ANSI N13.7	Criteria for Photographic Film Dosimeter Performance
ANSI N13.27	Performance Requirements for Pocket Sized Alarm Dosimeters and Alarm Ratemeters
ANSI N42.12	Calibration and Usage of Sodium Iodide Detection Systems
ANSI N42.13	Calibration and Usage of Dose Calibrator Ionization Chambers for the Assay of Radionuclides
ANSI N42.14	Calibration and Use of Germanium Spectrometers for the Measurement of Gamma Ray Emission Rates of Radionuclides
ANSI N42.15	Performance Verification of Liquid Scintillation Counting Systems
ANSI N43.3	General Radiation Safety - Installations Using Non-Medical X-Ray and Sealed Gamma-Ray Sources, Energies up to 10 MeV
ANSI 43.7	Safe Design and Use of Self Contained Dry Source Storage Gamma Irradiators (Category I)
ANSI N43.8	Classification of Industrial Ionizing Radiation Gaging Devices
ANSI N43.10	Safe Design and Use of Panoramic Wet Source Storage Gamma Irradiators (Category IV)
ANSI N44.1	Integrity and Test Specifications for Selected Brachytherapy Sources
ANSI N44.2	Leak Testing Radioactive Brachytherapy Sources
ANSI N44.3	Thyroid Radioiodine Uptake Measurements Using a Neck Phantom
ANSI N319	Personnel Neutron Dosimeters
ANSI N322	Inspection and Test Specifications for Direct and Indirect Reading Quartz Fiber Pocket Dosimeters
ANSI N323	Radiation Protection Instrumentation Test and Calibration



ANSI N449	Guidelines for Maintaining Cobalt-60 and Cesium-137 Teletherapy Equipment
ANSI N449.1	Procedures for Periodic Inspection of Cobalt-60 and Cesium-137 Teletherapy Equipment
ANSI N542	Sealed Radioactive Sources Classification
ANSI Z88.2	Practices for Respiratory Protection

ANSI Standards as selected and documented by the First Line Supervisor

2. NRC Accepted HP Computer Codes

PC-DOSE  
Varskin  
RASCAL  
REMIT

3. National Council on Radiation Protection and Measurements (NCRP)

NCRP Reports No. 8, 30, 37, 40, 41, 47, 49, 50, 57, 58, 59, 61, 65, 69, 70, 71, 84, 87, 93, 94, 95, 99, 100, 101, 102, 105, 107, 110, 111, 112, 114, 115, 116, 117, 121, 122, 123, 124, 125, 127, 129

NCRP Commentaries No. 9, 11

4. International Commission on Radiological Protection (ICRP)

ICRP 19, 23, 25, 26, 27, 28, 30 and Supplements, 35, 44, 51, 52, 53, 54, 56, 60, 61

5. U.S. Environmental Protection Agency (EPA)

EPA Federal Guidance Report No.11

6. Committee on the Biological Effects of Ionizing Radiation (BEIR)

BEIR Reports (As selected by supervisor)

7. International Commission on Radiological Units (ICRU)

ICRU 12, 18, 20, 22, 24, 32, 38

8. International Atomic Energy Agency (IAEA)

IAEA Safety Series No. 1, 25, 33, 38

IAEA Technical Report Series No. 120, 133

B. The First Line Supervisor should test the qualifying individual's knowledge of application of these codes and standards to the materials license review program by discussions, interviews, or oral quizzes.

Qualification Guide 7  
Required (As Appropriate) Licensing Site Visits  
to Core Licensees

- A. Each license reviewer shall (as appropriate) accompany certified license reviewers on at least four site visits to core licensees.
- B. The following is a guide for material that should be studied and discussed with the license reviewer in charge during these site visits. The First Line Supervisor will discuss these items, as appropriate, following each site visit.
1. The Inspection Program (as it relates to review of licenses)  
MC 2800 Materials Inspection Program
  2. Scheduling and Preparation for Site Visits  
MC 0300 Announced and Unannounced Inspections
  3. Scope of Site Visit
  4. Entrance/Exit Interviews
  5. Conduct of Site Visit, Accumulation of Data
  6. Post-Site Visit Activities (as they relate to review of licenses)  
MC 0610 Inspection Reports  
MC 1100 Notification of Significant Meetings
  7. Morning Reports  
MC 0230 Morning Report
  8. Non-routine Licensee Events  
MC 1110 Potential Abnormal Occurrences  
Management Directive 8.3 NRC Incident Investigation Program  
Management Directive 8.10 NRC Medical Event Assessment Program  
Management Directive 8.9 Accident Investigation
  9. Preliminary Notification  
MC 1120 Preliminary Notifications
  10. Bulletins/Information Notices  
MC 0720 NRC Bulletins and Information Notices

11. Use of Consultants of NRC

MC 1360 Use of Physician and Scientific Consultants in the Medical Consultant Program |  
Management Directive 10.6 Use of Consultants & Experts |

12. Allegations and Investigations

Management Directive 8.8 Management of Allegations |

13. Communication outside NRC

Management Directive 5.5 Public Affairs Program

Management Directive 3.6 Distribution of Unclassified NRC Staff/Contractor-Generated Reports

Qualification Guide 8  
NRC Management Directives

A. A selection of currently applicable NRC Management Directive (MD) references should be identified by the First Line Supervisor. These references should include those listed below and be documented. The qualifying license reviewer should be expected to have a general knowledge of the topics addressed in the references. This review may be accomplished by self-study, study-quizzes, briefings, or discussions. The selection should include:

1. NRC MD 9.1                      Organization Management
2. NRC MD 9.29                    Organization and Function of Regional Offices
3. NUREG 0325                    USNRC Functional Organization Chart
4. NRC MD 3.2                    Privacy Act
5. NRC MD 3.1                    Freedom of Information Act
6. NRC MD 10.130                Safety and Health Program Under the Occupational Safety and Health Act
7. NRC MD 10.131                Standards for Protection Against Ionizing Radiation
8. NRC MD 14.1                   Official Temporary Duty Travel
9. NRC MD 10.159                Differing Professional Views or Opinions
10. NRC MD 10.42                Hours of Work and Premium Pay
11. NRC MD 10.43                Time and Attendance Reporting
12. NRC MD 10.67                Non-SES Performance Appraisal System
13. NRC MD 10.101               Employee Grievances
14. NRC MD 8.3                   NRC Incident Investigation Program
15. NRC MD 8.8                   Management of Allegations
16. NRC MD 8.10                NRC Medical Event Assessment Program

B. Application of the selected NRC Management Directives to the materials license review program will be discussed with the qualifying individual by the First Line Supervisor to test the qualifying individual's knowledge.

Qualification Guide 9  
Review of Significant Events at Material Licensees

- A. A selection of significant historical materials related events should be identified by the First Line Supervisor. These events should be documented and studied in detail by the qualifying individual.
  
- B. The First Line Supervisor should discuss the selected events in detail with the qualifying license reviewer and go over recommendations made, lessons learned, and changes identified to prevent recurrence. The relevance of the event to the overall materials license review program should be stressed.

Qualification Guide 10  
Directed Review of Selected Licensing Case Work

- A. The First Line Supervisor will select documents from the file of a licensed facility and direct their review by the qualifying individual. The qualifying individual will study in detail the selected documents. The selection should be documented. Such documents would include:
1. Initial license application and facility description
  2. Associated licensing correspondence (NRC staff comments and licensee responses)
  3. License renewal applications and associated NRC correspondence
  4. Copy of the license
  5. Inspection reports related to that licensee's activities
- B. The First Line Supervisor will discuss in detail with the qualifying individual the selected documents and their relation to the overall material license review program.

Qualification Guide 11  
Formal Training

The standards for each Training Course are provided in the NRC Technical Training Center Course Catalog and will not be duplicated in the Qualification Guide.