

December 5, 1988

Docket Nos. 50-317  
and 50-318

DISTRIBUTION

<u>Docket file</u>	NRC PDR
Local PDR	SVarga
BBoger	RCapra
CVogan	SMcNeil
OGC	DHagan
EJordan	BGrimes
TBarnhart (4)	WJones
EButcher	ACRS (10)
GPA/PA	ARM/LFMB
LTripp, RI	MJohnson, EDO

Mr. J. A. Tiernan  
Vice President - Nuclear Energy  
Calvert Cliffs Nuclear Power Plant  
MD Rts. 2 & 4  
Post Office Box 1535  
Lusby, Maryland 20657

Dear Mr. Tiernan:

SUBJECT: PROPOSED CHANGE TO PERSONNEL REQUIRED TO HOLD A SENIOR REACTOR  
OPERATOR LICENSE (TACS 67956 AND 67957)

Enclosed is a copy of a "Notice of Consideration of Issuance of Amendments to Facility Operating Licenses and Opportunity for Hearing" for your information. This notice relates to your March 15, 1988 application, as modified on December 2, 1988, which proposed 1) to modify the Technical Specification (TS) 6.2, "Organization," requirement that the General Supervisor - Nuclear Operations shall hold a senior reactor operator (SRO) license to a new requirement that the General Supervisor - Nuclear Operations shall hold or have held an SRO license at Calvert Cliffs Units 1 and 2; 2) add a requirement that the Assistant General Supervisor - Nuclear Operations shall hold an SRO license.

Sincerely,

Robert A. Capra for

Scott Alexander McNeil, Project Manager  
Project Directorate I-1  
Division of Reactor Projects I/II

Enclosure:  
As stated

cc: See next page  
[TACS 67956 AND 67957]

OFC	:PDI-1	:PDI-1	:PDI-1	:	:	:	:
NAME	:CVogan <i>CV</i>	:SMcNeil:vr <i>SM</i>	:RCapra <i>RC</i>	:	:	:	:
DATE	:12/6/88	:12/5/88	:12/5/88	:	:	:	:

OFFICIAL RECORD COPY

8812070110 881205  
PDR ADOCK 05000317  
P PDC

*DF01*  
*11*  
*CP-1*  
*gh*

Mr. J. A. Tiernan  
Baltimore Gas & Electric Company

Calvert Cliffs Nuclear Power Plant

cc:

Mr. John M. Gott, President  
Calvert County Board of  
Commissioners  
Prince Frederick, Maryland 20768

D. A. Brune, Esq.  
General Counsel  
Baltimore Gas and Electric Company  
P. O. Box 1475  
Baltimore, Maryland 21203

Mr. Jay E. Silberg, Esq.  
Shaw, Pittman, Potts and Trowbridge  
1800 M Street, NW  
Washington, DC 20036

Mr. W. J. Lippold, General Supervisor  
Technical Services Engineering  
Calvert Cliffs Nuclear Power Plant  
MD Rts 2 & 4, P. O. Box 1535  
Lusby, Maryland 20657

Resident Inspector  
c/o U.S. Nuclear Regulatory Commission  
P. O. Box 437  
Lusby, Maryland 20657

Department of Natural Resources  
Energy Administration, Power Plant  
Siting Program  
ATTN: Mr. T. Magette  
Tawes State Office Building  
Annapolis, Maryland 21204

Regional Administrator, Region I  
U.S. Nuclear Regulatory Commission  
475 Allendale Road  
King of Prussia, Pennsylvania 19406

UNITED STATES NUCLEAR REGULATORY COMMISSIONBALTIMORE GAS AND ELECTRIC COMPANYDOCKET NOS. 50-317 AND 50-318NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENTS TO  
FACILITY OPERATING LICENSES AND OPPORTUNITY FOR HEARING

The U. S. Nuclear Regulatory Commission (the Commission) is considering issuance of amendments to Facility Operating Licenses Nos. DPR-53 and DPR-69, issued to the Baltimore Gas and Electric Company (the licensee), for operation of the Calvert Cliffs Nuclear Power Plant, Unit Nos. 1 and 2, located in Calvert County, Maryland.

The proposed amendments would 1) modify the current requirement of Technical Specification (TS) 6.2.2.g that the General Supervisor - Nuclear Operations (GS-NO) shall hold a senior reactor operator (SRO) license to a new requirement that the GS-NO shall hold or shall have held an SRO license at Calvert Cliffs; 2) add a new requirement to TS 6.2.2.g to require that the Assistant General Supervisor - Nuclear Operations shall hold an SRO license.

The proposed change to the SRO license requirement for the GS-NO would collaterally effect the qualifications required for the members of the Plant Operations and Safety Review Committee (POSRC). Currently, the POSRC includes a member, the GS-NO, with an active SRO license. Through modifying the SRO license requirement for the GS-NO, the POSRC will no longer contain any members that are required to maintain an SRO license.

This proposed TS revision is in response to the licensee's application for amendments dated March 15, 1988 as modified on December 2, 1988.

8812070112 881205  
PDR ADOCK 05000317  
P PDC

Prior to issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act) and the Commission's regulations.

By January 9, 1989, the licensee may file a request for a hearing with respect to issuance of the amendments to the subject facility operating licenses and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and petitions for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR Part 2. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or an Atomic Safety and Licensing Board, designated by the Commission or by the Chairman of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the designated Atomic Safety and Licensing Board will issue a notice of hearing or an appropriate order.

As required by 10 CFR 2.714, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following factors: (1) the nature of the petitioner's right under the Act to be made a party to the proceeding; (2) the nature and extent of the petitioner's property, financial, or other interest in the proceeding; and (3) the possible effect of any order which may be entered in the proceeding on the petitioner's interest. The petition

should also identify the specific aspect(s) of the subject matter of the proceeding as to which petitioner wishes to intervene. Any person who has filed a petition for leave to intervene or who has been admitted as a party may amend the petition without requesting leave of the Board up to fifteen (15) days prior to the first prehearing conference scheduled in the proceeding, but such an amended petition must satisfy the specificity requirements described above.

Not later than fifteen (15) days prior to the first prehearing conference scheduled in the proceeding, a petitioner shall file a supplement to the petition to intervene, which must include a list of the contentions that are sought to be litigated in the matter, and the bases for each contention set forth with reasonable specificity. Contentions shall be limited to matters within the scope of the amendment under consideration. A petitioner who fails to file such a supplement which satisfies these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing, including the opportunity to present evidence and cross-examine witnesses.

A request for a hearing or a petition for leave to intervene must be filed with the Secretary of the Commission, U. S. Nuclear Regulatory Commission, Washington, DC 20555, Attention: Docketing and Service Branch, or may be delivered to the Commission's Public Document Room, Gelman Building, 2120 L Street, N.W., Washington, DC, by the above date. Where petitions are filed during the last ten (10) days of the notice period, it is requested that

- 4 -

the petitioner promptly so inform the Commission by a toll-free telephone call to Western Union at 1-(800) 325-6000 (in Missouri 1-(800) 342-6700). The Western Union operator should be given Datagram Identification Number 3737 and the following message addressed to Robert A. Capra: petitioner's name and telephone number; date petition was mailed; plant name; and publication date and page number of this FEDERAL REGISTER notice. A copy of the petition should also be sent to the Office of the General Counsel, U. S. Nuclear Regulatory Commission, Washington, DC 20555, and to D. A. Brune, Jr., General Counsel, Baltimore Gas and Electric Company, P. O. Box 1475, Baltimore, Maryland 21203, attorney for the licensee.

Nontimely filings of petitions for leave to intervene, amended petitions, supplemental petitions and/or requests for hearing will not be entertained absent a determination by the Commission, the presiding officer or the presiding Atomic Safety and Licensing Board that the petition and/or request should be granted based upon a balancing of the factors specified in 10 CFR 2.714(a)(1)(i)-(v) and 2.714(d).

If a request for a hearing is received, the Commission's staff may issue the amendment after it completes its technical review and prior to the completion of any required hearing if it publishes a further notice for public comment of its proposed finding of no significant hazards considerations in accordance with 10 CFR 50.91 and 50.92.

For further details with respect to this action, see the application for amendment dated March 15, 1988, as modified on December 2, 1988, which is available for public inspection at the Commission's Public Document Room, Gelman Building, 2120 L Street, N.W., Washington, DC 20555, and at the Local Public Document Room, Calvert County Library, Prince Frederick, Maryland.

Dated at Rockville, Maryland, this 5th, day of December , 1988.

FOR THE NUCLEAR REGULATORY COMMISSION



Robert A. Capra, Director  
Project Directorate I-1  
Division of Reactor Projects I/II

December 5, 1988

Docket Nos. 50-317  
and 50-318

DISTRIBUTION

Docket file	NRC PDR
Local PDR	SVarga
BBoger	RCapra
CVogan	SMcNeil
OGC	DHagan
EJordan	BGrimes
TRarnhart (4)	WJones
EButcher	ACRS (10)
GPA/PA	ARM/LFMB
LTripp, RI	MJohnson, EDO

Mr. J. A. Tiernan  
Vice President - Nuclear Energy  
Calvert Cliffs Nuclear Power Plant  
MD Rts. 2 & 4  
Post Office Box 1535  
Lusby, Maryland 20657

Dear Mr. Tiernan:

SUBJECT: PROPOSED CHANGE TO PERSONNEL REQUIRED TO HOLD A SENIOR REACTOR  
OPERATOR LICENSE (TACS 67956 AND 67957)

Enclosed is a copy of a "Notice of Consideration of Issuance of Amendments to Facility Operating Licenses and Opportunity for Hearing" for your information. This notice relates to your March 15, 1988 application, as modified on December 2, 1988, which proposed 1) to modify the Technical Specification (TS) 6.2, "Organization," requirement that the General Supervisor - Nuclear Operations shall hold a senior reactor operator (SRO) license to a new requirement that the General Supervisor - Nuclear Operations shall hold or have held an SRO license at Calvert Cliffs Units 1 and 2; 2) add a requirement that the Assistant General Supervisor - Nuclear Operations shall hold an SRO license.

Sincerely,

Robert A. Capra for

Scott Alexander McNeil, Project Manager  
Project Directorate I-1  
Division of Reactor Projects I/II

Enclosure:  
As stated

cc: See next page  
[TACS 67956 AND 67957]

OFC	:PDI-1	:PDI-1	:PDI-1	:	:	:	:
NAME	:CVogan	:SMcNeil	:RCapra	:	:	:	:
DATE	:12/6/88	:12/5/88	:12/5/88	:	:	:	:

OFFICIAL RECORD COPY

*8812070110  
2 PP*

Mr. J. A. Tiernan  
Baltimore Gas & Electric Company

Calvert Cliffs Nuclear Power Plant

cc:

Mr. John M. Gott, President  
Calvert County Board of  
Commissioners  
Prince Frederick, Maryland 20768

D. A. Brune, Esq.  
General Counsel  
Baltimore Gas and Electric Company  
P. O. Box 1475  
Baltimore, Maryland 21203

Mr. Jay E. Silberg, Esq.  
Shaw, Pittman, Potts and Trowbridge  
1800 M Street, NW  
Washington, DC 20036

Mr. W. J. Lippold, General Supervisor  
Technical Services Engineering  
Calvert Cliffs Nuclear Power Plant  
MD Rts 2 & 4, P. O. Box 1535  
Lusby, Maryland 20657

Resident Inspector  
c/o U.S. Nuclear Regulatory Commission  
P. O. Box 437  
Lusby, Maryland 20657

Department of Natural Resources  
Energy Administration, Power Plant  
Siting Program  
ATTN: Mr. T. Magette  
Tawes State Office Building  
Annapolis, Maryland 21204

Regional Administrator, Region I  
U.S. Nuclear Regulatory Commission  
475 Allendale Road  
King of Prussia, Pennsylvania 19406

UNITED STATES NUCLEAR REGULATORY COMMISSIONBALTIMORE GAS AND ELECTRIC COMPANYDOCKET NOS. 50-317 AND 50-318NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENTS TO  
FACILITY OPERATING LICENSES AND OPPORTUNITY FOR HEARING

The U. S. Nuclear Regulatory Commission (the Commission) is considering issuance of amendments to Facility Operating Licenses Nos. DPR-53 and DPR-69, issued to the Baltimore Gas and Electric Company (the licensee), for operation of the Calvert Cliffs Nuclear Power Plant, Unit Nos. 1 and 2, located in Calvert County, Maryland.

The proposed amendments would 1) modify the current requirement of Technical Specification (TS) 6.2.2.g that the General Supervisor - Nuclear Operations (GS-NO) shall hold a senior reactor operator (SRO) license to a new requirement that the GS-NO shall hold or shall have held an SRO license at Calvert Cliffs; 2) add a new requirement to TS 6.2.2.g to require that the Assistant General Supervisor - Nuclear Operations shall hold an SRO license.

The proposed change to the SRO license requirement for the GS-NO would collaterally effect the qualifications required for the members of the Plant Operations and Safety Review Committee (POSRC). Currently, the POSRC includes a member, the GS-NO, with an active SRO license. Through modifying the SRO license requirement for the GS-NO, the POSRC will no longer contain any members that are required to maintain an SRO license.

This proposed TS revision is in response to the licensee's application for amendments dated March 15, 1988 as modified on December 2, 1988.

8812070112  
SPP

- 2 -

Prior to issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act) and the Commission's regulations.

By January 9, 1989, the licensee may file a request for a hearing with respect to issuance of the amendments to the subject facility operating licenses and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and petitions for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR Part 2. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or an Atomic Safety and Licensing Board, designated by the Commission or by the Chairman of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the designated Atomic Safety and Licensing Board will issue a notice of hearing or an appropriate order.

As required by 10 CFR 2.714, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following factors: (1) the nature of the petitioner's right under the Act to be made a party to the proceeding; (2) the nature and extent of the petitioner's property, financial, or other interest in the proceeding; and (3) the possible effect of any order which may be entered in the proceeding on the petitioner's interest. The petition

should also identify the specific aspect(s) of the subject matter of the proceeding as to which petitioner wishes to intervene. Any person who has filed a petition for leave to intervene or who has been admitted as a party may amend the petition without requesting leave of the Board up to fifteen (15) days prior to the first prehearing conference scheduled in the proceeding, but such an amended petition must satisfy the specificity requirements described above.

Not later than fifteen (15) days prior to the first prehearing conference scheduled in the proceeding, a petitioner shall file a supplement to the petition to intervene, which must include a list of the contentions that are sought to be litigated in the matter, and the bases for each contention set forth with reasonable specificity. Contentions shall be limited to matters within the scope of the amendment under consideration. A petitioner who fails to file such a supplement which satisfies these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing, including the opportunity to present evidence and cross-examine witnesses.

A request for a hearing or a petition for leave to intervene must be filed with the Secretary of the Commission, U. S. Nuclear Regulatory Commission, Washington, DC 20555, Attention: Docketing and Service Branch, or may be delivered to the Commission's Public Document Room, Gelman Building, 2120 L Street, N.W., Washington, DC, by the above date. Where petitions are filed during the last ten (10) days of the notice period, it is requested that

- 4 -

the petitioner promptly so inform the Commission by a toll-free telephone call to Western Union at 1-(800) 325-6000 (in Missouri 1-(800) 342-6700). The Western Union operator should be given Datagram Identification Number 3737 and the following message addressed to Robert A. Capra: petitioner's name and telephone number; date petition was mailed; plant name; and publication date and page number of this FEDERAL REGISTER notice. A copy of the petition should also be sent to the Office of the General Counsel, U. S. Nuclear Regulatory Commission, Washington, DC 20555, and to D. A. Brune, Jr., General Counsel, Baltimore Gas and Electric Company, P. O. Box 1475, Baltimore, Maryland 21203, attorney for the licensee.

Nontimely filings of petitions for leave to intervene, amended petitions, supplemental petitions and/or requests for hearing will not be entertained absent a determination by the Commission, the presiding officer or the presiding Atomic Safety and Licensing Board that the petition and/or request should be granted based upon a balancing of the factors specified in 10 CFR 2.714(a)(1)(i)-(v) and 2.714(d).

If a request for a hearing is received, the Commission's staff may issue the amendment after it completes its technical review and prior to the completion of any required hearing if it publishes a further notice for public comment of its proposed finding of no significant hazards considerations in accordance with 10 CFR 50.91 and 50.92.

For further details with respect to this action, see the application for amendment dated March 15, 1988, as modified on December 2, 1988, which is available for public inspection at the Commission's Public Document Room, Gelman Building, 2120 L Street, N.W., Washington, DC 20555, and at the Local Public Document Room, Calvert County Library, Prince Frederick, Maryland.

Dated at Rockville, Maryland, this 5th, day of December , 1988.

FOR THE NUCLEAR REGULATORY COMMISSION



Robert A. Capra, Director  
Project Directorate I-1  
Division of Reactor Projects I/II