

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

11/1

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Arkansas Nuclear 1	05000313	AF	31.5	9.0	40.5
		CO	1,270.8	83.0	1,353.8
		RI	382.0	58.5	440.5
		RR	84.5	34.0	118.5
		RT	112.5	24.5	137.0
		<b>Total:</b>	1,881.3	209.0	2,090.3
Arkansas Nuclear 1	05000313	APP	992.5	67.6	1,060.1
		ARP	8.0	0.0	8.0
		AT	222.7	54.4	277.1
		BA1	5.0	0.0	5.0
		BA2	56.0	12.0	68.0
		BB	66.0	3.0	69.0
		BJ2	10.0	0.0	10.0
		RLD	4.0	0.0	4.0
		<b>Total:</b>	1,364.2	137.0	1,501.2
<b>Facility Total:</b>		3,245.5	346.0	3,591.5	
Arkansas Nuclear 2	05000368	AF	3.0	0.0	3.0
		CO	1,192.7	92.7	1,285.4
		RI	195.5	12.7	208.2
		RR	50.0	6.0	56.0
		RT	142.0	26.2	168.2
		SI	6.0	0.0	6.0
		<b>Total:</b>	1,589.2	137.6	1,726.8
Arkansas Nuclear 2	05000368	APP	969.0	50.2	1,019.2
		ARP	12.0	0.0	12.0
		AT	157.3	33.0	190.3
		BA1	1.0	0.0	1.0
		BA2	7.0	0.0	7.0
		BB	59.0	4.0	63.0
		BJ2	2.5	0.0	2.5
<b>Total:</b>	1,207.8	87.2	1,295.0		
<b>Facility Total:</b>		2,797.0	224.8	3,021.8	

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Beaver Valley 1	05000334	AF	5.7	1.2	6.9
		CO	1,480.9	137.0	1,617.9
		OR	13.0	4.0	17.0
		RI	85.0	6.5	91.5
		RR	584.0	85.7	669.7
		<b>Total:</b>	2,168.6	234.4	2,403.0
Beaver Valley 1	05000334	APP	1,034.5	85.9	1,120.4
		ARP	28.5	0.0	28.5
		AT	246.1	26.0	272.1
		BA1	47.0	6.0	53.0
		BA2	69.5	10.5	80.0
		BB	194.2	40.3	234.5
		BJ2	2.8	0.0	2.8
		RLD	12.0	0.0	12.0
		<b>Total:</b>	1,634.6	168.7	1,803.3
		<b>Facility Total:</b>	3,803.2	403.1	4,206.3
Beaver Valley 2	05000412	AF	4.8	1.0	5.8
		CO	1,282.7	128.7	1,411.4
		RI	73.0	6.0	79.0
		RR	407.3	64.9	472.2
		<b>Total:</b>	1,767.8	200.6	1,968.4
Beaver Valley 2	05000412	APP	825.0	65.5	890.5
		ARP	24.5	0.0	24.5
		AT	137.6	12.5	150.1
		BA1	43.0	6.0	49.0
		BA2	76.0	6.3	82.3
		BB	160.8	16.2	177.0
		BJ2	2.7	0.0	2.7
		RLD	4.0	0.0	4.0
		<b>Total:</b>	1,273.6	106.5	1,380.1
<b>Facility Total:</b>	3,041.4	307.1	3,348.5		
Big Rock Point	05000155	CO	565.2	11.0	576.2

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Big Rock Point	05000155	OA	452.5	0.0	452.5
		RI	304.5	1.0	305.5
		RT	66.5	3.0	69.5
		<b>Total:</b>	1,388.7	15.0	1,403.7
Big Rock Point	05000155	APP	324.5	7.0	331.5
		ARP	6.0	0.0	6.0
		AT	125.0	18.5	143.5
		BA1	19.0	1.0	20.0
		BA2	1.0	0.0	1.0
		BJ2	15.0	0.0	15.0
		RLD	4.0	0.0	4.0
		<b>Total:</b>	494.5	26.5	521.0
		<b>Facility Total:</b>	1,883.2	41.5	1,924.7
Braidwood 1	05000456	AF	60.0	0.0	60.0
		CO	1,246.5	57.5	1,304.0
		HT	104.0	4.0	108.0
		OR	10.0	2.5	12.5
		RI	494.0	42.5	536.5
		RT	98.5	17.5	116.0
		<b>Total:</b>	2,013.0	124.0	2,137.0
Braidwood 1	05000456	APP	1,209.0	22.5	1,231.5
		ARP	16.0	1.5	17.5
		AT	80.7	71.5	152.2
		BA1	8.0	0.0	8.0
		BA2	8.0	2.0	10.0
		BB	7.5	2.0	9.5
		BJ2	8.0	0.0	8.0
<b>Total:</b>	1,337.2	99.5	1,436.7		
		<b>Facility Total:</b>	3,350.2	223.5	3,573.7
Braidwood 2	05000457	AF	25.0	0.0	25.0
		CO	1,393.0	83.5	1,476.5
		OR	10.0	2.5	12.5

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Braidwood 2	05000457	RI	274.0	31.0	305.0
		RT	154.5	25.0	179.5
		<b>Total:</b>	1,856.5	142.0	1,998.5
Braidwood 2	05000457	APP	809.0	23.0	832.0
		ARP	8.0	1.5	9.5
		AT	37.8	49.0	86.8
		BB	7.0	2.0	9.0
		BJ2	9.5	0.0	9.5
		<b>Total:</b>	871.3	75.5	946.8
		<b>Facility Total:</b>	2,727.8	217.5	2,945.3
Browns Ferry 1	05000259	CO	153.0	4.0	157.0
		RI	40.0	9.0	49.0
		RR	3.0	0.0	3.0
		RT	14.6	0.0	14.6
		<b>Total:</b>	210.6	13.0	223.6
Browns Ferry 1	05000259	APP	120.0	0.0	120.0
		AT	28.5	2.5	31.0
		BA1	3.0	0.0	3.0
		BB	24.0	0.0	24.0
		BJ2	48.0	1.0	49.0
		<b>Total:</b>	223.5	3.5	227.0
		<b>Facility Total:</b>	434.1	16.5	450.6
Browns Ferry 2	05000260	AF	44.5	0.0	44.5
		CO	1,009.6	60.0	1,069.6
		RI	381.5	29.5	411.0
		RR	77.5	8.5	86.0
		RT	18.7	0.0	18.7
		SI	59.0	0.0	59.0
		<b>Total:</b>	1,590.8	98.0	1,688.8
Browns Ferry 2	05000260	APP	982.0	32.0	1,014.0
		ARP	23.5	1.0	24.5

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Browns Ferry 2	05000260	AT	116.6	30.0	146.6
		BA1	18.0	0.0	18.0
		BA2	0.5	0.0	0.5
		BB	93.0	0.0	93.0
		BJ2	126.5	0.0	126.5
		<b>Total:</b>		1,360.1	63.0
		<b>Facility Total:</b>	2,950.9	161.0	3,111.9
Browns Ferry 3	05000296	AF	20.5	0.0	20.5
		CO	943.2	48.0	991.2
		RI	272.0	25.5	297.5
		RR	65.0	8.5	73.5
		RT	14.7	0.0	14.7
		SI	71.0	5.0	76.0
		<b>Total:</b>	1,386.4	87.0	1,473.4
Browns Ferry 3	05000296	APP	869.5	22.5	892.0
		ARP	30.0	0.0	30.0
		AT	82.6	23.5	106.1
		BA1	11.5	0.0	11.5
		BB	83.5	0.0	83.5
		BJ2	102.5	0.0	102.5
		<b>Total:</b>	1,179.6	46.0	1,225.6
		<b>Facility Total:</b>	2,566.0	133.0	2,699.0
Brunswick 1	05000325	AF	183.0	32.0	215.0
		CO	1,624.0	68.5	1,692.5
		HT	18.0	3.5	21.5
		RI	228.0	26.5	254.5
		RR	34.5	30.2	64.7
		RT	104.0	26.0	130.0
		<b>Total:</b>	2,219.5	190.7	2,410.2
Brunswick 1	05000325	APP	931.5	3.0	934.5
		ARP	21.0	0.0	21.0

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Brunswick 1	05000325	AT	223.0	100.0	323.0
		BA1	56.5	1.0	57.5
		BA2	44.0	0.0	44.0
		BJ2	448.5	53.0	501.5
		<b>Total:</b>	1,724.5	157.0	1,881.5
		<b>Facility Total:</b>	3,944.0	347.7	4,291.7
Brunswick 2	05000324	AF	171.0	24.5	195.5
		CO	1,363.5	40.0	1,403.5
		HT	18.0	3.5	21.5
		RI	253.5	28.5	282.0
		RR	31.5	29.3	60.8
		RT	126.0	37.5	163.5
		SI	28.0	4.0	32.0
		<b>Total:</b>	1,991.5	167.3	2,158.8
Brunswick 2	05000324	APP	884.5	3.0	887.5
		ARP	22.5	0.0	22.5
		AT	183.0	37.5	220.5
		BA1	44.0	0.5	44.5
		BA2	41.5	0.0	41.5
		BJ2	366.5	50.5	417.0
		<b>Total:</b>	1,542.0	91.5	1,633.5
		<b>Facility Total:</b>	3,533.5	258.8	3,792.3
Byron 1	05000454	AF	81.5	4.0	85.5
		CO	972.0	105.5	1,077.5
		OA	31.5	0.0	31.5
		RI	795.0	97.0	892.0
		RR	1.0	0.0	1.0
		RT	6.0	0.0	6.0
		<b>Total:</b>	1,887.0	206.5	2,093.5
Byron 1	05000454	APP	949.0	37.5	986.5
		ARP	35.0	0.0	35.0
		AT	97.5	125.5	223.0

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Byron 1	05000454	BA1	5.0	0.0	5.0
		BA2	7.5	0.0	7.5
		BB	183.5	24.0	207.5
		BJ2	43.5	6.5	50.0
		<b>Total:</b>	1,321.0	193.5	1,514.5
		<b>Facility Total:</b>	3,208.0	400.0	3,608.0
Byron 2	05000455	AF	61.5	4.0	65.5
		CO	873.5	124.5	998.0
		OA	31.5	0.0	31.5
		RI	178.5	14.5	193.0
		RR	32.0	1.0	33.0
		RT	4.0	0.0	4.0
		<b>Total:</b>	1,181.0	144.0	1,325.0
Byron 2	05000455	APP	712.0	28.0	740.0
		ARP	15.0	0.0	15.0
		AT	49.0	51.0	100.0
		BA1	5.0	0.0	5.0
		BB	182.5	23.0	205.5
		BJ2	60.5	10.0	70.5
		<b>Total:</b>	1,024.0	112.0	1,136.0
<b>Facility Total:</b>	2,205.0	256.0	2,461.0		
Callaway	05000483	AF	6.0	0.0	6.0
		CO	1,796.9	121.2	1,918.1
		RI	664.0	43.3	707.3
		RR	239.5	23.3	262.8
		RT	0.0	0.0	0.0
		SI	140.5	40.0	180.5
		<b>Total:</b>	2,846.9	227.8	3,074.7
Callaway	05000483	APP	1,923.9	65.3	1,989.2
		ARP	206.0	1.0	207.0
		AT	345.6	88.5	434.1
		BA1	75.0	15.7	90.7

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Callaway	05000483	BA2	8.0	1.0	9.0
		BJ2	7.5	0.0	7.5
		RLD	38.0	0.0	38.0
		<b>Total:</b>	2,604.0	171.5	2,775.5
		<b>Facility Total:</b>	5,450.9	399.3	5,850.2
Calvert Cliffs 1	05000317	AF	16.0	7.5	23.5
		CO	1,390.8	87.5	1,478.3
		OA	95.5	23.1	118.6
		RI	95.1	13.5	108.6
		RR	477.0	58.5	535.5
		RT	25.0	6.0	31.0
		SI	19.0	1.5	20.5
		<b>Total:</b>	2,118.4	197.6	2,316.0
		<b>Facility Total:</b>	4,067.9	313.3	4,381.2
Calvert Cliffs 1	05000317	APP	1,268.4	69.5	1,337.9
		ARP	116.0	6.0	122.0
		AT	212.1	26.5	238.6
		BA1	33.5	0.0	33.5
		BA2	127.0	0.0	127.0
		BB	177.0	13.7	190.7
		BJ2	7.5	0.0	7.5
		RLD	8.0	0.0	8.0
		<b>Total:</b>	1,949.5	115.7	2,065.2
<b>Facility Total:</b>	4,067.9	313.3	4,381.2		
Calvert Cliffs 2	05000318	AF	1.0	3.0	4.0
		CO	1,373.7	85.9	1,459.6
		OA	57.5	9.7	67.2
		RI	76.2	3.0	79.2
		RR	368.0	20.5	388.5
		RT	19.0	4.0	23.0
		SI	19.0	1.5	20.5
		<b>Total:</b>	1,914.4	127.6	2,042.0
Calvert Cliffs 2	05000318	APP	1,199.3	74.9	1,274.2



Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Calvert Cliffs 2	05000318	ARP	75.5	6.0	81.5
		AT	132.6	20.0	152.6
		BA1	24.5	0.0	24.5
		BA2	63.0	0.0	63.0
		BB	174.0	12.8	186.8
		BJ2	7.0	0.0	7.0
		RLD	8.0	0.0	8.0
		<b>Total:</b>		1,683.9	113.7
		<b>Facility Total:</b>	3,598.3	241.3	3,839.6
Catawba 1	05000413	CO	1,160.5	63.0	1,223.5
		RI	253.0	30.8	283.8
		RR	189.5	56.5	246.0
		RT	100.0	17.0	117.0
		SI	15.5	0.0	15.5
		<b>Total:</b>		1,718.5	167.3
Catawba 1	05000413	APP	904.4	52.0	956.4
		ARP	85.0	2.0	87.0
		AT	130.0	24.6	154.6
		BA1	38.0	2.0	40.0
		BA2	62.5	6.0	68.5
		BB	2.0	0.0	2.0
		BJ2	66.5	1.0	67.5
		RLD	1.5	0.0	1.5
		<b>Total:</b>		1,289.9	87.6
		<b>Facility Total:</b>	3,008.4	254.9	3,263.3
Catawba 2	05000414	CO	1,062.5	37.8	1,100.3
		RI	170.0	15.3	185.3
		RR	90.5	1.5	92.0
		RT	52.0	12.0	64.0
		SI	15.5	0.0	15.5
		<b>Total:</b>	1,390.5	66.6	1,457.1
Catawba 2	05000414	APP	634.9	31.5	666.4

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Catawba 2	05000414	ARP	81.0	2.0	83.0
		AT	109.5	13.1	122.6
		BA1	31.0	1.0	32.0
		BA2	112.5	8.0	120.5
		BB	2.0	0.0	2.0
		BJ2	48.5	0.5	49.0
		RLD	1.0	0.0	1.0
		<b>Total:</b>		1,020.4	56.1
		<b>Facility Total:</b>	2,410.9	122.7	2,533.6
Clinton	05000461	AF	151.0	8.0	159.0
		CO	2,012.0	172.5	2,184.5
		OR	0.0	30.0	30.0
		RI	1,625.2	216.1	1,841.3
		RR	94.5	78.0	172.5
		RT	277.5	33.0	310.5
		<b>Total:</b>		4,160.2	537.6
Clinton	05000461	APP	1,370.5	64.0	1,434.5
		ARP	113.0	6.0	119.0
		AT	169.0	83.0	252.0
		BA1	57.0	0.0	57.0
		BA2	17.0	0.0	17.0
		BJ2	120.0	2.5	122.5
		RLD	4.0	0.0	4.0
		<b>Total:</b>		1,850.5	155.5
		<b>Facility Total:</b>	6,010.7	693.1	6,703.8
Columbia Generating Station	05000397	AF	3.0	0.0	3.0
		CO	1,839.2	294.8	2,134.0
		OA	4.5	0.0	4.5
		RI	424.0	60.0	484.0
		RR	437.5	199.7	637.2
		RT	201.0	90.2	291.2

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

**All Hours Reported within: 10/05/1997 through 10/03/1998**

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Columbia Generating Station	05000397	SI	56.0	8.0	64.0
		<b>Total:</b>	2,965.2	652.7	3,617.9
Columbia Generating Station	05000397	APP	1,828.0	124.9	1,952.9
		ARP	406.5	75.5	482.0
		AT	692.5	236.8	929.3
		BA1	249.0	26.0	275.0
		BA2	175.0	18.5	193.5
		BB	127.0	4.0	131.0
		BJ2	17.0	0.0	17.0
		RLD	119.0	0.0	119.0
		<b>Total:</b>	3,614.0	485.7	4,099.7
		<b>Facility Total:</b>	6,579.2	1,138.4	7,717.6
Comanche Peak 1	05000445	AF	13.0	0.0	13.0
		CO	755.0	68.1	823.1
		RI	124.0	3.5	127.5
		RR	5.0	12.2	17.2
		RT	122.7	13.1	135.8
		<b>Total:</b>	1,019.7	96.9	1,116.6
Comanche Peak 1	05000445	APP	695.0	35.0	730.0
		ARP	47.5	0.0	47.5
		AT	25.0	33.0	58.0
		BA1	18.0	3.0	21.0
		BA2	13.5	0.0	13.5
		BJ2	5.0	0.0	5.0
		<b>Total:</b>	804.0	71.0	875.0
		<b>Facility Total:</b>	1,823.7	167.9	1,991.6
Comanche Peak 2	05000446	AF	14.0	0.0	14.0
		CO	769.3	72.2	841.5
		RI	101.5	4.0	105.5
		RR	5.0	11.7	16.7

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

**All Hours Reported within: 10/05/1997 through 10/03/1998**

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Comanche Peak 2	05000446	RT	121.3	12.5	133.8
		<b>Total:</b>	1,011.1	100.4	1,111.5
Comanche Peak 2	05000446	APP	682.5	36.3	718.8
		ARP	46.0	0.0	46.0
		AT	31.8	31.0	62.8
		BA1	48.5	3.0	51.5
		BA2	13.5	0.0	13.5
		BJ2	1.0	0.0	1.0
		<b>Total:</b>	823.3	70.3	893.6
		<b>Facility Total:</b>	1,834.4	170.7	2,005.1
Cooper	05000298	AF	36.0	0.0	36.0
		CO	1,660.5	209.0	1,869.5
		HT	155.0	10.0	165.0
		OA	3.0	0.0	3.0
		RI	951.0	192.0	1,143.0
		RR	85.5	17.0	102.5
		RT	67.0	23.0	90.0
		SI	11.0	1.0	12.0
		<b>Total:</b>	2,969.0	452.0	3,421.0
				<b>Facility Total:</b>	5,922.6
Cooper	05000298	APP	2,085.6	203.2	2,288.8
		ARP	56.0	21.0	77.0
		AT	334.5	119.0	453.5
		BA1	69.5	6.0	75.5
		BA2	113.0	36.5	149.5
		BB	136.0	1.5	137.5
		BJ2	31.0	0.5	31.5
		RLD	128.0	7.0	135.0
<b>Total:</b>	2,953.6	394.7	3,348.3		
		<b>Facility Total:</b>	5,922.6	846.7	6,769.3
Crystal River 3	05000302	CO	1,428.0	103.0	1,531.0
		HT	37.0	5.0	42.0
		RI	2,806.0	282.0	3,088.0

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Crystal River 3	05000302	RR	115.5	14.0	129.5
		RT	1,405.5	351.0	1,756.5
		SI	157.5	29.5	187.0
		<b>Total:</b>	5,949.5	784.5	6,734.0
Crystal River 3	05000302	APP	3,229.5	160.0	3,389.5
		ARP	68.0	0.0	68.0
		AT	774.0	285.5	1,059.5
		BA1	106.5	0.0	106.5
		BA2	71.0	1.5	72.5
		BB	208.0	2.0	210.0
		BJ2	57.0	0.0	57.0
		RLD	57.0	0.0	57.0
		<b>Total:</b>	4,571.0	449.0	5,020.0
		<b>Facility Total:</b>	10,520.5	1,233.5	11,754.0
D.C. Cook 1	05000315	AF	84.0	10.5	94.5
		CO	1,184.0	174.8	1,358.8
		OA	4.0	0.0	4.0
		RI	524.5	102.8	627.3
		RR	117.5	48.5	166.0
		RT	75.0	6.0	81.0
		SI	29.5	2.0	31.5
		<b>Total:</b>	2,018.5	344.6	2,363.1
D.C. Cook 1	05000315	APP	950.5	110.5	1,061.0
		ARP	41.0	1.0	42.0
		AT	120.3	67.6	187.9
		BA1	75.0	1.0	76.0
		BA2	153.0	32.2	185.2
		BB	127.0	27.0	154.0
		BJ2	81.0	9.0	90.0
<b>Total:</b>	1,547.8	248.3	1,796.1		
		<b>Facility Total:</b>	3,566.3	592.9	4,159.2
D.C. Cook 2	05000316	AF	90.5	10.0	100.5

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
D.C. Cook 2	05000316	CO	1,268.5	248.0	1,516.5
		OA	4.0	0.0	4.0
		RI	457.5	83.5	541.0
		RR	85.5	46.0	131.5
		RT	57.0	5.0	62.0
		SI	28.5	2.5	31.0
		<b>Total:</b>		1,991.5	395.0
D.C. Cook 2	05000316	APP	923.0	100.5	1,023.5
		ARP	43.0	1.0	44.0
		AT	120.2	47.7	167.9
		BA1	75.0	1.0	76.0
		BA2	155.0	29.3	184.3
		BB	99.0	19.5	118.5
		BJ2	73.5	4.0	77.5
		<b>Total:</b>		1,488.7	203.0
		<b>Facility Total:</b>	3,480.2	598.0	4,078.2
Davis-Besse	05000346	AF	18.0	0.0	18.0
		CO	2,295.5	83.5	2,379.0
		RI	452.0	81.5	533.5
		RR	79.5	32.0	111.5
		RT	0.0	4.0	4.0
		<b>Total:</b>		2,845.0	201.0
Davis-Besse	05000346	APP	1,352.0	18.0	1,370.0
		ARP	64.0	1.0	65.0
		AT	166.0	81.5	247.5
		BA1	45.0	1.0	46.0
		BA2	15.0	0.0	15.0
		BB	4.0	0.0	4.0
		BJ2	21.5	0.0	21.5
<b>Total:</b>		1,667.5	101.5	1,769.0	
		<b>Facility Total:</b>	4,512.5	302.5	4,815.0
Diablo Canyon 1	05000275	AF	140.8	6.5	147.3

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Diablo Canyon 1	05000275	CO	777.1	92.3	869.4
		RI	192.0	13.5	205.5
		RR	74.9	14.0	88.9
		SI	13.0	0.0	13.0
		<b>Total:</b>	1,197.8	126.3	1,324.1
Diablo Canyon 1	05000275	APP	734.7	60.9	795.6
		ARP	19.0	0.0	19.0
		AT	238.4	67.4	305.8
		BA1	17.0	5.0	22.0
		BA2	8.5	0.5	9.0
		BB	145.8	17.5	163.3
		BJ2	220.9	30.5	251.4
		RLD	11.0	0.0	11.0
		<b>Total:</b>	1,395.3	181.8	1,577.1
		<b>Facility Total:</b>	2,593.1	308.1	2,901.2
Diablo Canyon 2	05000323	AF	168.2	7.0	175.2
		CO	840.5	127.1	967.6
		RI	232.3	21.5	253.8
		RR	101.8	21.0	122.8
		SI	13.0	0.0	13.0
		<b>Total:</b>	1,355.8	176.6	1,532.4
Diablo Canyon 2	05000323	APP	858.7	59.0	917.7
		ARP	33.0	0.0	33.0
		AT	234.0	60.1	294.1
		BA1	20.0	7.0	27.0
		BA2	10.5	0.5	11.0
		BB	127.0	14.7	141.7
		BJ2	213.4	36.0	249.4
		RLD	20.0	0.0	20.0
<b>Total:</b>	1,516.6	177.3	1,693.9		
		<b>Facility Total:</b>	2,872.4	353.9	3,226.3
Dresden 1	05000010	AF	20.5	0.0	20.5

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Dresden 1	05000010	CO	82.0	0.0	82.0
		OA	106.5	1.0	107.5
		RI	75.0	0.0	75.0
		<b>Total:</b>	284.0	1.0	285.0
Dresden 1	05000010	APP	206.7	10.0	216.7
		AT	36.8	14.5	51.3
		BB	8.5	0.0	8.5
		BJ2	96.0	0.5	96.5
		<b>Total:</b>	348.0	25.0	373.0
		<b>Facility Total:</b>	632.0	26.0	658.0
<hr/>					
Dresden 2	05000237	AF	57.5	2.0	59.5
		CO	2,017.3	237.0	2,254.3
		HT	34.5	2.5	37.0
		OA	20.0	1.5	21.5
		RI	752.5	136.3	888.8
		RR	24.0	4.0	28.0
		<b>Total:</b>	2,905.8	383.3	3,289.1
Dresden 2	05000237	APP	1,476.1	65.3	1,541.4
		ARP	64.0	6.5	70.5
		AT	89.3	72.6	161.9
		BA1	17.5	0.0	17.5
		BA2	18.5	2.0	20.5
		BB	213.0	22.5	235.5
		BJ2	67.5	7.0	74.5
		RLD	9.5	1.5	11.0
		<b>Total:</b>	1,955.4	177.4	2,132.8
		<b>Facility Total:</b>	4,861.2	560.7	5,421.9
<hr/>					
Dresden 3	05000249	AF	51.0	1.0	52.0
		CO	1,781.7	163.0	1,944.7
		HT	53.5	5.0	58.5
		OA	20.0	1.5	21.5
		RI	647.0	77.0	724.0



**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Dresden 3	05000249	RR	97.5	18.0	115.5
		<b>Total:</b>	2,650.7	265.5	2,916.2
Dresden 3	05000249	APP	1,371.7	64.8	1,436.5
		ARP	47.0	2.5	49.5
		AT	61.0	71.7	132.7
		BA1	16.0	0.0	16.0
		BA2	14.0	1.0	15.0
		BB	168.0	18.5	186.5
		BJ2	63.0	1.0	64.0
		RLD	14.5	0.0	14.5
		<b>Total:</b>	1,755.2	159.5	1,914.7
		<b>Facility Total:</b>	4,405.9	425.0	4,830.9
Duane Arnold	05000331	AF	16.5	0.0	16.5
		CO	1,744.0	81.0	1,825.0
		RI	478.3	84.5	562.8
		RR	19.0	18.0	37.0
		RT	160.5	20.0	180.5
		<b>Total:</b>	2,418.3	203.5	2,621.8
Duane Arnold	05000331	APP	784.0	26.5	810.5
		ARP	45.0	8.0	53.0
		AT	65.0	34.0	99.0
		BA1	2.0	0.0	2.0
		BA2	16.0	2.0	18.0
		BB	99.0	8.0	107.0
		BJ2	82.0	2.0	84.0
		RLD	5.0	0.0	5.0
		<b>Total:</b>	1,098.0	80.5	1,178.5
		<b>Facility Total:</b>	3,516.3	284.0	3,800.3
Farley 1	05000348	CO	1,041.0	54.0	1,095.0
		OA	4.0	0.0	4.0
		RI	343.0	48.5	391.5
		RR	62.0	5.0	67.0

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Farley 1	05000348	SI	8.0	0.0	8.0
		<b>Total:</b>	1,458.0	107.5	1,565.5
Farley 1	05000348	APP	780.0	33.2	813.2
		ARP	40.5	1.0	41.5
		AT	137.8	25.0	162.8
		BA1	36.5	0.5	37.0
		BA2	29.0	2.0	31.0
		BB	105.0	2.0	107.0
		BJ2	7.5	0.0	7.5
		RLD	29.5	0.0	29.5
		<b>Total:</b>	1,165.8	63.7	1,229.5
		<b>Facility Total:</b>	2,623.8	171.2	2,795.0
Farley 2	05000364	CO	1,114.5	77.0	1,191.5
		OA	4.0	0.0	4.0
		RI	381.5	51.5	433.0
		RR	60.0	2.5	62.5
		SI	8.0	0.0	8.0
		<b>Total:</b>	1,568.0	131.0	1,699.0
Farley 2	05000364	APP	677.0	29.5	706.5
		ARP	39.5	1.0	40.5
		AT	109.2	12.5	121.7
		BA1	36.0	0.5	36.5
		BA2	24.0	1.5	25.5
		BB	103.0	2.0	105.0
		BJ2	4.0	0.0	4.0
		RLD	26.0	0.0	26.0
		<b>Total:</b>	1,018.7	47.0	1,065.7
		<b>Facility Total:</b>	2,586.7	178.0	2,764.7
Fermi 1	05000016	CO	62.0	2.0	64.0
		OA	16.0	0.0	16.0

**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Fermi 1	05000016	RI	1.0	0.0	1.0
		<b>Total:</b>	79.0	2.0	81.0
Fermi 1	05000016	APP	207.5	10.0	217.5
		AT	33.5	5.0	38.5
		<b>Total:</b>	241.0	15.0	256.0
		<b>Facility Total:</b>	320.0	17.0	337.0
Fermi 2	05000341	AF	31.5	2.0	33.5
		CO	1,568.5	433.0	2,001.5
		RI	376.0	110.5	486.5
		RR	11.0	0.0	11.0
		RT	256.5	37.0	293.5
		<b>Total:</b>	2,243.5	582.5	2,826.0
Fermi 2	05000341	APP	1,300.0	89.5	1,389.5
		ARP	15.5	1.5	17.0
		AT	164.0	51.0	215.0
		BA1	75.0	2.0	77.0
		BA2	100.5	14.0	114.5
		BB	360.0	33.0	393.0
		BJ2	16.5	0.0	16.5
		RLD	23.0	0.0	23.0
		<b>Total:</b>	2,054.5	191.0	2,245.5
		<b>Facility Total:</b>	4,298.0	773.5	5,071.5
FitzPatrick	05000333	AF	85.0	0.0	85.0
		CO	2,307.5	201.2	2,508.7
		OA	7.0	0.0	7.0
		RI	124.0	1.0	125.0
		RR	329.5	68.0	397.5
		RT	70.0	23.0	93.0
		SI	6.0	0.0	6.0
		<b>Total:</b>	2,929.0	293.2	3,222.2
FitzPatrick	05000333	APP	1,636.5	35.0	1,671.5

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
FitzPatrick	05000333	ARP	123.5	0.0	123.5
		AT	229.8	63.5	293.3
		BA1	19.0	0.0	19.0
		BA2	90.0	1.0	91.0
		BB	6.0	0.0	6.0
		BJ2	44.0	0.0	44.0
		RLD	26.0	0.0	26.0
		<b>Total:</b>		2,174.8	99.5
		<b>Facility Total:</b>	5,103.8	392.7	5,496.5
Fort Calhoun	05000285	AF	44.6	6.8	51.4
		CO	1,528.2	111.3	1,639.5
		RI	351.4	34.4	385.8
		RR	116.5	48.0	164.5
		RT	298.0	63.2	361.2
		<b>Total:</b>		2,338.7	263.7
Fort Calhoun	05000285	APP	2,319.0	56.1	2,375.1
		ARP	33.0	12.0	45.0
		AT	228.3	100.8	329.1
		BA1	5.0	0.0	5.0
		BA2	37.0	2.0	39.0
		BJ2	86.5	13.2	99.7
		<b>Total:</b>		2,708.8	184.1
		<b>Facility Total:</b>	5,047.5	447.8	5,495.3
Ginna	05000244	CO	2,084.6	211.8	2,296.4
		GT	0.0	0.0	0.0
		OA	175.5	8.0	183.5
		RI	147.5	12.0	159.5
		RR	172.3	9.0	181.3
		RT	74.5	12.0	86.5
		SI	151.5	32.0	183.5
		<b>Total:</b>		2,805.9	284.8
Ginna	05000244	APP	1,832.3	158.5	1,990.8

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Ginna	05000244	ARP	68.0	6.0	74.0
		AT	188.7	66.0	254.7
		BA1	4.0	0.0	4.0
		BA2	2.0	0.0	2.0
		BB	463.7	52.7	516.4
		BJ2	7.0	0.0	7.0
		<b>Total:</b>	2,565.7	283.2	2,848.9
		<b>Facility Total:</b>	5,371.6	568.0	5,939.6
Grand Gulf 1	05000416	CO	1,301.3	70.0	1,371.3
		HT	44.0	15.0	59.0
		RI	156.0	18.0	174.0
		RR	30.2	29.5	59.7
		SI	72.0	26.5	98.5
		<b>Total:</b>	1,603.5	159.0	1,762.5
Grand Gulf 1	05000416	APP	1,046.0	35.0	1,081.0
		AT	75.0	32.0	107.0
		BA1	17.0	0.0	17.0
		BB	13.0	0.0	13.0
		BJ2	5.0	0.0	5.0
		RLD	155.0	0.0	155.0
		<b>Total:</b>	1,311.0	67.0	1,378.0
		<b>Facility Total:</b>	2,914.5	226.0	3,140.5
Haddam Neck 1	05000213	AF	48.0	5.5	53.5
		CO	622.7	198.5	821.2
		OA	267.5	56.5	324.0
		RI	296.0	35.5	331.5
		RR	682.0	221.7	903.7
		RT	14.5	5.0	19.5
		SI	30.0	16.0	46.0
		<b>Total:</b>	1,960.7	538.7	2,499.4
Haddam Neck 1	05000213	APP	615.3	110.1	725.4
		ARP	123.0	0.0	123.0

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Haddam Neck 1	05000213	AT	287.8	67.8	355.6
		BA1	9.0	4.0	13.0
		BA2	48.0	7.5	55.5
		BJ2	112.0	7.3	119.3
		<b>Total:</b>	1,195.1	196.7	1,391.8
		<b>Facility Total:</b>	3,155.8	735.4	3,891.2
Harris 1	05000400	AF	84.0	1.0	85.0
		CO	1,604.5	114.0	1,718.5
		HT	97.0	5.0	102.0
		RI	512.0	63.7	575.7
		RR	78.5	4.0	82.5
		RT	20.0	0.0	20.0
		<b>Total:</b>	2,396.0	187.7	2,583.7
Harris 1	05000400	APP	1,495.0	36.5	1,531.5
		ARP	49.0	0.0	49.0
		AT	300.0	80.5	380.5
		BA1	46.5	0.0	46.5
		BA2	92.0	7.0	99.0
		BB	235.5	9.5	245.0
		BJ2	98.0	2.0	100.0
		RLD	7.5	3.0	10.5
		<b>Total:</b>	2,323.5	138.5	2,462.0
				<b>Facility Total:</b>	4,719.5
Hatch 1	05000321	CO	1,163.5	89.4	1,252.9
		RI	492.5	60.7	553.2
		RR	100.5	4.0	104.5
		SI	42.0	0.0	42.0
		<b>Total:</b>	1,798.5	154.1	1,952.6
Hatch 1	05000321	APP	938.0	103.5	1,041.5
		ARP	7.5	1.8	9.3
		AT	110.0	18.0	128.0
		BA1	8.5	0.0	8.5

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Hatch 1	05000321	BB	54.5	2.0	56.5
		BJ2	85.5	8.5	94.0
		<b>Total:</b>	1,204.0	133.8	1,337.8
		<b>Facility Total:</b>	3,002.5	287.9	3,290.4
Hatch 2	05000366	CO	1,145.5	87.0	1,232.5
		RI	379.5	50.1	429.6
		RR	129.0	12.0	141.0
		SI	41.0	0.0	41.0
		<b>Total:</b>	1,695.0	149.1	1,844.1
Hatch 2	05000366	APP	803.5	95.5	899.0
		ARP	6.5	2.0	8.5
		AT	98.5	18.5	117.0
		BA1	8.5	0.0	8.5
		BB	53.5	3.0	56.5
		BJ2	85.5	8.5	94.0
		<b>Total:</b>	1,056.0	127.5	1,183.5
<b>Facility Total:</b>	2,751.0	276.6	3,027.6		
Hope Creek 1	05000354	AF	18.5	0.0	18.5
		CO	2,131.3	276.4	2,407.7
		HT	12.0	1.0	13.0
		RI	227.5	26.5	254.0
		RR	461.4	67.3	528.7
		RT	0.5	0.0	0.5
		SI	7.0	0.0	7.0
		<b>Total:</b>	2,858.2	371.2	3,229.4
Hope Creek 1	05000354	APP	1,437.7	50.2	1,487.9
		ARP	177.5	5.0	182.5
		AT	71.1	64.1	135.2
		BA1	93.1	2.0	95.1
		BA2	76.5	4.5	81.0
		BB	298.0	13.7	311.7
		BJ2	73.5	4.0	77.5

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Hope Creek 1	05000354	RLD	90.5	0.0	90.5
		<b>Total:</b>	2,317.9	143.5	2,461.4
		<b>Facility Total:</b>	5,176.1	514.7	5,690.8
Humboldt Bay	05000133	CO	67.5	1.0	68.5
		RI	51.5	0.0	51.5
		<b>Total:</b>	119.0	1.0	120.0
Humboldt Bay	05000133	APP	132.3	11.0	143.3
		AT	100.0	8.5	108.5
		RLD	2.0	0.0	2.0
		<b>Total:</b>	234.3	19.5	253.8
		<b>Facility Total:</b>	353.3	20.5	373.8
Indian Point 2	05000247	AF	193.5	13.0	206.5
		CO	1,654.5	118.0	1,772.5
		HT	173.0	0.0	173.0
		OA	174.5	34.0	208.5
		RI	1,154.3	156.0	1,310.3
		RR	1,923.9	275.5	2,199.4
		RT	214.0	32.0	246.0
		SI	78.0	3.0	81.0
		<b>Total:</b>	5,565.7	631.5	6,197.2
		Indian Point 2	05000247	APP	2,972.8
ARP	409.0			73.0	482.0
AT	632.0			112.5	744.5
BA1	73.0			1.0	74.0
BA2	183.0			13.0	196.0
BB	5.0			0.0	5.0
BJ2	152.0			5.0	157.0
RLD	78.0			0.0	78.0
<b>Total:</b>	4,504.8			383.3	4,888.1
<b>Facility Total:</b>	10,070.5			1,014.8	11,085.3



**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Indian Point 3	05000286	AF	6.0	0.0	6.0
		CO	2,087.8	124.0	2,211.8
		HT	21.0	37.0	58.0
		RI	305.0	5.0	310.0
		RR	553.0	111.4	664.4
		RT	82.8	66.5	149.3
		SI	150.0	4.5	154.5
		<b>Total:</b>	3,205.6	348.4	3,554.0
Indian Point 3	05000286	APP	1,476.7	73.3	1,550.0
		ARP	217.5	30.0	247.5
		AT	194.2	65.8	260.0
		BA1	56.0	0.0	56.0
		BA2	76.0	5.5	81.5
		BB	121.0	9.5	130.5
		BJ2	42.5	0.0	42.5
		RLD	33.0	0.0	33.0
		<b>Total:</b>	2,216.9	184.1	2,401.0
		<b>Facility Total:</b>	5,422.5	532.5	5,955.0
Kewaunee	05000305	CO	1,424.5	94.0	1,518.5
		OA	1.0	0.0	1.0
		RI	515.0	32.5	547.5
		RR	22.0	0.0	22.0
		<b>Total:</b>	1,962.5	126.5	2,089.0
Kewaunee	05000305	APP	1,166.5	23.0	1,189.5
		ARP	41.0	7.0	48.0
		AT	172.0	19.5	191.5
		BA1	30.0	0.0	30.0
		BA2	12.0	0.0	12.0
		RLD	19.0	0.0	19.0
		<b>Total:</b>	1,440.5	49.5	1,490.0
		<b>Facility Total:</b>	3,403.0	176.0	3,579.0
La Crosse	05000409	CO	81.0	0.0	81.0

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

**All Hours Reported within: 10/05/1997 through 10/03/1998**

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
La Crosse	05000409	OA	24.0	0.0	24.0
		RI	4.0	0.0	4.0
		RT	65.0	3.0	68.0
		<b>Total:</b>	174.0	3.0	177.0
La Crosse	05000409	APP	197.0	0.0	197.0
		AT	76.0	6.0	82.0
		BA2	104.0	0.0	104.0
		<b>Total:</b>	377.0	6.0	383.0
<b>Facility Total:</b>			551.0	9.0	560.0
<hr/>					
La Salle 1	05000373	AF	44.0	0.0	44.0
		CO	2,135.0	298.5	2,433.5
		RI	1,683.8	390.8	2,074.6
		RR	1.5	0.0	1.5
		RT	529.5	189.0	718.5
		<b>Total:</b>	4,393.8	878.3	5,272.1
La Salle 1	05000373	APP	2,096.5	209.3	2,305.8
		ARP	39.0	11.0	50.0
		AT	101.2	85.0	186.2
		BA1	8.0	1.0	9.0
		BJ2	15.5	0.0	15.5
		<b>Total:</b>	2,260.2	306.3	2,566.5
<b>Facility Total:</b>			6,654.0	1,184.6	7,838.6
<hr/>					
La Salle 2	05000374	AF	43.5	0.0	43.5
		CO	1,235.5	144.5	1,380.0
		RI	721.2	63.7	784.9
		RR	1.5	0.0	1.5
		RT	64.0	9.5	73.5
		<b>Total:</b>	2,065.7	217.7	2,283.4
La Salle 2	05000374	APP	1,412.5	92.0	1,504.5
		ARP	33.0	5.0	38.0
		AT	61.5	50.0	111.5

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours		
La Salle 2	05000374	BA1	8.0	0.5	8.5		
		BJ2	8.5	0.0	8.5		
		<b>Total:</b>	1,523.5	147.5	1,671.0		
		<b>Facility Total:</b>	3,589.2	365.2	3,954.4		
Limerick 1	05000352	AF	121.1	10.3	131.4		
		CO	1,523.6	82.6	1,606.2		
		OA	107.0	7.0	114.0		
		RI	214.5	18.5	233.0		
		RR	409.1	60.0	469.1		
		RT	10.5	0.0	10.5		
		SI	6.0	0.0	6.0		
		<b>Total:</b>	2,391.8	178.4	2,570.2		
		Limerick 1	05000352	APP	1,060.0	109.3	1,169.3
				ARP	77.5	7.0	84.5
AT	32.1			4.0	36.1		
BA1	8.9			0.0	8.9		
BA2	33.5			4.9	38.4		
BB	17.4			0.0	17.4		
BJ2	49.7			5.1	54.8		
RLD	7.0			0.0	7.0		
<b>Total:</b>	1,286.1			130.3	1,416.4		
<b>Facility Total:</b>	3,677.9	308.7	3,986.6				
Limerick 2	05000353	AF	91.1	5.3	96.4		
		CO	1,167.0	55.9	1,222.9		
		OA	124.5	7.0	131.5		
		RI	134.5	14.5	149.0		
		RR	434.1	86.2	520.3		
		RT	4.5	0.0	4.5		
		SI	6.0	0.0	6.0		
		<b>Total:</b>	1,961.7	168.9	2,130.6		
Limerick 2	05000353	APP	971.4	97.6	1,069.0		
		ARP	75.0	5.0	80.0		

**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Limerick 2	05000353	AT	49.3	9.0	58.3
		BA1	9.4	0.0	9.4
		BA2	20.6	3.4	24.0
		BB	17.4	0.0	17.4
		BJ2	42.4	5.2	47.6
		RLD	1.0	0.0	1.0
		<b>Total:</b>		1,186.5	120.2
		<b>Facility Total:</b>	3,148.2	289.1	3,437.3
Maine Yankee	05000309	CO	244.0	33.3	277.3
		OA	398.0	58.8	456.8
		RI	77.0	18.0	95.0
		RR	101.0	6.5	107.5
		<b>Total:</b>		820.0	116.6
Maine Yankee	05000309	APP	306.5	64.6	371.1
		AT	197.5	43.0	240.5
		BA1	6.0	0.0	6.0
		BA2	17.0	2.0	19.0
		BJ2	101.0	2.0	103.0
		RLD	10.0	0.0	10.0
		<b>Total:</b>		638.0	111.6
		<b>Facility Total:</b>	1,458.0	228.2	1,686.2
McGuire 1	05000369	CO	1,208.5	37.0	1,245.5
		RI	286.5	27.3	313.8
		RR	215.0	31.5	246.5
		SI	13.5	0.0	13.5
		<b>Total:</b>		1,723.5	95.8
McGuire 1	05000369	APP	1,181.8	39.5	1,221.3
		ARP	36.5	1.0	37.5
		AT	155.8	31.3	187.1
		BA1	13.0	0.0	13.0
		BA2	23.0	0.0	23.0
		BJ2	7.0	0.0	7.0

**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
McGuire 1	05000369	RLD	98.5	0.0	98.5
		<b>Total:</b>	1,515.6	71.8	1,587.4
		<b>Facility Total:</b>	3,239.1	167.6	3,406.7
McGuire 2	05000370	CO	1,176.5	26.5	1,203.0
		RI	412.0	46.7	458.7
		RR	177.0	12.5	189.5
		SI	13.5	0.0	13.5
		<b>Total:</b>	1,779.0	85.7	1,864.7
McGuire 2	05000370	APP	962.8	33.0	995.8
		ARP	21.5	1.0	22.5
		AT	120.8	19.2	140.0
		BA1	9.0	0.0	9.0
		BA2	23.5	0.0	23.5
		BJ2	5.0	0.0	5.0
		RLD	94.0	0.0	94.0
		<b>Total:</b>	1,236.6	53.2	1,289.8
		<b>Facility Total:</b>	3,015.6	138.9	3,154.5
Millstone 1	05000245	AF	93.5	9.0	102.5
		CO	657.3	85.2	742.5
		HT	83.8	4.5	88.3
		OA	12.0	0.0	12.0
		RI	113.4	14.5	127.9
		RR	50.0	5.0	55.0
		SI	4.0	0.0	4.0
		<b>Total:</b>	1,014.0	118.2	1,132.2
Millstone 1	05000245	APP	517.8	47.8	565.6
		ARP	175.0	0.0	175.0
		AT	132.4	26.9	159.3
		BA1	12.5	0.0	12.5
		BA2	192.5	12.5	205.0
		BJ2	385.5	7.5	393.0

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Millstone 1	05000245	RLD	3.0	0.0	3.0
		<b>Total:</b>	1,418.7	94.7	1,513.4
		<b>Facility Total:</b>	2,432.7	212.9	2,645.6
Millstone 2	05000336	AF	97.0	13.0	110.0
		CO	2,095.0	165.0	2,260.0
		HT	1,159.7	47.0	1,206.7
		OA	108.0	15.0	123.0
		RI	267.9	30.5	298.4
		RR	137.3	0.0	137.3
		RT	77.0	7.5	84.5
		SI	37.0	0.0	37.0
		<b>Total:</b>	3,978.9	278.0	4,256.9
Millstone 2	05000336	APP	3,527.8	141.4	3,669.2
		ARP	672.0	7.0	679.0
		AT	535.3	130.3	665.6
		BA1	7.5	0.0	7.5
		BA2	69.5	4.0	73.5
		BB	3.0	0.0	3.0
		BJ2	362.0	22.0	384.0
		RLD	3.0	0.0	3.0
		<b>Total:</b>	5,180.1	304.7	5,484.8
<b>Facility Total:</b>	9,159.0	582.7	9,741.7		
Millstone 3	05000423	AF	72.5	14.0	86.5
		CO	2,075.2	234.0	2,309.2
		HT	2,136.2	197.0	2,333.2
		OA	27.0	6.0	33.0
		RI	632.9	64.0	696.9
		RR	521.0	93.0	614.0
		RT	1,769.0	397.8	2,166.8
		SI	348.5	78.0	426.5
		<b>Total:</b>	7,582.3	1,083.8	8,666.1
Millstone 3	05000423	APP	6,266.8	274.7	6,541.5

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours	
Millstone 3	05000423	ARP	944.2	86.5	1,030.7	
		AT	1,138.6	307.7	1,446.3	
		BA1	67.5	3.0	70.5	
		BA2	210.5	4.0	214.5	
		BB	12.0	0.0	12.0	
		BJ2	387.0	20.0	407.0	
		RLD	6.0	0.0	6.0	
		<b>Total:</b>		9,032.6	695.9	9,728.5
		<b>Facility Total:</b>	16,614.9	1,779.7	18,394.6	
Monticello	05000263	AF	15.5	0.0	15.5	
		CO	2,006.8	174.0	2,180.8	
		HT	88.0	20.0	108.0	
		OA	26.5	0.0	26.5	
		RI	488.3	51.5	539.8	
		RR	3.0	0.0	3.0	
		SI	54.0	14.0	68.0	
		<b>Total:</b>		2,682.1	259.5	2,941.6
Monticello	05000263	APP	1,201.0	82.0	1,283.0	
		ARP	39.0	1.0	40.0	
		AT	257.0	126.0	383.0	
		BA1	5.0	0.0	5.0	
		BB	319.5	22.0	341.5	
		BJ2	5.0	0.0	5.0	
		<b>Total:</b>		1,826.5	231.0	2,057.5
				<b>Facility Total:</b>	4,508.6	490.5
Nine Mile Point 1	05000220	AF	46.8	0.0	46.8	
		CO	915.8	149.6	1,065.4	
		OA	4.5	0.0	4.5	
		RI	271.8	40.3	312.1	
		RR	195.9	40.5	236.4	
		RT	115.5	23.5	139.0	
		<b>Total:</b>		1,550.3	253.9	1,804.2

**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Nine Mile Point 1	05000220	APP	874.2	170.6	1,044.8
		ARP	46.0	2.5	48.5
		AT	139.0	45.0	184.0
		BA1	52.0	2.0	54.0
		BA2	68.8	15.0	83.8
		BB	116.0	12.5	128.5
		BJ2	68.8	0.0	68.8
		RLD	34.3	6.9	41.2
		<b>Total:</b>		1,399.1	254.5
	<b>Facility Total:</b>		2,949.4	508.4	3,457.8
Nine Mile Point 2	05000410	AF	14.8	0.0	14.8
		CO	905.5	142.9	1,048.4
		OA	108.5	18.0	126.5
		RI	326.0	22.6	348.6
		RR	209.1	64.8	273.9
		RT	50.0	5.5	55.5
		SI	182.5	31.0	213.5
		<b>Total:</b>		1,796.4	284.8
Nine Mile Point 2	05000410	APP	1,267.4	171.3	1,438.7
		ARP	4.0	0.0	4.0
		AT	167.7	26.6	194.3
		BA1	6.5	2.0	8.5
		BA2	31.3	0.0	31.3
		BB	70.7	35.2	105.9
		BJ2	48.2	2.0	50.2
		RLD	59.1	15.8	74.9
<b>Total:</b>		1,654.9	252.9	1,907.8	
	<b>Facility Total:</b>		3,451.3	537.7	3,989.0
North Anna 1	05000338	CO	1,004.9	26.2	1,031.1
		RI	250.5	15.0	265.5
		RR	16.0	2.0	18.0



Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
North Anna 1	05000338	RT	95.0	23.5	118.5
		<b>Total:</b>	1,366.4	66.7	1,433.1
North Anna 1	05000338	APP	1,017.0	57.0	1,074.0
		ARP	45.0	0.0	45.0
		AT	156.5	44.6	201.1
		BA1	4.0	0.0	4.0
		BB	60.0	16.0	76.0
		BJ2	4.0	0.0	4.0
		RLD	1.0	0.0	1.0
		<b>Total:</b>	1,287.5	117.6	1,405.1
		<b>Facility Total:</b>	2,653.9	184.3	2,838.2
North Anna 2	05000339	CO	932.4	33.3	965.7
		RI	275.5	11.5	287.0
		RR	12.0	2.0	14.0
		RT	85.5	23.0	108.5
		<b>Total:</b>	1,305.4	69.8	1,375.2
North Anna 2	05000339	APP	676.5	22.7	699.2
		ARP	52.0	0.0	52.0
		AT	129.2	28.7	157.9
		BA1	4.0	0.0	4.0
		BB	50.0	14.9	64.9
		BJ2	1.0	0.0	1.0
		RLD	1.0	0.0	1.0
		<b>Total:</b>	913.7	66.3	980.0
		<b>Facility Total:</b>	2,219.1	136.1	2,355.2
Oconee 1	05000269	AF	3.5	0.0	3.5
		CO	1,672.0	86.3	1,758.3
		RI	563.3	106.0	669.3
		RR	63.5	7.5	71.0
		<b>Total:</b>	2,305.3	199.8	2,505.1

**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Oconee 1	05000269	APP	1,495.1	66.6	1,561.7
		ARP	9.0	3.0	12.0
		AT	195.8	68.4	264.2
		BA1	84.5	0.0	84.5
		BA2	172.0	4.0	176.0
		BB	253.5	9.0	262.5
		BJ2	110.5	2.0	112.5
		RLD	2.0	0.0	2.0
		<b>Total:</b>		2,322.4	153.0
		<b>Facility Total:</b>	4,627.7	352.8	4,980.5
Oconee 2	05000270	AF	1.5	0.0	1.5
		CO	1,388.0	42.5	1,430.5
		RI	747.8	111.0	858.8
		RR	24.5	6.0	30.5
		SI	91.0	0.0	91.0
		<b>Total:</b>		2,252.8	159.5
Oconee 2	05000270	APP	940.5	37.5	978.0
		ARP	3.0	2.0	5.0
		AT	123.3	23.5	146.8
		BA1	14.0	0.0	14.0
		BA2	24.5	0.0	24.5
		BB	26.0	0.0	26.0
		BJ2	94.0	2.0	96.0
		RLD	2.0	0.0	2.0
		<b>Total:</b>		1,227.3	65.0
		<b>Facility Total:</b>	3,480.1	224.5	3,704.6
Oconee 3	05000287	AF	9.0	0.0	9.0
		CO	686.0	14.0	700.0
		RI	431.9	28.0	459.9
		RR	3.0	2.0	5.0
		SI	3.0	0.0	3.0
		<b>Total:</b>		1,132.9	44.0

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Oconee 3	05000287	APP	658.8	36.0	694.8
		ARP	6.0	0.0	6.0
		AT	76.3	27.9	104.2
		BA1	12.0	0.0	12.0
		BA2	23.0	0.0	23.0
		BB	23.0	0.0	23.0
		BJ2	82.0	2.0	84.0
		RLD	1.0	0.0	1.0
		<b>Total:</b>		882.1	65.9
<b>Facility Total:</b>			2,015.0	109.9	2,124.9
Oyster Creek	05000219	AF	32.5	0.0	32.5
		CO	1,597.1	287.3	1,884.4
		OA	15.0	4.5	19.5
		RI	376.5	48.8	425.3
		RR	445.4	91.9	537.3
		RT	404.0	22.5	426.5
		SI	60.0	4.0	64.0
		<b>Total:</b>		2,930.5	459.0
Oyster Creek	05000219	APP	1,350.8	84.3	1,435.1
		ARP	24.0	1.0	25.0
		AT	174.9	24.5	199.4
		BA1	33.5	0.0	33.5
		BA2	67.3	19.0	86.3
		BB	188.0	5.0	193.0
		BJ2	87.5	0.0	87.5
		RLD	1.0	0.0	1.0
		<b>Total:</b>		1,927.0	133.8
<b>Facility Total:</b>			4,857.5	592.8	5,450.3
Palisades	05000255	AF	35.0	2.0	37.0
		CO	1,630.5	164.8	1,795.3
		HT	195.5	43.0	238.5
		OA	0.0	2.0	2.0
		RI	1,301.8	353.8	1,655.6

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Palisades	05000255	RR	17.0	0.0	17.0
		<b>Total:</b>	3,179.8	565.6	3,745.4
Palisades	05000255	APP	1,398.5	75.0	1,473.5
		ARP	19.0	2.0	21.0
		AT	175.7	72.0	247.7
		BA1	62.0	2.0	64.0
		BA2	67.0	41.0	108.0
		BB	130.0	9.5	139.5
		BJ2	69.5	9.5	79.0
		RLD	18.0	0.0	18.0
		<b>Total:</b>	1,939.7	211.0	2,150.7
		<b>Facility Total:</b>	5,119.5	776.6	5,896.1
Palo Verde 1	05000528	AF	7.0	0.0	7.0
		CO	860.7	82.0	942.7
		RI	99.5	4.5	104.0
		RR	271.5	35.7	307.2
		RT	11.5	0.0	11.5
		SI	6.0	1.0	7.0
		<b>Total:</b>	1,256.2	123.2	1,379.4
Palo Verde 1	05000528	APP	622.0	29.5	651.5
		ARP	102.0	33.2	135.2
		AT	101.8	48.5	150.3
		BA2	48.0	11.5	59.5
		BB	46.5	1.5	48.0
		BJ2	7.0	0.0	7.0
<b>Total:</b>	927.3	124.2	1,051.5		
		<b>Facility Total:</b>	2,183.5	247.4	2,430.9
Palo Verde 2	05000529	AF	5.0	0.0	5.0
		CO	696.0	72.9	768.9
		RI	55.0	7.2	62.2
		RR	239.0	26.0	265.0
		RT	11.0	0.0	11.0

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

**All Hours Reported within: 10/05/1997 through 10/03/1998**

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Palo Verde 2	05000529	SI	6.0	1.0	7.0
		<b>Total:</b>	1,012.0	107.1	1,119.1
Palo Verde 2	05000529	APP	528.5	26.0	554.5
		ARP	147.0	15.0	162.0
		AT	87.9	43.2	131.1
		BA1	5.0	0.0	5.0
		BA2	36.0	11.0	47.0
		BB	49.0	3.0	52.0
		<b>Total:</b>	853.4	98.2	951.6
		<b>Facility Total:</b>	1,865.4	205.3	2,070.7
Palo Verde 3	05000530	AF	4.0	0.0	4.0
		CO	694.0	70.9	764.9
		RI	50.0	12.5	62.5
		RR	136.5	21.5	158.0
		RT	11.0	0.0	11.0
		SI	6.0	1.0	7.0
		<b>Total:</b>	901.5	105.9	1,007.4
Palo Verde 3	05000530	APP	514.0	21.0	535.0
		ARP	41.3	5.0	46.3
		AT	71.8	16.9	88.7
		BA2	32.0	10.5	42.5
		BB	45.0	3.0	48.0
		<b>Total:</b>	704.1	56.4	760.5
		<b>Facility Total:</b>	1,605.6	162.3	1,767.9
Peach Bottom 1	05000171	OA	7.0	1.5	8.5
		<b>Total:</b>	7.0	1.5	8.5
Peach Bottom 1	05000171	APP	16.0	0.0	16.0

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Peach Bottom 1	05000171	AT	3.0	0.0	3.0
		<b>Total:</b>	19.0	0.0	19.0
		<b>Facility Total:</b>	26.0	1.5	27.5
Peach Bottom 2	05000277	AF	19.0	0.0	19.0
		CO	1,303.0	147.6	1,450.6
		OA	21.0	1.5	22.5
		RI	148.5	14.7	163.2
		RR	91.5	8.0	99.5
		SI	6.0	0.0	6.0
		<b>Total:</b>	1,589.0	171.8	1,760.8
Peach Bottom 2	05000277	APP	1,030.8	49.0	1,079.8
		ARP	64.0	1.0	65.0
		AT	52.3	16.0	68.3
		BA1	25.0	0.0	25.0
		BA2	38.3	24.5	62.8
		BB	7.5	0.0	7.5
		BJ2	38.2	2.8	41.0
		RLD	24.5	0.0	24.5
		<b>Total:</b>	1,280.6	93.3	1,373.9
		<b>Facility Total:</b>	2,869.6	265.1	3,134.7
Peach Bottom 3	05000278	AF	26.0	1.0	27.0
		CO	1,310.5	161.2	1,471.7
		OA	21.0	0.0	21.0
		RI	217.0	21.0	238.0
		RR	84.0	9.8	93.8
		SI	6.0	0.0	6.0
		<b>Total:</b>	1,664.5	193.0	1,857.5
Peach Bottom 3	05000278	APP	1,262.4	58.5	1,320.9
		ARP	69.0	27.0	96.0
		AT	44.2	19.0	63.2
		BA1	26.0	0.0	26.0
		BA2	53.2	12.0	65.2

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Peach Bottom 3	05000278	BB	8.5	0.0	8.5
		BJ2	43.3	2.7	46.0
		RLD	13.0	0.0	13.0
		<b>Total:</b>	1,519.6	119.2	1,638.8
		<b>Facility Total:</b>	3,184.1	312.2	3,496.3
Perry 1	05000440	AF	92.0	2.0	94.0
		CO	2,309.5	98.0	2,407.5
		RI	588.5	168.0	756.5
		RR	4.0	7.0	11.0
		RT	282.5	42.5	325.0
		SI	183.5	46.0	229.5
		<b>Total:</b>	3,460.0	363.5	3,823.5
Perry 1	05000440	APP	1,677.5	61.5	1,739.0
		ARP	141.5	18.0	159.5
		AT	269.0	103.0	372.0
		BA1	86.5	7.0	93.5
		BA2	105.5	26.5	132.0
		BB	281.5	23.0	304.5
		BJ2	171.0	1.0	172.0
		RLD	5.0	0.0	5.0
		<b>Total:</b>	2,737.5	240.0	2,977.5
		<b>Facility Total:</b>	6,197.5	603.5	6,801.0
Pilgrim 1	05000293	AF	28.5	0.0	28.5
		CO	1,450.0	177.9	1,627.9
		HT	80.0	10.0	90.0
		OA	168.5	21.0	189.5
		OR	6.0	0.0	6.0
		RI	289.5	22.0	311.5
		RR	519.7	60.8	580.5
		RT	24.5	0.0	24.5
		SI	141.0	53.0	194.0
		<b>Total:</b>	2,707.7	344.7	3,052.4

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Pilgrim 1	05000293	APP	1,674.3	61.7	1,736.0
		ARP	26.0	3.5	29.5
		AT	345.0	134.0	479.0
		BA1	44.0	0.0	44.0
		BA2	196.0	60.8	256.8
		BB	57.5	8.0	65.5
		BJ2	207.0	10.3	217.3
		RLD	111.5	0.0	111.5
		<b>Total:</b>		2,661.3	278.3
		<b>Facility Total:</b>	5,369.0	623.0	5,992.0
Point Beach 1	05000266	AF	82.5	0.0	82.5
		CO	1,025.6	203.2	1,228.8
		RI	451.5	124.5	576.0
		RR	19.0	0.0	19.0
		RT	221.5	19.5	241.0
		SI	94.5	15.0	109.5
		<b>Total:</b>		1,894.6	362.2
Point Beach 1	05000266	APP	1,114.4	40.0	1,154.4
		ARP	147.0	11.0	158.0
		AT	152.0	81.5	233.5
		BA1	34.0	5.5	39.5
		BA2	9.5	3.0	12.5
		BB	51.5	6.5	58.0
		BJ2	83.0	3.0	86.0
		RLD	8.0	0.0	8.0
		<b>Total:</b>		1,599.4	150.5
		<b>Facility Total:</b>	3,494.0	512.7	4,006.7
Point Beach 2	05000301	AF	244.0	0.0	244.0
		CO	915.6	177.0	1,092.6
		RI	240.0	37.5	277.5
		RR	11.0	0.0	11.0
		RT	208.0	21.0	229.0



Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Point Beach 2	05000301	SI	96.5	14.0	110.5
		<b>Total:</b>	1,715.1	249.5	1,964.6
Point Beach 2	05000301	APP	1,011.4	42.5	1,053.9
		ARP	147.0	10.0	157.0
		AT	114.0	47.0	161.0
		BA1	47.0	4.0	51.0
		BA2	21.5	0.0	21.5
		BB	51.5	6.0	57.5
		BJ2	382.0	9.5	391.5
		RLD	4.0	0.0	4.0
		<b>Total:</b>	1,778.4	119.0	1,897.4
		<b>Facility Total:</b>	3,493.5	368.5	3,862.0
Prairie Island 1	05000282	AF	6.0	0.0	6.0
		CO	1,031.5	124.5	1,156.0
		RI	325.0	81.2	406.2
		RR	75.5	11.0	86.5
		RT	158.0	23.5	181.5
		<b>Total:</b>	1,596.0	240.2	1,836.2
Prairie Island 1	05000282	APP	645.0	32.0	677.0
		ARP	8.5	0.0	8.5
		AT	96.0	55.5	151.5
		BA1	6.0	0.0	6.0
		BA2	14.0	0.0	14.0
		BB	118.5	3.0	121.5
		BJ2	6.0	0.0	6.0
		<b>Total:</b>	894.0	90.5	984.5
		<b>Facility Total:</b>	2,490.0	330.7	2,820.7
Prairie Island 2	05000306	CO	992.0	73.0	1,065.0
		RI	260.0	45.0	305.0
		RR	3.0	2.0	5.0

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Prairie Island 2	05000306	RT	137.5	20.0	157.5
		<b>Total:</b>	1,392.5	140.0	1,532.5
Prairie Island 2	05000306	APP	503.0	30.5	533.5
		ARP	9.5	0.0	9.5
		AT	79.5	23.0	102.5
		BA1	6.0	0.0	6.0
		BA2	11.0	0.0	11.0
		BB	103.5	3.0	106.5
		BJ2	6.0	0.0	6.0
		<b>Total:</b>	718.5	56.5	775.0
		<b>Facility Total:</b>	2,111.0	196.5	2,307.5
Quad Cities 1	05000254	AF	56.0	13.0	69.0
		CO	1,452.2	119.0	1,571.2
		HT	174.0	18.0	192.0
		OA	19.0	2.0	21.0
		RI	989.5	91.0	1,080.5
		RR	93.7	14.5	108.2
		RT	56.0	22.5	78.5
		SI	7.0	0.0	7.0
		<b>Total:</b>	2,847.4	280.0	3,127.4
		Quad Cities 1	05000254	APP	1,246.2
ARP	262.5			25.0	287.5
AT	212.3			62.5	274.8
BA1	21.5			1.0	22.5
BA2	255.5			4.5	260.0
BB	142.0			17.5	159.5
BJ2	119.5			4.5	124.0
RLD	12.5			1.0	13.5
<b>Total:</b>	2,272.0			195.8	2,467.8
		<b>Facility Total:</b>	5,119.4	475.8	5,595.2
Quad Cities 2	05000265	AF	55.5	5.0	60.5
		CO	1,337.7	104.5	1,442.2

**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Quad Cities 2	05000265	OA	19.0	2.0	21.0
		RI	1,026.6	119.5	1,146.1
		RR	92.2	18.0	110.2
		RT	65.0	22.5	87.5
		SI	7.0	0.0	7.0
		<b>Total:</b>	2,603.0	271.5	2,874.5
Quad Cities 2	05000265	APP	1,080.8	66.0	1,146.8
		ARP	31.0	0.0	31.0
		AT	159.8	52.8	212.6
		BA1	57.5	10.0	67.5
		BA2	173.0	5.0	178.0
		BB	120.0	10.5	130.5
		BJ2	74.0	2.5	76.5
		RLD	12.5	1.0	13.5
		<b>Total:</b>	1,708.6	147.8	1,856.4
		<b>Facility Total:</b>	4,311.6	419.3	4,730.9
Rancho Seco	05000312	CO	36.5	0.0	36.5
		OA	27.0	0.0	27.0
		RI	40.5	0.0	40.5
		<b>Total:</b>	104.0	0.0	104.0
Rancho Seco	05000312	APP	194.5	3.0	197.5
		AT	54.5	10.0	64.5
		BJ2	2.5	0.0	2.5
		<b>Total:</b>	251.5	13.0	264.5
		<b>Facility Total:</b>	355.5	13.0	368.5
River Bend 1	05000458	CO	1,472.7	195.2	1,667.9
		RI	227.0	16.0	243.0
		RR	277.5	41.5	319.0
		RT	302.0	33.5	335.5
		<b>Total:</b>	2,279.2	286.2	2,565.4
River Bend 1	05000458	APP	1,815.8	137.5	1,953.3

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
River Bend 1	05000458	ARP	95.0	16.5	111.5
		AT	196.3	48.9	245.2
		BA1	13.0	1.0	14.0
		BA2	102.0	25.0	127.0
		BB	2.0	0.0	2.0
		BJ2	11.0	0.0	11.0
		RLD	8.0	2.0	10.0
		<b>Total:</b>		2,243.1	230.9
		<b>Facility Total:</b>	4,522.3	517.1	5,039.4
Robinson 2	05000261	CO	1,698.0	101.0	1,799.0
		RI	268.0	46.0	314.0
		RR	52.0	2.5	54.5
		RT	248.0	61.5	309.5
		SI	209.0	18.0	227.0
		<b>Total:</b>		2,475.0	229.0
Robinson 2	05000261	APP	1,598.0	19.0	1,617.0
		ARP	118.0	6.0	124.0
		AT	403.0	64.0	467.0
		BA1	44.0	0.0	44.0
		BA2	94.0	11.0	105.0
		BB	4.0	0.0	4.0
		BJ2	7.0	0.0	7.0
		RLD	7.0	0.0	7.0
		<b>Total:</b>		2,275.0	100.0
		<b>Facility Total:</b>	4,750.0	329.0	5,079.0
Saint Lucie 1	05000335	AF	101.5	18.5	120.0
		CO	1,262.5	182.5	1,445.0
		HT	41.0	9.0	50.0
		OA	4.0	0.0	4.0
		RI	495.0	114.0	609.0
		RR	127.5	47.0	174.5

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Saint Lucie 1	05000335	SI	19.0	1.0	20.0
		<b>Total:</b>	2,050.5	372.0	2,422.5
Saint Lucie 1	05000335	APP	922.3	78.5	1,000.8
		ARP	185.0	10.0	195.0
		AT	275.0	76.2	351.2
		BA1	44.5	14.0	58.5
		BA2	62.0	0.0	62.0
		BB	88.5	0.0	88.5
		BJ2	234.0	44.0	278.0
		RLD	3.5	0.0	3.5
		<b>Total:</b>	1,814.8	222.7	2,037.5
		<b>Facility Total:</b>	3,865.3	594.7	4,460.0
Saint Lucie 2	05000389	AF	52.0	4.0	56.0
		CO	1,038.5	108.0	1,146.5
		OA	4.0	0.0	4.0
		RI	187.5	17.0	204.5
		RR	18.0	0.0	18.0
		SI	19.0	1.0	20.0
		<b>Total:</b>	1,319.0	130.0	1,449.0
Saint Lucie 2	05000389	APP	727.8	72.0	799.8
		ARP	72.0	0.5	72.5
		AT	147.5	42.0	189.5
		BA1	20.5	1.0	21.5
		BA2	83.5	3.0	86.5
		BB	88.0	0.0	88.0
		BJ2	192.5	30.5	223.0
		RLD	2.5	0.0	2.5
		<b>Total:</b>	1,334.3	149.0	1,483.3
		<b>Facility Total:</b>	2,653.3	279.0	2,932.3
Salem 1	05000272	AF	93.7	8.5	102.2
		CO	1,266.7	81.8	1,348.5
		HT	21.0	1.0	22.0

**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Salem 1	05000272	OA	28.5	0.0	28.5
		RI	737.6	133.5	871.1
		RR	364.3	32.7	397.0
		RT	329.5	171.5	501.0
		SI	68.0	12.0	80.0
		<b>Total:</b>	2,909.3	441.0	3,350.3
Salem 1	05000272	APP	1,156.7	90.8	1,247.5
		ARP	30.2	3.0	33.2
		AT	133.1	80.2	213.3
		BA1	12.5	0.0	12.5
		BA2	4.5	0.0	4.5
		BB	164.6	8.0	172.6
		BJ2	47.5	3.2	50.7
		RLD	5.5	0.0	5.5
		<b>Total:</b>	1,554.6	185.2	1,739.8
		<b>Facility Total:</b>	4,463.9	626.2	5,090.1
Salem 2	05000311	AF	61.2	3.5	64.7
		CO	1,296.4	70.4	1,366.8
		HT	12.0	1.0	13.0
		OA	18.5	4.5	23.0
		RI	341.5	46.0	387.5
		RR	447.1	72.3	519.4
		RT	38.8	26.5	65.3
		SI	7.0	0.0	7.0
		<b>Total:</b>	2,222.5	224.2	2,446.7
Salem 2	05000311	APP	961.1	45.9	1,007.0
		ARP	22.5	0.0	22.5
		AT	73.8	34.2	108.0
		BA1	8.0	0.0	8.0
		BA2	12.0	0.0	12.0
		BB	163.7	8.5	172.2
		BJ2	26.0	3.3	29.3

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Salem 2	05000311	RLD	9.5	0.0	9.5
		<b>Total:</b>	1,276.6	91.9	1,368.5
		<b>Facility Total:</b>	3,499.1	316.1	3,815.2
San Onofre 1	05000206	CO	40.0	4.0	44.0
		RI	6.0	1.0	7.0
		<b>Total:</b>	46.0	5.0	51.0
San Onofre 1	05000206	APP	24.0	0.0	24.0
		ARP	18.0	0.0	18.0
		AT	18.0	0.0	18.0
		<b>Total:</b>	60.0	0.0	60.0
		<b>Facility Total:</b>	106.0	5.0	111.0
San Onofre 2	05000361	AF	7.5	0.0	7.5
		CO	973.0	39.0	1,012.0
		RI	330.0	22.0	352.0
		RR	211.5	21.0	232.5
		RT	119.2	33.2	152.4
		<b>Total:</b>	1,641.2	115.2	1,756.4
San Onofre 2	05000361	APP	1,006.5	37.5	1,044.0
		ARP	1.0	0.0	1.0
		AT	109.8	47.0	156.8
		BA1	47.0	3.0	50.0
		BA2	96.5	3.0	99.5
		BJ2	28.5	6.5	35.0
		RLD	1.0	0.0	1.0
		<b>Total:</b>	1,290.3	97.0	1,387.3
		<b>Facility Total:</b>	2,931.5	212.2	3,143.7
San Onofre 3	05000362	AF	5.0	0.0	5.0
		CO	1,010.0	25.0	1,035.0
		RI	256.5	12.5	269.0
		RR	96.0	7.5	103.5

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
San Onofre 3	05000362	RT	117.5	31.0	148.5
		<b>Total:</b>	1,485.0	76.0	1,561.0
San Onofre 3	05000362	APP	707.0	17.0	724.0
		AT	96.5	31.5	128.0
		BA1	18.0	0.0	18.0
		BA2	88.0	2.0	90.0
		BJ2	9.5	7.5	17.0
		RLD	4.0	0.0	4.0
		<b>Total:</b>	923.0	58.0	981.0
		<b>Facility Total:</b>	2,408.0	134.0	2,542.0
Seabrook 1	05000443	AF	6.0	0.0	6.0
		CO	1,678.9	63.3	1,742.2
		OA	42.0	4.0	46.0
		RI	39.0	0.0	39.0
		RR	486.5	109.9	596.4
		SI	208.5	25.5	234.0
		<b>Total:</b>	2,460.9	202.7	2,663.6
Seabrook 1	05000443	APP	1,550.3	110.2	1,660.5
		ARP	166.0	11.0	177.0
		AT	208.3	40.0	248.3
		BA1	3.5	0.0	3.5
		BA2	50.0	0.0	50.0
		BB	250.0	8.0	258.0
		BJ2	114.5	0.0	114.5
		RLD	2.0	0.0	2.0
		<b>Total:</b>	2,344.6	169.2	2,513.8
		<b>Facility Total:</b>	4,805.5	371.9	5,177.4
Sequoyah 1	05000327	AF	27.0	0.0	27.0
		CO	1,100.0	42.3	1,142.3
		RI	533.5	55.0	588.5
		RR	211.5	21.5	233.0



**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Sequoyah 1	05000327	SI	186.5	17.7	204.2
		<b>Total:</b>	2,058.5	136.5	2,195.0
Sequoyah 1	05000327	APP	1,097.3	20.6	1,117.9
		ARP	65.5	1.0	66.5
		AT	148.0	45.5	193.5
		BA1	29.0	0.0	29.0
		BA2	26.0	0.0	26.0
		BB	163.5	2.0	165.5
		BJ2	24.0	0.0	24.0
		RLD	2.0	0.0	2.0
		<b>Total:</b>	1,555.3	69.1	1,624.4
		<b>Facility Total:</b>	3,613.8	205.6	3,819.4
Sequoyah 2	05000328	AF	18.0	0.0	18.0
		CO	1,002.0	58.0	1,060.0
		RI	402.5	25.0	427.5
		RR	250.0	22.0	272.0
		SI	100.5	8.5	109.0
		<b>Total:</b>	1,773.0	113.5	1,886.5
Sequoyah 2	05000328	APP	1,043.0	21.7	1,064.7
		ARP	72.5	3.0	75.5
		AT	110.0	20.5	130.5
		BA1	44.0	0.0	44.0
		BA2	39.0	0.0	39.0
		BB	135.5	2.0	137.5
		BJ2	15.0	0.0	15.0
		RLD	2.0	0.0	2.0
		<b>Total:</b>	1,461.0	47.2	1,508.2
		<b>Facility Total:</b>	3,234.0	160.7	3,394.7
South Texas 1	05000498	AF	179.5	16.0	195.5
		CO	801.5	50.2	851.7
		OA	0.0	0.0	0.0
		RI	132.0	2.0	134.0

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
South Texas 1	05000498	RR	111.0	22.5	133.5
		RT	90.8	16.0	106.8
		<b>Total:</b>	1,314.8	106.7	1,421.5
South Texas 1	05000498	APP	653.0	38.5	691.5
		ARP	14.0	3.0	17.0
		AT	107.7	51.5	159.2
		BA1	66.0	18.0	84.0
		BA2	47.5	8.5	56.0
		BB	212.0	37.5	249.5
		BJ2	142.5	18.0	160.5
		RLD	7.0	0.0	7.0
		<b>Total:</b>	1,249.7	175.0	1,424.7
		<b>Facility Total:</b>	2,564.5	281.7	2,846.2
South Texas 2	05000499	AF	145.0	8.0	153.0
		CO	821.0	42.2	863.2
		OA	0.0	0.0	0.0
		RI	86.0	5.0	91.0
		RR	52.0	8.5	60.5
		RT	88.0	14.0	102.0
		<b>Total:</b>	1,192.0	77.7	1,269.7
South Texas 2	05000499	APP	559.0	27.7	586.7
		ARP	13.5	3.0	16.5
		AT	64.8	27.0	91.8
		BA1	15.0	3.0	18.0
		BA2	18.5	8.0	26.5
		BB	211.5	39.2	250.7
		BJ2	113.5	17.5	131.0
		RLD	8.0	0.0	8.0
		<b>Total:</b>	1,003.8	125.4	1,129.2
		<b>Facility Total:</b>	2,195.8	203.1	2,398.9
Summer	05000395	AF	16.0	5.0	21.0
		CO	1,660.0	174.8	1,834.8

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Summer	05000395	RI	585.0	50.7	635.7
		RR	0.0	2.7	2.7
		RT	64.5	2.0	66.5
		<b>Total:</b>	2,325.5	235.2	2,560.7
Summer	05000395	APP	1,412.5	65.7	1,478.2
		ARP	5.0	0.0	5.0
		AT	247.0	60.0	307.0
		BA1	17.0	2.0	19.0
		BA2	14.0	0.0	14.0
		BB	223.5	31.4	254.9
		BJ2	14.0	5.0	19.0
		<b>Total:</b>	1,933.0	164.1	2,097.1
		<b>Facility Total:</b>	4,258.5	399.3	4,657.8
Surry 1	05000280	CO	753.9	35.4	789.3
		HT	148.2	31.5	179.7
		RI	119.0	2.0	121.0
		RR	320.0	14.0	334.0
		<b>Total:</b>	1,341.1	82.9	1,424.0
Surry 1	05000280	APP	1,137.0	41.2	1,178.2
		ARP	15.0	0.0	15.0
		AT	125.6	83.1	208.7
		BA1	86.0	0.0	86.0
		BA2	20.5	0.0	20.5
		BB	194.0	7.2	201.2
		BJ2	1.5	0.0	1.5
<b>Total:</b>	1,579.6	131.5	1,711.1		
		<b>Facility Total:</b>	2,920.7	214.4	3,135.1
Surry 2	05000281	CO	927.4	36.4	963.8
		HT	229.8	49.0	278.8
		RI	145.0	1.5	146.5

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

**All Hours Reported within: 10/05/1997 through 10/03/1998**

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Surry 2	05000281	RR	362.5	42.5	405.0
		<b>Total:</b>	1,664.7	129.4	1,794.1
Surry 2	05000281	APP	899.5	29.8	929.3
		ARP	29.0	0.0	29.0
		AT	85.4	46.7	132.1
		BA1	27.5	0.0	27.5
		BA2	20.5	0.0	20.5
		BB	144.0	7.2	151.2
		BJ2	1.5	0.0	1.5
		<b>Total:</b>	1,207.4	83.7	1,291.1
		<b>Facility Total:</b>	2,872.1	213.1	3,085.2
Susquehanna 1	05000387	AF	238.1	63.3	301.4
		CO	1,373.6	211.5	1,585.1
		HT	168.0	24.0	192.0
		OA	178.8	8.0	186.8
		RI	60.5	23.0	83.5
		RR	430.5	95.7	526.2
		<b>Total:</b>	2,449.5	425.5	2,875.0
Susquehanna 1	05000387	APP	1,088.2	145.4	1,233.6
		ARP	139.5	7.0	146.5
		AT	173.3	48.1	221.4
		BA1	31.0	2.2	33.2
		BA2	141.0	11.9	152.9
		BB	16.0	6.5	22.5
		BJ2	134.2	5.5	139.7
		RLD	89.5	6.5	96.0
		<b>Total:</b>	1,812.7	233.1	2,045.8
		<b>Facility Total:</b>	4,262.2	658.6	4,920.8
Susquehanna 2	05000388	AF	69.5	17.0	86.5
		CO	1,072.5	161.2	1,233.7
		HT	164.5	30.5	195.0
		OA	98.8	0.0	98.8

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Susquehanna 2	05000388	RI	58.5	11.0	69.5
		RR	379.5	73.3	452.8
		<b>Total:</b>	1,843.3	293.0	2,136.3
		<b>Facility Total:</b>			
Susquehanna 2	05000388	APP	728.0	94.6	822.6
		ARP	115.0	5.0	120.0
		AT	73.8	14.4	88.2
		BA1	25.0	1.0	26.0
		BA2	100.5	9.0	109.5
		BB	6.0	1.5	7.5
		BJ2	119.3	5.0	124.3
		RLD	58.7	3.0	61.7
		<b>Total:</b>	1,226.3	133.5	1,359.8
		<b>Facility Total:</b>			
Three Mile Island 1	05000289	CO	1,676.5	95.6	1,772.1
		OA	58.5	5.0	63.5
		RI	246.0	11.5	257.5
		RR	349.5	41.5	391.0
		RT	63.0	11.0	74.0
		SI	8.0	0.0	8.0
		<b>Total:</b>	2,401.5	164.6	2,566.1
		<b>Facility Total:</b>			
Three Mile Island 1	05000289	APP	1,132.0	61.2	1,193.2
		ARP	60.5	0.0	60.5
		AT	157.5	33.0	190.5
		BA1	34.0	0.0	34.0
		BA2	76.5	5.0	81.5
		BB	285.0	19.0	304.0
		BJ2	8.0	0.0	8.0
		RLD	14.0	0.0	14.0
		<b>Total:</b>	1,767.5	118.2	1,885.7
<b>Facility Total:</b>					

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Three Mile Island 2	05000320	CO	6.0	1.0	7.0
		<b>Total:</b>	6.0	1.0	7.0
Three Mile Island 2	05000320	AT	3.0	0.0	3.0
		<b>Total:</b>	3.0	0.0	3.0
		<b>Facility Total:</b>	9.0	1.0	10.0
Trojan	05000344	CO	44.0	2.0	46.0
		OA	6.0	0.0	6.0
		RI	41.0	1.0	42.0
		<b>Total:</b>	91.0	3.0	94.0
Trojan	05000344	APP	247.0	6.5	253.5
		AT	63.5	11.5	75.0
		<b>Total:</b>	310.5	18.0	328.5
		<b>Facility Total:</b>	401.5	21.0	422.5
Turkey Point 3	05000250	AF	37.5	2.5	40.0
		CO	1,150.5	94.3	1,244.8
		RI	169.5	26.7	196.2
		RR	34.0	46.5	80.5
		RT	96.0	26.2	122.2
		<b>Total:</b>	1,487.5	196.2	1,683.7
Turkey Point 3	05000250	APP	637.5	23.4	660.9
		ARP	42.5	5.0	47.5
		AT	206.5	51.5	258.0
		BA1	43.5	1.0	44.5
		BA2	10.0	0.0	10.0
		BB	112.5	1.0	113.5
		BJ2	86.0	0.0	86.0
		RLD	2.0	0.0	2.0
		<b>Total:</b>	1,140.5	81.9	1,222.4
		<b>Facility Total:</b>	2,628.0	278.1	2,906.1

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Turkey Point 4	05000251	AF	38.0	2.5	40.5
		CO	1,085.0	72.4	1,157.4
		RI	193.5	36.0	229.5
		RR	30.5	31.0	61.5
		RT	87.5	26.2	113.7
		<b>Total:</b>	1,434.5	168.1	1,602.6
Turkey Point 4	05000251	APP	613.5	22.9	636.4
		ARP	43.5	4.5	48.0
		AT	159.5	26.5	186.0
		BA1	22.0	0.0	22.0
		BA2	8.0	0.0	8.0
		BB	112.5	1.0	113.5
		BJ2	84.0	0.0	84.0
		RLD	2.0	0.0	2.0
		<b>Total:</b>	1,045.0	54.9	1,099.9
		<b>Facility Total:</b>	2,479.5	223.0	2,702.5
Vermont Yankee	05000271	AF	133.5	33.5	167.0
		CO	2,031.9	237.2	2,269.1
		OA	272.9	23.7	296.6
		RI	259.5	9.2	268.7
		RR	493.3	59.9	553.2
		RT	104.0	28.7	132.7
		SI	72.0	0.0	72.0
		<b>Total:</b>	3,367.1	392.2	3,759.3
		Vermont Yankee	05000271	APP	1,624.4
ARP	215.0			25.2	240.2
AT	303.7			82.0	385.7
BA1	70.0			2.8	72.8
BA2	169.3			18.0	187.3
BB	290.0			20.5	310.5
BJ2	338.5			8.5	347.0

**Performance Measures**  
**Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Vermont Yankee	05000271	RLD	20.0	3.0	23.0
		<b>Total:</b>	3,030.9	264.8	3,295.7
		<b>Facility Total:</b>	6,398.0	657.0	7,055.0
Vogtle 1	05000424	AF	10.5	1.0	11.5
		CO	929.5	91.3	1,020.8
		RI	157.5	12.0	169.5
		RR	139.0	2.5	141.5
		RT	155.5	26.5	182.0
		SI	6.0	0.0	6.0
		<b>Total:</b>	1,398.0	133.3	1,531.3
Vogtle 1	05000424	APP	718.0	11.5	729.5
		ARP	4.0	0.0	4.0
		AT	131.0	20.7	151.7
		BA1	5.0	0.0	5.0
		BJ2	47.0	0.0	47.0
		<b>Total:</b>	905.0	32.2	937.2
	<b>Facility Total:</b>	2,303.0	165.5	2,468.5	
Vogtle 2	05000425	AF	11.5	1.0	12.5
		CO	1,283.2	75.7	1,358.9
		RI	128.5	18.2	146.7
		RR	291.3	11.5	302.8
		RT	119.0	22.0	141.0
		SI	6.0	0.0	6.0
		<b>Total:</b>	1,839.5	128.4	1,967.9
Vogtle 2	05000425	APP	680.5	11.0	691.5
		ARP	4.0	0.0	4.0
		AT	93.5	16.6	110.1
		BA1	8.0	0.0	8.0



Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Vogtle 2	05000425	BJ2	42.0	0.0	42.0
		<b>Total:</b>	828.0	27.6	855.6
		<b>Facility Total:</b>	2,667.5	156.0	2,823.5
Waterford 3	05000382	AF	6.0	0.0	6.0
		CO	1,873.0	88.4	1,961.4
		HT	118.0	26.0	144.0
		RI	926.5	69.5	996.0
		RR	218.5	28.5	247.0
		SI	44.0	2.0	46.0
		<b>Total:</b>	3,186.0	214.4	3,400.4
Waterford 3	05000382	APP	2,213.0	131.5	2,344.5
		ARP	113.0	23.0	136.0
		AT	374.5	127.0	501.5
		BA1	227.5	1.5	229.0
		BA2	292.5	64.5	357.0
		BB	136.5	17.5	154.0
		<b>Total:</b>	3,357.0	365.0	3,722.0
<b>Facility Total:</b>	6,543.0	579.4	7,122.4		
Watts Bar 1	05000390	AF	15.0	0.0	15.0
		CO	1,805.0	153.6	1,958.6
		RI	512.0	51.0	563.0
		RR	63.0	9.0	72.0
		RT	242.0	37.0	279.0
		<b>Total:</b>	2,637.0	250.6	2,887.6
Watts Bar 1	05000390	APP	1,495.5	50.0	1,545.5
		ARP	57.0	0.0	57.0
		AT	246.5	36.0	282.5
		BA1	88.0	0.0	88.0
		BA2	111.0	0.0	111.0
		BB	308.0	0.0	308.0

Performance Measures  
 Actual Hours by IPE & Activity Codes

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Watts Bar 1	05000390	BJ2	90.0	6.0	96.0
		<b>Total:</b>	2,396.0	92.0	2,488.0
		<b>Facility Total:</b>	5,033.0	342.6	5,375.6
Wolf Creek 1	05000482	AF	38.5	0.0	38.5
		CO	1,916.2	282.1	2,198.3
		HT	190.0	33.0	223.0
		RI	365.0	16.2	381.2
		RR	43.5	3.0	46.5
		RT	187.0	30.8	217.8
		SI	31.0	11.5	42.5
		<b>Total:</b>	2,771.2	376.6	3,147.8
Wolf Creek 1	05000482	APP	2,746.9	148.4	2,895.3
		ARP	118.3	3.0	121.3
		AT	469.7	164.0	633.7
		BA1	148.0	7.5	155.5
		BB	144.5	4.8	149.3
		BJ2	40.5	6.5	47.0
		RLD	208.2	5.3	213.5
		<b>Total:</b>	3,876.1	339.5	4,215.6
<b>Facility Total:</b>	6,647.3	716.1	7,363.4		
Yankee-Rowe	05000029	OA	50.0	6.0	56.0
		RI	43.0	1.5	44.5
		<b>Total:</b>	93.0	7.5	100.5
Yankee-Rowe	05000029	APP	118.0	0.0	118.0
		ARP	10.0	0.0	10.0
		AT	38.0	6.0	44.0
		<b>Total:</b>	166.0	6.0	172.0
<b>Facility Total:</b>	259.0	13.5	272.5		
Zion 1	05000295	AF	144.5	1.0	145.5
		CO	772.5	67.5	840.0

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

All Hours Reported within: 10/05/1997 through 10/03/1998

Docket Name	Docket Number	IPE Code / Activity Code	Regular Hours	Overtime Hours	Total Hours
Zion 1	05000295	OA	85.7	2.0	87.7
		RI	252.0	20.5	272.5
		RR	27.5	1.0	28.5
		RT	34.0	2.0	36.0
		<b>Total:</b>	1,316.2	94.0	1,410.2
Zion 1	05000295	APP	491.3	57.0	548.3
		ARP	20.0	6.0	26.0
		AT	127.7	57.0	184.7
		BA1	3.0	0.0	3.0
		BA2	25.0	0.0	25.0
		BJ2	77.5	6.5	84.0
		<b>Total:</b>	744.5	126.5	871.0
		<b>Facility Total:</b>	2,060.7	220.5	2,281.2
Zion 2	05000304	AF	107.5	0.0	107.5
		CO	828.5	115.3	943.8
		OA	85.7	2.0	87.7
		RI	397.5	42.5	440.0
		RR	27.5	0.0	27.5
		RT	34.0	2.0	36.0
		<b>Total:</b>	1,480.7	161.8	1,642.5
Zion 2	05000304	APP	715.5	63.0	778.5
		ARP	20.0	6.0	26.0
		AT	89.7	54.0	143.7
		BA1	7.5	0.0	7.5
		BA2	27.0	0.0	27.0
		BJ2	74.5	6.5	81.0
		<b>Total:</b>	934.2	129.5	1,063.7
		<b>Facility Total:</b>	2,414.9	291.3	2,706.2

**Performance Measures  
 Actual Hours by IPE & Activity Codes**

**For Period : 10/05/1997 through 10/03/1998**

<b>Report Total:</b>	<b>IPE Code / Activity Code</b>	<b>Regular Hours</b>	<b>Overtime Hours</b>	<b>Total Hours</b>
	AF	4,999.4	419.4	5,418.8
	CO	143,921.8	12,781.9	156,703.7
	GT	0.0	0.0	0.0
	HT	5,776.7	636.0	6,412.7
	OA	3,650.9	336.8	3,987.7
	OR	39.0	39.0	78.0
	RI	43,935.1	5,683.3	49,618.4
	RR	19,401.8	3,417.6	22,819.4
	RT	11,552.6	2,473.1	14,025.7
	SI	3,669.5	536.2	4,205.7
	<b>Total:</b>	<b>236,946.8</b>	<b>26,323.3</b>	<b>263,270.1</b>
	APP	131,949.1	7,306.5	139,255.6
	ARP	8,659.0	709.2	9,368.2
	AT	20,307.1	6,383.1	26,690.2
	BA1	3,794.9	192.2	3,987.1
	BA2	6,128.3	675.8	6,804.1
	BB	10,521.3	835.5	11,356.8
	BJ2	8,550.4	559.6	9,110.0
	RLD	1,927.3	56.0	1,983.3
	<b>Total:</b>	<b>191,837.4</b>	<b>16,717.9</b>	<b>208,555.3</b>