

5850
B.L.R.
won

SINCLAIR RESEARCH LABORATORIES, INC.

400 EAST SIBLEY BOULEVARD
HARVEY, ILLINOIS

September 16, 1957

James W. Hitch, Assistant Chief
Byproduct Licensing Branch
Isotopes Extension
Division of Civilian Application
U.S. Atomic Energy Commission
Oak Ridge, Tennessee

Return of Byproduct Material Licenses
Your File LEB:WOM (12-140-4)

Dear Sir:

Attached are Byproduct Material License Nos. 12-140-2, 12-140-3 and 12-140-3 Amendment No.1. These licenses which were requested in your recent letter are now superseded by License No. 12-140-4.

Yours very truly,

A. I. Snow

A. I. Snow
Chairman, Radioisotope Committee

AIS/pj

Enclosures: *OK. MHR*

License Nos. 12-140-2
12-140-3
12-140-3, Amendment No. 1

4111

12-140-2

Form AEC-813 (9-55)	ATOMIC ENERGY COMMISSION APPLICATION FOR BYPRODUCT MATERIAL LICENSE	Form approved. Budget Bureau No. 33-R027.3.
<p>INSTRUCTIONS: Complete Items 1 through 19 if this is a new application. If renewal is requested, complete only Items 1 through 11 provided that with respect to the other items there has been no change in the information previously submitted. Mail two copies to: U. S. Atomic Energy Commission, P. O. Box 161, Oak Ridge, Tennessee, Attention: Isotopes Extension, Division of Civilian Application. Upon approval of this application, the applicant will receive an AEC Byproduct Material License. General requirements for issuance of an AEC Byproduct Material License are contained in Title 10, Code of Federal Regulations, Part 30.</p>		
1. (a) NAME AND SHIPPING ADDRESS OF APPLICANT <small>(Institution, firm, hospital, person, etc.)</small> Sinclair Research Laboratories, Inc. 400 East Sibley Boulevard Harvey, Illinois		(b) ADDRESS(ES) AT WHICH BYPRODUCT MATERIAL WILL BE USED <small>(If different from shipping address)</small> Same as shipping address
2. DEPARTMENT TO USE BYPRODUCT MATERIAL Engine Laboratories		
3. INDIVIDUAL USER <small>(Name and title of individual(s) who will use or directly supervise use of byproduct material)</small> Dr. Adolph I. Snow, Sr. Proj. Chem.		
4. RADIOLOGICAL SAFETY OFFICER <small>(Name of person qualified in radiological safety, if other than individual user)</small> Dr. Adolph I. Snow		
5. PREVIOUS LICENSE OR AUTHORIZATION NUMBER <small>(If this is an application for renewal of a license for byproduct material obtained under a prior license or authorization for radioisotope procurement)</small> 		
BYPRODUCT MATERIAL OR IRRADIATION SERVICE DESIRED		
6. BYPRODUCT MATERIAL <small>(Element and mass number)</small> Nickel-63	7. CHEMICAL AND/OR PHYSICAL FORM <small>(Or catalog number)</small> Ni-63-P	8. MAXIMUM AMOUNT OF RADIOACTIVITY IN MILLICURIES THAT YOU WILL POSSESS AT ANY ONE TIME 25 mc Ni-60
9. IF IRRADIATION SERVICE IS DESIRED, STATE PERTINENT DETAILS SUCH AS: CHEMICAL COMPOSITION AND WEIGHT IN GRAMS OF TARGET MATERIAL, RADIOACTIVITY, IRRADIATION TIME IN DAYS, AND NEUTRON FLUX 		
STATEMENT OF USE		
10. (a) DESCRIBE PURPOSE FOR WHICH BYPRODUCT MATERIAL WILL BE USED. <small>(If material is for "human use" complete Supplement A in lieu of this item. If material is to be used in or manufactured as a "sealed source" complete Supplement B in addition to this item.)</small> This material will be used in research on the effect of nickel containing additives in lubricating oils.		
(b) DESCRIBE PROCEDURES WHICH WILL BE OBSERVED TO MINIMIZE HAZARD FROM HANDLING, STORAGE, AND DISPOSAL OF THE BYPRODUCT MATERIAL Additive will be prepared in chemical hoods to avoid ingestion of Ni-60. Weak beta ray from nickel (0.067 mev) makes storage problem simple. Radioactive samples will be stored in locked room where unauthorized personnel have no access. Disposal of radioactive material to be made through AEC or authorized private disposal agency.		
CERTIFICATE		
11. The applicant and any official executing this certificate on behalf of the applicant named in Item 1, certify that this application is prepared in conformity with Title 10, Code of Federal Regulations, Part 30, and do solemnly swear (or affirm) that all information contained herein, including any supplements attached hereto, is true and correct to the best of our knowledge and belief.		
State of <u>Illinois</u> County of <u>Cook</u> Subscribed and sworn to before me this <u>22nd</u> day of <u>May</u> 19 <u>56</u> <u>Glenn R. Lindgren</u> Notary Public <u>My Commission Expires June 19, 1959</u>	Sinclair Research Laboratories, Inc. <small>Applicant named in Item 1</small> By <u>[Signature]</u> Vice President and General Manager <small>Title of Certifying Official</small> <u>May 22, 1956</u> <small>Date</small>	
WARNING		
18 U. S. C., Section 1001; Act of June 25, 1948; 62 Stat. 749; makes it a criminal offense to make a willfully false statement to any department or agency of the United States as to any matter within its jurisdiction.		

(Continued on reverse side)

ATOMIC ENERGY COMMISSION
APPLICATION FOR BYPRODUCT MATERIAL LICENSE

INSTRUCTIONS: Complete Items 12 through 19 if this is a new application. This information may be omitted from subsequent applications provided there is no change in the information previously submitted, and reference is made in Item 5 to the application on which this information appears.

TRAINING AND EXPERIENCE WITH RADIOACTIVITY OF INDIVIDUAL USER NAMED IN ITEM 3

12. TYPE OF TRAINING	WHERE TRAINED	DURATION OF TRAINING	ON THE JOB (Circle answer)	FORMAL COURSE (Circle answer)
1. Principles and practices of radiological health safety.	SEE ATTACHED SHEETS		Yes No	Yes No
2. Radioactivity measurement standardization and monitoring techniques and instruments			Yes No	Yes No
3. Mathematics and calculations basic to the use and measurement of radioactivity.			Yes No	Yes No
4. Biological effects of radiation. . .			Yes No	Yes No
5. Actual use of radioisotopes in the types and quantities for which application is being made, or equivalent experience			Yes No	Yes No

13. ISOTOPE HANDLING EXPERIENCE

ISOTOPE	MAXIMUM AMOUNT	WHERE EXPERIENCE WAS GAINED	DURATION OF EXPERIENCE	TYPE OF USE
	SEE ATTACHED SHEETS			

14. If Radiological Safety Officer named in Item 4 is different from individual user named in Item 3, use supplementary sheet to provide equivalent information on "Training and Experience With Radioactivity of Radiological Safety Officer." Supplementary sheet is attached (Circle answer) Yes ☒ No

PHYSICAL FACILITIES, EQUIPMENT, AND RADIATION INSTRUMENTATION

15. RADIATION DETECTION INSTRUMENTS (Use separate sheet if necessary)

TYPE OF INSTRUMENTS (Include make and model number of each)	NUMBER AVAILABLE	RADIATION DETECTED	SENSITIVITY RANGE (mr/hr)	WINDOW THICKNESS (mg/cm ²)	USE (Monitoring, surveying, measuring)
SEE ATTACHED SHEETS					

16. FILM BADGES, DOSIMETERS, AND OTHER PERSONNEL MONITORING DEVICES INCLUDING BIO-ASSAY PROCEDURES

SEE ATTACHED SHEETS

17. METHOD, FREQUENCY, AND STANDARDS USED IN CALIBRATING INSTRUMENTS LISTED ABOVE (For film badges specify method of calibration and processing, or name supplier)

SEE ATTACHED SHEETS

18. (a) DESCRIBE BRIEFLY REMOTE HANDLING EQUIPMENT, STORAGE CONTAINERS, SHIELDING, AND LABORATORY FACILITIES (Working areas, fume hoods, etc.)

SEE ATTACHED SHEETS

(b) SKETCHES OF SUCH FACILITIES ARE ATTACHED (Circle answer)

Yes ☒ No

19. DESCRIBE BRIEFLY RADIATION SURVEYING PROCEDURES AND METHODS OF DISPOSING OF RADIOACTIVE WASTES

SEE ATTACHED SHEETS

DUPLICATED
FOR DIRECTOR'S USE

15. Radiation Detection Instruments

Type of Instruments	Number Available	Radiation Detected	Sensitivity Range	Window Thickness	Use
Nuclear Instrument & Chemical Co. survey Meter Model #2612	1	Alpha, beta, gamma	0.2, 2, and 20 mr/hr	1.4	Surveying
Tracerlab Cutie Pie Model SU1H	1	Beta, gamma	25, 250, 2500 mr/hr Full scale accuracy $\pm 10\%$ of full scale	2-3	Surveying
Tracerlab Laboratory Monitor Model SU-3C	1	Alpha, beta, gamma	200, 2000, 20,000, Cpm full scale	1.9	Monitoring
Tracerlab Superscaler Model SC-18A	1		Input sensitivity from 0.2 to 0.35 volts.		Detector for measuring
Tracerlab 1-1/2 x 1" long sodium iodide (Tl) crystal connected to P-20 amplifier - Shield 2" of lead	1	Gamma		1.4	Detector for measuring
Nuclear Instrument and Chemical Co. D-34 detector in Model 3031B 2" lead shield		Beta, gamma			
Tracerlab Piston Ring Wear Analyzer consisting of 1-3/4" D x 2" long sodium iodide (Tl) crystal plus SC-34A precision ratemeter plus P-20A scintillation detector, plus SC-51 autoscaler plus SC-SF Tracergraph printing interval time recorder plus Brown recorder	1	Gamma			Measuring

12-140-2
DUPLICATED
 FOR DIV. OF INSP.

12. Type of Training

	Where Trained	Duration of Training	On the Job	Formal Course
1.	Ames Laboratory of the AEC	7 Years	Yes	No
	Sinclair Research Labs., Inc.	2 Years	Yes	No
	University of Chicago	1 Year	Yes	No
2.	Ames Laboratory of the AEC	7 Years	Yes	Yes
	Sinclair Research Labs., Inc.	2 Years	Yes	No
	University of Chicago	1 Year	Yes	No
3.	Ames Laboratory of the AEC	7 Years	Yes	Yes
	University of Chicago	2 Years	Yes	No
	Sinclair Research Labs., Inc.	3 Years	Yes	No
4.	Sinclair Research Labs., Inc.	2 Years	Yes	No
5.	Ames Laboratory of the AEC	7 Years	Yes	No
	(Sinclair Research Labs., Inc. & University of Chicago - includes experience with X-ray and neutron diffraction equipment)			

13. Isotope Handling Experience

Isotope	Maximum Amount	Where Experience was Gained	Duration of Experience	Type of Use
Uranium and decay products	Many pounds	Ames Laboratory of the AEC	7 Years	Metallurgical, X-ray diffraction, preparation of compounds.
Thorium and decay products	Many pounds	"		
Cobalt 60	Around 1 millicurie	Sinclair Research Labs., Inc.	6 Months	Preparation of demonstration samples.
Tantalum 182	Around 200 millicuries of gamma activity	Sinclair Research Labs., Inc.	3 Months	Cutting tools for wear tests.
Iron 59	Around 30 millicuries of gamma activity	Sinclair Research Labs., Inc.	2 Months	Piston ring wear tests.
X-ray diffraction equipment		Ames Laboratory of the AEC	7 Years	Diffraction studies.
Neutron diffraction equipment				

DUPLICATED
FOR DIV. OF INSP.

16. Film Badges, Dosimeters, and other Personnel Monitoring Devices including Bio-Assay Procedures:

12 Film badges from Nuclear Instrument and Chemical Co. processed weekly, 12 direct reading pocket dosimeters, Tracerlab Model K-112-full scale 200 mr. accuracy $\pm 5\%$ of full scale. Dosimeters and film badges worn at all times. Standard sources - 1) Tracerlab 12-7 calibrated gamma source 11.1×10^{-1} microcuries covered with 1.3 gm/cm^2 of lead; 2) Nuclear Instrument and Chemical Co. Model R2 uncalibrated source containing 2-3 micrograms of radium in a plastic cylinder $1" \times 1/2"$; 3) Three 2-milligram samples of radium sulfate.

Physical Examinations include initial and semi-annual complete blood counts, urinalysis, chest X-ray plus a routine general physical examination for all personnel handling radioactive materials.

17. Method, Frequency, and Standards used in Calibrating Instruments Listed Above

Film badges - obtained from and processed by Nuclear Instrument and Chemical Company.

Dosimeters, etc. are intercompared by exposure to same source and calibrated against sources. Frequency of calibration - monthly.

18. Description of Remote Handling Equipment, Storage Containers, Shielding, and Laboratory Facilities

Remote Handling Equipment - 5 foot long handled tongs, magnetic pickup with 5 foot handle.

Storage Containers - Concrete lined holes in Floor, Stoppered by 16" long concrete plugs. Special lead storage containers for radioactive piston rings and cutting tools.

Blickman A-1 modified low intensity dry box.

Storage area in special locked room. Counting area in special designated location. Alberene stone hoods.

DUPLICATED
FORM AEC-313

19. Brief Description of Radiation Surveying Procedures and Methods of Disposing of Radioactive Wastes

Use of Cutie Pie, and survey meter on working areas. All personnel handling or near radioactive material wear film badges. Those working with such materials also wear pocket dosimeters. Laboratory monitor used to monitor personnel and clothing.

Waste disposal - Relatively short lived waste such as Iron-59 stored until activity decays to a safe level for local disposal. Highly active or long lived waste will be sent to Argonne National Laboratory, or other authorized private disposal agency for disposal.