



Entergy

Entergy Operations, Inc.
1448 S.R. 333
Russellville, AR 72802
Tel 501 858 5000

February 13, 2001

0CAN020101


U. S. Nuclear Regulatory Commission
Document Control Desk
Mail Station OP1-17
Washington, DC 20555

Subject: Arkansas Nuclear One – Units 1 and 2
Docket Nos. 50-313 and 50-368
License Nos. DPR-51 and NPF-6
Fitness-For-Duty Performance Data

Gentlemen:

In accordance with 10CFR26.71(d), attached is the Arkansas Nuclear One (ANO) Fitness-for-Duty program performance data for the period July-December 2000.

Very Truly Yours


Jimmy D. Vandergriff
Director, Nuclear Safety Assurance

JDV/RMC
Attachments

A021

USNRC
February 12, 2001
OCAN020101 Page 2 of 2

cc: Mr. Ellis W. Merschoff
Regional Administrator
U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011-8064

NRC Senior Resident Inspector
Arkansas Nuclear One
P.O. Box 310
London, AR 72847

Mr. William R. Reckley
NRR Project Manager Region IV/ANO-1
U. S. Nuclear Regulatory Commission
NRR Mail Stop 04-D-03
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

Mr. Thomas W. Alexion
NRR Project Manager Region IV/ANO-2
U. S. Nuclear Regulatory Commission
NRR Mail Stop 04-D-03
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

**Rockville, MD 20852 FITNESS FOR DUTY
PROGRAM
PERFORMANCE DATA
PERSONNEL SUBJECT TO 10CFR26**

Entergy Operations, Inc. - Arkansas Nuclear One
Company

December 31, 2000
6 Month Ending

1448 S. R. 333, Russellville, AR 72802-0137
Location

Steve Kaufmann, Coordinator, AA/FFD
Contact Name

(501) 858-7846
Phone

Cutoffs: Screen/Confirmation (ng/ml)

Appendix A to 10CFR26

Marijuana	50/15	Amphetamine	1000/500	<u>N/A</u>	<u>N/A</u>
Cocaine	300/150	Phencyclidine	25/25	<u>N/A</u>	<u>N/A</u>
Opiates	300/300	Alcohol (%BAC)	0.04%	<u>N/A</u>	<u>N/A</u>

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
	# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Average Number with Unescorted Access	1114		N/A		1245	
Pre-Access	52	0/0	N/A	N/A	1924	19/10
For-Cause Post Accident	0	0/0	N/A	N/A	0	0/0
For-Cause Observed Behavior	0	0/0	N/A	N/A	5	2/0
Random	283	0/0	N/A	N/A	266	2/0
Follow-up	1	0/0	N/A	N/A	6	0/0
Other	5	0/0	N/A	N/A	4	1/0
Total	341	0/0	N/A	N/A	2205	24/10

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES

July – December 2000

	Marijuana	Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol	Refusal To Test	1	2	3	4	5	
Licensee Employees	0/0	0	0	0	0	0	0	N/A	N/A	N/A	N/A	N/A	
Long-Term Contractors	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Short-Term Contractors	11/11	4	0	4	0	6	5	N/A	N/A	N/A	N/A	N/A	
Totals	11/11	4	0	4	0	6	5	N/A	N/A	N/A	N/A	N/A	6/3

One of the above samples and four additional samples were confirmed positive for the presence of adulterants.

SUMMARY OF MANAGEMENT ACTIONS July-December 2000

General Information

During the second 6-month period of 2000, the average population granted unescorted access was 2359 individuals. A total of 549 random drug tests were performed, which yielded a random testing rate of 23.3% at the close of the 6-month testing period. Additionally, for the 12-month period, the average population granted unescorted access was 1960 individuals. The year end total of 1067 random tests yielded an annual random testing rate of 54.4%.

During the 6-month reporting period 2546 samples were collected and tested. Thirty-four of the samples were confirmed positive for alcohol or illegal substances, five were confirmed positive for the presence of adulterants and five contract employees refused to provide a sample. The testing failure rate (% positive) was 1.73%, which included the five contract employees that provided adulterated samples and the five contract employees who refused to test. These 44 individuals were denied access.

There were five for-cause drug tests performed on contract employees during the 6-month reporting period. Two of the individuals tested negative and returned to their regular duties. Two others tested positive, one for alcohol and one for an illegal substance, and another refused to test. These three contract employees were denied access.

Twenty-nine contract employees provided pre-access urine samples that tested positive either for alcohol or illegal substances and were denied access. Five contract employees provided adulterated urine samples. Individuals who provide adulterated urine samples must also provide a direct observation sample. The direct observation samples resulted in one confirmed positive for an illegal substance and three negatives. The fifth individual refused to provide a direct observation sample. These five contract employees were denied access.

One contract employee tested positive for an illegal substance during two random sampling events during the same week, he was denied access.

Program Initiatives

Standardization of fitness-for-duty methods and implementation of the revised 10CFR26 requirements for Entergy Nuclear Southwest is ongoing.

Appeals & Retests

During this reporting period four appeals of positive drug confirmations were received which also included the re-test of two urine samples. Additionally, four other individuals requested blood alcohol tests after receiving a positive Breathalyzer test. In each case the appeal or retest was upheld or confirmed the original positive result.

NRC Reportable Events

There were no fitness-for-duty events that met the NRC 24-hour telephonic reporting requirement.