



Duke Energy Corporation

526 South Church Street
P.O. Box 1006 (EC07H)
Charlotte, NC 28201-1006
(704) 382-2200 OFFICE
(704) 382-4360 FAX

M. S. Tuckman
*Executive Vice President
Nuclear Generation*

February 26, 2001

U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, D.C. 20555

Subject: Duke Energy Corporation
Fitness-For-Duty Program
Performance Data Reports
Oconee Nuclear Station, Docket Nos. 50-269, -270, -287
McGuire Nuclear Station, Docket Nos. 50-369, -370
Catawba Nuclear Station, Docket Nos. 50-413, -414

Pursuant to 10 CFR 26.71(d), enclosed are the subject reports for Duke Energy Corporation's Oconee, McGuire and Catawba Nuclear Stations and the General Office. These reports are being submitted for the time period of July 1, 2000 through December 31, 2000.

Should there be any questions concerning these reports, please contact Randy Cross at (704) 373-3504.

Sincerely,

M. S. Tuckman

Attachment

A021

U. S. Nuclear Regulatory Commission
February 26, 2001
Page Two

cc: w/attachment

L. A. Reyes
Regional Administrator, Region II
U. S. Nuclear Regulatory Commission
Atlanta Federal Center, Suite 23T85
61 Forsyth Street, S.W.
Atlanta. GA 30303-3415

C. P. Patel, NRC Senior Project Manager (CNS)
U. S. Nuclear Regulatory Commission
Mail Stop 0-14 H25
Washington, D. C. 20555-0001

R. E. Martin, NRC Project Manager (MNS)
U. S. Nuclear Regulatory Commission
Mail Stop 0-8 H12
Washington, D. C. 20555-0001

D. E. Labarge, NRC Project Manager (ONS)
U. S. Nuclear Regulatory Commission
Mail Stop 0-8 H12
Washington, D. C. 20555-0001

U. S. Nuclear Regulatory Commission
February 26, 2001
Page Three

bcc: w/ attachment

T. W. King (ON01SC)
W. A. Evans (MG01SC)
W. T. Byers (CN01SC)
W. R. McCollum (ON01VP)
H. B. Barron, Jr. (MG01VP)
G. R. Peterson (CN01VP)
W. B. Jackson (MG01VP)
P. M. Grobusky (CN01VP)
A. Rose (ON01VP)
W. E. Dukes (EC02O)
A. C. Barnette (EC2ZM)
P. D. Beatty (ON02FD)
S. Lowry-Minor (CN06WP)
P. R. Fowler (EC02)
D. D. Crisp (MG02HR)
R. M. Bisanar (PB05E)
ELL

U. S. Nuclear Regulatory Commission
February 26, 2001
Page Four

bcc: w/o attachment

C. J. Thomas
L. E. Nicholson (ON01RC)
M. T. Cash (MG01RC)
G. D. Gilbert (CN01RC)
R. L. Gill (EC12R)
N. C. Electric Membership Corp. (NCEMC)
N. C. Municipal Power Agency (NCMPA)
Piedmont Municipal Power Agency (PMPA)
Saluda River Electric Cooperative, Inc. (SREC)

**Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26**

12/31/00

DUKE POWER COMPANY

Company

6 Month Ending

Catawba Nuclear Station

Location

Elisa Funderburk

(803) 831-3881

Contact Name

Phone (Include area code)

Cutoffs: Screen/Confirmation (ng/ml) Appendix A to 10 CFR 26

Marijuana 50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml	_____ /
Cocaine 300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml	_____ /
Opiates 300 ng/ml / 300 ng/ml	Alcohol (%BAC) .04	_____ /

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive *		# Tested	# Positive	# Tested	# Positive *	
Average Number with Unescorted Access	1318					252		
Categories	# Tested	NRC	Duke	# Tested	# Positive	# Tested	NRC	Duke
Pre-Access	66	1	1			296	3	2
For Cause - Post Accident	0	0	0			0	0	0
For Cause - Observed Behavior	4	0	0			2	0	0
Random	384	0	0			112	2	0
Follow-up	20	0	1			2	0	0
Other	0	0	0			2	0	0
Total	474	1	2			414	5	2

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

Breakdown of Confirmed Positive Tests for Specific Substances – Catawba Nuclear Station

	Marijuana *		Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol *		Refusal to Test	1	2	3	4	5	
	NRC	DUKE					NRC	DUKE							
Licensee Employees	2	1													
Long-Term Contractors															
Short-Term Contractors	4	2	3						1						
Total	6	3	3						1						13**

* The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.
 ** Two individuals positive for more than one substance.

**Fitness For Duty Program
Performance Data
Personnel Subject to 10CFR 26**

Summary of Management Actions:

(Include initiatives taken, lessons learned ,effectiveness evaluation, etc. as appropriate.)

None

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

None

**Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26**

DUKE POWER COMPANY	12/31/00
Company	6 Month Ending
McGuire Nuclear Station	
Location	
Don Crisp	(704) 875-5781
Contact Name	Phone (Include area code)

Cutoffs: Screen/Confirmation (ng/ml) Appendix A to 10 CFR 26

Marijuana 50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml	_____ /
Cocaine 300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml	_____ /
Opiates 300 ng/ml / 300 ng/ml	Alcohol (%BAC) .04	_____ /

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive *		# Tested	# Positive	# Tested	# Positive *	
Average Number with Unescorted Access	1321					298		
		NRC	Duke			NRC	Duke	
Pre-Access	72	0	0			288	2	1
For Cause - Post Accident	0	0	0			0	0	0
For Cause - Observed Behavior	1	0	0			2	0	1
Random	391	0	0			111	0	1
Follow-up	8	0	0			3	0	0
Other	0	0	0			0	0	0
Total	472	0	0			404	2	3

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

Breakdown of Confirmed Positive Tests for Specific Substances – McGuire Nuclear Station

	Marijuana *		Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol *		Refusal to Test	1	2	3	4	5	
	NRC	DUKE					NRC	DUKE							
Licensee Employees															
Long-Term Contractors															
Short-Term Contractors		2	1				1	1							A
Total		2	1				1	1							5

* The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

**Fitness For Duty Program
Performance Data
Personnel Subject to 10CFR 26**

Summary of Management Actions:

(Include initiatives taken, lessons learned ,effectiveness evaluation, etc. as appropriate.)

None

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

None

**Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26**

12/31/00

DUKE POWER COMPANY

Company

6 Month Ending

Oconee Nuclear Station

Location

Pauline Beatty

(864) 885-3317

Contact Name

Phone (Include area code)

Cutoffs: Screen/Confirmation (ng/ml) Appendix A to 10 CFR 26

Marijuana 50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml	_____ /
Cocaine 300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml	_____ /
Opiates 300 ng/ml / 300 ng/ml	Alcohol (%BAC) .04	_____ /

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	# Tested	# Positive *		# Tested	# Positive	# Tested	# Positive *	
Average Number with Unescorted Access	1457					523		
Categories	# Tested	NRC	Duke	# Tested	# Positive	# Tested	NRC	Duke
Pre-Access	69	0	0			408	2	0
For Cause - Post Accident	0	0	0			0	0	0
For Cause - Observed Behavior	1	0	0			0	0	0
Random	399	0	0			194	1	0
Follow-up	12	0	0			11	0	0
Other	0	0	0			0	0	0
Total	481	0	0			613	3	0

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

Breakdown of Confirmed Positive Tests for Specific Substances – Oconee Nuclear Station

	Marijuana *		Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol *		Refusal to Test	1	2	3	4	5	
	NRC	DUKE					NRC	DUKE							
Licensee Employees															
Long-Term Contractors															
Short-Term Contractors	2		1												A
Total	2		1												3

* The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

**Fitness For Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for Oconee Nuclear Station)**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

None

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

None

**Fitness for Duty Program
Performance Data
Personnel Subject to 10 CFR 26**

DUKE POWER COMPANY	12/31/00
Company	6 Month Ending
General Office	
Location	
Lisa Stewart	(704) 382-2030
Contact Name	Phone (Include area code)

Cutoffs: Screen/Confirmation (ng/ml) Appendix A to 10 CFR 26

Marijuana 50 ng/ml / 15 ng/ml	Amphetamines 1000 ng/ml / 500 ng/ml	_____ /
Cocaine 300 ng/ml / 150 ng/ml	Phencyclidine 25 ng/ml / 25 ng/ml	_____ /
Opiates 300 ng/ml / 300 ng/ml	Alcohol (%BAC) .04	_____ /

Testing Results	Licensee Employees			Long-Term Contractor Personnel		Short-Term Contractor Personnel		
	Average Number with Unescorted Access	603						
Categories	# Tested	# Positive *		# Tested	# Positive	# Tested	# Positive *	
		NRC	Duke				NRC	Duke
Pre-Access	53	0	0			18 **	0	0
For Cause - Post Accident	0	0	0			NA	NA	NA
For Cause - Observed Behavior	1	0	0			NA	NA	NA
Random	192	0	1			NA	NA	NA
Follow-up	8	0	0			NA	NA	NA
Other	2	0	0			NA	NA	NA
Total	256	0	1			18 **	0	0

*The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

Breakdown of Confirmed Positive Tests for Specific Substances – Duke Power General Office

	Marijuana *		Cocaine	Opiates	Amphetamine	Phencyclidine	Alcohol *		Refusal to Test	1	2	3	4	5	
	NRC	DUKE					NRC	DUKE							
Licensee Employees		1													
Long-Term Contractors															
Short-Term Contractors															
Total		1													A 1

* The "# Positive" has been split; on the left side recorded confirmed positives based on DHHS/NRC cut off levels and on the right side recorded confirmed positives based on the Company's more restrictive cut off levels.

**Fitness For Duty Program
Performance Data
Personnel Subject to 10CFR 26
(for General Office)**

Summary of Management Actions:

(Include initiatives taken, lessons learned, effectiveness evaluation, etc. as appropriate.)

** Duke Power Company approved the Pre-Access Testing portion of Westinghouse's Fitness for Duty Program effective August 3, 1999. The 18 Pre-Access screens reported under "Short Term Contractor Personnel" are being reported with Duke Power Company performance data as a result of accepting Westinghouse's program.

Summary Listing of Events Reported Under 10 CFR 26.73:

<u>Date of Event</u>	<u>Position of Individual Involved</u>	<u>How Discovered</u>	<u>Substance Detected</u>	<u>Management Actions Taken</u>
--------------------------	--	---------------------------	-------------------------------	-------------------------------------

None