



**UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION II
SAM NUNN ATLANTA FEDERAL CENTER
61 FORSYTH STREET SW SUITE 23T85
ATLANTA, GEORGIA 30303-8931**

March 6, 2001

Duke Energy Corporation
ATTN: Mr. H. B. Barron
Vice President
McGuire Nuclear Station
12700 Hagers Ferry Road
Huntersville, NC 28078-8985

**SUBJECT: MCGUIRE NUCLEAR STATION - NUCLEAR REGULATORY COMMISSION
OFFICE OF INVESTIGATIONS CASE NUMBER 2-2000-030**

Dear Mr. Barron:

Enclosed for your information is the synopsis of the Nuclear Regulatory Commission (NRC) Office of Investigations (OI) completed report regarding Duke Energy Corporation employee who may have falsified training records. OI did not substantiate that the employee willfully falsified the training records.

Based on the OI activity described in the synopsis, we plan no further action with regard to this matter. Should you have any questions concerning this letter, please contact us.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and the enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/NRC/ADAMS/index.html> (the Public Electronic Reading Room).

Sincerely,

/RA/

Oscar DeMiranda
Acting Enforcement Officer

Docket Nos. 50-369, 50-370
License Nos. NPF-9, NPF-17

Enclosure: Investigative Synopsis,
OI Case No. 2-2000-030

cc w/encl: See Page 2

DEC

2

cc w/encl:
Regulatory Compliance Manager (MNS)
Duke Energy Corporation
Electronic Mail Distribution

Lisa Vaughn
Legal Department (PB05E)
Duke Energy Corporation
422 South Church Street
Charlotte, NC 28242

Distribution:
O. DeMiranda
PUBLIC

OFFICE	DDDDDI					
DI						
DDDE	DDDD					
DDDE						
CODD	DDDDDD	DEDDDDDDDD	DEDDDDDDDD	DEDDDDDDDD	DEDDDDDDDD	DEDDDDDDDD

OFFICIDDDDECODDDCODD DCDDDEDDDDDEDDDCDDDDDDODICDDDD

SYNOPSIS

The U.S. Nuclear Regulatory Commission, Office of Investigations (OI), Region II, initiated this investigation on September 29, 2000, to determine whether a scientist employed on the Chemistry staff at the Duke Power Energy Corporation McGuire Nuclear Station falsified training records regarding specific on-the-job training and task performance evaluations regarding sampling and chemical additions on several safety-related systems.

Based upon evidence developed during this investigation, OI did not substantiate that the staff scientist willfully falsified the training records.

Approved for release on 3/6/01
Enclosure

~~NOT FOR PUBLIC DISCLOSURE WITHOUT APPROVAL OF
FIELD OFFICE DIRECTOR, OFFICE OF INVESTIGATIONS, REGION II~~