

March 22, 2001

Mr. A. Alan Blind
Vice President, Nuclear Power
Consolidated Edison Company
of New York, Inc.
Broadway and Bleakley Avenue
Buchanan, NY 10511

SUBJECT: INDIAN POINT NUCLEAR GENERATING UNIT NO. 2 - PROPOSED MEETING
TO DISCUSS PROMATEC HEMYC 1-HOUR AND MT 3-HOUR FIRE BARRIER
SYSTEMS (TAC NO. MB1311)

Dear Mr. Blind:

During a November 1999 fire protection inspection at Carolina Power & Light Company's Shearon Harris Nuclear Power Plant (HNP), the U.S. Nuclear Regulatory Commission (NRC) staff identified a potential issue associated with Promatec Hemyc 1-hour and MT 3-hour fire barrier systems not being qualified to meet 10 CFR Part 50, Appendix R, safe shutdown separation requirements. In a Task Interface Agreement dated November 23, 1999, (TIA 99-028; ADAMS Accession No. ML003671052), NRC Region II staff requested assistance from the Office of Nuclear Reactor Regulation (NRR) to resolve this issue. On August 1, 2000, the NRR staff responded to the TIA 99-028 (ADAMS Accession No. ML003736721) and concluded that the fire rating of the installed fire wrap at HNP was indeterminate.

The Nuclear Energy Institute (NEI) confirmed that the plants listed below use Hemyc or MT fire wrap to comply with 10 CFR Part 50, Appendix R, safe shutdown separation requirements.

Arkansas Nuclear One Units 1 and 2	Beaver Valley Unit 1
Catawba Units 1 and 2	FitzPatrick
Genoa	Harris
Indian Point Units 2 and 3	McGuire Units 1 and 2
Robinson 2	Vermont Yankee
Waterford	

NRR staff requested that NEI coordinate a generic industry initiative to address the Hemyc and MT fire barrier issue, but NEI declined. Therefore, the staff will be working with the affected licensees to resolve this issue. The staff's planned course of action includes meeting with the affected licensees as a group to discuss: (1) the technical issues, (2) the applicability of the issues to the affected plants, and (3) the ultimate resolution of the issue. Thus, the staff is requesting that the affected licensees accept the issue as a voluntary initiative and propose an approach for resolving the issue.

A. Blind

- 2 -

March 22, 2001

In the near future, the NRC Lead Project Manager for this issue, Richard Laufer, or I will contact you and the other affected licensees to arrange a joint meeting to discuss the Hemyc and MT fire barrier issue. Allowing time for licensees to review and consider the results from the HNP review (TIA 99-028), we estimate that the meeting will take place in the May - June 2001 timeframe.

Sincerely,

/RA/

Patrick D. Milano, Senior Project Manager, Section 1
Project Directorate I
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-247

cc: See next page

In the near future, the NRC Lead Project Manager for this issue, Richard Laufer, or I will contact you and the other affected licensees to arrange a joint meeting to discuss the Hemyc and MT fire barrier issue. Allowing time for licensees to review and consider the results from the HNP review (TIA 99-028), we estimate that the meeting will take place in the May - June 2001 timeframe.

Sincerely,

/RA/

Patrick D. Milano, Senior Project Manager, Section 1
Project Directorate I
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-247

cc: See next page

Distribution:

PUBLIC
PD I-1 Reading File

M. Gamberoni
P. Milano
R. Laufer
S. Little

D. Frumkin
B. Platchek, Region I
OGC
ACRS

Accession No. ML010750472

OFFICE	PM:PDI-1	LA:PDI-1	SC:PDI-1	
NAME	PMilano	SLittle	PTam for MGamberoni	
DATE	03/20/01	03/ 20/01	03/22 /01	

OFFICIAL RECORD COPY

Indian Point Nuclear Generating Station
Unit 2

Mayor, Village of Buchanan
236 Tate Avenue
Buchanan, NY 10511

Mr. William M. Flynn, President
New York State Energy, Research,
and Development Authority
Corporate Plaza West
286 Washington Ave. Extension
Albany, NY 12203-6399

Mr. John McCann
Manager of Nuclear Safety and
Licensing
Consolidated Edison Company
of New York, Inc.
Broadway and Bleakley Avenue
Buchanan, NY 10511

Senior Resident Inspector
U. S. Nuclear Regulatory Commission
P.O. Box 38
Buchanan, NY 10511

Mr. Brent L. Brandenburg
Assistant General Counsel
Consolidated Edison Company
of New York, Inc.
4 Irving Place - 1822
New York, NY 10003

David Lochbaum
Nuclear Safety Engineer
Union of Concerned Scientists
1707 H Street, NW., Suite 600
Washington, DC 20006

Edward Smeloff
Pace University School of Law
The Energy Project
78 North Broadway
White Plains, NY 10603

Charles Donaldson, Esquire
Assistant Attorney General
New York Department of Law
120 Broadway
New York, NY 10271

Ms. Charlene D. Faison, Director
Nuclear Licensing
Power Authority of the State
of New York
123 Main Street
White Plains, NY 10601

Mr. Thomas Rose
Secretary - NFSC
Consolidated Edison Company
of New York, Inc.
Broadway and Bleakley Avenue
Buchanan, NY 10511

Regional Administrator, Region I
U. S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Mr. Paul Eddy
New York State Department of
Public Service
3 Empire State Plaza, 10th Floor
Albany, NY 12223

Jim Riccio
Public Citizen's Critical Mass Energy Project
215 Pennsylvania Ave., SE
Washington, DC 20003

Michael Mariotte
Nuclear Information & Resources Service
1424 16th Street, NW, Suite 404
Washington, DC 20036

Deborah Katz
Executive Director

Citizens Awareness Network
P.O. Box 83
Shelburne Falls, MA 01370

Indian Point Nuclear Generating Station
Unit 2

Marilyn Elie
Organizer
Citizens Awareness Network
2A Adrain Court
Cortlandt Manor, NY 10567

Tim Judson
Organizer
Citizens Awareness Network
140 Bassett Street
Syracuse, NY 13213

Kyle Rabin
Environmental Advocates
353 Hamilton Street
Albany, NY 12210

Mark Jacobs
Executive Director
Westchester Peoples Action Coalition
255 Dr. M.L. King Jr. Boulevard
White Plains, NY 10601

Paul Gunter
Nuclear Information & Resource Service
1424 16th Street, NW, #404
Washington, DC 20036

Mr. Fred Emerson
Senior Project Manager of Engineering
1776 I Street, NW
Washington, DC 20006