

November 4, 1994

Mr. B. Ralph Sylvia
Executive Vice President, Nuclear
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

SUBJECT: CORRECTED PAGES FOR LICENSE AMENDMENT NO. 150 FOR NINE MILE POINT
NUCLEAR STATION UNIT NO. 1 AND LICENSE AMENDMENT NO. 58 FOR NINE
MILE POINT NUCLEAR STATION, UNIT 2 (TAC NOS. M89973 AND M89974)

Dear Mr. Sylvia:

On October 31, 1994, the U.S. Nuclear Regulatory Commission issued the subject license amendments. Due to an administrative error, the references to the application date in the amendments, the revised pages of the licenses, and in the Safeguards Evaluation Report, were all in error. The correct application date is June 9, 1994, not June 6, 1994. In addition, License Conditions 2.D.(2) and 2.D.(3) of Facility Operating License No. DPR-63 for Nine Mile Point Nuclear Station Unit No. 1 were inadvertently included. These license conditions were deleted by License Amendment No. 51 and, therefore, should not appear on revised page 4 of License No. DPR-63. Enclosed are copies of the corrected pages which should be used to replace the pages issued on October 31, 1994. We apologize for any inconvenience due to this error.

Sincerely,

Original signed by

Donald S. Brinkman, Senior Project Manager
Project Directorate I-1
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Docket Nos. 50-220
and 50-410

- Enclosures:
1. Page 2 of Amendment No. 150 to DRP-63
 2. Page 2 of Amendment No. 58 to NPF-69
 3. Page 4 of License No. DPR-63
 4. Page 7 of License No. NPF-69
 5. Safeguards Evaluation Report

cc w/encls: See next page

NRC FILE CENTER COPY

DOCUMENT NAME: G:\NMP1-2\NM89973.LTR

To receive a copy of this document, indicate in the box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

OFFICE	LA:PDI-1	E	PM:PDI-1	E	D:PDI-1				
NAME	CVogan		DBrinkman:smm		MCase				
DATE	11/3/94		11/3/94		11/3/94		11/ /94		11/ /94

9411090021 941104
PDR ADOCK 05000220
P PDR

OFFICIAL RECORD COPY

CP-1
DFO



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

November 4, 1994

Mr. B. Ralph Sylvia
Executive Vice President, Nuclear
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

SUBJECT: CORRECTED PAGES FOR LICENSE AMENDMENT NO. 150 FOR NINE MILE POINT
NUCLEAR STATION UNIT NO. 1 AND LICENSE AMENDMENT NO. 58 FOR NINE
MILE POINT NUCLEAR STATION, UNIT 2 (TAC NOS. M89973 AND M89974)

Dear Mr. Sylvia:

On October 31, 1994, the U.S. Nuclear Regulatory Commission issued the subject license amendments. Due to an administrative error, the references to the application date in the amendments, the revised pages of the licenses, and in the Safeguards Evaluation Report, were all in error. The correct application date is June 9, 1994, not June 6, 1994. In addition, License Conditions 2.D.(2) and 2.D.(3) of Facility Operating License No. DPR-63 for Nine Mile Point Nuclear Station Unit No. 1 were inadvertently included. These license conditions were deleted by License Amendment No. 51 and, therefore, should not appear on revised page 4 of License No. DPR-63. Enclosed are copies of the corrected pages which should be used to replace the pages issued on October 31, 1994. We apologize for any inconvenience due to this error.

Sincerely,

A handwritten signature in cursive script, reading "Donald S. Brinkman".

Donald S. Brinkman, Senior Project Manager
Project Directorate I-1
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Docket Nos. 50-220
and 50-410

- Enclosures:
1. Page 2 of Amendment
No. 150 to DRP-63
 2. Page 2 of Amendment
No. 58 to NPF-69
 3. Page 4 of License
No. DPR-63
 4. Page 7 of License
No. NPF-69
 5. Safeguards Evaluation
Report

cc w/encls: See next page

B. Ralph Sylvia
Niagara Mohawk Power Corporation

cc:

Mark J. Wetterhahn, Esquire
Winston & Strawn
1400 L Street, NW
Washington, DC 20005-3502

Supervisor
Town of Scriba
Route 8, Box 382
Oswego, NY 13126

Mr. Louis F. Storz
Vice President - Nuclear Generation
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Resident Inspector
U. S. Nuclear Regulatory Commission
P.O. Box 126
Lycoming, NY 13093

Gary D. Wilson, Esquire
Niagara Mohawk Power Corporation
300 Erie Boulevard West
Syracuse, NY 13202

Regional Administrator, Region I
U. S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Ms. Donna Ross
New York State Energy Office
2 Empire State Plaza
16th Floor
Albany, NY 12223

Mr. Martin J. McCormick, Jr.
Vice President
Nuclear Safety Assessment
and Support
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Nine Mile Point Nuclear Station
Unit Nos. 1 and 2

Mr. Richard B. Abbott
Unit 1 Plant Manager
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Mr. Kim A. Dahlberg
Plant Manager, Unit 2
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Charles Donaldson, Esquire
Assistant Attorney General
New York Department of Law
120 Broadway
New York, NY 10271

Mr. Paul D. Eddy
State of New York Department of
Public Service
Power Division, System Operations
3 Empire State Plaza
Albany, NY 12223

Mr. David K. Greene
Manager Licensing
Niagara Mohawk Power Corporation
Nine Mile Point Nuclear Station
P.O. Box 63
Lycoming, NY 13093

Mr. Richard Goldsmith
Syracuse University
College of Law
E. I. White Hall Campus
Syracuse, NY 12223

Mr. Richard M. Kessel
Chair and Executive Director
State Consumer Protection Board
99 Washington Avenue
Albany, NY 12210

Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, entitled "Nine Mile Point Nuclear Station Physical Security Plan" with revisions submitted through June 9, 1994; "Nine Mile Point Nuclear Station Guard Training and Qualification Plan," with revisions submitted through September 30, 1993; and "Nine Mile Point Nuclear Station Safeguards Contingency Plan," with revisions submitted through October 1, 1992. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

3. This license amendment is effective as of the date of its issuance to be implemented within 30 days.

FOR THE NUCLEAR REGULATORY COMMISSION



Ledyard B. Marsh, Director
Project Directorate I-1
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation


Attachment: Page 4 of License DRP-63

Date of Issuance: October 31, 1994

Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, entitled "Nine Mile Point Nuclear Station Physical Security Plan" with revisions submitted through June 9, 1994; "Nine Mile Point Nuclear Station Guard Training and Qualification Plan," with revisions submitted through September 30, 1993; and "Nine Mile Point Nuclear Station Safeguards Contingency Plan," with revisions submitted through October 1, 1992. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

3. This license amendment is effective as of the date of its issuance to be implemented within 30 days.

FOR THE NUCLEAR REGULATORY COMMISSION



Ledyard B. Marsh, Director
Project Directorate I-1
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Attachment: Page 7 of License NPF-69

Date of Issuance: October 31, 1994

DATED: November 4, 1994

CORRECTION TO AMENDMENT NO. 150 TO FACILITY OPERATING LICENSE NO. DPR-63-
NINE MILE POINT UNIT 1
CORRECTION TO AMENDMENT NO. 58 TO FACILITY OPERATING LICENSE NO. NPF-69-
NINE MILE POINT UNIT 2

Docket File

PUBLIC

PDI-1 Reading

S. Varga, 0-14 E4

J. Zwolinski, 0-14 H1

M. J. Case

C. Vogan

D. Brinkman

OGC

D. Hagan, T-4 A43

G. Hill (4), T-5 C3

C. Grimes, 0-11 E21

P. McKee, 0-14 C7

L. Cunningham, 0-9 D24

R. Manili, 0-9 D24

ACRS (10)

OPA

OC/LFDCB

C. Cowgill, Region I

cc: Plant Service List

D. This license is subject to the following additional conditions for the protection of the environment:

- (1) The licensee will complete construction of a new radwaste facility in conformance with the design defined and evaluated in the FES, to be operational no later than June 1976.
- (2) Deleted by License Amendment No. 51
- (3) Deleted by License Amendment No. 51
- (4) Security Plan, Guard Training and Safeguards Contingency Plans

The licensee shall fully implement and maintain in effect all provisions of the Commission-approved physical security, guard training and qualification, and safeguards contingency plans, including amendments made pursuant to the provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, entitled "Nine Mile Point Nuclear Station Physical Security Plan" with revisions submitted through June 9, 1994; "Nine Mile Point Nuclear Station Guard Training and Qualification Plan," with revisions submitted through September 30, 1993; and "Nine Mile Point Nuclear Station Safeguards Contingency Plan," with revisions submitted through October 1, 1992. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

Paragraph 2.D(5) of the license has been combined with paragraph 2.D(4) as amended above into a single paragraph.

9411090065 941104
PDR ADDCK 05000220
P PDR

Amendment No. 150

- vi) A scheduler exemption to 10 CFR 50.55a(h) for the Neutron Monitoring System until completion of the first refueling outage to allow Niagara Mohawk Power Corporation to provide qualified isolation devices for Class 1E/non-1E interfaces described in Niagara Mohawk Power Corporation's letters of June 23, 1987 (NMP2L 1057) and June 25, 1987 (NMP2L 1058). (Section 7.2.2.10, SSER 6).

For the scheduler exemptions in iv), v), and vi), above, Niagara Mohawk Power Corporation, in accordance with its letter of October 31, 1986, shall certify that all systems, components, and modifications have been completed to meet the requirements of the regulations for which the exemptions have been granted and shall provide a summary description of actions taken to ensure that the regulations have been met. This certification and summary shall be provided 10 days prior to the expiration of each exemption period as described above.

The exemptions set forth in this Section 2.D are authorized by law, will not present an undue risk to public health and safety, and are consistent with the common defense and security. These exemptions are hereby granted. The special circumstances regarding each exemption are identified in the referenced section of the Safety Evaluation Report and the supplements thereto. The exemptions in ii) through vi) are granted pursuant to 10 CFR 50.12. With these exemptions, the facility will operate to the extent authorized herein, in conformity with the application, as amended, the provisions of the Act, and the rules and regulations of the Commission.

- E. The licensee shall fully implement and maintain in effect all provisions of the Commission-approved physical security, guard training and qualification, and safeguards contingency plans, including amendments made pursuant to the provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, entitled "Nine Mile Point Nuclear Station Physical Security Plan" with revisions submitted through June 9, 1994; "Nine Mile Point Nuclear Station Guard Training and Qualification Plan," with revisions submitted through September 30, 1993; and "Nine Mile Point Nuclear Station Safeguards Contingency Plan," with revisions submitted through October 1, 1992. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.
- F. Except as otherwise provided in the Technical Specifications or Environmental Protection Plan, Niagara Mohawk Power Corporation shall report any violations of the requirements contained in Section 2.C of this license in the following manner: initial notification shall be made within 24 hours to the NRC Operations Center via the Emergency Notification System, with written followup within 30 days in accordance with the procedures described in 10 CFR 50.73(b), (c), and (e).



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

SAFEGUARDS EVALUATION REPORT BY THE OFFICE OF NUCLEAR REACTOR REGULATION

RELATED TO AMENDMENTS NOS. 150 AND 58 TO FACILITY OPERATING

LICENSE NOS. DPR-63 AND NPF-69

NIAGARA MOHAWK POWER CORPORATION

NINE MILE POINT NUCLEAR STATION, UNIT NOS. 1 AND 2

DOCKET NOS. 50-220 AND 50-410

1.0 INTRODUCTION

Niagara Mohawk Power Corporation has filed with the Nuclear Regulatory Commission a request to amend the Nine Mile Point Nuclear Station Operating License Nos. DPR-63 and NPF-69.

2.0 DISCUSSION

By letter dated June 9, 1994, Niagara Mohawk Power Corporation submitted for staff review and approval a revision to the Nine Mile Point Physical Security Plan. This revision provides explicit details in the plan change, the supporting documentation, and NUREG-0907, "Acceptance Criteria for Determining Armed Response Force Size at Nuclear Power Plant," which would allow the site to change the number of armed security force members that comprise the response force for each shift.

3.0 FINDINGS

The NRC's requirements for the number of armed response force members is provided in 10 CFR 73.55(h)(3). NUREG-0907 provides guidance for determining plant-specific response force sizes. The proposed revision for changing the number of response force members needed per shift is based on a recent analysis that the licensee completed using NUREG-0907. This guidance document contains acceptance criteria to be used as a worksheet and guideline for interpreting the worksheet score that can be used in determining the adequacy of the armed response force size at a site. We have reviewed the licensee's proposed changes in accordance with the guidance provided in NUREG-0907 and we have determined the proposed changes meet the requirements of 10 CFR 73.55(h)(3).

4.0 CONCLUSIONS

It is the staff's determination that the amendment to the Nine Mile Point Nuclear Station Physical Security Plan, as described in the licensee's letter of June 9, 1994, does not increase the risk of sabotage at the facility and continues to satisfy the requirements in 10 CFR 73.55(h)(3) concerning the number of response force members per shift at the site and is therefore acceptable.

Principal Contributor: R. Manili

Date: October 31, 1994

9411090335 941104
PDR ADDCK 05000220
PDR