DCS No.: 999900010426 Date: April 27, 2001

PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE PNO-I-01-10

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information is as initially received without verification or evaluation, and is basically all that is known by the Region I staff on this date.

<u>Facility</u>	<u>Licensee Emergency Classification</u>
Delaware Emergency Management Agency	Notification of Unusual Event
165 Brick Store Landing Road	Alert
Smyrna, DE 19977	Site Area Emergency
	General Emergency
	X Not Applicable
Docket No.: N/A	
License No.: N/A	

SUBJECT: TROXLER MOISTURE/DENSITY GAUGE RECOVERED IN DELAWARE

On April 26, 2001, the Delaware Emergency Management Agency (DEMA) reported the recovery of a Troxler Model 3411B moisture density gauge containing americium-241 and cesium-137 sealed sources. The gauge was recovered in New Castle, DE just off Exit 5 of I-95 (Route 141). The gauge was found at the bottom of an embankment next to the road. The gauge was intact with the sources in their shielded positions and presented no safety hazard. The gauge is secured at DEMA's Smyrna, DE, facility pending resolution.

No paperwork or information identifying the owner was found with the gauge. DEMA provided the serial number of the gauge to Region I. Region I is working with the gauge manufacturer, Troxler Electronics Laboratories, Inc., to locate the owner of the gauge.

The EPA and the State of Delaware have been notified.

The Region I Office of Public Affairs is available to respond to public inquiries. The State of Delaware indicated that they will be issuing a press release concerning this issue. All information is current as of 2:00 p. m. on April 27, 2001.

Contact: Eric H. Reber (610) 337-5276

DISTRIBUTIONS: BY E-MAIL: OWFN Chairman Meserve Comm. Diaz Comm. McGaffigan Jr. Comm. Merrifield Comm. Dicus OIP OCA OGC EDO OE NRR SECY Regional Offices	TWFN IRO ACRS NMSS OIG RES	<u>LST</u> PDR				
BY FAX: DOT:Trans INPO NSAC RI Resident Office Licensee:		_				
(Reactor Licensees)						

(Reactor Licensees)

DOCUMENT NAME:

OFFICE	RI/DNMS	RI/DNMS	RI/DNMS	RI/PAO	
NAME	J McGrath JRM	G Pangburn FMC for	D Screnci DPS	D White RJB for	
DATE	4/27/01	4/27/01	4/27/01	4/27/01	

Region I Form 83 (Rev. August 17, 2000)