

DISTRIBUTION:

Docket File-2

~~NRC PDR~~

~~L PDR~~

~~TERA~~

Dockets Nos. 50-277
and 50-278

~~NSIC~~

ORB#4 Rdg

DEisenhut

MFairtile

RIngram

OELD

AEOD

IE-4

ACRS-10

Gray File=2 +4

RDiggs

CMiles

JWetmore


ASLAB

TBarnhart-8

~~BSchaff 10~~

RBallard

JULY 20 1981



Mr. Edward G. Bauer, Jr.
Vice President and General Counsel
Philadelphia Electric Company
2301 Market Street
Philadelphia, Pennsylvania 19101

Dear Mr. Bauer:

The Commission has issued the enclosed Amendment No. 80 to Facility Operating License No. DPR-44 and Amendment No. 78 to Facility Operating License No. DPR-56, for Peach Bottom Atomic Power Station, Units 2 and 3, in response to your submittal of March 16, 1981.

The amendments modify the licenses identified above to include a requirement to maintain a Guard Training and Qualification Plan to be followed in accordance with 10 CFR 73.55(b)(4) within 60 days of this approval by the Commission. All security personnel shall be qualified within two years of this approval.

We have completed our review and evaluation of your Guard Training and Qualification Plan and have concluded that the plan for these facilities, when fully implemented, will provide the protection needed to satisfy the objectives of the specific requirements of 10 CFR 73.55(b)(4) and Appendix B to 10 CFR 73. We, therefore, further conclude that your Guard Training and Qualification Plan is acceptable.

Changes which would not decrease the safeguards effectiveness of your approved Guard Training and Qualification Plan may be made without approval by the Commission. A report containing a description of each change shall be furnished to the Director, Office of Nuclear Reactor Regulation, U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, with a copy to the appropriate NRC Regional Office within two months after the change is made. Records of changes made without Commission approval shall be maintained for a period of two years from the date of the change.

These amendments apply to the Guard Training and Qualification Plan and, therefore, do not authorize a change in effluent types or total amounts nor an increase in power level, and will not result in any significant environmental impact. Having made this determination, we have further concluded that these amendments involve an action which is insignificant from the

8107240565 810720
PDR ADOCK 05000277
PDR

Mr. Edward G. Bauer, Jr.

standpoint of environmental impact and pursuant to 10 CFR 51.5() (4) that an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of these amendments.

Since these amendments apply to the Guard Training and Qualification Plan, they do not involve a significant increase in the probability or consequences of an accident, do not involve a significant decrease in a safety margin and, therefore, do not involve a significant hazards consideration. We have also concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

We will continue to withhold your Guard Training and Qualification Plan and related materials from public disclosure in accordance with the provisions of 10 CFR 2.790(d).

A copy of the Notice of Issuance is also enclosed.

Sincerely,
"ORIGINAL SIGNED BY"

JOHN F. STOLZ

John F. Stolz, Chief
Operating Reactors Branch #4
Division of Licensing

Enclosures:

- 1. Amendment No. 80 to Facility Operating License No. DPR-44
- 2. Amendment No. 78 to Facility Operating License No. DPR-56
- 3. Notice

cc w/enclosures:
See next page

*No legal objection to permit
of notice ex. amendment
No SER recorded.*

OFFICE	ORB#4:DL	ORB#4:DL	C-ORB#4:DL	AD-OR:DL	OELD		
SURNAME	RIngram	MFairtile/cb	JStolz	TNovak	STOLZ		
DATE	7/8/81	7/9/81	7/9/81	7/10/81	7/14/81		

Philadelphia Electric Company

cc w/enclosure(s):

Eugene J. Bradley
Philadelphia Electric Company
Assistant General Counsel
2301 Market Street
Philadelphia, Pennsylvania 19101

Troy B. Conner, Jr.
1747 Pennsylvania Avenue, N.W.
Washington, D. C. 20006

Raymond L. Hovis, Esq.
35 South Duke Street
York, Pennsylvania 17401

Warren K. Rich, Esq.
Assistant Attorney General
Department of Natural Resources
Annapolis, Maryland 21401

Philadelphia Electric Company
ATTN: Mr. W. T. Ullrich
Peach Bottom Atomic
Power Station
Delta, Pennsylvania 17314

Albert R. Steel, Chairman
Board of Supervisors
Peach Bottom Township
R. D. #1
Delta, Pennsylvania 17314

Curt Cowgill
U.S. Nuclear Regulatory Commission
Office of Inspection and Enforcement
Peach Bottom Atomic Power Station
P. O. Box 399
Delta, Pennsylvania 17314

U. S. Environmental Protection Agency
Region III Office
ATTN: EIS COORDINATOR
Curtis Building (Sixth Floor)
6th and Walnut Streets
Philadelphia, Pennsylvania 19106

M. J. Cooney, Superintendent
Generation Division - Nuclear
Philadelphia Electric Company
2301 Market Street
Philadelphia, Pennsylvania 19101

Government Publications Section
State Library of Pennsylvania
Education Building
Commonwealth and Walnut Streets
Harrisburg, Pennsylvania 17126

Mr. R. A. Heiss, Coordinator
Pennsylvania State Clearinghouse
Governor's Office of State Planning
and Development
P. O. Box 1323
Harrisburg, Pennsylvania 17120



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PHILADELPHIA ELECTRIC COMPANY
PUBLIC SERVICE ELECTRIC AND GAS COMPANY
DELMARVA POWER AND LIGHT COMPANY
ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-277

PEACH BOTTOM ATOMIC POWER STATION, UNIT NO. 2

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 80
License No. DPR-44

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The filing (which is being handled by the Commission as an application) by the Philadelphia Electric Company, et al. (the licensee) dated March 16, 1981, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.


2. Accordingly, Facility Operating License No. DPR-44 is hereby amended by adding a new Paragraph 2.C.(4)(c) to read as follows:

2.C.(4)(c)

"Peach Bottom Atomic Power Station Guard Training and Qualification Plan" dated March 1981. This Plan shall be followed in accordance with 10 CFR 73.55(b)(4), 60 days after approval by the Commission. All security personnel, as required in the above plans, shall be qualified within two years of this approval. The licensee may make changes to this plan without prior Commission approval if the changes do not decrease the safeguards effectiveness of the plan. The licensee shall maintain records of and submit reports concerning such changes in the same manner as required for changes made to the Security Plan and Safeguards Contingency Plan pursuant to 10 CFR 50.54(p).

3. This license amendment is effective as of the date of its issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



John F. Stolz, Chief
Operating Reactors Branch #4
Division of Licensing

Date of Issuance: July 20, 1981



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PHILADELPHIA ELECTRIC COMPANY
PUBLIC SERVICE ELECTRIC AND GAS COMPANY
DELMARVA POWER AND LIGHT COMPANY
ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-278

PEACH BOTTOM ATOMIC POWER STATION, UNIT NO. 3

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 78
License No. DPR-56

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The filing (which is being handled by the Commission as an application) by the Philadelphia Electric Company, et al. (the licensee) dated March 16, 1981, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.


2. Accordingly, Facility Operating License No. DPR-56 is hereby amended by adding a new Paragraph 2.C.(3)(c) to read as follows:

2.C.(3)(c)

"Peach Bottom Atomic Power Station Guard Training and Qualification Plan" dated March 1981. This Plan shall be followed in accordance with 10 CFR 73.55(b)(4), 60 days after approval by the Commission. All security personnel, as required in the above plans, shall be qualified within two years of this approval. The licensee may make changes to this plan without prior Commission approval if the changes do not decrease the safeguards effectiveness of the plan. The licensee shall maintain records of and submit reports concerning such changes in the same manner as required for changes made to the Security Plan and Safeguards Contingency Plan pursuant to 10 CFR 50.54(p).

3. This license amendment is effective as of the date of its issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



John F. Stolz, Chief
Operating Reactors Branch #4
Division of Licensing

Date of Issuance: July 20, 1981

UNITED STATES NUCLEAR REGULATORY COMMISSIONDOCKETS NOS. 50-277 AND 50-278PHILADELPHIA ELECTRIC COMPANY, ET ALNOTICE OF ISSUANCE OF AMENDMENTS TO FACILITY
OPERATING LICENSES

The U. S. Nuclear Regulatory Commission (the Commission) has issued Amendments Nos. 80 and 78 to Facility Operating Licenses Nos. DPR-44 and DPR-56, issued to Philadelphia Electric Company, Public Service Electric and Gas Company, Delmarva Power and Light Company, and Atlantic City Electric Company, which revised the licenses for operation of the Peach Bottom Atomic Power Station, Units Nos. 2 and 3 located in York County, Pennsylvania. The amendments are effective as of the date of issuance and are to be fully implemented within 60 days of Commission approval in accordance with the provisions of 10 CFR 73.55(b)(4).

The amendments add license conditions to include the Commission-approved Guard Training and Qualification Plan as part of the licenses.

The licensee's filing, which has been handled by the Commission as an application, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendments. Prior public notice of these amendments was not required since the amendments do not involve a significant hazards consideration.


The Commission has determined that the issuance of these amendments will not result in any significant environmental impact and that pursuant to 10 CFR §51.5(d)(4) an environmental impact statement or negative declaration and environmental impact appraisal need not be prepared in connection with issuance of these amendments.

The licensee's filing dated March 16, 1981, is being withheld from public disclosure pursuant to 10 CFR 2.790(d). The withheld information is subject to disclosure in accordance with the provisions of 10 CFR §9.12.

For further details with respect to this action, see (1) Amendment No. 80 to License No. DPR-44, and Amendment No. 78 to License No. DPR-56, and (2) the Commission's related letter to the licensee dated July 20, 1981. All of these items are available for public inspection at the Commission's Public Document Room, 1717 H Street, N. W., Washington, D. C., and at the Government Publications Section, State Library of Pennsylvania, Education Building, Commonwealth and Walnut Streets, Harrisburg, Pennsylvania. A copy of items (1) and (2) may be obtained upon request addressed to the U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, Attention: Director, Division of Licensing.

Dated at Bethesda, Maryland, this 20th day of July, 1981.

FOR THE NUCLEAR REGULATORY COMMISSION



John F. Stolz, Chief
Operating Reactors Branch #4
Division of Licensing