

Facility: PBUP		Date of Exam: 16 October 2000		Exam Level: RO/SRO		
Item Description				Initial		
				a	b*	c*
1.	Questions and answers technically accurate and applicable to facility			A	100	AMS
2.	a. NRC K/As referenced for all questions b. Facility learning objectives referenced as available			A	100	AMS
3.	RO/SRO overlap is no more than 75 percent, and SRO questions are appropriate per Section D.2.d of ES-401			A	100	AMS
4.	Question duplication from the license screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate: <input type="checkbox"/> the audit exam was systematically and randomly developed; or <input checked="" type="checkbox"/> the audit exam was completed before the license exam was started; or <input type="checkbox"/> the licensee certifies that there is no duplication; or <input type="checkbox"/> the license exam was prepared by the NRC			A	100	AMS
				—	—	—
5.	Bank use meets limits (no more than 50 percent from the bank, at least 10 percent new, and the rest modified); enter the actual question distribution at right	Bank	Modified	New	A	AMS
		(31) / 34	(15) / 12	(54) / 54	100	AMS
6.	Between 50 and 60 percent of the questions on the exam (including 10 new questions) are written at the comprehensive/analysis level; enter the actual question distribution at right	Memory	C/A		A	AMS
		(41) / 46	(59) / 54		100	AMS
7.	References/handouts provided do not give away answers			A	100	AMS
8.	Question content conforms with specific K/A statements in the previously approved examination outline; deviations are justified			A	100	AMS
10.	Question psychometric quality and format meet ES, Appendix B, Guidelines			A	100	AMS
11.	The exam contains 100, one-point, multiple choice items; the total is correct and agrees with value on cover sheet			A	100	AMS
a.	Author	Printed Name / Signature <u>Jan Michael Forbes / Jan Michael Forbes</u>			Date	<u>8/5/00</u>
b.	Facility Reviewer(*)	<u>Rob HARRSCH / Rob Harrsch</u>			<u>8/5/00</u>	
c.	NRC Chief Examiner(*)	<u>Annmarie Stone / Annmarie Stone</u>			<u>7/7/00</u>	
d.	NRC Regional Supervisor(*)	<u>David Hills / David Hills</u>			<u>10/12/00</u>	
<p>Note: * The facility reviewer's signature is not applicable for NRC-developed examinations; two independent NRC reviews are required. # See special instructions (Section E.2.c) for items 1, 4, 5, and 6. [] The items in brackets do not apply to NRC-prepared examinations.</p>						

* SRO Count is circled to left of RO values

** Examinee's must deduce and/or calculate answers from the references given.

NUREG-1021, Revision 8

Received exam with licensee. Verified all changes were made. On 10/11/2000 noted that two SRO questions needed revision. Changes will be made and verified complete on 10/16/2000. Otherwise, exam is ready to be administered. Annmarie Stone 10/12/00