



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

August 25, 1988

Dockets Nos. 50-277/278

Mr. William M. Alden
Director-Licensing
Philadelphia Electric Company
2301 Market Street
Philadelphia, Pennsylvania 19101

Dear Mr. Alden:

SUBJECT: (TAC NOS. 65411/65412) PHYSICAL SECURITY PLAN

RE: PEACH BOTTOM ATOMIC POWER STATION, UNIT NOS. 2 AND 3

The Commission has issued the enclosed Amendments Nos. 135 and 138 to Facility Operating License Nos. DPR-44 and DPR-56 for the Peach Bottom Atomic Power Station, Unit Nos. 2 and 3. These amendments consist of changes to the licenses in response to your letters dated December 1, 1986 and December 16, 1987.

These amendments modify and combine paragraphs 2.C.(4) and 2.C.(4)(c) of Facility Operating License DPR-44 for Unit 2 and modify and combine paragraphs 2.C.(3) and 2.C.(3)(c) of Facility Operating License DPR-56 for Unit 3 to require compliance with the amended Physical Security Plan. This Plan was amended to conform to the requirements of 10 CFR 73.55. Consistent with the provisions of 10 CFR 73.55, search requirements must be implemented within 60 days and miscellaneous amendments within 180 days from the effective date of this amendment.

Our evaluation of the amendments to your Physical Security Plan for Peach Bottom Units 2 and 3 is contained in the enclosed Safeguards Evaluation Report. Based on this evaluation, we find that you meet the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR 73.55 and the recordkeeping requirements of 10 CFR 73.70.

We find that these amendments to your licenses are related solely to safeguards matters and do not involve any significant construction impacts. Accordingly, these amendments meet the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(12). Pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the issuance of these amendments.

Based on the fact that these license amendments apply to the Physical Security Plan and incorporate into the licenses the latest requirements of your updated Physical Security Plan, we have concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action

8809020247 880825
PDR ADOCK 05000277
P PNU

DFOI
11

and that this action will be conducted in compliance with the Commission's regulations, and the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

Notice of Issuance will be included in the Commission's biweekly Federal Register Notice.

Sincerely,

/s/

Robert E. Martin, Project Manager
Project Directorate I-2
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation

Enclosures:

- 1. Amendment No. 135 to DPR-44
- 2. Amendment No. 138 to DPR-56
- 3. Safeguards Evaluation Report

cc w/enclosures:
See next page

DISTRIBUTION

Docket File	ACRS(10)	BClayton
NRC PDR/LPDR	GPA/PA	RGallo
OGC-WF	RSkelton,NRR	PDI-2 Reading
RDiggs,ARM/LFMB	CBuracker	CBuracker
TBarnhart(8)	BBoger/SVarga	EJordan
WButler	DHagan	RMartin(2)
Wanda Jones	RErickson	RClark
EButcher	MO'Brien(2)	BGrimes

* See Previous Concurrence Page

Handwritten: PDI-2/PA
MO'Brien
7/14/88

PDI-2/PM*
RMartin:tr
06/30/88

Handwritten: OEB
R Bachmann
7/20/88

PDI-2/D
WButler
7/24/88

Handwritten: B
WR

DRIS/RSB*
RErickson
07/14/88

Handwritten: DF01
1/1

and that this action will be conducted in compliance with the Commission's regulations, and the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

Notice of Issuance will be included in the Commission's biweekly Federal Register Notice.

Sincerely,

Robert Martin
Robert E. Martin, Project Manager
Project Directorate I-2
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation

Enclosures:

1. Amendment No. 135 to DPR-44
2. Amendment No. 138 to DPR-56
3. Safeguards Evaluation Report

cc w/enclosures:

See next page

Mr. William M. Alden
Philadelphia Electric Company

Peach Bottom Atomic Power Station,
Units 2 and 3

cc:

Troy B. Conner, Jr., Esq.
1747 Pennsylvania Avenue, N.W.
Washington, D.C. 20006

Philadelphia Electric Company
ATTN: Mr. D. M. Smith, Vice President
Peach Bottom Atomic Power Station
Route 1, Box 208
Delta, Pennsylvania 17314

H. Chris Schwemm
Vice President, Production
Atlantic Electric
P.O. Box 1500
1199 Black Horse Pike
Pleasantville, New Jersey 08232

Resident Inspector
U.S. Nuclear Regulatory Commission
Peach Bottom Atomic Power Station
P.O. Box 399
Delta, Pennsylvania 17314

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, Pennsylvania 19406

Mr. Bryan W. Gorman
Manager - External Affairs
Public Service Electric & Gas Company
P.O. Box 236, N28
Hancocks Bridge, New Jersey 08038

Mr. R. A. Heiss, Coordinator
Pennsylvania State Clearinghouse
Governor's Office of State Planning
and Development
P. O. Box 1323
Harrisburg, Pennsylvania 17120

Mr. Thomas M. Gerusky, Director
Bureau of Radiation Protection
Pennsylvania Department of
Environmental Resources
P. O. Box 2063
Harrisburg, Pennsylvania 17120

Mr. Albert R. Steel, Chairman
Board of Supervisors
Peach Bottom Township
R. D. #1
Delta, Pennsylvania 17314

Mr. Gary Mock
P. O. Box 09181
Columbus, Ohio 43209

Delmarva Power and Light Company
c/o Jack Urban
General Manager, Fuel Supply
800 King Street
P.O. Box 231
Wilmington, DE 19899

Mr. Tom Magette
Power Plant Research Program
Department of Natural Resources
B-3
Tawes State Office Building
Annapolis, Maryland 21401

Mr. Roland Fletcher
Department of Environment
201 West Preston Street
Baltimore, Maryland 21201



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PHILADELPHIA ELECTRIC COMPANY
PUBLIC SERVICE ELECTRIC AND GAS COMPANY
DELMARVA POWER AND LIGHT COMPANY
ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-277

PEACH BOTTOM ATOMIC POWER STATION, UNIT NO. 2

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 135
License No. DPR-44

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by Philadelphia Electric Company, et al. (the licensee) dated December 1, 1986 and December 16, 1987, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I.
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health or safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, paragraphs 2.C.(4) and 2.C.(4)(c) of Facility Operating License No. DPR-44 are modified and combined to become paragraph 2.C.(4) and is hereby amended to read as follows:

The licensee shall fully implement and maintain in effect all provisions of the Commission-approved physical security, guard training and qualification, and safeguards contingency plans including amendments made pursuant to provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of

8809020249 880825
PDR ADOCK 05000277
P PNU

10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Peach Bottom Atomic Power Station, Units 2 and 3, Physical Security Plan," with revisions submitted through December 16, 1987; "Peach Bottom Atomic Power Station, Units 2 and 3 Plant Security Personnel Training and Qualification Plan," with revisions submitted through July 9, 1986; and "Peach Bottom Atomic Power Station, Units 2 and 3 Safeguards Contingency Plan," with revisions submitted through March 10, 1981. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

3. This license amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



Walter R. Butler, Director
Project Directorate I-2
Division of Reactor Projects I/II

Date of Issuance: August 25, 1988

* See Previous Concurrence Page

PDI-2/LA*	PDI-2/PM*	OGC*	PDI-2/D*	DRIS/RSB*
MO'Brien	RMartin:tr	RBachmann	WButler	RErickson
07/14/88	06/30/88	07/20/88	08/21/88	07/14/88

10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Peach Bottom Atomic Power Station, Units 2 and 3, Physical Security Plan," with revisions submitted through December 16, 1987; "Peach Bottom Atomic Power Station, Units 2 and 3 Plant Security Personnel Training and Qualification Plan," with revisions submitted through July 9, 1986; and "Peach Bottom Atomic Power Station, Units 2 and 3 Safeguards Contingency Plan," with revisions submitted through March 10, 1981. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

3. This license amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



Walter R. Butler, Director
Project Directorate I-2
Division of Reactor Projects I/II

Date of Issuance: August 25, 1988



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PHILADELPHIA ELECTRIC COMPANY
PUBLIC SERVICE ELECTRIC AND GAS COMPANY
DELMARVA POWER AND LIGHT COMPANY
ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-278

PEACH BOTTOM ATOMIC POWER STATION, UNIT NO. 3

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 138
License No. DPR-56

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by Philadelphia Electric Company, et al. (the licensee) dated December 1, 1986 and December 16, 1987, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I.
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health or safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, paragraphs 2.C.(3) and 2.C.(3)(c) of Facility Operating License No. DPR-56 are modified and combined to become paragraph 2.C.(3) and is hereby amended to read as follows:

The licensee shall fully implement and maintain in effect all provisions of the Commission-approved physical security, guard training and qualification, and safeguards contingency plans including amendments made pursuant to provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of

10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Peach Bottom Atomic Power Station, Units 2 and 3, Physical Security Plan," with revisions submitted through December 16, 1987; "Peach Bottom Atomic Power Station, Units 2 and 3 Plant Security Personnel Training and Qualification Plan," with revisions submitted through July 9, 1986; and "Peach Bottom Atomic Power Station, Units 2 and 3 Safeguards Contingency Plan," with revisions submitted through March 10, 1981. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

3. This license amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

George Rivenbark for
Walter R. Butler, Director
Project Directorate I-2
Division of Reactor Projects I/II

Date of Issuance: August 25, 1988

* See Previous Concurrence Page

PDI-2/LA*	PDI-2/PM*	OGC*	PDI-2/D*	DRIS/RSB*
MO'Brien	RMartin:tr	RBachmann	WButler	RErickson
07/14/88	06/30/88	07/20/88	8/24/88	07/14/88

10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Peach Bottom Atomic Power Station, Units 2 and 3, Physical Security Plan," with revisions submitted through December 16, 1987; "Peach Bottom Atomic Power Station, Units 2 and 3 Plant Security Personnel Training and Qualification Plan," with revisions submitted through July 9, 1986; and "Peach Bottom Atomic Power Station, Units 2 and 3 Safeguards Contingency Plan," with revisions submitted through March 10, 1981. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

3. This license amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



Walter R. Butler, Director
Project Directorate I-2
Division of Reactor Projects I/II

Date of Issuance: August 25, 1988



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

SAFEGUARDS EVALUATION REPORT
MISCELLANEOUS AMENDMENTS AND SEARCH REQUIREMENTS
PHILADELPHIA ELECTRIC COMPANY
PEACH BOTTOM ATOMIC POWER STATION, UNITS 2 AND 3
DOCKET NOS. 50-277 AND 50-278

1.0 Introduction

The Philadelphia Electric Company (PECO) has filed with the Nuclear Regulatory Commission revisions to their Physical Security Plan for the Peach Bottom Atomic Power Station, Units 2 and 3.

This Safeguards Evaluation Report (SGER) summarizes how the licensee proposes to meet the Miscellaneous Amendments and Search Requirements revisions of 10 CFR Part 73.55.

Based on a review of the Physical Security Plan, the staff has concluded that the proposed changes satisfy Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and accompanying 10 CFR 73.70 record reporting requirements. Accordingly, the protection provided will ensure that the public health and safety will not be endangered.

2.0 Personnel Search

The licensee has provided commitments in the Physical Security Plan to provide a search of all individuals entering the protected area except bona fide Federal, State and local law enforcement personnel on official duty, through the use of equipment designed for the detection of firearms, explosives, and incendiary devices. In addition, the licensee has provided commitments to conduct a physical pat-down search of an individual whenever the licensee has cause to suspect that the individual is attempting to introduce firearms, explosives, or incendiary devices into the protected areas; or whenever firearms or explosives detection equipment is out of service or not operating satisfactorily.

3.0 Vital Area Access

PECO has modified their Peach Bottom Atomic Power Station, Units 2 and 3, Physical Security Plan to limit unescorted access to vital areas during non-emergency conditions to individuals who require access in order to perform their duties. They have established current authorization access lists for each vital area which are updated and approved by the cognizant manager or supervisor at least once every 31 days. PECO has assured that only individuals whose specific duties require access to vital areas during non-emergency conditions are included on their site access list. PECO has

provided further assurance by revoking access and retrieving badges and other entry devices prior to or simultaneously with notification of termination of an individual's unescorted facility access.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that PECO meets the vital area access requirements of 10 CFR 73.55(d)(7)(i)(A)(B) and (C).

4.0 Locks and Keys

The licensee has committed to providing methods to reduce the probability of compromise of keys, locks, combinations, and related access control devices used to control access to their protected areas and vital areas. These methods include the rotation of keys, locks, combinations, and related access control devices every 12 months or the changing of these devices whenever there is evidence or suspicion that any key, lock, combination or related access control device may have been compromised or when an individual who has had access to any of these devices has had their access terminated due to a lack of trustworthiness, reliability or inadequate work performance. Only persons granted unescorted facility access are issued such entry devices.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that PECO meets the requirements of 10 CFR 73.55 (d)(9) to reduce the probability of compromise of keys, locks, combinations, and related access control devices.

5.0 Emergency Access

The licensee has provided commitments to provide for the rapid ingress and egress of individuals during emergency conditions or situations that could lead to emergency conditions by assuring prompt access to vital equipment. An annual review of their physical security plans and contingency plans and procedures will be conducted to evaluate their potential impact on plant and personnel safety. Emergency access is granted by a licensed senior operator.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that PECO meets the requirements of 10 CFR 73.55 (d)(7)(ii)(B) to assure access to vital equipment during emergencies or to situations that may lead to an emergency.

6.0 Protection of Secondary Power Supplies

The licensee has provided commitments to protect the on-site secondary power supply system for alarm annunciator equipment and non-portable communications equipment by including such equipment within a vital area boundary.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that PECO meets the requirements of 10 CFR 73.55(e) in protecting the secondary power supplies of alarm annunciator equipment and non-portable communications equipment.

7.0 Vital Area Entry/Exit Logging

The licensee has committed to maintaining a log indicating name, badge number, time of entry, and time of exit of all individuals granted access to a vital area except those individuals entering or exiting the reactor control room.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that PECO meets the requirements of 10 CFR 73.70(d) by maintaining entry/exit log of individuals accessing vital areas (except the reactor control room).

8.0 Conclusion

Based upon the above evaluation, we find that the licensee has met the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR Part 73.55 and the record reporting requirements of 10 CFR Part 73.70.

Principal Contributor: Robert Skelton, NRR

Dated: August 25, 1988